


# 1617 Sherman Avenue Apartments Development Traffic Impact Analysis



A faint map of Wisconsin is visible in the background, with the City of Madison highlighted by a gray box. A blue star marks the location of Madison on the map.

City of Madison  
Dane County, Wisconsin

October 31, 2022

# TRAFFIC IMPACT ANALYSIS

**DATE:** October 31, 2022

**TO:** Darrin Jolas  
Vermilion Acquisitions, LLC

**FROM:** Don Lee, P.E.  
John A Bieberitz, P.E., PTOE  
Traffic Analysis & Design, Inc.

**SUBJECT:** **1617 Sherman Avenue Apartments Development**  
**City of Madison, WI**

---

## INTRODUCTION

Vermilion Acquisitions LLC is proposing a multi-family residential development to be located on the east side of Sherman Avenue, immediately north of Tenney Park in the City of Madison, Dane County, Wisconsin (Exhibit 1). Access to the site is proposed via two full access driveways onto Sherman Avenue (Exhibit 2). This traffic impact analysis (TIA) report was prepared to address the weekday morning and weekday evening peak hour traffic impacts of the proposed development traffic on the adjacent transportation system.

## STUDY AREA

### Study Intersections

The study area for this TIA includes the following existing and proposed intersections:

- Sherman Avenue & Fordem Avenue (one-way stop control)
- Sherman Avenue & Fuller Drive North (one-way stop control)
- Sherman Avenue & Fuller Drive South (one-way stop control)
- Sherman Avenue & proposed north driveway (one-way stop control)
- Sherman Avenue & proposed south driveway (one-way stop control)
- Sherman Avenue & Marston Avenue (one-way stop control)
- Sherman Avenue & North Baldwin Street (one-way stop control)
- East Johnson Street & Marston Avenue (one-way stop control)
- East Johnson Street & North Baldwin Street (traffic signal control)

Each intersection is shown on the study area map on Exhibit 1. A transportation detail illustrating existing intersection lane configurations, speed limits, and approximate intersection spacing is shown in Exhibit 3.

## **Study Area Roadways**

*Sherman Avenue* is a northeast/southwest, two-lane undivided collector street from its intersection with Fordem Avenue to the south and a three-lane minor arterial with a Two-Way-Left-Turn-Lane median immediately to the north. The posted speed limit on Sherman Avenue is 25 miles per hour (mph) to the south of Fordem Avenue intersection and 30-mph to the north. There are sidewalks and bicycle lanes located along both sides of the roadway throughout the corridor. The Wisconsin Department of Transportation (WisDOT) 2018 annual average daily traffic (AADT) volumes along Sherman Avenue was recorded as 9,600 vehicles per day(vpd) to the north of Commercial Avenue. There are currently no WisDOT AADT volumes collected along Sherman Avenue to the south of the Fordem Avenue intersection; however ADT volumes of about 2,100 vehicles per day(vpd) to the south of Baldwin Street, 3,200-vpd north of Marston Avenue and 3,500-vpd immediately south of McGuire Street were calculated from the five hours of peak period turning movement counts collected at the adjacent intersections along the corridor as part of this study.

*Fordem Avenue* is a north/south, two-lane undivided minor collector roadway to the south of Sherman Avenue. The posted speed limit on Fordem Avenue is 30-mph within the limits of the study area. There are sidewalks located along both sides of the roadway within the study area. There are currently no WisDOT AADT volumes available along Fordem Avenue; however, ADT volumes of about 5,400-vpd immediately south of Sherman Avenue were calculated from the five hours of peak period turning movement counts collected as part of this study.

*East Johnson Street* is a four-lane divided major collector street within the limits of the study area. To the west of North Baldwin Street, the corridor splits into two separate roadways with East Johnson Street operating as one-way northeast-bound and East Gorham Street operating as one-way southwest-bound. The posted speed limit on East Johnson Street is 25-mph. Sidewalks are located along both sides of the roadway within the study area and no bike lanes are also provided within the roadway to the east of North Baldwin Street. There are currently no WisDOT AADT volumes available along East Johnson Street; however, ADT volumes of about 24,100-vpd immediately to the southwest of North Baldwin Street and 22,500-vpd immediately to the northeast of Marston Avenue were calculated from the five hours of peak period turning movement counts collected as part of this study.

*North Baldwin Street* is a northwest/southeast, two-lane undivided local distributor within the limits of the study area. The posted speed limit on North Baldwin Street is 25-mph within the limits of the study area. There are sidewalks located along both sides of the roadway within the study area. There are currently no WisDOT AADT volumes available along North Baldwin Street; however, ADT volumes of about 1,400-vpd immediately west of Johnson Street and 5,100-vpd immediately east of Johnson Street were calculated from the five hours of peak period turning movement counts collected as part of this study.

*Marston Avenue* is a northwest/southeast, two-lane undivided local distributor within the limits of the study area. The posted speed limit on Marston Avenue is 25-mph within the limits of the study area. There are sidewalks located along only the south side of the roadway within the study area. There are currently no WisDOT AADT volumes available along Marston Avenue; however, ADT volumes of about 550-vpd immediately west of Johnson Street were calculated from the five hours of peak period turning movement counts collected as part of this study.

*Fuller Drive* is a two-lane undivided local roadway that provides access to a residential neighborhood along Sherman Avenue. The posted speed limit on Fuller Drive is 25-mph within the limits of the study area. There are no sidewalks currently provided along either side of the roadway within the study area. There are currently no WisDOT AADT volumes available along Fuller Drive; however, ADT volumes of about 200-vpd were calculated from the five hours of peak period turning movement counts collected as part of this study.

## **DATA COLLECTION**

### **Existing Traffic Counts**

Turning movement traffic counts were collected at the study area intersections in mid-September of 2022 during the weekday morning (6:30-8:30 a.m.) and weekday afternoon (3:00-6:00 p.m.) peak periods. In addition, during these same time periods, turning movement counts were collected at the driveways to the existing site. Since the existing land uses are being displaced as part of the project, these counts were used to reduce the existing driveway trips from the overall transportation network by subtracting them from the proposed trip generation calculations (shown in Exhibit 5).

Based on the turning movement traffic counts at the main study area intersections, the peak traffic hours at the study intersections were determined to occur from 7:30-8:30 a.m. (AM peak hour) and from 4:15-5:15 p.m. (PM peak hour). The traffic volume counts were compiled for these peak hours, balanced between the study area intersections, and are shown on Exhibit 4 as the existing traffic volumes. The full traffic count data collected for this study is included in Appendix A.

## **PROPOSED DEVELOPMENT**

### **Site Description**

The conceptual site plan for the proposed multi-family residential development is shown on Exhibit 2. The apartment development is proposed over three multi-story buildings which area expected to include the following:

- Building A – 260 units (6 stories)
- Building B – 108 units (3 stories)
- Building C – 65 units (4 stories)

The development is expected to be made up of a combination of two-bedroom, one-bedroom, and studio style apartments. Surface and underground (basement and first floor) parking are also included within the site. Access to the site is proposed via two full access driveways onto Sherman Avenue; one immediately south of the Sherman Terrace one-way

access roadway and one immediately north of the Tenney Park boat launch parking lot. The multi-family residential development is planned to be constructed and operational in the year 2024 and is therefore included in the Full Build (with development) traffic volumes.

### Trip Generation

To address any potential future traffic impacts at the study area intersections, it is necessary to identify the hourly volume of traffic generated by anticipated development. Traffic volumes expected to be generated are based on the size and type of the proposed uses and on trip rates and fitted curve equations as published in the Institute of Transportation Engineers' (ITE) *Trip Generation Manual, 11<sup>th</sup> Edition*. Due to the nature of the land use type, the proposed development is not expected to include linked or pass-by trip reductions. Low-Rise Multi-Family Housing (ITE land use 220) was utilized for the 3-story building and Mid-Rise Multi-Family Housing (ITE land use 221) was utilized for the 4- and 6-story buildings.

The trip generation table developed for the proposed multi-family residential development is shown on Exhibit 5. As stated above, since the existing office land uses are being displaced as part of the project, the existing driveway trips collected at the two driveways were used to reduce the existing driveway trips from the overall transportation network by subtracting them from the proposed trip generation calculations as shown in Exhibit 5. As shown, after existing trip reductions, the proposed development is expected to generate about 2,250 total trips over a typical weekday, with 165 new trips (25 in/140 out) expected during the weekday AM peak hour and 165 trips (115 in/50 out) expected during the weekday PM peak hour.

A trip generation comparison table has also been included in the appendix of this report comparing the existing office land use at full occupancy of 45,000 square feet, with the proposed apartment land use under full build out conditions. As shown, the proposed apartment development is expected to generate about 100 more new trips (-30 in/130 out) during the weekday AM peak hour and 105 more new trips (100 in/5 out) during the weekday PM peak hour when compared to the existing office at full occupancy land use trips.

### Trip Distribution

The trip distribution for the proposed development, listed below and shown in table format in Exhibit 5, was determined based on the existing traffic counts, the type of proposed land uses and the location of existing populations within the immediate study area.

- 40% to/from the northeast on East Johnson Street
- 40% to/from the southwest on East Johnson Street
- 15% to/from the north on Sherman Avenue
- 5% to/from the south on Sherman Avenue

Madison Metro Transit is in the process of adjusting their routes along the study area corridors. Proposed (new) route 28 is planned to operate northbound along Sherman Avenue, between North Baldwin Street and the McGuire/Fordem area on weekdays during the typical commuter

hours. Route 28 would also serve stops on the north side of East Johnson Street, from Fordem Avenue back to North Baldwin Street. A second route, route D, is planned to provide daily, all-day, service to stops along both sides of East Johnson Street, between North Baldwin Street and Fordem Avenue. Route D is anticipated to have at least 15-minute service during the typical weekday commuter hours.

Transit, pedestrians, and bicyclists may use their respective modes to access the identified development. However, to allow for a conservative (highest vehicular volume) analysis, these modes were assumed to make up a relatively small portion of the overall trips to/from the study area. For the purpose of this TIA, all trips to/from the proposed development site were assumed to occur via motor vehicle.

### **Traffic Assignment**

The proposed multi-family residential development new trips were assigned to the study intersections based on the above trip distributions. The traffic assignment is shown on Exhibit 6A. Since the existing driveways operate as one-way driveways and the proposed driveways are expected to operate as full access driveways, the existing movements at the driveways were redistributed to accurately reflect all-way operation. The redistributed trips are shown in Exhibit 6B.

The net new trips (Exhibit 6A) were added to the redistributed trips (Exhibit 6B) and the Existing traffic volumes (Exhibit 4) to generate the "Full Build" traffic volumes for the analysis. The Full Build traffic volumes are shown on Exhibit 7.

### **PEAK HOUR TRAFFIC OPERATIONS & QUEUES**

The study intersections were analyzed using the Synchro 11 traffic analysis model (outputs based on the Highway Capacity Manual, 6<sup>th</sup> Edition) and the peak hour turning movement volumes estimated for the study area intersections. Intersection operation is defined by "level of service". Level of Service (LOS) is a quantitative measure that refers to the overall quality of flow at an intersection ranging from very good, represented by LOS 'A', to very poor, represented by LOS 'F'. For the purposes of this study, LOS D or better was used to define acceptable peak hour operating conditions.

The capacity analysis tables show the peak hour LOS, delays (in seconds per vehicle), and queues (in feet) for both the Existing traffic condition and for the Full Build traffic condition. The Synchro capacity analysis worksheets for all analysis scenarios are located in Appendix B.

### **Existing Traffic Operations**

Table 1 shows the results of the weekday morning and weekday evening peak hour operational analysis at the study area intersections under existing traffic volume conditions. The study intersections were evaluated using the existing geometrics and traffic control as shown on Exhibit 3 and the existing traffic volumes shown in Exhibit 4.

Sherman Avenue Development - Madison, Wisconsin

Page 6 of 11

October 31, 2022

**Table 1**  
**Year 2022 Existing Traffic Peak Hour Operating Conditions**  
**With Existing Geometrics and Traffic Control**

Intersection	Peak Hour	Metric	Level of Service (LOS) per Movement by Approach										I/S LOS & Delay	
			Eastbound		Westbound		Northbound		Southbound					
			↗	→	↘	↙	↖	↗	↑	↗	↘	↙		
Node 100: Sherman Avenue & Fordman Avenue <i>One-Way Stop Control</i>	AM	Lanes->	1	-	-	-	1	1	-	-	-	1		
		LOS	C	-	-	A	*	-	-	-	-	*	A	
		Delay	15	-	-	8	*	-	-	-	-	*	2	
	PM	Queue	25'	-	-	25'	*	-	-	-	-	*		
		LOS	C	-	-	A	*	-	-	-	-	*	A	
		Delay	19	-	-	8	*	-	-	-	-	*	4	
	AM	Queue	45'	-	-	25'	*	-	-	-	-	*		
		Lanes->	1	-	-	-	1	-	-	-	-	1		
		LOS	B	-	-	A	-	-	-	-	-	*	A	
	PM	Delay	11	-	-	8	-	-	-	-	-	*	1	
		Queue	25'	-	-	25'	-	-	-	-	-	*		
		LOS	B	-	-	A	-	-	-	-	-	*	A	
Node 200: Sherman Avenue & North Fuller Drive <i>One-Way Stop Control</i>	AM	Delay	11	-	-	8	-	-	-	-	-	*	1	
		Queue	25'	-	-	25'	-	-	-	-	-	*		
		Lanes->	1	-	-	-	1	-	-	-	-	1		
	PM	LOS	B	-	-	A	-	-	-	-	-	*	1	
		Delay	11	-	-	8	-	-	-	-	-	*		
		Queue	25'	-	-	25'	-	-	-	-	-	*		
	AM	Lanes->	1	-	-	-	1	-	-	-	-	1		
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	*	1	
	PM	Queue	25'	-	-	25'	-	-	-	-	-	*		
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	*	1	
Node 300: Sherman Avenue & South Fuller Drive <i>One-Way Stop Control</i>	AM	Queue	25'	-	-	25'	-	-	-	-	-	*		
		Lanes->	1	-	-	-	1	-	-	-	-	1		
		LOS	B	-	-	A	-	-	-	-	-	*	A	
	PM	Delay	11	-	-	8	-	-	-	-	-	*	1	
		Queue	25'	-	-	25'	-	-	-	-	-	*		
		Lanes->	1	-	-	-	1	-	-	-	-	1	-	
	AM	LOS	-	-	A	-	*	-	-	-	-	*	A	
		Delay	-	-	9	-	*	-	-	-	-	*	-	
		Queue	-	-	25'	-	*	-	-	-	-	*	-	
	PM	LOS	-	-	B	-	*	-	-	-	-	*	-	
		Delay	-	-	10	-	*	-	-	-	-	*	-	
		Queue	-	-	25'	-	*	-	-	-	-	*	-	
Node 400: Sherman Avenue & North MyChoice Driveway <i>One-Way Stop Control</i>	AM	Lanes->	-	-	1	-	1	-	-	-	-	1	-	
		LOS	-	-	A	-	*	-	-	-	-	*	-	
		Delay	-	-	9	-	*	-	-	-	-	*	-	
	PM	Queue	-	-	25'	-	*	-	-	-	-	*	-	
		LOS	-	-	B	-	*	-	-	-	-	*	-	
		Delay	-	-	10	-	*	-	-	-	-	*	-	
		Queue	-	-	25'	-	*	-	-	-	-	*	-	
	AM	Lanes->	1	-	-	-	1	-	-	-	-	1	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	7	1	
	PM	Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	8	1	
Node 500: Sherman Avenue & South MyChoice Driveway <i>Two-Way Stop Control</i>	AM	Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		Lanes->	1	-	-	-	1	-	-	-	-	1	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
	PM	Delay	11	-	-	8	-	-	-	-	-	7	1	
		Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		Lanes->	1	-	-	-	1	-	-	-	-	1	-	
	AM	LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	7	1	
		Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
	PM	LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	8	1	
		Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
Node 600: Sherman Avenue & Marston Avenue & Parking Lot <i>Two-Way Stop Control</i>	AM	Lanes->	1	-	-	-	1	-	-	-	-	1	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	7	1	
	PM	Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
		Delay	11	-	-	8	-	-	-	-	-	8	2	
	AM	Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		Lanes->	1	-	-	-	1	-	-	-	-	1	-	
		LOS	B	-	-	A	-	-	-	-	-	*	A	
	PM	Delay	11	-	-	8	-	-	-	-	-	7	3	
		Queue	25'	-	-	25'	-	-	-	-	-	25'	-	
		Lanes->	1	-	-	-	1	-	-	-	-	1	-	
Node 700: Sherman Avenue & Baldwin Street <i>One-Way Stop Control</i>	AM	LOS	-	-	A	-	*	-	-	-	-	*	A	
		Delay	-	-	9	-	*	-	-	-	-	8	-	
		Queue	-	-	25'	-	*	-	-	-	-	25'	-	
	PM	LOS	-	-	A	-	*	-	-	-	-	*	A	
		Delay	-	-	9	-	*	-	-	-	-	8	-	
		Queue	-	-	25'	-	*	-	-	-	-	25'	-	
	AM	Lanes->	1	-	-	-	1	-	-	-	-	1	-	
		LOS	-	-	B	-	*	-	-	-	-	*	A	
		Delay	-	-	9	-	*	-	-	-	-	8	-	
	PM	Queue	-	-	25'	-	*	-	-	-	-	25'	-	
		LOS	-	-	A	-	*	-	-	-	-	*	A	
		Delay	-	-	9	-	*	-	-	-	-	8	-	
Node 800: E Johnson Street & Marston Avenue <i>One-Way Stop Control</i>	AM	Queue	-	-	25'	-	*	-	-	-	-	*	A	
		LOS	-	-	B	-	*	-	-	-	-	*	1	
		Delay	-	-	12	-	*	-	-	-	-	*	1	
	PM	Queue	-	-	25'	-	*	-	-	-	-	*	1	
		LOS	E	-	B	-	*	-	-	-	-	*	A	
		Delay	43	-	11	*	*	-	-	-	-	*	1	
	AM	Queue	-	-	25'	*	*	-	-	-	-	*	1	
		Lanes->	1	-	2	-	-	-	-	-	-	2	-	
		LOS	C	D	C	A	B	A	B	A	B	B	16	
Node 900: E Johnson Street & Baldwin Street <i>Traffic Signal Control</i>	AM	Delay	34	45	34	8	10	7	12					
		Queue	100'	270'	60'	25'	185'	45'	295'					
		LOS	D	D	D	A	B	A	A					
	PM	Delay	42	48	43	5	13	9	8					
		Queue	85'	200'	105'	25'	500'	30'	215'					
		LOS	D	D	D	A	B	A	A					

(-) indicates a movement that is prohibited or does not exist; (\*) indicates a freeflow movement.

Delay is reported in seconds. Queue is the maximum of the 50th & 95th percentile queue, measured in feet.

U-Turns, if any, are included in the left-turn volume.

As shown in Table 1, all turning movements at the study area intersections are currently operating acceptably at LOS D or better during the peak hours under the existing traffic volumes except the eastbound left-turn and right-turn movements (LOS E) during the weekday PM peak hour at the East Johnson Street intersection with Marston Avenue.

### **Full Build Traffic Operations**

The proposed site access driveways were evaluated with stop control on the development site approach. Table 2 shows the results of the weekday morning and weekday evening peak hour operational analysis at the study area intersections with the proposed development operational under full build traffic conditions. The study intersections were evaluated using the Full Build traffic volumes shown in Exhibit 7.

Sherman Avenue Development - Madison, Wisconsin

Page 8 of 11

October 31, 2022

**Table 2**  
**Year 2022 Full Build Traffic Peak Hour Operating Conditions**  
**With Modified Geometrics and Traffic Control**

Intersection	Peak Hour	Metric	Level of Service (LOS) per Movement by Approach										I/S LOS & Delay	
			Eastbound		Westbound		Northbound		Southbound					
			↗	→	↘	↙	↖	↗	↑	↗	↘	↙		
Node 100: Sherman Avenue & Fordman Avenue <i>One-Way Stop Control</i>	AM	Lanes->	1	-	-	-	1	1	-	-	-	1		
		LOS	C	-	-	A	*	-	-	-	*	*	A	
		Delay	15	-	-	8	*	-	-	-	*	*	2	
	PM	Queue	25'	-	-	25'	*	-	-	-	*	*		
		LOS	C	-	-	A	*	-	-	-	*	*	A	
		Delay	20	-	-	8	*	-	-	-	*	*	4	
	AM	Queue	50'	-	-	25'	*	-	-	-	*	*		
		Lanes->	1	-	-	-	1	-	-	-	1	1		
		LOS	B	-	-	A	-	-	-	-	*	*	A	
	PM	Delay	11	-	-	8	-	-	-	-	*	*	1	
		Queue	25'	-	-	25'	-	-	-	-	*	*		
		LOS	B	-	-	A	-	-	-	-	*	*	A	
Node 200: Sherman Avenue & North Fuller Drive <i>One-Way Stop Control</i>	AM	Delay	11	-	-	8	-	-	-	-	*	*	1	
		Queue	25'	-	-	25'	-	-	-	-	*	*		
		Lanes->	1	-	-	-	1	-	-	-	1	1		
	PM	LOS	B	-	-	A	-	-	-	-	*	*	A	
		Delay	11	-	-	8	-	-	-	-	*	*	1	
		Queue	25'	-	-	25'	-	-	-	-	*	*		
	AM	Lanes->	1	-	-	-	1	-	-	-	1	1		
		LOS	B	-	-	A	-	-	-	-	*	*	A	
		Delay	11	-	-	8	-	-	-	-	*	*	1	
Node 300: Sherman Avenue & South Fuller Drive <i>One-Way Stop Control</i>	PM	Queue	25'	-	-	25'	-	-	-	-	*	*		
		Lanes->	1	-	-	-	1	-	-	-	1	1		
		LOS	B	-	-	A	-	-	-	-	*	*	A	
	AM	Delay	11	-	-	8	-	-	-	-	*	*	1	
		Queue	25'	-	-	25'	-	-	-	-	*	*		
		Lanes->	1	-	-	-	1	-	-	-	1	1		
	PM	LOS	B	-	-	A	-	-	-	-	*	*	A	
		Delay	11	-	-	8	-	-	-	-	*	*	1	
		Queue	25'	-	-	25'	-	-	-	-	*	*		
Node 400: Sherman Avenue & Proposed North Driveway <i>One-Way Stop Control</i>	AM	Lanes->	-	-	1	-	1	1	-	-	-	-		
		LOS	-	-	B	-	-	*	A	-	-	*	A	
		Delay	-	-	11	-	-	*	8	-	-	*	2	
	PM	Queue	-	-	25'	-	-	*	25'	-	-	-		
		LOS	-	-	B	-	-	*	A	-	-	*	A	
		Delay	-	-	11	-	-	*	8	-	-	*	1	
	AM	Queue	-	-	25'	-	-	*	25'	-	-	-		
		Lanes->	1	-	1	-	1	-	1	-	1	1		
		LOS	B	-	B	A	-	A	-	-	-	*	A	
Node 500: Sherman Avenue & Proposed South Driveway <i>Two-Way Stop Control</i>	AM	Delay	11	-	12	-	8	-	8	-	-	-	2	
		Queue	25'	-	25'	-	25'	-	25'	-	-	-		
		Lanes->	1	-	1	-	1	-	1	-	-	-		
	PM	LOS	B	-	B	A	-	A	-	-	-	*	A	
		Delay	12	-	12	-	8	-	8	-	-	-	1	
		Queue	25'	-	25'	-	25'	-	25'	-	-	-		
	AM	Lanes->	1	-	1	-	1	-	1	-	-	-		
		LOS	B	-	A	A	-	A	-	-	-	*	A	
		Delay	12	-	9	-	8	-	8	-	-	-	2	
Node 600: Sherman Avenue & Marston Avenue & Parking Lot <i>Two-Way Stop Control</i>	PM	Queue	25'	-	25'	-	25'	-	25'	-	-	-		
		Lanes->	1	-	1	-	1	-	1	-	-	-		
		LOS	B	-	B	A	-	A	-	-	-	*	A	
	AM	Delay	12	-	11	-	8	-	8	-	-	-	3	
		Queue	25'	-	25'	-	25'	-	25'	-	-	-		
		Lanes->	1	-	1	-	1	-	1	-	-	-		
	PM	LOS	B	-	B	A	-	A	-	-	-	*	A	
		Delay	12	-	11	-	8	-	8	-	-	-	3	
		Queue	25'	-	25'	-	25'	-	25'	-	-	-		
Node 700: Sherman Avenue & Baldwin Street <i>One-Way Stop Control</i>	AM	Lanes->	-	-	1	-	1	1	-	-	-	-		
		LOS	-	-	A	-	-	*	A	-	-	*	A	
		Delay	-	-	9	-	-	*	8	-	-	*	3	
	PM	Queue	-	-	25'	-	-	*	25'	-	-	-		
		LOS	-	-	A	-	-	*	A	-	-	*	A	
		Delay	-	-	9	-	-	*	8	-	-	*	4	
	AM	Queue	-	-	25'	-	-	*	25'	-	-	-		
		Lanes->	1	-	1	-	1	-	1	-	-	-		
		LOS	D	-	B	A	-	A	-	-	-	*	A	
Node 800: E Johnson Street & Marston Avenue <i>One-Way Stop Control</i>	AM	Delay	28	-	12	-	*	-	-	-	*	*	1	
		Queue	30'	-	25'	-	*	-	-	-	*	*		
		Lanes->	1	-	1	-	1	-	2	-	-	2		
	PM	LOS	E	-	B	A	-	A	-	-	*	*	A	
		Delay	43	-	11	-	*	-	-	-	*	*	1	
		Queue	25'	-	25'	-	*	-	-	-	*	*		
	AM	Lanes->	1	-	1	-	1	-	1	-	-	2		
		LOS	C	-	D	C	A	B	A	B	C	B	18	
		Delay	34	-	47	31	9	13	9	15	15	18		
Node 900: E Johnson Street & Baldwin Street <i>Traffic Signal Control</i>	AM	Queue	170'	305'	60'	25'	185'	45'	45'	300'	30'	220'		
		Lanes->	1	1	1	1	2	1	2	1	2	1		
		LOS	D	D	D	A	B	A	B	A	B	B		
	PM	Delay	41	49	42	6	14	11	11	9	9	16		
		Queue	110'	220'	105'	30'	510'	30'	30'	220'	220'	220'		
		Lanes->	1	1	1	1	2	1	2	1	2	1		

(-) indicates a movement that is prohibited or does not exist; (\*) indicates a freeflow movement.

Delay is reported in seconds. Queue is the maximum of the 50th & 95th percentile queue, measured in feet.

U-Turns, if any, are included in the left-turn volume.

As shown in Table 2, with the additional traffic from the proposed development, all turning movements at the study intersections are expected to continue to operate acceptably at LOS D or better during the weekday peak hours under the Full Build traffic volumes except the eastbound left-turn and right-turn movements at the East Johnson Street intersection with Marston Avenue which are expected to continue to operate at LOS E (8 seconds over delay threshold) during the weekday PM peak hour. It is noted that with an existing traffic signal located immediately to the south at North Baldwin Street, gaps in the traffic stream are expected to allow this intersection to operate better than reflected in the modeling software. In addition with lower turning movements on the west approach of Marston Avenue (10 left-turn movements and no more than 25 right-turn movements, during both peak periods) and with projected queue lengths of 2 vehicles or less on the Marston Avenue approach, the intersection is expected to operate better than reported. In general, the development is expected to generate relatively low volumes of traffic which is expected to have negligible impacts to the transportation network.

## **RECOMMENDATION MODIFICATIONS**

No modifications are expected to be necessary at the study area intersections to allow for acceptable and safe operations under the Existing and Full Build traffic volume conditions. The following considerations, as shown in Exhibit 8, are recommended to accommodate the Existing and Full Build traffic volume conditions. *Modifications are for jurisdictional consideration and are not legally binding. The City of Madison reserves the right to determine alternative solutions.*

### *Node 100: Sherman Avenue & Fordem Avenue*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

### *Node 200: Sherman Avenue & Fuller Drive North*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

### *Node 300: Sherman Avenue & Fuller Drive South*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

### *Node 400: Sherman Avenue & Proposed North Driveway*

- *Existing Traffic:* No modifications
- *Full Build Traffic:*
  - Provide a full access driveway onto Sherman Avenue as shown on the conceptual site plan.
  - Provide stop sign control on the driveway approach.

### *Node 500: Sherman Avenue & Proposed South Driveway*

- *Existing Traffic:* No modifications

- *Full Build Traffic:*
  - Provide a full access driveway onto Sherman Avenue as shown on the conceptual site plan.
  - Provide stop sign control on the driveway approach.

*Node 600: Sherman Avenue & Marston Avenue*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

*Node 700: Sherman Avenue & North Baldwin Street*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

*Node 800: East Johnson Street & Marston Avenue*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

*Node 900: East Johnson Street & North Baldwin Street*

- *Existing Traffic:* No modifications
- *Full Build Traffic:* No modifications

Under full build conditions, left-turn movements off of Sherman Avenue into either of the proposed driveways are expected to be relatively low (15 vehicles or less during the peak hours). In addition, since the mainline through volumes in either direction along Sherman Avenue are also relatively low (250 vehicles or less during the peak hours), the delays into and out of the proposed driveways are expected to be minimal, with all delays expected to be less than 15 seconds and queues of 1 vehicle or less.

Under both existing and full build conditions, slightly higher delays are expected on the west approach at the East Johnson Street intersection with Marston Avenue. Under full build conditions, if delays increase and become excessive for this exiting movement, restricting the left-turn movements off of Marston Avenue onto East Johnson Street during the weekday evening peak hours could be considered; however, it is anticipated that if delays are excessive, local drivers will learn to utilize Baldwin Avenue to access East Johnson Street via a signalized intersection for future trips.

## **CONCLUSION**

This study shows that the development is expected to generate relatively low volumes of traffic which is expected to have negligible impacts to the transportation network. Based on the projected traffic volumes and with the recommended modifications as shown on Exhibit 8, both site driveway connections are expected to operate acceptably with stop sign control on the development site approach under full build conditions. In addition, other than as described above, all movements at the study area intersections are expected to operate

Sherman Avenue Development - Madison, Wisconsin

Page 11 of 11

October 31, 2022

safely and efficiently with the modifications identified in this TIA through the opening year and with full buildout and full occupancy of the proposed development.



#### LEGEND

- Approved T1 Intersections
- Development Site





OPTION 5 SUMMARY			
	Total Units	Structured Parking	Stalls per Unit
Building A	260	290	1.12
Building B	108	0	0.00
Building C	65	46	0.71
	433	336	0.78

PARKING		
	Total Surface	Total Structured
Surface	244	42.1%
Structured	346	57.9%
	580	
Stalls per Unit	1.34	

BUILDING A		
	Units	Parking
Floor 6	40	
Floor 5	48	
Floor 4	48	
Floor 3	48	
Floor 2	45	
Floor 1	31	100
Lower Level	0	190
	260	290

BUILDING B		
	Units	Parking
Floor 3	36	
Floor 2	36	
Floor 1	36	
	108	

BUILDING C		
	Units	Parking
Floor 4	15	
Floor 3	17	
Floor 2	17	
Floor 1	16	
Lower Level	0	46
	65	46

NORTH  
0' 50' 100'

 vermillion  
development

 Potter  
Lawson  
Success by Design

Site Option 5: Concept Site Plan  
1617 Sherman Ave. Madison, WI  
July 27, 2022



## EXHIBIT 2 CONCEPTUAL SITE PLAN



MADISON, WISCONSIN



#### LEGEND

- Traffic Signal Control
- Stop Control
- Existing Lane Configuration
- XX' Existing Storage Length (in Feet)
- XX' Distance Between Roadways (in Feet)
- Divided Roadway Median

### EXHIBIT 3 EXISTING TRANSPORTATION DETAIL



A compass rose icon with the letter 'N' at the top.

**EXHIBIT 4**  
**YEAR 2022 EXISTING TRAFFIC VOLUMES**

## MADISON, WISCONSIN

**Exhibit 5**  
**On-Site Trip Generation Table**

Land Use	ITE Code	Proposed Size	Weekday Daily	AM Peak			PM Peak		
				In	Out	Total	In	Out	Total
Multifamily Housing (Low-Rise) (2 to 3 floor building)	220	108 Units	770 FCE	15 (24%)	40 (76%)	55 FCE	40 (63%)	25 (37%)	65 FCE
Multifamily Housing (Mid-Rise) (4 to 10 floor building)	221	325 Units	1,480 (4.54)	30 (23%)	100 (77%)	130 FCE	75 (61%)	50 (39%)	125 FCE
<b>Total New Trips</b>			<b>2,250</b>	<b>45</b>	<b>140</b>	<b>185</b>	<b>115</b>	<b>75</b>	<b>190</b>
<i>Minus Existing Trips *</i>				20	0	20	0	25	25
<b>Net New Trips</b>			<b>2,250</b>	<b>25</b>	<b>140</b>	<b>165</b>	<b>115</b>	<b>50</b>	<b>165</b>


\* Reduction based on peak hour turning movement counts collected as part of this study in September of 2022


Weekday daily counts not conducted; therefore, no reduction shown for daily volumes


Occupant of existing office spacing is utilizing about 50% of total 45,000 SF

**TRIP DISTRIBUTION**

NE on E Johnson St	40%	900	10	55	45	15
SW on E Johnson St/Gorham St	40%	900	10	60	50	20
N on Sherman Ave	15%	340	5	20	15	10
S on Sherman Ave	5%	110	0	5	5	5
	<b>100%</b>	<b>2250</b>	<b>25</b>	<b>140</b>	<b>115</b>	<b>50</b>








A compass rose icon with the letter 'N' at the top.

EXHIBIT 7  
FULL-BUILD TRAFFIC VOLUMES

## MADISON, WISCONSIN



## EXHIBIT 8 RECOMMENDED MODIFICATIONS

## **Appendix A**

## **Traffic**

*Existing Turning Movement Counts*

*Saturation Flow Rate Calculations*

*Existing Traffic Signal Timings*

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Johnson Street and Baldwin Street


#### Site Information

Municipality	City of Madison		
County	Dane	WisDOT Region	SW-M
Traffic Control	Traffic Signal		
Roadway Names	North Leg		North Direction ↑
North Leg	Johnson Street		
East Leg	Baldwin Street		
South Leg	Johnson Street		
West Leg	Baldwin Street		
Special Considerations			
Schools	In Session		
Holidays	None		
Special Events	None		
Special Pedestrians Observed			
Pre-school children	None		
Elementry school age children	None		
Visually impaired (white cane/helper dog)	None		
Elderly/disabled (except wheelchairs)	None		
Wheelchairs/electric scooters	None		
Other (describe)	None	None	


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM		
1st Day of Count	Thursday, September 8, 2022	Weekday	Schools in Session
AM Peak Period	Friday, September 9, 2022	Clear & Dry	Non-Holiday
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry	No Special Events
PM Peak Period	Thursday, September 8, 2022	Clear & Dry	
Calculated Peak Hours	AM 7:30-8:30am MD	PM 4:15-5:15pm	
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm	
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	Count Expansion Group	(2) Urban Arterials & Collectors
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor	2.630
Company Name	TADI, Inc.	Manual Adj.	1.000
Observers	AM Peak Period Amy Scheuerlein - Video	Midday Peak Period	None
	PM Peak Period Amy Scheuerlein - Video		
Comments	2019 DOT Seasonal Factors		

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



## Intersection Traffic Volume Report


Count Basics		Page 2 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***Peak Hour Volume Graphical Summary***


### *Johnson Street and Baldwin Street*




### ***AM Peak Hour Summary***



## ***Midday (MD) Peak Hour Summary***



## ***PM Peak Hour Summary***



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
										Non-Holiday			
Total Number of Hours Counted: 5													

## Peak Hour Volume Summary

### Johnson Street and Baldwin Street



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals
AM Peak Hour	Start Time	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street					Totals
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
	7:30 AM	1	291	40	0	332	10	3	70	0	83	16	160	0	0	176	5	12	3	0	20	611
	7:45 AM	1	272	30	0	303	11	1	50	0	62	23	175	8	0	206	4	16	8	0	28	599
	8:00 AM	2	287	26	0	315	13	5	49	0	67	25	158	3	1	187	6	13	6	0	25	594
	8:15 AM	2	260	30	1	293	6	2	58	0	66	16	167	6	0	189	7	15	4	0	26	574
	Peak Hour Volume	6	1110	126	1	1243	40	11	227	0	278	80	660	17	1	758	22	56	21	0	99	2378
	Rounded Hourly Volume	5	1110	125	0	1240	40	10	225	0	275	80	660	15	0	755	20	55	20	0	95	2365
	% Single Unit Trucks	0.0	3.4	4.8	0.0	3.5	7.5	9.1	4.0	0.0	4.7	3.7	3.2	5.9	0.0	3.3	4.5	0.0	0.0	0.0	1.0	3.5
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	3.4	4.8	0.0	3.5	7.5	9.1	4.0	0.0	4.7	3.7	3.3	5.9	0.0	3.4	4.5	0.0	0.0	0.0	1.0	3.5
	Peak Hour Factor (PHF)	0.75	0.95	0.79	0.25	0.94	0.77	0.55	0.81	0.00	0.84	0.80	0.94	0.53	0.25	0.92	0.79	0.87	0.66	0.00	0.88	0.97

N/A		From North					From East					From South					From West					Totals
Midday (MD) Peak Hour	MD Peak Hour	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	2	224	19	0	245	15	8	32	0	55	30	330	10	0	370	3	13	4	0	20	690
	4:30 PM	3	219	24	0	246	18	7	44	0	69	26	355	11	0	392	3	8	4	0	15	722
	4:45 PM	5	198	19	0	222	14	9	42	0	65	21	364	9	0	394	3	11	5	0	19	700
	5:00 PM	2	220	14	0	236	12	6	62	0	80	29	333	10	0	372	4	10	1	0	15	703
	Peak Hour Volume	12	861	76	0	949	59	30	180	0	269	106	1382	40	0	1528	13	42	14	0	69	2815
	Rounded Hourly Volume	10	860	75	0	945	60	30	180	0	270	105	1380	40	0	1525	15	40	15	0	70	2810
	% Single Unit Trucks	0.0	1.7	1.3	0.0	1.7	0.0	0.0	0.6	0.0	0.4	1.9	2.1	5.0	0.0	2.2	7.7	0.0	0.0	0.0	1.4	1.8
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	1.7	1.3	0.0	1.7	0.0	0.0	1.1	0.0	0.7	1.9	2.1	5.0	0.0	2.2	7.7	0.0	0.0	0.0	1.4	1.8
	Peak Hour Factor (PHF)	0.60	0.96	0.79	0.00	0.96	0.82	0.83	0.73	0.00	0.84	0.88	0.95	0.91	0.00	0.97	0.81	0.81	0.70	0.00	0.86	0.97

Pedestrians and Bicyclists		Crossing North Approach					Crossing East Approach					Crossing South Approach					Crossing West Approach					Total Ped & Bike Volume
AM	PM	Johnson Street			Baldwin Street		Johnson Street			Baldwin Street		Johnson Street			Baldwin Street		Johnson Street			Baldwin Street		Total Ped & Bike Volume
		Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	
		7:30 AM	4	1	5	2	0	2	2	0	2	0	2	2	0	2	2	1	3	12	12	
		7:45 AM	1	0	1	0	0	0	0	5	1	6	2	3	5	2	3	5	5	12	12	

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Johnson Street and Baldwin Street


#### All Motor Vehicles



#### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		107	689	
AM	6:00 AM	1	421	34	0	456	10	1	79	0	90	16	213	4	0	233	9	8	0	0	17	796	342	1869
	7:00 AM	5	1062	113	0	1180	32	11	220	0	263	67	608	13	1	689	23	42	14	0	79	2211	184	984
	8:00 AM	4	547	56	1	608	19	7	107	0	133	41	325	9	1	376	13	28	10	0	51	1168	0	0
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	8	712	78	0	798	63	26	118	0	207	79	1133	27	0	1239	12	27	8	0	47	2291	254	2037
	4:00 PM	12	841	90	1	944	74	32	146	0	252	99	1381	44	0	1524	13	42	14	0	69	2789	321	2468
	5:00 PM	13	799	75	0	887	51	32	163	0	246	112	1240	32	4	1388	7	55	10	0	72	2593	318	2275
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		43	4382	446	2	4873	249	109	833	0	1191	414	4900	129	6	5449	77	202	56	0	335	11848	1526	10322

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

## *Johnson Street and Baldwin Street*



## **15-Minute Motor Vehicle Data**

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	6	1110	126	1	1243	40	11	227	0	278	80	660	17	1	758	22	56	21	0	99	2378	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	12	861	76	0	949	59	30	180	0	269	106	1382	40	0	1528	13	42	14	0	69	2815	

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 6 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

**15-Minute Automobile Data**

### *Johnson Street and Baldwin Street*



## 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	216	12	0	228	6	1	34	0	41	6	95	3	0	104	5	3	0	0	8	381	
6:45 AM	1	191	22	0	214	4	0	42	0	46	10	105	1	0	116	4	5	0	0	9	385	
7:00 AM	1	235	16	0	252	2	3	45	0	50	14	118	3	0	135	3	5	0	0	8	445	
7:15 AM	2	246	23	0	271	6	3	52	0	61	13	147	1	1	162	10	7	3	0	20	514	
7:30 AM	1	281	40	0	322	9	3	67	0	79	15	155	0	0	170	5	12	3	0	20	591	
7:45 AM	1	262	27	0	290	10	1	49	0	60	23	172	8	0	203	4	16	8	0	28	581	
8:00 AM	2	278	24	0	304	12	4	47	0	63	24	154	3	1	182	5	13	6	0	24	573	
8:15 AM	2	251	29	1	283	6	2	55	0	63	15	157	5	0	177	7	15	4	0	26	549	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	1	173	20	0	194	26	9	27	0	62	13	270	2	0	285	3	7	1	0	11	552	
3:15 PM	2	153	20	0	175	13	2	26	0	41	22	281	11	0	314	1	4	1	0	6	536	
3:30 PM	3	173	15	0	191	15	7	33	0	55	17	285	6	0	308	3	11	3	0	17	571	
3:45 PM	2	181	21	0	204	8	8	29	0	45	24	270	7	0	301	3	5	3	0	11	561	
4:00 PM	2	198	28	1	229	27	8	28	0	63	22	323	14	0	359	3	10	1	0	14	665	
4:15 PM	2	222	18	0	242	15	8	32	0	55	28	321	9	0	358	3	13	4	0	20	675	
4:30 PM	3	212	24	0	239	18	7	43	0	68	26	352	11	0	389	3	8	4	0	15	711	
4:45 PM	5	198	19	0	222	14	9	42	0	65	21	353	8	0	382	3	11	5	0	19	688	
5:00 PM	2	214	14	0	230	12	6	61	0	79	29	327	10	0	366	3	10	1	0	14	689	
5:15 PM	1	192	25	0	218	13	11	31	0	55	30	324	13	1	368	0	14	2	0	16	657	
5:30 PM	5	189	18	0	212	14	3	37	0	54	31	313	4	1	349	3	15	3	0	21	636	
5:45 PM	5	189	16	0	210	11	12	32	0	55	22	259	4	2	287	0	16	4	0	20	572	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	43	4254	431	2	4730	241	107	812	0	1160	405	4781	123	6	5315	71	200	56	0	327	11532	

## **Peak Hour Automobile Volume Summary**


Hourly	↓ From North					← From East					↑ From South					→ From West					Total
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street					
Time Period	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Volume
AM 7:30 AM	6	1072	120	1	1199	37	10	218	0	265	77	638	16	1	732	21	56	21	0	98	2294
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM 4:15 PM	12	846	75	0	933	59	30	178	0	267	104	1353	38	0	1495	12	42	14	0	68	2763

# Intersection Traffic Volume Report

Count Basics		Page 7 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Single Unit (SU) Truck & Bus Data**

### *Johnson Street and Baldwin Street*



15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	5	0	0	5	0	0	1	0	1	0	5	0	0	5	0	0	0	0	0	11	
6:45 AM	0	9	0	0	9	0	0	1	0	1	0	8	0	0	8	0	0	0	0	0	18	
7:00 AM	0	9	3	0	12	1	0	3	0	4	1	5	1	0	7	1	1	0	0	2	25	
7:15 AM	0	8	1	0	9	2	1	0	0	3	0	3	0	0	3	0	1	0	0	1	16	
7:30 AM	0	10	0	0	10	1	0	3	0	4	1	4	0	0	5	0	0	0	0	0	19	
7:45 AM	0	10	3	0	13	1	0	1	0	2	0	3	0	0	3	0	0	0	0	0	18	
8:00 AM	0	9	2	0	11	1	1	2	0	4	1	4	0	0	5	1	0	0	0	1	21	
8:15 AM	0	9	1	0	10	0	0	3	0	3	1	10	1	0	12	0	0	0	0	0	25	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	7	0	0	7	0	0	0	0	1	9	0	0	10	1	0	0	0	1	18	70	
3:15 PM	0	9	0	0	9	0	0	1	0	1	1	9	1	0	11	0	0	0	0	0	21	
3:30 PM	0	8	1	0	9	1	0	0	0	1	0	7	0	0	7	0	0	0	0	0	17	
3:45 PM	0	7	1	0	8	0	0	2	0	2	1	2	0	0	3	1	0	0	0	1	14	
4:00 PM	0	2	0	0	2	0	0	0	0	0	0	9	0	0	9	1	0	0	0	1	12	
4:15 PM	0	2	1	0	3	0	0	0	0	0	2	9	1	0	12	0	0	0	0	0	15	
4:30 PM	0	7	0	0	7	0	0	0	0	0	3	0	0	3	0	0	0	0	0	0	10	
4:45 PM	0	0	0	0	0	0	0	0	0	0	11	1	0	12	0	0	0	0	0	0	12	
5:00 PM	0	6	0	0	6	0	0	1	0	1	0	6	0	0	6	1	0	0	0	1	14	
5:15 PM	0	3	0	0	3	1	0	0	0	1	0	3	0	0	3	0	0	0	0	0	7	
5:30 PM	0	4	1	0	5	0	0	0	0	0	0	5	1	0	6	0	0	0	0	0	11	
5:45 PM	0	2	1	0	3	0	0	1	0	1	0	3	0	0	3	0	0	0	0	0	7	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	0	126	15	0	141	8	2	19	0	29	9	118	6	0	133	6	2	0	0	8	311	

## **Peak Hour Single Unit (SU) Truck & Buses Volume Summary**

Annual Single Day (8 AM - 4 PM) Volume Summary															Total Hourly Volume						
Hourly Time Period	From North					From East					From South										
	Johnson Street					Baldwin Street					Johnson Street										
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM 7:30 AM	0	38	6	0	44	3	1	9	0	13	3	21	1	0	25	1	0	0	0	1	83
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM 4:15 PM	0	15	1	0	16	0	0	1	0	1	2	29	2	0	33	1	0	0	0	1	51

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 8 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

## **15-Minute Semi-Truck Data**



15-Minute Semi-Truck Data

#### **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics												Page 9 of 13					
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session							
Total Number of Hours Counted: 5												Non-Holiday			No Special Events		

## 15-Minute Heavy Vehicle Data

Johnson Street and Baldwin Street



### 15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	5	0	0	5	0	0	1	0	1	0	5	0	0	5	0	0	0	0	11	
	6:45 AM	0	9	0	0	9	0	0	2	0	2	0	8	0	0	8	0	0	0	0	19	
	7:00 AM	0	10	3	0	13	1	0	3	0	4	1	5	1	0	7	1	1	0	0	26	
	7:15 AM	0	8	1	0	9	2	1	0	0	3	0	3	0	0	3	0	1	0	0	16	
	7:30 AM	0	10	0	0	10	1	0	3	0	4	1	5	0	0	6	0	0	0	0	20	
	7:45 AM	0	10	3	0	13	1	0	1	0	2	0	3	0	0	3	0	0	0	0	18	
	8:00 AM	0	9	2	0	11	1	1	2	0	4	1	4	0	0	5	1	0	0	0	21	
	8:15 AM	0	9	1	0	10	0	0	3	0	3	1	10	1	0	12	0	0	0	0	25	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	7	0	0	7	0	0	0	0	0	1	9	0	0	10	1	0	0	0	18	
	3:15 PM	0	9	0	0	9	0	0	1	0	1	1	9	1	0	11	0	0	0	0	21	
	3:30 PM	0	8	1	0	9	1	0	0	0	1	0	7	0	0	7	0	0	0	0	17	
	3:45 PM	0	8	1	0	9	0	0	2	0	2	1	2	0	0	3	1	0	0	0	15	
	4:00 PM	0	2	0	0	2	0	0	0	0	0	0	9	0	0	9	1	0	0	0	12	
	4:15 PM	0	2	1	0	3	0	0	0	0	0	2	9	1	0	12	0	0	0	0	15	
	4:30 PM	0	7	0	0	7	0	0	1	0	1	0	3	0	0	3	0	0	0	0	11	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	11	1	0	12	0	0	0	0	12	
	5:00 PM	0	6	0	0	6	0	0	1	0	1	0	6	0	0	6	1	0	0	0	14	
	5:15 PM	0	3	0	0	3	1	0	0	0	1	0	3	0	0	3	0	0	0	0	7	
	5:30 PM	0	4	1	0	5	0	0	0	0	0	5	1	0	6	0	0	0	0	0	11	
	5:45 PM	0	2	1	0	3	0	0	1	0	1	0	3	0	0	3	0	0	0	0	7	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	0	128	15	0	143	8	2	21	0	31	9	119	6	0	134	6	2	0	0	8	316

### Peak Hour Heavy Vehicle Volume Summary

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
Johnson Street					Baldwin Street					Johnson Street					Baldwin Street						
Right	Thru	Left	U-Tn	Total	Right	Thru															

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 10 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

### *Johnson Street and Baldwin Street*



## 15-Minute Heavy Vehicle Percentages

## Peak Hour Heavy Vehicle Percentages Summary

Hourly	↓ From North					← From East					↑ From South					→ From West					Hourly Heavy Vehicle Percent
	Johnson Street					Baldwin Street					Johnson Street					Baldwin Street					
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM 7:30 AM	0.0	3.4	4.8	0.0	3.5	7.5	9.1	4.0	0.0	4.7	3.7	3.3	5.9	0.0	3.4	4.5	0.0	0.0	0.0	1.0	3.5
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PM 4:15 PM	0.0	1.7	1.3	0.0	1.7	0.0	0.0	1.1	0.0	0.7	1.9	2.1	5.0	0.0	2.2	7.7	0.0	0.0	0.0	1.4	1.8

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

Johnson Street and Baldwin Street



### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Johnson Street			Baldwin Street			Johnson Street			Baldwin Street				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	1	0	1	0	1	1	0	1	1	3	
6:45 AM	1	0	1	0	1	1	3	0	3	3	0	3	8	
7:00 AM	1	0	1	0	0	0	0	0	0	0	1	1	2	
7:15 AM	1	0	1	0	0	0	1	0	1	1	1	2	4	
7:30 AM	4	1	5	2	0	2	2	0	2	2	1	3	12	
7:45 AM	1	0	1	0	0	0	5	1	6	2	3	5	12	
8:00 AM	0	0	0	0	0	0	3	0	3	2	0	2	5	
8:15 AM	1	0	1	2	0	2	2	0	2	2	4	6	11	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	1	1	0	0	0	1	0	1	1	3	4	6	
3:15 PM	0	0	0	0	1	1	2	1	3	0	4	4	8	
3:30 PM	1	0	1	1	0	1	2	0	2	2	0	2	6	
3:45 PM	0	0	0	0	0	0	0	0	0	1	0	1	1	
4:00 PM	0	0	0	0	1	1	2	1	3	0	3	3	7	
4:15 PM	2	3	5	1	1	2	1	1	2	0	11	11	20	
4:30 PM	3	0	3	0	0	0	0	0	0	0	5	5	8	
4:45 PM	2	3	5	2	0	2	2	1	3	1	6	7	17	
5:00 PM	2	0	2	1	0	1	4	1	5	1	9	9	18	
5:15 PM	4	0	4	0	0	0	2	1	3	3	5	8	15	
5:30 PM	3	1	4	1	0	1	4	4	8	0	5	5	18	
5:45 PM	1	0	1	1	0	1	3	0	3	0	2	2	7	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	27	9	36	12	4	16	39	12	51	21	64	85	188	

### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Johnson Street and Baldwin Street

Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Johnson Street			Baldwin Street			Johnson Street			Baldwin Street						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	1	0	1	0	0	0	0	0	0	0	1		
6:45 AM	1	1	2	0	3	3	3	3	3	3	3	3	7	21		
7:00 AM	1	1	2	0	0	0	0	0	0	0	0	0	0	1		
7:15 AM	1	1	2	0	1	1	1	1	1	1	1	1	1	3		
7:30 AM	4	2	6	2	2	4	2	2	4	2	2	4	10	30		
7:45 AM	1	1	2	0	5	5	5	2	7	2	8	2	20	0		
8:00 AM	0	0	0	0	3	3	3	2	5	2	5	2	12	0		
8:15 AM	1	1	2	2	2	4	2	2	4	2	2	4	7	0		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	10		
3:00 PM	0	0	0	0	1	1	1	1	1	1	1	1	2	11		
3:15 PM	0	0	0	0	2	2	2	0	2	0	0	2	0	11		
3:30 PM	1	1	2	1	2	3	2	2	2	2	2	2	6	13		
3:45 PM	0	0	0	0	0	0	0	1	1	1	1	1	1	10		
4:00 PM	0	0	0	0	2	2	2	0	2	0	0	2	0	16		
4:15 PM	2	1	3	1	1	2	1	0	1	0	0	4	0	22		
4:30 PM	3	0	3	0	0	0	0	0	0	0	0	3	0	27		
4:45 PM	2	2	4	2	2	4	2	1	1	1	1	7	0	32		
5:00 PM	2	1	3	1	4	5	4	1	1	1	1	8	0	30		
5:15 PM	4	0	4	0	2	2	2	3	3	0	9	9	0	22		
5:30 PM	3	1	4	1	4	5	4	0	0	0	8	8	0	13		
5:45 PM	1	1	2	1	3	4	3	0	0	0	5	5	0	0		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	27	0	27	12	0	12	39	0	39	21	0	21	99			

# Intersection Traffic Volume Report

Count Basics		Page 13 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

### **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

## **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Sherman Avenue and Baldwin Street


#### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Partial Stop Control	
Roadway Names	North Leg	North Direction ↑
North Leg	Sherman Avenue	
East Leg	Baldwin Street	
South Leg	Sherman Avenue	
West Leg	Driveway	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:15-8:15am MD	PM 4:00-5:00pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Amy Scheuerlein - Video	
	Midday Peak Period None	
	PM Peak Period Amy Scheuerlein - Video	
Comments	2019 DOT Seasonal Factors	

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Count Basics		Page 2 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***Peak Hour Volume Graphical Summary***


## *Sherman Avenue and Baldwin Street*




## ***AM Peak Hour Summary***



## ***Midday (MD) Peak Hour Summary***



## **PM Peak Hour Summary**



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
										Non-Holiday			

## Peak Hour Volume Summary

### Sherman Avenue and Baldwin Street



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals		
AM Peak Hour	AM Peak Hour	Sherman Avenue				Baldwin Street				Sherman Avenue				Driveway									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	7:30 AM	0	47	10	0	57	2	0	0	0	2	2	10	0	0	12	0	0	0	0	0	71		
	7:45 AM	0	41	17	0	58	10	0	0	0	10	2	7	0	0	9	0	0	0	0	0	77		
	8:00 AM	0	32	13	0	45	9	0	0	0	9	4	12	0	0	16	0	0	0	0	0	70		
	8:15 AM	0	39	13	0	52	5	0	1	0	6	3	4	0	0	7	0	0	0	0	0	65		
	Peak Hour Volume	0	159	53	0	212	26	0	1	0	27	11	33	0	0	44	0	0	0	0	0	283		
	Rounded Hourly Volume	0	160	55	0	215	25	0	0	0	25	10	35	0	0	45	0	0	0	0	0	285		
	% Single Unit Trucks	0.0	0.0	1.9	0.0	0.5	7.7	0.0	0.0	0.0	7.4	0.0	3.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.4		
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Trucks (Total)	0.0	0.0	1.9	0.0	0.5	7.7	0.0	0.0	0.0	7.4	0.0	3.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.4		
	Peak Hour Factor (PHF)	0.00	0.85	0.78	0.00	0.91	0.65	0.00	0.25	0.00	0.67	0.69	0.69	0.00	0.00	0.69	0.00	0.00	0.00	0.00	0.00	0.92		

N/A		From North					From East					From South					From West					Totals		
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue				Baldwin Street				Sherman Avenue				Driveway									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Sherman Avenue				Baldwin Street				Sherman Avenue				Driveway								Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	0	28	14	0	42	12	0	2	0	14	6	21	0	0	27	0	0	0	0	0	83
	4:30 PM	0	34	12	0	46	16	0	2	0	18	0	21	0	1	22	0	0	0	0	0	86
	4:45 PM	0	31	6	0	37	16	0	0	0	16	3	23	0	0	26	0	0	0	0	0	79
	5:00 PM	0	29	12	0	41	15	0	0	0	15	1	18	0	0	19	0	0	0	0	0	75
	Peak Hour Volume	0	122	44	0	166	59	0	4	0	63	10	83	0	1	94	0	0	0	0	0	323
	Rounded Hourly Volume	0	120	45	0	165	60	0	5	0	65	10	85	0	0	95	0	0	0	0	0	325
	% Single Unit Trucks	0.0	0.0	2.3	0.0	0.6	3.4	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.0	2.3	0.0	0.6	3.4	0.0	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9
	Peak Hour Factor (PHF)	0.00	0.90	0.79	0.00	0.90	0.92	0.00	0.50	0.00	0.87	0.42	0.90	0.00	0.25	0.87	0.00	0.00	0.00	0.00	0.00	0.94

Peak Hour Pedestrian and Bicyclist Volumes		Crossing North Approach					Crossing East Approach					Crossing South Approach					Crossing West Approach					Total Ped & Bike Volume
AM	15-Minute Start Time	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total Ped & Bike Volume
	7:30 AM	1	0	1	4	1	5	2	0	2	2	0	2	3	4	7	1	0	1	5	2	7
	7:45 AM	0	0	0	2	2	4	0	0	0	0	0	0	4	5	9	0	0	0	0	0	13
	8:00 AM	0	0	0	3	3	6	0	0	0	2	0	2	1	2	3	1	0	0	0	0	11
	8:15 AM	3	0	3	4	0	4	1	0	1	0	1	0	1	3	2	5	0	0	0	0	13
	Total	4	0	4	13	6	19	3	2	5	11	13	24	52								
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0																			

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Sherman Avenue and Baldwin Street


#### All Motor Vehicles



#### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					Baldwin Street					Sherman Avenue					Driveway						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		4	62	
AM	6:00 AM	0	45	13	0	58	3	0	1	0	4	1	3	0	0	4	0	0	0	0	0	66	24	232
	7:00 AM	0	155	49	0	204	24	0	0	0	24	6	22	0	0	28	0	0	0	0	0	256	15	120
	8:00 AM	0	71	26	0	97	14	0	1	0	15	7	16	0	0	23	0	0	0	0	0	135	0	0
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3:00 PM	0	106	25	0	131	37	1	5	0	43	9	57	0	1	67	0	0	0	0	0	241	43	198
	4:00 PM	0	121	43	0	164	65	0	5	0	70	11	82	0	1	94	0	0	0	0	0	328	70	258
	5:00 PM	0	109	39	0	148	45	0	5	0	50	6	72	0	0	78	0	0	0	0	0	276	50	226
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>Totals</b>		0	607	195	0	802	188	1	17	0	206	40	252	0	2	294	0	0	0	0	0	1302	206	1096

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

## **Count Basics**

*Page 5 of 13*

Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

## *Sherman Avenue and Baldwin Street*

15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Sherman Avenue					Baldwin Street					Sherman Avenue					Driveway										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	0	18	5	0	23	2	0	1	0	3	0	1	0	0	1	0	0	0	0	0	27	0.64			
	6:45 AM	0	27	8	0	35	1	0	0	0	1	1	2	0	0	3	0	0	0	0	0	39	0.77			
	7:00 AM	0	23	8	0	31	6	0	0	0	6	1	2	0	0	3	0	0	0	0	0	40	0.83			
	7:15 AM	0	44	14	0	58	6	0	0	0	6	1	3	0	0	4	0	0	0	0	0	68	0.93			
	7:30 AM	0	47	10	0	57	2	0	0	0	2	2	10	0	0	12	0	0	0	0	0	71	0.92			
	7:45 AM	0	41	17	0	58	10	0	0	0	10	2	7	0	0	9	0	0	0	0	0	77				
	8:00 AM	0	32	13	0	45	9	0	0	0	9	4	12	0	0	16	0	0	0	0	0	70				
	8:15 AM	0	39	13	0	52	5	0	1	0	6	3	4	0	0	7	0	0	0	0	0	65				
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	3:00 PM	0	28	8	0	36	7	1	3	0	11	1	14	0	0	15	0	0	0	0	0	62	0.87			
	3:15 PM	0	28	2	0	30	11	0	0	0	11	2	7	0	0	9	0	0	0	0	0	50	0.81			
	3:30 PM	0	24	7	0	31	10	0	1	0	11	4	13	0	1	18	0	0	0	0	0	60				
	3:45 PM	0	26	8	0	34	9	0	1	0	10	2	23	0	0	25	0	0	0	0	0	69				
	4:00 PM	0	28	11	0	39	21	0	1	0	22	2	17	0	0	19	0	0	0	0	0	80				
	4:15 PM	0	28	14	0	42	12	0	2	0	14	6	21	0	0	27	0	0	0	0	0	83				
	4:30 PM	0	34	12	0	46	16	0	2	0	18	0	21	0	1	22	0	0	0	0	0	86				
	4:45 PM	0	31	6	0	37	16	0	0	0	16	3	23	0	0	26	0	0	0	0	0	79				
	5:00 PM	0	29	12	0	41	15	0	0	0	15	1	18	0	0	19	0	0	0	0	0	75				
	5:15 PM	0	29	7	0	36	15	0	2	0	17	1	26	0	0	27	0	0	0	0	0	80				
	5:30 PM	0	25	11	0	36	5	0	1	0	6	0	14	0	0	14	0	0	0	0	0	56				
	5:45 PM	0	26	9	0	35	10	0	2	0	12	4	14	0	0	18	0	0	0	0	0	65				
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
<b>Totals</b>		0	607	195	0	802	188	1	17	0	206	40	252	0	2	294	0	0	0	0	0	1302				

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
	Sherman Avenue					Baldwin Street					Sherman Avenue					Driveway					
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM 7:30 AM	0	159	53	0	212	26	0	1	0	27	11	33	0	0	44	0	0	0	0	0	283
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM 4:15 PM	0	122	44	0	166	59	0	4	0	63	10	83	0	1	94	0	0	0	0	0	323

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 6 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

**15-Minute Automobile Data**

### *Sherman Avenue and Baldwin Street*



## 15-Minute Automobile Data

## **Peak Hour Automobile Volume Summary**

Hourly	↓					←					↑					→					Total	
	From North					From East					From South					From West						
	Sherman Avenue					Baldwin Street					Sherman Avenue					Driveway						
Time Period	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly	
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Volume	
AM 7:30 AM	0	159	52	0	211	24	0	1	0	25	11	32	0	0	43	0	0	0	0	0	279	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	0	122	43	0	165	57	0	4	0	61	10	83	0	1	94	0	0	0	0	0	320	

# Intersection Traffic Volume Report

Count Basics		Page 7 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Single Unit (SU) Truck & Bus Data**

### *Sherman Avenue and Baldwin Street*



15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					Baldwin Street					Sherman Avenue					Driveway						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1	
	7:00 AM	0	0	1	0	1	1	0	0	0	1	1	0	0	0	1	0	0	0	0	3	
	7:15 AM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 AM	0	0	1	0	1	1	0	0	0	1	0	1	0	0	1	0	0	0	0	3	
	8:15 AM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	3:15 PM	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2	
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:45 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	4:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	4:15 PM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4:45 PM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	
	5:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		0	1	6	0	7	8	0	0	0	8	2	1	0	0	3	0	0	0	0	18	

## **Peak Hour Single Unit (SU) Truck & Buses Volume Summary**

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 8 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

## ***15-Minute Semi-Truck Data***

### *Sherman Avenue and Baldwin Street*



## 15-Minute Semi-Truck Data

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Page 9 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Data**

### *Sherman Avenue and Baldwin Street*



15-Minute Heavy Vehicle Data

15-Minute Time Period	From North				From East				From South				From West				15-Min Totals				
	Sherman Avenue				Baldwin Street				Sherman Avenue				Driveway								
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:45 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	1
	7:00 AM	0	0	1	0	1	1	0	0	0	1	1	0	0	0	1	0	0	0	0	3
	7:15 AM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:00 AM	0	0	1	0	1	1	0	0	0	1	0	1	0	0	1	0	0	0	0	3
	8:15 AM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	3:15 PM	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
	3:45 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	4:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	4:15 PM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	4:45 PM	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1
	5:00 PM	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	5:30 PM	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		Hourly Sum																			

## **Peak Hour Heavy Vehicle Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Page 10 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Percentages**

### *Sherman Avenue and Baldwin Street*



## 15-Minute Heavy Vehicle Percentages

## **Peak Hour Heavy Vehicle Percentages Summary**

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and Baldwin Street



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Sherman Avenue			Baldwin Street			Sherman Avenue			Driveway				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	1	0	1	3	0	3	1	0	1	1	3	4	9	
6:45 AM	2	0	2	3	0	3	3	0	3	5	5	10	18	
7:00 AM	1	0	1	5	1	6	0	0	0	2	2	4	11	
7:15 AM	0	0	0	4	8	12	0	0	0	0	3	3	15	
7:30 AM	1	0	1	4	1	5	2	0	2	3	4	7	15	
7:45 AM	0	0	0	2	2	4	0	0	0	4	5	9	13	
8:00 AM	0	0	0	3	3	6	0	0	2	2	1	2	3	
8:15 AM	3	0	3	4	0	4	1	0	1	3	2	5	13	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	0	0	3	3	6	0	0	0	0	8	8	14	
3:15 PM	0	0	0	9	2	11	2	0	2	1	3	4	17	
3:30 PM	0	0	0	2	2	4	0	0	0	2	0	2	6	
3:45 PM	0	0	0	2	4	6	0	0	0	2	3	5	11	
4:00 PM	0	0	0	5	5	10	0	0	0	3	6	9	19	
4:15 PM	2	0	2	7	3	10	1	0	1	5	2	7	20	
4:30 PM	1	0	1	10	4	14	3	0	3	3	2	5	23	
4:45 PM	0	0	0	5	6	11	0	0	0	4	3	7	18	
5:00 PM	0	1	1	9	3	12	0	0	0	9	2	11	24	
5:15 PM	0	0	0	3	6	9	0	0	0	7	9	16	25	
5:30 PM	0	0	0	2	1	3	0	0	0	0	3	3	6	
5:45 PM	2	0	2	3	6	9	0	1	1	2	5	7	19	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	13	1	14	88	60	148	13	3	16	57	72	129	307	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Sherman Avenue and Baldwin Street

Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			Baldwin Street			Sherman Avenue			Driveway						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	1	1	3	3	1	4	1	1	1	1	1	6	31	31		
6:45 AM	2	2	3	3	3	3	3	5	5	5	5	13	35	35		
7:00 AM	1	1	5	5	0	0	0	2	2	2	2	8	28	28		
7:15 AM	0	0	0	4	0	4	0	0	0	0	0	4	24	24		
7:30 AM	1	1	4	4	2	2	2	3	3	3	3	10	31	31		
7:45 AM	0	0	0	2	0	2	0	4	4	4	4	6	21	21		
8:00 AM	0	0	0	3	0	3	0	1	1	1	1	4	15	15		
8:15 AM	3	3	4	4	1	5	1	3	3	3	3	11	11	11		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	3	3		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	15	15		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	19	19		
3:00 PM	0	0	3	3	0	3	0	0	0	0	0	3	23	23		
3:15 PM	0	0	9	9	2	2	2	1	1	1	12	28	28	28		
3:30 PM	0	0	2	2	0	2	0	2	2	2	4	4	31	31		
3:45 PM	0	0	2	2	0	2	0	2	2	2	4	4	44	44		
4:00 PM	0	0	5	5	0	5	0	3	3	3	8	49	49	49		
4:15 PM	2	2	7	7	1	5	1	5	5	5	15	59	59	59		
4:30 PM	1	1	10	10	3	3	3	3	3	3	17	54	54	54		
4:45 PM	0	0	5	5	0	5	0	4	4	4	9	39	39	39		
5:00 PM	0	0	9	9	0	9	0	9	9	9	18	37	37	37		
5:15 PM	0	0	3	3	0	3	0	7	7	7	10	19	19	19		
5:30 PM	0	0	2	2	0	2	0	0	0	0	2	2	9	9		
5:45 PM	2	2	3	3	0	3	0	2	2	2	7	7	7	7		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	13	0	13	88	0	88	13	0	13	57	0	57	171			

# Intersection Traffic Volume Report

Count Basics		Page 13 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

### **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

## **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Johnson Street and Marston Avenue


#### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Partial Stop Control	
Roadway Names	North Direction ↑	
North Leg	Johnson Street	
East Leg		
South Leg	Johnson Street	
West Leg	Marston Avenue	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:30-8:30am MD	PM 4:00-5:00pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Amy Scheuerlein - Video	
	Midday Peak Period None	
	PM Peak Period Amy Scheuerlein - Video	
Comments	2019 DOT Seasonal Factors	

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Page 2 of 13

## Peak Hour Volume Graphical Summary


### Johnson Street and Marston Avenue




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## Peak Hour Volume Summary

### Johnson Street and Marston Avenue



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals	
AM Peak Hour	Johnson Street	0				Johnson Street				Marston Avenue													Totals
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	7:30 AM	5	327	0	0	332	0	0	0	0	0	172	1	0	173	1	0	0	0	0	1	506	
	7:45 AM	5	305	0	0	310	0	0	0	0	0	181	2	0	183	2	0	1	0	0	3	496	
	8:00 AM	2	314	0	0	316	0	0	0	0	0	179	3	0	182	3	0	0	0	0	3	501	
	8:15 AM	5	286	0	0	291	0	0	0	0	0	169	6	0	175	2	0	1	0	0	3	469	
	Peak Hour Volume	17	1232	0	0	1249	0	0	0	0	0	701	12	0	713	8	0	2	0	0	10	1972	
	Rounded Hourly Volume	15	1230	0	0	1245	0	0	0	0	0	700	10	0	710	10	0	0	0	0	10	1965	
	% Single Unit Trucks	11.8	3.9	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	3.7	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
	% Trucks (Total)	11.8	3.9	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	3.8	
	Peak Hour Factor (PHF)	0.85	0.94	0.00	0.00	0.94	0.00	0.00	0.00	0.00	0.00	0.97	0.50	0.00	0.97	0.67	0.00	0.50	0.00	0.83	0.97		

N/A		From North					From East					From South					From West					Totals	
Midday (MD) Peak Hour	Johnson Street	0				Johnson Street				Marston Avenue													Totals
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Thursday, September 8, 2022		From North					From East					From South					From West					Totals	
PM Peak Hour	Johnson Street	0				Johnson Street				Marston Avenue													Totals
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	4:15 PM	6	235	0	1	242	0	0	0	0	0	339	6	0	345	4	0	2	0	6	593		
	4:30 PM	5	246	0	0	251	0	0	0	0	0	370	5	0	375	4	0	1	0	5	631		
	4:45 PM	6	219	0	0	225	0	0	0	0	0	366	7	0	373	0	0	3	0	3	601		
	5:00 PM	9	233	0	1	243	0	0	0	0	0	330	12	0	342	3	0	3	0	6	591		
	Peak Hour Volume	26	933	0	2	961	0	0	0	0	0	1405	30	0	1435	11	0	9	0	20	2416		
	Rounded Hourly Volume	25	935	0	0	960	0	0	0	0	0	1405	30	0	1435	10	0	10	0	20	2415		
	% Single Unit Trucks	0.0	2.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	2.1	3.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.1	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Trucks (Total)	0.0	2.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	2.1	3.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.1	
	Peak Hour Factor (PHF)	0.72	0.95	0.00	0.50	0.96	0.00	0.00	0.00	0.00	0.00	0.95	0.62	0.00	0.96	0.69	0.00	0.75	0.00	0.83	0.96		

Pedestrians and Bicyclists		Crossing North Approach					Crossing East Approach					Crossing South Approach					Crossing West Approach					Total Ped & Bike Volume	
AM	Johnson Street	0				Johnson Street				Marston Avenue													Total Ped & Bike Volume
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist			
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	1	
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5	6	11	11	11	
	8:00 AM	0	0	0	2	0	0	2	0	0	0	0	0	0	0	0	0	2	6	8	10	10	
	8:15 AM	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	4	4	5	5	
	Total	0	0	0	3	0	0	3	0	0	0	0	0	0	0	0	0	8	16	24	27	27	
	12:00 PM	0</td																					

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Johnson Street and Marston Avenue


#### All Motor Vehicles



#### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Johnson Street					0					Johnson Street					Marston Avenue						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		3	664	
AM	6:00 AM	1	461	0	462	0	0	0	0	0	0	198	4	0	202	1	0	2	0	3	667	3	664	
	7:00 AM	14	1184	0	1198	0	0	0	0	0	0	644	8	0	652	3	0	1	0	4	1854	4	1850	
	8:00 AM	7	600	0	607	0	0	0	0	0	0	348	9	0	357	5	0	1	0	6	970	6	964	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	13	798	0	1	812	0	0	0	0	0	1184	18	0	1202	12	0	2	0	14	2028	14	2014	
	4:00 PM	25	927	0	1	953	0	0	0	0	0	1433	23	0	1456	11	0	8	0	19	2428	19	2409	
	5:00 PM	31	869	0	1	901	0	0	0	0	0	1272	31	0	1303	13	0	4	0	17	2221	17	2204	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		91	4839	0	3	4933	0	0	0	0	0	5079	93	0	5172	45	0	18	0	63	10168	63	10105	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

Count Basics	Page 5 of 13	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

### *Johnson Street and Marston Avenue*



## **15-Minute Motor Vehicle Data**

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	246	0	0	246	0	0	0	0	0	0	85	2	0	87	0	0	1	0	1	334	
6:45 AM	1	215	0	0	216	0	0	0	0	0	0	113	2	0	115	1	0	1	0	2	333	
7:00 AM	1	281	0	0	282	0	0	0	0	0	0	125	3	0	128	0	0	0	0	0	410	
7:15 AM	3	271	0	0	274	0	0	0	0	0	0	166	2	0	168	0	0	0	0	0	442	
7:30 AM	5	327	0	0	332	0	0	0	0	0	0	172	1	0	173	1	0	0	0	1	506	
7:45 AM	5	305	0	0	310	0	0	0	0	0	0	181	2	0	183	2	0	1	0	3	496	
8:00 AM	2	314	0	0	316	0	0	0	0	0	0	179	3	0	182	3	0	0	0	3	501	
8:15 AM	5	286	0	0	291	0	0	0	0	0	0	169	6	0	175	2	0	1	0	3	469	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	2	206	0	0	208	0	0	0	0	0	0	293	7	0	300	2	0	1	0	3	511	
3:15 PM	1	184	0	0	185	0	0	0	0	0	0	296	3	0	299	3	0	0	0	3	487	
3:30 PM	3	191	0	0	194	0	0	0	0	0	0	300	5	0	305	4	0	0	0	4	503	
3:45 PM	7	217	0	1	225	0	0	0	0	0	0	295	3	0	298	3	0	1	0	4	527	
4:00 PM	8	227	0	0	235	0	0	0	0	0	0	358	5	0	363	3	0	2	0	5	603	
4:15 PM	6	235	0	1	242	0	0	0	0	0	0	339	6	0	345	4	0	2	0	6	593	
4:30 PM	5	246	0	0	251	0	0	0	0	0	0	370	5	0	375	4	0	1	0	5	631	
4:45 PM	6	219	0	0	225	0	0	0	0	0	0	366	7	0	373	0	0	3	0	3	601	
5:00 PM	9	233	0	1	243	0	0	0	0	0	0	330	12	0	342	3	0	3	0	6	591	
5:15 PM	8	212	0	0	220	0	0	0	0	0	0	346	4	0	350	3	0	0	0	3	573	
5:30 PM	7	220	0	0	227	0	0	0	0	0	0	322	10	0	332	4	0	1	0	5	564	
5:45 PM	7	204	0	0	211	0	0	0	0	0	0	274	5	0	279	3	0	0	0	3	493	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	91	4839	0	3	4933	0	0	0	0	0	0	5079	93	0	5172	45	0	18	0	63	10168	
Hourly Sum																					1972	0.97

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	17	1232	0	0	1249	0	0	0	0	0	0	701	12	0	713	8	0	2	0	10	1972	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	26	933	0	2	961	0	0	0	0	0	0	1405	30	0	1435	11	0	9	0	20	2416	

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 6 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday Schools in Session
Total Number of Hours Counted:	5	Non-Holiday No Special Events

## ***15-Minute Automobile Data***

### *Johnson Street and Marston Avenue*



## **15-Minute Automobile Data**

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals		
	Johnson Street					0					Johnson Street					Marston Avenue							
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	241	0	0	241	0	0	0	0	0	0	80	2	0	82	0	0	1	0	1	324		
6:45 AM	1	205	0	0	206	0	0	0	0	0	0	104	2	0	106	1	0	1	0	2	314		
7:00 AM	1	268	0	0	269	0	0	0	0	0	0	120	3	0	123	0	0	0	0	0	392		
7:15 AM	3	262	0	0	265	0	0	0	0	0	0	161	2	0	163	0	0	0	0	0	428		
7:30 AM	5	315	0	0	320	0	0	0	0	0	0	167	1	0	168	1	0	0	0	1	489		
7:45 AM	4	292	0	0	296	0	0	0	0	0	0	176	2	0	178	2	0	1	0	3	477		
8:00 AM	2	301	0	0	303	0	0	0	0	0	0	175	3	0	178	3	0	0	0	0	3	484	
8:15 AM	4	276	0	0	280	0	0	0	0	0	0	159	6	0	165	2	0	1	0	3	448		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
3:00 PM	2	200	0	0	202	0	0	0	0	0	0	285	7	0	292	1	0	1	0	2	496		
3:15 PM	1	176	0	0	177	0	0	0	0	0	0	287	3	0	290	2	0	0	0	2	469		
3:30 PM	3	181	0	0	184	0	0	0	0	0	0	294	5	0	299	4	0	0	0	4	487		
3:45 PM	7	208	0	1	216	0	0	0	0	0	0	291	3	0	294	2	0	1	0	3	513		
4:00 PM	8	225	0	0	233	0	0	0	0	0	0	350	5	0	355	3	0	2	0	5	593		
4:15 PM	6	232	0	1	239	0	0	0	0	0	0	331	6	0	337	4	0	2	0	6	582		
4:30 PM	5	238	0	0	243	0	0	0	0	0	0	367	5	0	372	4	0	1	0	5	620		
4:45 PM	6	216	0	0	222	0	0	0	0	0	0	354	7	0	361	0	0	3	0	3	586		
5:00 PM	9	226	0	1	236	0	0	0	0	0	0	324	11	0	335	3	0	3	0	6	577		
5:15 PM	8	209	0	0	217	0	0	0	0	0	0	342	4	0	346	3	0	0	0	3	566		
5:30 PM	7	215	0	0	222	0	0	0	0	0	0	317	10	0	327	4	0	1	0	5	554		
5:45 PM	7	201	0	0	208	0	0	0	0	0	0	271	5	0	276	3	0	0	0	3	487		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	89	4687	0	3	4779	0	0	0	0	0	0	4955	92	0	5047	42	0	18	0	60	9886		

## **Peak Hour Automobile Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	15	1184	0	0	1199	0	0	0	0	0	0	677	12	0	689	8	0	2	0	10	1898	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	26	912	0	2	940	0	0	0	0	0	0	1376	29	0	1405	11	0	9	0	20	2365	

# Intersection Traffic Volume Report

Count Basics		Page 7 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Single Unit (SU) Truck & Bus Data**

### *Johnson Street and Marston Avenue*



15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	5	0	0	5	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	10	
6:45 AM	0	10	0	0	10	0	0	0	0	0	0	9	0	0	9	0	0	0	0	0	19	
7:00 AM	0	12	0	0	12	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	17	
7:15 AM	0	9	0	0	9	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	14	
7:30 AM	0	12	0	0	12	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	16	
7:45 AM	1	13	0	0	14	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	19	
8:00 AM	0	13	0	0	13	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	17	
8:15 AM	1	10	0	0	11	0	0	0	0	0	0	10	0	0	10	0	0	0	0	0	21	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	6	0	0	6	0	0	0	0	0	0	7	0	0	7	1	0	0	0	1	14	
3:15 PM	0	8	0	0	8	0	0	0	0	0	0	9	0	0	9	1	0	0	0	1	18	
3:30 PM	0	10	0	0	10	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	16	
3:45 PM	0	8	0	0	8	0	0	0	0	0	0	4	0	0	4	1	0	0	0	1	13	
4:00 PM	0	2	0	0	2	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	10	
4:15 PM	0	3	0	0	3	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	11	
4:30 PM	0	8	0	0	8	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	11	
4:45 PM	0	3	0	0	3	0	0	0	0	0	0	12	0	0	12	0	0	0	0	0	15	
5:00 PM	0	7	0	0	7	0	0	0	0	0	0	6	1	0	7	0	0	0	0	0	14	
5:15 PM	0	3	0	0	3	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	7	
5:30 PM	0	5	0	0	5	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	10	
5:45 PM	0	3	0	0	3	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	6	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	2	150	0	0	152	0	0	0	0	0	0	122	1	0	123	3	0	0	0	3	278	

## **Peak Hour Single Unit (SU) Truck & Buses Volume Summary**

Hourly Time Period	↓ From North					← From East					↑ From South					→ From West					Total Hourly Volume	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	2	48	0	0	50	0	0	0	0	0	0	0	23	0	0	23	0	0	0	0	73	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	0	21	0	0	21	0	0	0	0	0	0	29	1	0	30	0	0	0	0	0	51	

# Intersection Traffic Volume Report

Count Basics											Page 8 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Semi-Truck Data

Johnson Street and Marston Avenue



### 15-Minute Semi-Truck Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum		
	Johnson Street					0					Johnson Street					Marston Avenue								
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total				
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2		
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1		
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:00 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1		
	3:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	3:45 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	4:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Totals	0	2	0	0	2	0	0	0	0														

# Intersection Traffic Volume Report

Count Basics		Page 9 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***15-Minute Heavy Vehicle Data***

### *Johnson Street and Marston Avenue*



15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tr	Total	Right	Thru	Left	U-Tr	Total	Right	Thru	Left	U-Tr	Total	Right	Thru	Left	U-Tr	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	5	0	0	5	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	10	
6:45 AM	0	10	0	0	10	0	0	0	0	0	0	9	0	0	9	0	0	0	0	0	19	
7:00 AM	0	13	0	0	13	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	18	
7:15 AM	0	9	0	0	9	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	14	
7:30 AM	0	12	0	0	12	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	17	
7:45 AM	1	13	0	0	14	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	19	
8:00 AM	0	13	0	0	13	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	17	
8:15 AM	1	10	0	0	11	0	0	0	0	0	0	10	0	0	10	0	0	0	0	0	21	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	6	0	0	6	0	0	0	0	0	0	8	0	0	8	1	0	0	0	1	15	
3:15 PM	0	8	0	0	8	0	0	0	0	0	0	9	0	0	9	1	0	0	0	1	18	
3:30 PM	0	10	0	0	10	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	16	
3:45 PM	0	9	0	0	9	0	0	0	0	0	0	4	0	0	4	1	0	0	0	1	14	
4:00 PM	0	2	0	0	2	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	10	
4:15 PM	0	3	0	0	3	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	11	
4:30 PM	0	8	0	0	8	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	11	
4:45 PM	0	3	0	0	3	0	0	0	0	0	0	12	0	0	12	0	0	0	0	0	15	
5:00 PM	0	7	0	0	7	0	0	0	0	0	0	6	1	0	7	0	0	0	0	0	14	
5:15 PM	0	3	0	0	3	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	7	
5:30 PM	0	5	0	0	5	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	10	
5:45 PM	0	3	0	0	3	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	6	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	2	152	0	0	154	0	0	0	0	0	0	124	1	0	125	3	0	0	0	3	282	

## **Peak Hour Heavy Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	2	48	0	0	50	0	0	0	0	0	0	0	24	0	0	24	0	0	0	0	74	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	0	21	0	0	21	0	0	0	0	0	0	29	1	0	30	0	0	0	0	0	51	

# Intersection Traffic Volume Report

Count Basics	Page 10 of 13	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

## *Johnson Street and Marston Avenue*



## 15-Minute Heavy Vehicle Percentages

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Time Period	↓ From North					← From East					↑ From South					→ From West					Hourly Vehicle Percent	
	Johnson Street					0					Johnson Street					Marston Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	11.8	3.9	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	3.8	
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
PM 4:15 PM	0.0	2.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	2.1	

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Johnson Street and Marston Avenue

#### Pedestrians and Bicyclists



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Johnson Street			0			Johnson Street			Marston Avenue				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	1	0	1	0	0	0	0	2	2	3	
6:45 AM	0	0	0	0	0	0	1	0	1	4	1	5	6	
7:00 AM	0	0	0	0	0	0	0	0	0	0	2	2	2	
7:15 AM	0	0	0	0	0	0	0	0	0	0	10	10	10	
7:30 AM	0	0	0	0	0	0	0	0	0	1	0	1	1	
7:45 AM	0	0	0	0	0	0	0	0	0	5	6	11	11	
8:00 AM	0	0	0	2	0	2	0	0	0	2	6	8	10	
8:15 AM	0	0	0	1	0	1	0	0	0	0	4	4	5	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	1	0	1	0	0	0	0	0	0	5	5	10	11	
3:15 PM	0	0	0	0	1	1	0	0	0	2	3	5	6	
3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:45 PM	2	0	2	0	0	0	0	0	0	1	3	4	6	
4:00 PM	2	0	2	0	1	1	0	0	0	4	3	7	10	
4:15 PM	0	0	0	0	1	1	1	0	1	5	6	11	13	
4:30 PM	0	0	0	0	0	0	0	0	0	8	6	14	14	
4:45 PM	0	0	0	0	0	0	0	3	0	3	9	5	14	
5:00 PM	0	0	0	1	0	1	0	0	0	2	13	15	16	
5:15 PM	0	0	0	0	0	0	0	0	4	4	8	8	8	
5:30 PM	0	0	0	0	0	0	0	0	0	0	8	8	8	
5:45 PM	0	0	0	1	0	1	0	0	0	1	2	3	4	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	5	0	5	6	3	9	5	0	5	53	89	142	161	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Johnson Street and Marston Avenue

Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Johnson Street			0			Johnson Street			Marston Avenue						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 AM	0	0	0	1	0	1	0	0	0	0	0	1	6		
	6:45 AM	0	0	0	0	1	1	4	1	4	5	5	6	6		
	7:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	6		
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 AM	0	0	0	0	0	0	0	1	1	1	1	1	10		
	7:45 AM	0	0	0	0	0	0	0	5	5	5	5	5	10		
	8:00 AM	0	0	0	2	0	2	0	2	2	2	4	4	5		
	8:15 AM	0	0	0	1	0	1	0	0	0	0	0	1	1		
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:00 PM	1	1	0	0	0	0	0	5	5	6	11	11	11		
	3:15 PM	0	0	0	0	0	0	0	2	2	2	2	2	11		
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:45 PM	2	2	0	0	0	0	0	1	1	1	3	3	23		
	4:00 PM	2	2	0	0	0	0	0	4	4	4	6	6	32		
	4:15 PM	0	0	0	0	1	1	5	5	6	6	6	6	29		
	4:30 PM	0	0	0	0	0	0	0	8	8	8	8	8	27		
	4:45 PM	0	0	0	0	3	3	9	9	12	12	12	12	19		
	5:00 PM	0	1	1	0	0	0	0	2	2	2	2	2	9		
	5:15 PM	0	0	0	0	0	0	0	4	4	4	4	4	6		
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:45 PM	0	0	1	0	1	0	0	1	1	2	2	2	2		
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Totals	5	0	5	6	0	6	5	0	5	53	0	53	69		

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

## **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Sherman Avenue and Marston Avenue


#### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Partial Stop Control	
Roadway Names	North Leg	North Direction ↑
North Leg	Sherman Avenue	
East Leg	Marston Avenue	
South Leg	Sherman Avenue	
West Leg	Tenney Beach Parking	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:30-8:30am MD	PM 4:30-5:30pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Amy Scheuerlein - Video	
	Midday Peak Period None	
	PM Peak Period Amy Scheuerlein - Video	
Comments	2019 DOT Seasonal Factors	

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Page 2 of 13

## Peak Hour Volume Graphical Summary


### Sherman Avenue and Marston Avenue




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
										Non-Holiday			
Total Number of Hours Counted: 5													

## Peak Hour Volume Summary

### Sherman Avenue and Marston Avenue



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals
AM Peak Hour	AM Peak Hour	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	7:30 AM	0	66	2	0	68	7	0	1	0	8	1	10	0	0	11	0	0	0	0	0	87
	7:45 AM	0	53	2	0	55	7	0	2	0	9	0	16	0	0	16	0	0	0	0	0	80
	8:00 AM	0	48	3	0	51	4	0	1	0	5	0	22	0	0	22	0	0	0	0	0	78
	8:15 AM	0	51	3	0	54	7	0	3	0	10	0	10	0	0	10	0	0	0	0	0	74
	Peak Hour Volume	0	218	10	0	228	25	0	7	0	32	1	58	0	0	59	0	0	0	0	0	319
	Rounded Hourly Volume	0	220	10	0	230	25	0	5	0	30	0	60	0	0	60	0	0	0	0	0	320
	% Single Unit Trucks	0.0	0.5	0.0	0.0	0.4	4.0	0.0	0.0	0.0	3.1	0.0	5.2	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	1.6
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.5	0.0	0.0	0.4	4.0	0.0	0.0	0.0	3.1	0.0	5.2	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	1.6
	Peak Hour Factor (PHF)	0.00	0.83	0.83	0.00	0.84	0.89	0.00	0.58	0.00	0.80	0.25	0.66	0.00	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.92

N/A		From North					From East					From South					From West					Totals
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	2	31	4	0	37	7	3	3	0	13	0	31	0	0	31	1	0	0	0	1	82
	4:30 PM	0	48	4	0	52	11	1	1	0	13	1	35	1	0	37	1	1	0	0	2	104
	4:45 PM	1	34	2	0	37	9	1	1	0	11	2	32	1	0	35	1	0	4	0	5	88
	5:00 PM	0	37	1	0	38	16	3	1	0	20	0	33	0	0	33	5	4	0	0	9	100
	Peak Hour Volume	3	150	11	0	164	43	8	6	0	57	3	131	2	0	136	8	5	4	0	17	374
	Rounded Hourly Volume	5	150	10	0	165	45	10	5	0	60	5	130	0	0	135	10	5	5	0	20	380
	% Single Unit Trucks	0.0	0.7	0.0	0.0	0.6	2.3	0.0	0.0	0.0	1.8	0.0	1.5	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.1
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.7	0.0	0.0	0.6	2.3	0.0	0.0	0.0	1.8	0.0	1.5	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.1
	Peak Hour Factor (PHF)	0.37	0.78	0.69	0.00	0.79	0.67	0.67	0.50	0.00	0.71	0.37	0.94	0.50	0.00	0.92	0.40	0.31	0.25	0.00	0.47	0.90

Pedestrians and Bicyclists		Crossing North Approach					Crossing East Approach					Crossing South Approach					Crossing West Approach					Total Ped & Bike Volume
AM	15-Minute Start Time	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total Ped & Bike Volume
	7:30 AM	1	0	1	4	3	7	5	0	5	9	6	15	0	0	0	2	4	6	1	28	28
	7:45 AM	0	0	0	4	2	6	5	0	5	14	4	18	0	0	0	0	0	0	0	0	29
	8:00 AM	1	0	1	3	2	5	0	0	0	6	2	8	0	0	0	8	3	14	0	0	14
	8:15 AM	0	1	1	0	2	2	6	0	0	8	3	11	0	0	0	11	3	20	0	0	20
	Total	2	1	3	11	9	20	16	0	16	37	15	52	0	0	0	15	11	24	0	0	91
	12:00 PM	0	0	0	0																	

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Sherman Avenue and Marston Avenue

Count Basics			
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events


#### All Motor Vehicles



### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		8	62	
AM	6:00 AM	1	54	1	0	56	7	0	0	0	7	1	5	0	0	6	1	0	0	0	1	70	28	247
	7:00 AM	0	197	5	0	202	24	0	4	0	28	1	43	1	0	45	0	0	0	0	0	275	15	137
	8:00 AM	0	99	6	0	105	11	0	4	0	15	0	32	0	0	32	0	0	0	0	0	152	0	0
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
PM	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	3:00 PM	4	122	11	0	137	25	1	3	0	29	1	88	3	0	92	5	2	1	0	8	266	37	229
	4:00 PM	3	154	16	0	173	39	6	6	0	51	4	134	5	0	143	3	1	6	0	10	377	61	316
	5:00 PM	5	134	8	0	147	45	9	4	0	58	0	117	2	0	119	11	7	7	0	25	349	83	266
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Totals	13	760	47	0	820	151	16	21	0	188	7	419	11	0	437	20	10	14	0	44	1489	232	1257

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

### *Sherman Avenue and Marston Avenue*



## **15-Minute Motor Vehicle Data**

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Sherman Avenue					Marston Aveue					Sherman Avenue					Tenney Beach Parking						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	0	218	10	0	228	25	0	7	0	32	1	58	0	0	59	0	0	0	0	0	319	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.92	
PM 4:15 PM	3	150	11	0	164	43	8	6	0	57	3	131	2	0	136	8	5	4	0	17	374	

# Intersection Traffic Volume Report

Count Basics												Page 6 of 13					
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session							
Total Number of Hours Counted: 5												Non-Holiday			No Special Events		

## 15-Minute Automobile Data

### Automobiles (Cars, Light Trucks, & Motorcycles)



#### Sherman Avenue and Marston Avenue

##### 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					Marston Aveue					Sherman Avenue					Tenney Beach Parking						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	1	23	0	0	24	4	0	0	0	4	1	3	0	0	4	0	0	0	0	32	
	6:45 AM	0	31	1	0	32	3	0	0	0	3	0	2	0	0	2	1	0	0	0	38	
	7:00 AM	0	28	0	0	28	5	0	0	0	5	0	7	0	0	7	0	0	0	0	40	
	7:15 AM	0	49	1	0	50	5	0	1	0	6	0	8	1	0	9	0	0	0	0	65	
	7:30 AM	0	66	2	0	68	7	0	1	0	8	1	10	0	0	11	0	0	0	0	87	
	7:45 AM	0	53	2	0	55	6	0	2	0	8	0	16	0	0	16	0	0	0	0	79	
	8:00 AM	0	47	3	0	50	4	0	1	0	5	0	20	0	0	20	0	0	0	0	75	
	8:15 AM	0	51	3	0	54	7	0	3	0	10	0	9	0	0	9	0	0	0	0	73	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	1	32	3	0	36	4	0	1	0	5	0	19	0	0	19	2	0	0	0	2	62
	3:15 PM	1	29	2	0	32	5	0	0	0	5	0	15	1	0	16	2	1	0	0	3	56
	3:30 PM	0	28	4	0	32	8	1	0	0	9	0	21	2	0	23	0	0	1	0	1	65
	3:45 PM	2	30	0	0	32	8	0	2	0	10	1	32	0	0	33	1	1	0	0	2	77
	4:00 PM	0	40	6	0	46	12	1	1	0	14	1	36	3	0	40	0	0	2	0	2	102
	4:15 PM	2	31	4	0	37	7	3	3	0	13	0	30	0	0	30	1	0	0	0	1	81
	4:30 PM	0	48	4	0	52	11	1	1	0	13	1	35	1	0	37	1	1	0	0	2	104
	4:45 PM	1	34	2	0	37	9	1	1	0	11	2	31	1	0	34	1	0	4	0	5	87
	5:00 PM	0	36	1	0	37	15	3	1	0	19	0	33	0	0	33	5	4	0	0	9	98
	5:15 PM	2	31	3	0	36	7	3	2	0	12	0	40	0	0	40	3	0	2	0	5	93
	5:30 PM	3	31	3	0	37	11	3	1	0	15	0	23	1	0	24	2	2	4	0	8	84
	5:45 PM	0	35	1	0	36	11	0	0	0	11	0	20	1	0	21	1	1	1	0	3	71
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	13	753	45	0	811	149	16	21	0	186	7	410	11	0	428	20	10	14	0	44	1469

# Intersection Traffic Volume Report

## 15-Minute Single Unit (SU) Truck & Bus Data

Count Basics												Page 7 of 13			
Start Date: Thursday, September 8, 2022						Weekday			Schools in Session						
Total Number of Hours Counted: 5						Non-Holiday			No Special Events						

### Sherman Avenue and Marston Avenue

#### Single Unit (SU) Trucks & Buses



#### 15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 AM	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	1	
	8:00 AM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	3	
	8:15 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	3:15 PM	0	1	1	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3	
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:45 PM	0	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
	4:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	4:15 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	
	5:00 PM	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	0	7	2	0	9	2	0	0	0	2	0	9	0	0	9	0	0	0	0	20	

#### Peak Hour Single Unit (SU) Truck & Buses Volume Summary

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking						
Right	Thru																				

# Intersection Traffic Volume Report

Count Basics										Page 8 of 13				
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session						
Total Number of Hours Counted: 5										Non-Holiday			No Special Events	

## 15-Minute Semi-Truck Data

### Sherman Avenue and Marston Avenue



#### 15-Minute Semi-Truck Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum		
	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking								
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total				
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Totals	0	0	0																				

# Intersection Traffic Volume Report

Count Basics												Page 9 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday					No Special Events					

## 15-Minute Heavy Vehicle Data

Sherman Avenue and Marston Avenue



### 15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	7:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 AM	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	1	
	8:00 AM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	3	
	8:15 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	3:15 PM	0	1	1	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3	
	3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:45 PM	0	1	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
	4:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	4:15 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	1	
	5:00 PM	0	1	0	0	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	2	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	0	7	2	0	9	2	0	0	0	2	0	9	0	0	9	0	0	0	0	20	

### Peak Hour Heavy Vehicle Volume Summary

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking						
Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn</th								

# Intersection Traffic Volume Report

Count Basics		Page 10 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Percentages**

### *Sherman Avenue and Marston Avenue*



## **15-Minute Heavy Vehicle Percentages**

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Heavy Vehicle Percentage Summary																	Hourly Heavy Vehicle Percent					
Hourly	↓ From North					← From East					↑ From South					→ From West					Hourly Heavy Vehicle Percent	
	Sherman Avenue					Marston Avenue					Sherman Avenue					Tenney Beach Parking					Hourly Heavy Vehicle Percent	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly Heavy Vehicle Percent	
AM	7:30 AM	0.0	0.5	0.0	0.0	0.4	4.0	0.0	0.0	0.0	3.1	0.0	5.2	0.0	0.0	5.1	0.0	0.0	0.0	0.0	0.0	1.6
MD	12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
PM	4:15 PM	0.0	0.7	0.0	0.0	0.6	2.3	0.0	0.0	0.0	1.8	0.0	1.5	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	1.1

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and Marston Avenue



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Sherman Avenue			Marston Avenue			Sherman Avenue			Tenney Beach Parking				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	0	1	1	0	1	2	3	5	7	52	
6:45 AM	0	0	0	4	0	4	1	0	1	3	5	8	73	
7:00 AM	0	0	0	3	1	4	5	0	5	5	1	6	15	
7:15 AM	0	0	0	4	7	11	1	0	1	2	3	5	17	
7:30 AM	1	0	1	4	3	7	5	0	5	9	6	15	28	
7:45 AM	0	0	0	4	2	6	5	0	5	14	4	18	29	
8:00 AM	1	0	1	3	2	5	0	0	0	6	2	8	14	
8:15 AM	0	1	1	0	2	2	6	0	6	8	3	11	20	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	2	2	1	1	2	3	0	3	5	10	15	22	
3:15 PM	1	0	1	2	2	4	1	1	2	5	5	10	17	
3:30 PM	2	0	2	3	1	4	2	0	2	6	0	6	14	
3:45 PM	1	0	1	1	4	5	2	0	2	2	4	6	14	
4:00 PM	0	0	0	8	6	14	3	0	3	0	4	4	21	
4:15 PM	0	0	0	3	4	7	3	0	3	2	4	6	16	
4:30 PM	0	0	0	6	4	10	2	0	2	3	1	4	16	
4:45 PM	0	1	1	4	7	11	1	0	1	0	3	3	16	
5:00 PM	3	0	3	9	4	13	11	0	11	8	3	11	38	
5:15 PM	0	0	0	2	6	8	3	0	3	4	8	12	23	
5:30 PM	0	1	1	1	2	3	1	0	1	1	4	5	10	
5:45 PM	4	0	4	9	5	14	2	1	3	0	3	3	24	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	13	5	18	71	64	135	58	2	60	85	76	161	374	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

### Adults & Children



### Sherman Avenue and Marston Avenue

#### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			Marston Avenue			Sherman Avenue			Tenney Beach Parking						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	0	0	0	0	1	1	1	2	2	3	31		
6:45 AM	0	0	0	4	1	5	1	3	4	14	5	19	8	47		
7:00 AM	0	0	0	3	5	8	5	5	5	2	7	5	13	62		
7:15 AM	0	0	0	4	1	5	1	2	1	0	0	0	0	59		
7:30 AM	1	4	5	4	5	9	5	9	9	14	14	23	19	66		
7:45 AM	0	0	0	4	5	9	5	14	5	6	10	10	24	47		
8:00 AM	1	3	4	3	0	3	0	0	0	6	8	8	14	14		
8:15 AM	0	0	0	0	6	6	0	0	0	0	0	0	0	0		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	9		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	18		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	31		
3:00 PM	0	1	1	1	3	3	3	5	5	5	9	9	37	39		
3:15 PM	1	2	2	2	1	3	1	5	5	5	9	9	39	39		
3:30 PM	2	3	3	3	2	2	2	6	6	6	13	13	38	38		
3:45 PM	1	1	1	1	2	2	2	2	2	2	6	6	36	36		
4:00 PM	0	8	8	8	3	3	3	0	0	0	11	11	35	35		
4:15 PM	0	3	3	3	3	3	3	2	2	2	8	8	55	55		
4:30 PM	0	6	6	6	2	2	2	3	3	3	11	11	56	56		
4:45 PM	0	4	4	4	1	1	1	0	0	0	5	5	48	48		
5:00 PM	3	9	9	9	11	11	11	8	8	8	31	31	58	58		
5:15 PM	0	2	2	2	3	3	3	4	4	4	9	9	27	27		
5:30 PM	0	1	1	1	1	1	1	1	1	1	3	3	18	18		
5:45 PM	4	9	9	9	2	2	2	0	0	0	15	15	0	0		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	13	0	13	71	0	71	58	0	58	85	0	85	227			

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

#### **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

Intersection of: Sherman Avenue and My Choice South DW


### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Uncontrolled	
Roadway Names	North Leg	North Direction ↑
North Leg	Sherman Avenue	
East Leg	My Choice South DW	
South Leg	Sherman Avenue	
West Leg	Driveway	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:15-8:15am MD	PM 4:15-5:15pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Amy Scheuerlein - Video	
	Midday Peak Period None	
	PM Peak Period Amy Scheuerlein - Video	
Comments	2019 DOT Seasonal Factors	

### Observed 5 Hour Volume Summary



### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Page 2 of 13

## Peak Hour Volume Graphical Summary


### Sherman Avenue and My Choice South DW




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



# Intersection Traffic Volume Report

Count Basics		Page 3 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***Peak Hour Volume Summary***

## *Sherman Avenue and My Choice South DW*



## Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals
AM Peak Hour	AM Peak Hour	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	7:30 AM	0	62	3	0	65	0	0	0	0	0	5	14	0	0	19	0	0	0	0	0	84
	7:45 AM	1	59	3	0	63	0	0	0	0	0	1	27	0	0	28	0	0	1	0	1	92
	8:00 AM	0	47	2	0	49	0	0	0	0	0	3	22	2	0	27	4	0	2	0	6	82
	8:15 AM	0	50	3	0	53	0	0	0	0	0	2	15	1	0	18	3	0	0	0	3	74
	Peak Hour Volume	1	218	11	0	230	0	0	0	0	0	11	78	3	0	92	7	0	3	0	10	332
	Rounded Hourly Volume	0	220	10	0	230	0	0	0	0	0	10	80	5	0	95	5	0	5	0	10	335
	% Single Unit Trucks	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	1.8
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	1.8
	Peak Hour Factor (PHF)	0.25	0.88	0.92	0.00	0.88	0.00	0.00	0.00	0.00	0.00	0.55	0.72	0.37	0.00	0.82	0.44	0.00	0.37	0.00	0.42	0.90

N/A		From North					From East					From South					From West					Midday (MD) Peak Hour Totals
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway					Midday (MD) Peak Hour Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	2	47	1	0	50	0	0	0	0	0	1	43	0	0	44	1	0	1	0	2	96
	4:30 PM	1	40	0	0	41	0	0	0	0	0	0	47	2	0	49	1	0	2	0	3	93
	4:45 PM	1	48	0	0	49	0	0	0	0	0	0	53	1	0	54	3	0	0	0	3	106
	5:00 PM	0	42	0	0	42	0	0	0	0	0	0	47	2	0	49	0	0	1	0	1	92
	Peak Hour Volume	4	177	1	0	182	0	0	0	0	0	1	190	5	0	196	5	0	4	0	9	387
	Rounded Hourly Volume	5	175	0	0	180	0	0	0	0	0	0	190	5	0	195	5	0	5	0	10	385
	% Single Unit Trucks	0.0	0.6	100.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	25.0	0.0	11.1	1.3	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.6	100.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	25.0	0.0	11.1	1.3	
	Peak Hour Factor (PHF)	0.50	0.92	0.25	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.25	0.90	0.62	0.00	0.91	0.42	0.00	0.50	0.00	0.75	0.91

## **Peak Hour Pedestrian and Bicyclist Volumes**

Pedestrians and Bicyclists		Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			Total Ped & Bike Volume	
		Sherman Avenue		My Choice South DW			Sherman Avenue			Driveway					
15-Minute Start Time		Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
AM	7:30 AM	0	0	0	1	3	4	0	0	0	1	7	8	12	
	7:45 AM	0	0	0	0	4	4	0	0	0	4	3	7	11	
	8:00 AM	1	0	1	1	2	3	0	0	0	4	4	8	12	
	8:15 AM	0	0	0	1	2	3	0	0	0	5	3	8	11	
	Total	1	0	1	3	11	14	0	0	0	14	17	31	46	
MD	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	4:15 PM	0	0	0	3	6	9	0	0	0	2	2	11		
	4:30 PM	0	0	0	0	6	6	0	0	0	3	2	5	11	
	4:45 PM	0	0	0	0	5	5	0	0	0	1	6	7	12	
	5:00 PM	0	0	0	0	12	12	0	0	0	0	4	4	16	
	Total	0	0	0	3	29	32	0	0	0	4	14	18	50	

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

Sherman Avenue and My Choice South DW

Count Basics			
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5		Non-Holiday	No Special Events


All Motor Vehicles



### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		0	64	
AM	6:00 AM	0	50	0	0	50	0	0	0	0	2	12	0	0	14	0	0	0	0	0	0	0	64	
	7:00 AM	3	202	8	0	213	0	0	0	0	11	65	0	0	76	4	0	1	0	5	294	5	289	
	8:00 AM	0	97	5	0	102	0	0	0	0	5	37	3	0	45	7	0	2	0	9	156	9	147	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	3	136	2	0	141	0	0	0	0	1	114	8	0	123	3	0	3	0	6	270	6	264	
	4:00 PM	4	166	1	0	171	0	0	0	0	1	186	6	0	193	7	0	3	0	10	374	10	364	
	5:00 PM	0	144	1	0	145	0	0	0	0	0	147	7	0	154	0	0	1	0	1	300	1	299	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		10	795	17	0	822	0	0	0	0	20	561	24	0	605	21	0	10	0	31	1458	31	1427	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

## *Sherman Avenue and My Choice South DW*



15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	0	20	0	0	20	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	26	0			
	6:45 AM	0	30	0	0	30	0	0	0	0	0	2	6	0	0	8	0	0	0	0	0	38	0			
	7:00 AM	1	27	0	0	28	0	0	0	0	0	1	10	0	0	11	1	0	0	0	0	1	40			
	7:15 AM	1	54	2	0	57	0	0	0	0	0	4	14	0	0	18	3	0	0	0	0	3	78			
	7:30 AM	0	62	3	0	65	0	0	0	0	0	5	14	0	0	19	0	0	0	0	0	0	84			
	7:45 AM	1	59	3	0	63	0	0	0	0	0	1	27	0	0	28	0	0	1	0	1	1	92			
	8:00 AM	0	47	2	0	49	0	0	0	0	0	3	22	2	0	27	4	0	2	0	6	6	82			
	8:15 AM	0	50	3	0	53	0	0	0	0	0	2	15	1	0	18	3	0	0	0	0	3	74			
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	3:00 PM	0	35	1	0	36	0	0	0	0	0	25	4	0	29	2	0	1	0	3	68	270	0.96			
	3:15 PM	2	34	1	0	37	0	0	0	0	0	23	2	0	25	1	0	1	0	2	64	281	0.89			
	3:30 PM	1	33	0	0	34	0	0	0	0	0	1	35	0	0	36	0	0	0	0	0	70	313	0.82		
	3:45 PM	0	34	0	0	34	0	0	0	0	0	31	2	0	33	0	0	1	0	1	68	336	0.88			
	4:00 PM	0	31	0	0	31	0	0	0	0	0	43	3	0	46	2	0	0	0	2	79	374	0.88			
	4:15 PM	2	47	1	0	50	0	0	0	0	0	1	43	0	0	44	1	0	1	0	2	96	387	0.91		
	4:30 PM	1	40	0	0	41	0	0	0	0	0	47	2	0	49	1	0	2	0	3	93	368	0.87			
	4:45 PM	1	48	0	0	49	0	0	0	0	0	53	1	0	54	3	0	0	0	3	106	345	0.81			
	5:00 PM	0	42	0	0	42	0	0	0	0	0	47	2	0	49	0	0	1	0	1	92	300	0.82			
	5:15 PM	0	33	0	0	33	0	0	0	0	0	43	1	0	44	0	0	0	0	0	77					
	5:30 PM	0	33	1	0	34	0	0	0	0	0	34	2	0	36	0	0	0	0	0	70					
	5:45 PM	0	36	0	0	36	0	0	0	0	0	23	2	0	25	0	0	0	0	0	61					
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
<b>Totals</b>		10	795	17	0	822	0	0	0	0	0	20	561	24	0	605	21	0	10	0	31	1458				

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period		From North					From East					From South					From West					Total Hourly Volume				
		Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway									
Start Time		Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total
AM	7:30 AM	1	218	11	0	230	0	0	0	0	0	11	78	3	0	92	7	0	3	0	10	332	0.90			
MD	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM	4:15 PM	4	177	1	0	182	0	0	0	0	0	1	190	5	0	196	5	0	4	0	9	387	0.91			

# Intersection Traffic Volume Report

Count Basics											Page 6 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Automobile Data

### Automobiles (Cars, Light Trucks, & Motorcycles)



#### Sherman Avenue and My Choice South DW


##### 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	19	0	0	19	0	0	0	0	0	0	0	6	0	0	6	0	0	0	0	25	
6:45 AM	0	30	0	0	30	0	0	0	0	0	0	2	6	0	0	8	0	0	0	0	38	
7:00 AM	1	26	0	0	27	0	0	0	0	0	0	1	10	0	0	11	1	0	0	0	39	
7:15 AM	1	54	2	0	57	0	0	0	0	0	0	4	13	0	0	17	3	0	0	0	77	
7:30 AM	0	61	3	0	64	0	0	0	0	0	0	5	14	0	0	19	0	0	0	0	83	
7:45 AM	1	59	3	0	63	0	0	0	0	0	0	1	26	0	0	27	0	0	1	0	91	
8:00 AM	0	46	2	0	48	0	0	0	0	0	0	3	21	1	0	25	4	0	2	0	679	
8:15 AM	0	50	3	0	53	0	0	0	0	0	0	2	14	1	0	17	3	0	0	0	73	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
AM Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	34	1	0	35	0	0	0	0	0	0	25	4	0	29	1	0	1	0	266	
	3:15 PM	2	32	0	0	34	0	0	0	0	0	0	22	1	0	23	1	0	1	0	59	
	3:30 PM	1	32	0	0	33	0	0	0	0	0	0	1	33	0	0	34	0	0	0	67	
	3:45 PM	0	33	0	0	33	0	0	0	0	0	0	30	2	0	32	0	0	0	0	327	
	4:00 PM	0	30	0	0	30	0	0	0	0	0	0	43	2	0	45	1	0	0	0	1	
	4:15 PM	2	47	0	0	49	0	0	0	0	0	1	42	0	0	43	1	0	1	0	382	
	4:30 PM	1	40	0	0	41	0	0	0	0	0	0	47	2	0	49	1	0	1	0	92	
	4:45 PM	1	48	0	0	49	0	0	0	0	0	0	53	1	0	54	3	0	0	0	340	
	5:00 PM	0	41	0	0	41	0	0	0	0	0	0	46	2	0	48	0	0	1	0	294	
	5:15 PM	0	33	0	0	33	0	0	0	0	0	0	43	1	0	44	0	0	0	0	77	
	5:30 PM	0	32	0	0	32	0	0	0	0	0	0	33	2	0	35	0	0	0	0	67	
	5:45 PM	0	36	0	0	36	0	0	0	0	0	0	22	2	0	24	0	0	0	0	60	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		10	783	14	0	807	0	0	0													

# Intersection Traffic Volume Report

Count Basics		Page 7 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Single Unit (SU) Truck & Bus Data**



## ***Sherman Avenue and My Choice South DW***

15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
7:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
7:45 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
8:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	3	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	
3:15 PM	0	2	1	0	3	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	5	
3:30 PM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	3	
3:45 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	1	3		
4:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	1	1	0	0	0	1	3		
4:15 PM	0	0	1	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2		
4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1		
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	
5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:30 PM	0	1	1	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	3	
5:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	0	12	3	0	15	0	0	0	0	0	0	0	12	3	0	15	2	0	2	0	4	34

## **Peak Hour Single Unit (SU) Truck & Buses Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Page 8 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***15-Minute Semi-Truck Data***



## **15-Minute Semi-Truck Data**

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Page 9 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Data**

*Sherman Avenue and My Choice South DW*



15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	8:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	1	0	2	0	0	0	0	3	
	8:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
	3:15 PM	0	2	1	0	3	0	0	0	0	0	1	1	0	2	0	0	0	0	0	5	
	3:30 PM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	3	
	3:45 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	0	3	
	4:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	1	1	0	0	0	0	1	
	4:15 PM	0	0	1	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	1	1	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	3	
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Hourly Sum		0	12	3	0	15	0	0	0	0	0	0	0	0	0	15	2	0	2	0	4	34

## **Peak Hour Heavy Vehicle Volume Summary**

Hourly	↓					←					↑					→					Total	
	From North					From East					From South					From West						
	Sherman Avenue					My Choice South DW					Sherman Avenue					Driveway						
Time Period	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly	
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Volume	
AM 7:30 AM	0	2	0	0	2	0	0	0	0	0	0	0	3	1	0	4	0	0	0	0	0	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	0	1	1	0	2	0	0	0	0	0	0	2	0	0	2	0	0	1	0	1		

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 10 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

*Sherman Avenue and My Choice South DW*



## **15-Minute Heavy Vehicle Percentages**

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Heavy Vehicle Percentage Summary																Hourly Heavy Vehicle Percent					
Hourly	↓ From North					← From East					↑ From South					Hourly Heavy Vehicle Percent					
	Sherman Avenue					My Choice South DW					Sherman Avenue										
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM 7:30 AM	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.3	0.0	0.0	0.0	0.0	0.0	1.8
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PM 4:15 PM	0.0	0.6	100.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	25.0	0.0	11.1	1.3

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and My Choice South DW

#### Pedestrians and Bicyclists



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			My Choice South DW			Sherman Avenue			Driveway						
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	2	2	4	0	0	0	4	3	7	11	44		
6:45 AM	0	0	0	3	1	4	0	0	0	4	6	10	14	45		
7:00 AM	1	0	1	2	4	6	0	0	0	1	1	2	9	42		
7:15 AM	0	0	0	1	1	2	0	0	0	1	7	8	10	45		
7:30 AM	0	0	0	1	3	4	0	0	0	1	7	8	12	46		
7:45 AM	0	0	0	0	4	4	0	0	0	4	3	7	11			
8:00 AM	1	0	1	1	2	3	0	0	0	4	4	8	12			
8:15 AM	0	0	0	1	2	3	0	0	0	5	3	8	11			
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0			
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
3:00 PM	0	0	0	1	0	1	0	0	0	2	5	7	8	36		
3:15 PM	0	0	0	2	4	6	0	0	0	0	1	1	7	49		
3:30 PM	0	0	0	0	3	3	0	0	0	0	1	1	4	53		
3:45 PM	0	0	0	1	9	10	0	0	0	2	5	7	17	60		
4:00 PM	0	0	0	2	9	11	2	0	2	5	3	8	21	55		
4:15 PM	0	0	0	3	6	9	0	0	0	0	2	2	11	50		
4:30 PM	0	0	0	0	6	6	0	0	0	3	2	5	11	60		
4:45 PM	0	0	0	0	5	5	0	0	0	1	6	7	12	63		
5:00 PM	0	0	0	0	12	12	0	0	0	0	4	4	16	71		
5:15 PM	0	0	0	3	9	12	0	0	0	1	8	9	21			
5:30 PM	1	0	1	3	9	12	0	0	0	1	0	1	14			
5:45 PM	0	0	0	0	2	8	10	1	0	1	1	8	9	20		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0			
Totals	3	0	3	28	99	127	3	0	3	40	79	119	252			

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Sherman Avenue and My Choice South DW

### Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			My Choice South DW			Sherman Avenue			Driveway						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	2	0	2	0	0	0	4	0	4	6	19		
6:45 AM	0	0	0	3	0	3	0	0	0	4	0	4	7	15		
7:00 AM	1	0	1	2	0	2	0	0	0	1	0	1	4	12		
7:15 AM	0	0	0	1	0	1	0	0	0	1	0	1	2	14		
7:30 AM	0	0	0	1	0	1	0	0	0	1	0	1	2	18		
7:45 AM	0	0	0	0	0	0	0	0	0	4	0	4	4	16		
8:00 AM	1	0	1	1	0	1	0	0	0	4	0	4	6	12		
8:15 AM	0	0	0	1	0	1	0	0	0	5	0	5	6	6		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	3		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
3:00 PM	0	0	1	1	0	1	0	0	2	2	3	8	8	8		
3:15 PM	0	0	2	2	0	2	0	0	0	0	2	0	2	14		
3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	15		
3:45 PM	0	0	1	1	0	1	0	0	2	2	3	18	18	18		
4:00 PM	0	0	2	2	0	2	0	0	5	5	9	16	16	16		
4:15 PM	0	0	3	3	0	3	0	0	0	0	3	3	7	7		
4:30 PM	0	0	0	0	0	0	0	0	3	3	3	3	8	8		
4:45 PM	0	0	0	0	0	0	0	0	1	1	1	1	1	10		
5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	13		
5:15 PM	0	0	3	3	0	3	0	0	1	1	4	1	4	13		
5:30 PM	1	3	3	3	0	3	0	0	1	1	5	1	5	9		
5:45 PM	0	0	2	2	1	2	1	1	1	1	4	1	4	4		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	3	0	3	28	0	28	3	0	3	40	0	40	74			

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

#### **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Version 2013.J4.1	Page 1 of 13
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Sherman Avenue and My Choice North DW


#### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Partial Stop Control	
Roadway Names	North Leg	North Direction ↑
	Sherman Avenue	
	East Leg	My Choice North DW
	South Leg	Sherman Avenue
	West Leg	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:30-8:30am MD	PM 4:15-5:15pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Amy Scheuerlein - Video	
	Midday Peak Period None	
	PM Peak Period Amy Scheuerlein - Video	
Comments	2019 DOT Seasonal Factors	

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Count Basics		Page 2 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## Peak Hour Volume Graphical Summary


### Sherman Avenue and My Choice North DW




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
										Non-Holiday			

## Peak Hour Volume Summary

### Sherman Avenue and My Choice North DW



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals
AM Peak Hour	AM Peak Hour	Sherman Avenue				My Choice North DW				Sherman Avenue				Sherman Avenue				My Choice North DW				Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	7:30 AM	0	67	0	0	67	0	0	0	0	0	11	0	0	11	0	0	0	0	0	0	78
	7:45 AM	0	59	0	0	59	0	0	0	0	0	22	0	0	22	0	0	0	0	0	0	81
	8:00 AM	0	52	0	0	52	0	0	0	0	0	22	0	0	22	0	0	0	0	0	0	74
	8:15 AM	0	58	0	0	58	0	0	1	0	1	0	16	0	0	16	0	0	0	0	0	75
	Peak Hour Volume	0	236	0	0	236	0	0	1	0	1	0	71	0	0	71	0	0	0	0	0	308
	Rounded Hourly Volume	0	235	0	0	235	0	0	0	0	0	70	0	0	70	0	0	0	0	0	0	305
	% Single Unit Trucks	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	1.9
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	1.9
	Peak Hour Factor (PHF)	0.00	0.88	0.00	0.00	0.88	0.00	0.00	0.25	0.00	0.25	0.00	0.81	0.00	0.00	0.81	0.00	0.00	0.00	0.00	0.00	0.95

N/A		From North					From East					From South					From West					Totals
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue				My Choice North DW				Sherman Avenue				Sherman Avenue				My Choice North DW				Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Sherman Avenue				My Choice North DW				Sherman Avenue				Sherman Avenue				My Choice North DW				Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	0	44	0	0	44	5	0	2	0	7	0	40	0	0	40	0	0	0	0	0	91
	4:30 PM	0	44	0	0	44	12	0	5	0	17	0	41	0	0	41	0	0	0	0	0	102
	4:45 PM	0	41	0	0	41	6	0	0	0	6	0	42	0	0	42	0	0	0	0	0	89
	5:00 PM	0	36	0	0	36	3	0	2	0	5	0	51	0	0	51	0	0	0	0	0	92
	Peak Hour Volume	0	165	0	0	165	26	0	9	0	35	0	174	0	0	174	0	0	0	0	0	374
	Rounded Hourly Volume	0	165	0	0	165	25	0	10	0	35	0	175	0	0	175	0	0	0	0	0	375
	% Single Unit Trucks	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.1
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.1
	Peak Hour Factor (PHF)	0.00	0.94	0.00	0.00	0.94	0.54	0.00	0.45	0.00	0.51	0.00	0.85	0.00	0.00	0.85	0.00	0.00	0.00	0.00	0.00	0.92

Pedestrians and Bicyclists		Crossing North Approach				Crossing East Approach				Crossing South Approach				Crossing West Approach				Total Ped & Bike Volume
AM	15-Minute Start Time	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
	7:30 AM	0	1	1	2	3	5	0	0	0	2	10	12	0	0	0	18	
	7:45 AM	0	0	0	3	5	8	0	0	0	7	4	11	0	0	0	19	
	8:00 AM	0	1	1	2	3	5	0	0	0	4	6	10	0	0	0	16	
	8:15 AM	0	0	0	3	1	4	0	0	0	4	2	6	0	0	0	10	
	Total	0	2	2	10	12	22	0	0	0	17	22	39	0	0	0	63	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	12:30 PM	0</																

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Sherman Avenue and My Choice North DW


#### All Motor Vehicles



#### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					My Choice North DW					Sherman Avenue					Sherman Avenue						E/W		
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		0	69	
AM	6:00 AM	0	61	0	0	61	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	0	69	
	7:00 AM	0	216	0	0	216	1	0	0	0	1	0	51	0	0	51	0	0	0	0	0	0	268	
	8:00 AM	0	110	0	0	110	0	0	1	0	1	0	38	0	0	38	0	0	0	0	0	0	149	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	136	0	0	136	7	0	3	0	10	0	119	0	0	119	0	0	0	0	0	0	265	
	4:00 PM	0	162	0	0	162	26	0	14	0	40	0	166	0	0	166	0	0	0	0	0	0	368	
	5:00 PM	0	142	1	0	143	10	0	2	0	12	0	158	0	0	158	0	0	0	0	0	0	313	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals		0	827	1	0	828	44	0	20	0	64	0	540	0	0	540	0	0	0	0	0	0	1432	
																							64	
																							1368	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Motor Vehicle Data**

## *Sherman Avenue and My Choice North PW*



15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Sherman Avenue					My Choice North DW					Sherman Avenue					Sherman Avenue										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	0	27	0	0	27	0	0	0	0	0	0	5	0	0	5	0	0	0	0	0	32	0.67			
	6:45 AM	0	34	0	0	34	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0	37	0.72			
	7:00 AM	0	32	0	0	32	1	0	0	0	1	0	10	0	0	10	0	0	0	0	0	43	0.83			
	7:15 AM	0	58	0	0	58	0	0	0	0	0	0	8	0	0	8	0	0	0	0	0	66	0.92			
	7:30 AM	0	67	0	0	67	0	0	0	0	0	0	11	0	0	11	0	0	0	0	0	78	0.95			
	7:45 AM	0	59	0	0	59	0	0	0	0	0	0	22	0	0	22	0	0	0	0	0	81				
	8:00 AM	0	52	0	0	52	0	0	0	0	0	0	22	0	0	22	0	0	0	0	0	74				
	8:15 AM	0	58	0	0	58	0	0	1	0	1	0	16	0	0	16	0	0	0	0	0	75				
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	3:00 PM	0	39	0	0	39	2	0	0	0	2	0	28	0	0	28	0	0	0	0	0	69				
	3:15 PM	0	34	0	0	34	2	0	0	0	2	0	22	0	0	22	0	0	0	0	0	58				
	3:30 PM	0	33	0	0	33	0	0	3	0	3	0	31	0	0	31	0	0	0	0	0	67				
	3:45 PM	0	30	0	0	30	3	0	0	0	3	0	38	0	0	38	0	0	0	0	0	71				
	4:00 PM	0	33	0	0	33	3	0	7	0	10	0	43	0	0	43	0	0	0	0	0	86				
	4:15 PM	0	44	0	0	44	5	0	2	0	7	0	40	0	0	40	0	0	0	0	0	91				
	4:30 PM	0	44	0	0	44	12	0	5	0	17	0	41	0	0	41	0	0	0	0	0	102				
	4:45 PM	0	41	0	0	41	6	0	0	0	6	0	42	0	0	42	0	0	0	0	0	89				
	5:00 PM	0	36	0	0	36	3	0	2	0	5	0	51	0	0	51	0	0	0	0	0	92				
	5:15 PM	0	37	0	0	37	3	0	0	0	3	0	41	0	0	41	0	0	0	0	0	81				
	5:30 PM	0	35	1	0	36	4	0	0	0	4	0	38	0	0	38	0	0	0	0	0	78				
	5:45 PM	0	34	0	0	34	0	0	0	0	0	0	28	0	0	28	0	0	0	0	0	62				
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	Totals	0	827	1	0	828	44	0	20	0	64	0	540	0	0	540	0	0	0	0	0	1432				

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	↓ From North					← From East					↑ From South					→ From West					Total Hourly Volume	
	Sherman Avenue					My Choice North DW					Sherman Avenue											
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	0	236	0	0	236	0	0	1	0	1	0	71	0	0	71	0	0	0	0	0	308	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	0	165	0	0	165	26	0	9	0	35	0	174	0	0	174	0	0	0	0	0	374	

# Intersection Traffic Volume Report

Count Basics												Page 6 of 13					
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session							
Total Number of Hours Counted: 5												Non-Holiday			No Special Events		

## 15-Minute Automobile Data

### Automobiles (Cars, Light Trucks, & Motorcycles)



#### Sherman Avenue and My Choice North DW

##### 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					My Choice North DW					Sherman Avenue					Sherman Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	26	0	0	26	0	0	0	0	0	0	5	0	0	5	0	0	0	0	31	
	6:45 AM	0	34	0	0	34	0	0	0	0	0	0	3	0	0	3	0	0	0	0	37	
	7:00 AM	0	31	0	0	31	1	0	0	0	1	0	9	0	0	9	0	0	0	0	41	
	7:15 AM	0	58	0	0	58	0	0	0	0	0	0	8	0	0	8	0	0	0	0	66	
	7:30 AM	0	66	0	0	66	0	0	0	0	0	0	11	0	0	11	0	0	0	0	77	
	7:45 AM	0	59	0	0	59	0	0	0	0	0	0	21	0	0	21	0	0	0	0	80	
	8:00 AM	0	51	0	0	51	0	0	0	0	0	0	20	0	0	20	0	0	0	0	71	
	8:15 AM	0	58	0	0	58	0	0	1	0	1	0	15	0	0	15	0	0	0	0	74	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	38	0	0	38	2	0	0	0	2	0	28	0	0	28	0	0	0	0	68	
	3:15 PM	0	31	0	0	31	0	0	0	0	0	0	21	0	0	21	0	0	0	0	52	
	3:30 PM	0	33	0	0	33	0	0	3	0	3	0	31	0	0	31	0	0	0	0	67	
	3:45 PM	0	28	0	0	28	3	0	0	0	3	0	37	0	0	37	0	0	0	0	68	
	4:00 PM	0	32	0	0	32	3	0	7	0	10	0	43	0	0	43	0	0	0	0	85	
	4:15 PM	0	44	0	0	44	5	0	2	0	7	0	39	0	0	39	0	0	0	0	90	
	4:30 PM	0	44	0	0	44	12	0	5	0	17	0	41	0	0	41	0	0	0	0	102	
	4:45 PM	0	41	0	0	41	6	0	0	0	6	0	41	0	0	41	0	0	0	0	88	
	5:00 PM	0	35	0	0	35	3	0	2	0	5	0	50	0	0	50	0	0	0	0	90	
	5:15 PM	0	37	0	0	37	3	0	0	0	3	0	41	0	0	41	0	0	0	0	81	
	5:30 PM	0	34	1	0	35	3	0	0	0	3	0	37	0	0	37	0	0	0	0	75	
	5:45 PM	0	34	0	0	34	0	0	0	0	0	0	28	0	0	28	0	0	0	0	62	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	0	814	1	0	815	41	0	20	0	61	0	529	0	0	529	0	0	0	0	1405	

#### Peak Hour Automobile Volume Summary

Hourly Time Period	From North					From East					From South									



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 8 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

## ***15-Minute Semi-Truck Data***



#### **15-Minute Semi-Truck Data**

## 15-Minute Semi-Truck Data

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 9 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

## **15-Minute Heavy Vehicle Data**

## *Sherman Avenue and My Choice North DW*



15-Minute Heavy Vehicle Data

## **Peak Hour Heavy Vehicle Volume Summary**

Hourly	↓					←					↑					→					Total	
	From North					From East					From South					From West						
	Sherman Avenue					My Choice North DW					Sherman Avenue											
Time Period	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly	
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Volume	
AM 7:30 AM	0	2	0	0	2	0	0	0	0	0	0	0	4	0	0	4	0	0	0	0	0	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	0	1	0	0	1	0	0	0	0	0	0	3	0	0	3	0	0	0	0	0		

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 10 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

## *Sherman Avenue and My Choice North DW*



## **15-Minute Heavy Vehicle Percentages**

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Heavy Vehicle Percentage Summary																					
Hourly	↓ From North					← From East					↑ From South					→ From West					Hourly Heavy Vehicle Percent
	Sherman Avenue					My Choice North DW					Sherman Avenue										
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly Heavy Vehicle Percent
AM 7:30 AM	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	1.9
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
PM 4:15 PM	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	1.1

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and My Choice North DW



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Sherman Avenue			My Choice North DW			Sherman Avenue			Sherman Avenue				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	4	1	5	0	0	0	7	3	10	15	
6:45 AM	0	1	1	3	2	5	1	0	1	5	8	13	20	
7:00 AM	0	0	0	5	3	8	0	0	0	4	1	5	13	
7:15 AM	0	0	0	4	2	6	0	0	0	2	6	8	14	
7:30 AM	0	1	1	2	3	5	0	0	0	2	10	12	18	
7:45 AM	0	0	0	3	5	8	0	0	0	7	4	11	19	
8:00 AM	0	1	1	2	3	5	0	0	0	4	6	10	16	
8:15 AM	0	0	0	3	1	4	0	0	0	4	2	6	10	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	0	0	0	2	2	0	0	0	3	7	10	12	
3:15 PM	0	0	0	2	3	5	0	0	0	0	2	2	7	
3:30 PM	0	0	0	2	3	5	0	0	0	3	4	7	12	
3:45 PM	1	0	1	2	9	11	1	0	1	2	4	6	19	
4:00 PM	0	0	0	2	8	10	0	0	0	6	7	13	23	
4:15 PM	0	0	0	2	7	9	0	0	0	2	4	6	15	
4:30 PM	0	0	0	3	7	10	1	0	1	3	1	4	15	
4:45 PM	0	0	0	2	6	8	0	0	0	2	7	9	17	
5:00 PM	0	0	0	1	12	13	0	0	0	1	1	2	15	
5:15 PM	0	0	0	3	11	14	0	0	0	4	10	14	28	
5:30 PM	0	0	0	6	10	16	1	0	1	3	3	6	23	
5:45 PM	0	0	0	5	10	15	0	0	0	2	8	10	25	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	1	3	4	56	108	164	4	0	4	66	98	164	336	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Sherman Avenue and My Choice North DW

### Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			My Choice North DW			Sherman Avenue			Sherman Avenue						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	4	0	4	0	0	0	7	0	7	11	35		
6:45 AM	0	0	0	3	1	4	1	5	6	5	0	5	9	28		
7:00 AM	0	0	0	5	0	5	0	4	4	4	0	4	9	29		
7:15 AM	0	0	0	4	0	4	0	2	2	2	0	2	6	26		
7:30 AM	0	0	0	2	0	2	0	2	2	2	0	2	4	27		
7:45 AM	0	0	0	3	0	3	0	7	7	7	0	7	10	23		
8:00 AM	0	0	0	2	0	2	0	4	4	4	0	4	6	13		
8:15 AM	0	0	0	3	0	3	0	4	4	4	0	4	7	7		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	3		
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	5		
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	10		
	3:00 PM	0	0	0	0	0	0	0	3	3	3	3	3	16		
	3:15 PM	0	0	2	2	0	0	0	0	0	0	0	2	21		
	3:30 PM	0	0	2	2	0	0	0	3	3	3	3	5	23		
	3:45 PM	1	1	2	2	1	1	2	2	2	2	2	6	25		
	4:00 PM	0	0	2	2	0	0	0	6	6	6	6	8	23		
	4:15 PM	0	0	2	2	0	0	2	2	2	2	2	4	17		
	4:30 PM	0	0	3	3	1	1	3	3	3	3	3	7	20		
	4:45 PM	0	0	2	2	0	0	2	2	2	2	2	4	23		
	5:00 PM	0	0	1	1	0	0	1	1	1	1	1	2	26		
	5:15 PM	0	0	3	3	0	0	4	4	4	4	4	7	24		
	5:30 PM	0	0	6	6	1	1	3	3	3	3	3	10	17		
	5:45 PM	0	0	5	5	0	0	2	2	2	2	2	7	7		
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0		
<b>Totals</b>		<b>1</b>	<b>0</b>	<b>1</b>	<b>56</b>	<b>0</b>	<b>56</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>66</b>	<b>0</b>	<b>66</b>	<b>127</b>		

# Intersection Traffic Volume Report

Count Basics		Page 13 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

### **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

## **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Sherman Avenue and Fuller Drive-South


#### Site Information

Municipality	City of Madison		
County	Dane	WisDOT Region	SW-M
Traffic Control	Partial Stop Control		
Roadway Names	North Direction ↑		
North Leg	Sherman Avenue		
East Leg			
South Leg	Sherman Avenue		
West Leg	Fuller Drive-South		
Special Considerations			
Schools	In Session		
Holidays	None		
Special Events	None		
Special Pedestrians Observed			
Pre-school children	None		
Elementry school age children	None		
Visually impaired (white cane/helper dog)	None		
Elderly/disabled (except wheelchairs)	None		
Wheelchairs/electric scooters	None		
Other (describe)	None	None	


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM		
1st Day of Count	Thursday, September 8, 2022	Weekday	Schools in Session
AM Peak Period	Friday, September 9, 2022	Clear & Dry	
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry	
PM Peak Period	Thursday, September 8, 2022	Clear & Dry	
Calculated Peak Hours	AM 7:15-8:15am MD	PM 4:15-5:15pm	
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm	
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	Count Expansion Group	(2) Urban Arterials & Collectors
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor	2.630
Company Name	TADI, Inc.	Manual Adj.	1.000
Observers	AM Peak Period Wendy Picard - Video	Midday Peak Period	None
	PM Peak Period Wendy Picard - Video		
Comments	2019 DOT Seasonal Factors		

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



# Intersection Traffic Volume Report


Page 2 of 13

## Peak Hour Volume Graphical Summary


### Sherman Avenue and Fuller Drive-South




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
Total Number of Hours Counted: 5					Non-Holiday					No Special Events			

## Peak Hour Volume Summary

### Sherman Avenue and Fuller Drive-South



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals		
AM Peak Hour	AM Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-South									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	7:30 AM	0	62	0	0	62	0	0	0	0	0	0	0	14	0	0	14	0	0	0	0	0	76	
	7:45 AM	1	59	0	0	60	0	0	0	0	0	0	0	27	0	0	27	0	0	1	0	1	88	
	8:00 AM	0	47	0	0	47	0	0	0	0	0	0	0	22	2	0	24	4	0	2	0	6	77	
	8:15 AM	0	50	0	0	50	0	0	0	0	0	0	0	15	1	0	16	3	0	0	0	3	69	
	Peak Hour Volume	1	218	0	0	219	0	0	0	0	0	0	0	78	3	0	81	7	0	3	0	10	310	
	Rounded Hourly Volume	0	220	0	0	220	0	0	0	0	0	0	0	80	5	0	85	5	0	5	0	10	315	
	% Single Unit Trucks	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.9	0.0	0.0	0.0	0.0	0.0	1.9	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.9	0.0	0.0	0.0	0.0	0.0	1.9	
	Peak Hour Factor (PHF)	0.25	0.88	0.00	0.00	0.88	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.72	0.37	0.00	0.75	0.44	0.00	0.37	0.00	0.42	0.88	

N/A		From North					From East					From South					From West					Totals		
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-South									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Thursday, September 8, 2022		From North					From East					From South					From West					Totals		
PM Peak Hour	PM Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-South									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	4:15 PM	2	47	0	0	49	0	0	0	0	0	0	0	43	0	0	43	1	0	1	0	2	94	
	4:30 PM	1	40	0	0	41	0	0	0	0	0	0	0	47	2	0	49	1	0	2	0	3	93	
	4:45 PM	1	48	0	0	49	0	0	0	0	0	0	0	53	1	0	54	3	0	0	0	3	106	
	5:00 PM	0	42	0	0	42	0	0	0	0	0	0	0	47	2	0	49	0	0	1	0	1	92	
	Peak Hour Volume	4	177	0	0	181	0	0	0	0	0	0	0	190	5	0	195	5	0	4	0	9	385	
	Rounded Hourly Volume	5	175	0	0	180	0	0	0	0	0	0	0	190	5	0	195	5	0	5	0	10	385	
	% Single Unit Trucks	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	25.0	0.0	11.1	1.0	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	25.0	0.0	11.1	1.0	
	Peak Hour Factor (PHF)	0.50	0.92	0.00	0.00	0.92	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.90	0.62	0.00	0.90	0.42	0.00	0.50	0.00	0.75	0.91	

Peak Hour Pedestrian and Bicyclist Volumes		Crossing North Approach					Crossing East Approach					Crossing South Approach					Crossing West Approach					Total Ped & Bike Volume
AM	AM	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total Ped & Bike Volume
	7:30 AM	0	0	0	1	3	4	0	0	0	1	7	8	0	0	0	1	7	8	0	0	12
	7:45 AM	0	0	0	0	4	4	0	0	0	0	4	4	0	0	0	0	4	4	0	0	11
	8:00 AM	1	0	1	1	2	3	0	0	0	0	4	4	0	0	0	0	4	4	0	0	12
	8:15 AM	0	0	0	1	2	3	0	0	0	0	5	5	0	0	0	0	5	5	0	0	11
	Total	1	0	1	3	11	14	0	0	0	0	14	17	0	0	0	0	14	17	0		

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Sherman Avenue and Fuller Drive-South

Count Basics			
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5		Non-Holiday	No Special Events


All Motor Vehicles



### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		0	62	
AM	6:00 AM	0	50	0	50	0	0	0	0	0	0	12	0	0	12	0	0	0	0	0	0	0	62	
	7:00 AM	3	202	0	205	0	0	0	0	0	0	65	0	0	65	4	0	1	0	5	275	5	270	
	8:00 AM	0	97	0	97	0	0	0	0	0	0	37	3	0	40	7	0	2	0	9	146	9	137	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	3	136	0	139	0	0	0	0	0	0	114	8	0	122	3	0	3	0	6	267	6	261	
	4:00 PM	4	166	0	170	0	0	0	0	0	0	186	6	0	192	7	0	3	0	10	372	10	362	
	5:00 PM	0	144	0	144	0	0	0	0	0	0	147	7	0	154	0	0	1	0	1	299	1	298	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		10	795	0	805	0	0	0	0	0	0	561	24	0	585	21	0	10	0	31	1421	31	1390	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

Count Basics	Page 5 of 13	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Motor Vehicle Data**

### *Sherman Avenue and Fuller Drive-South*



15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	0	20	0	0	20	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	26	0.60			
	6:45 AM	0	30	0	0	30	0	0	0	0	0	0	6	0	0	6	0	0	0	0	0	36	0.73			
	7:00 AM	1	27	0	0	28	0	0	0	0	0	0	10	0	0	10	1	0	0	0	1	39	0.78			
	7:15 AM	1	54	0	0	55	0	0	0	0	0	0	14	0	0	14	3	0	0	0	3	72	0.89			
	7:30 AM	0	62	0	0	62	0	0	0	0	0	0	14	0	0	14	0	0	0	0	0	76	0.88			
	7:45 AM	1	59	0	0	60	0	0	0	0	0	0	27	0	0	27	0	0	1	0	1	88				
	8:00 AM	0	47	0	0	47	0	0	0	0	0	0	22	2	0	24	4	0	2	0	6	77				
	8:15 AM	0	50	0	0	50	0	0	0	0	0	0	15	1	0	16	3	0	0	0	3	69				
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
PM Peak Period	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	3:00 PM	0	35	0	0	35	0	0	0	0	0	0	25	4	0	29	2	0	1	0	3	67	0.97			
	3:15 PM	2	34	0	0	36	0	0	0	0	0	0	23	2	0	25	1	0	1	0	2	63	0.88			
	3:30 PM	1	33	0	0	34	0	0	0	0	0	0	35	0	0	35	0	0	0	0	0	69				
	3:45 PM	0	34	0	0	34	0	0	0	0	0	0	31	2	0	33	0	0	1	0	1	68	0.89			
	4:00 PM	0	31	0	0	31	0	0	0	0	0	0	43	3	0	46	2	0	0	0	2	79	0.88			
	4:15 PM	2	47	0	0	49	0	0	0	0	0	0	43	0	0	43	1	0	1	0	2	94	0.91			
	4:30 PM	1	40	0	0	41	0	0	0	0	0	0	47	2	0	49	1	0	2	0	3	93				
	4:45 PM	1	48	0	0	49	0	0	0	0	0	0	53	1	0	54	3	0	0	0	3	106	0.81			
	5:00 PM	0	42	0	0	42	0	0	0	0	0	0	47	2	0	49	0	0	1	0	1	92	0.81			
	5:15 PM	0	33	0	0	33	0	0	0	0	0	0	43	1	0	44	0	0	0	0	0	77				
	5:30 PM	0	33	0	0	33	0	0	0	0	0	0	34	2	0	36	0	0	0	0	0	69				
	5:45 PM	0	36	0	0	36	0	0	0	0	0	0	23	2	0	25	0	0	0	0	0	61				
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
<b>Totals</b>		10	795	0	0	805	0	0	0	0	0	0	561	24	0	585	21	0	10	0	31	1421				

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	1	218	0	0	219	0	0	0	0	0	0	78	3	0	81	7	0	3	0	10	310	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	4	177	0	0	181	0	0	0	0	0	0	190	5	0	195	5	0	4	0	9	385	

# Intersection Traffic Volume Report

Count Basics											Page 6 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Automobile Data

### Sherman Avenue and Fuller Drive-South

Automobiles (Cars, Light Trucks, & Motorcycles)



#### 15-Minute Automobile Data


15-Minute Time Period	From North					From East					From South					From West					15-Min Totals		
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South							
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 AM	0	19	0	0	19	0	0	0	0	0	0	0	6	0	0	6	0	0	0	25		
	6:45 AM	0	30	0	0	30	0	0	0	0	0	0	0	6	0	0	6	0	0	0	36		
	7:00 AM	1	26	0	0	27	0	0	0	0	0	0	0	10	0	0	10	1	0	0	1	38	
	7:15 AM	1	54	0	0	55	0	0	0	0	0	0	0	13	0	0	13	3	0	0	0	71	
	7:30 AM	0	61	0	0	61	0	0	0	0	0	0	0	14	0	0	14	0	0	0	0	75	
	7:45 AM	1	59	0	0	60	0	0	0	0	0	0	0	26	0	0	26	0	0	1	0	87	
	8:00 AM	0	46	0	0	46	0	0	0	0	0	0	0	21	1	0	22	4	0	2	0	67	
	8:15 AM	0	50	0	0	50	0	0	0	0	0	0	0	14	1	0	15	3	0	0	0	68	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	34	0	0	34	0	0	0	0	0	0	0	25	4	0	29	1	0	1	0	2	65
	3:15 PM	2	32	0	0	34	0	0	0	0	0	0	0	22	1	0	23	1	0	1	0	2	59
	3:30 PM	1	32	0	0	33	0	0	0	0	0	0	0	33	0	0	33	0	0	0	0	0	66
	3:45 PM	0	33	0	0	33	0	0	0	0	0	0	0	30	2	0	32	0	0	0	0	0	326
	4:00 PM	0	30	0	0	30	0	0	0	0	0	0	0	43	2	0	45	1	0	0	0	1	76
	4:15 PM	2	47	0	0	49	0	0	0	0	0	0	0	42	0	0	42	1	0	1	0	2	381
	4:30 PM	1	40	0	0	41	0	0	0	0	0	0	0	47	2	0	49	1	0	1	0	2	92
	4:45 PM	1	48	0	0	49	0	0	0	0	0	0	0	53	1	0	54	3	0	0	0	3	340
	5:00 PM	0	41	0	0	41	0	0	0	0	0	0	0	46	2	0	48	0	0	1	0	1	294
	5:15 PM	0	33	0	0	33	0	0	0	0	0	0	0	43	1	0	44	0	0	0	0	0	77
	5:30 PM	0	32	0	0	32	0	0	0	0	0	0	0	33	2	0	35	0	0	0	0	0	67
	5:45 PM	0	36	0	0	36	0	0	0	0	0	0	0	22	2	0	24	0	0	0	0	0	60
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0																		

# Intersection Traffic Volume Report

Count Basics		Page 7 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Single Unit (SU) Truck & Bus Data**

### *Sherman Avenue and Fuller Drive-South*



15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
7:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
7:45 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
8:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	1	0	2	0	0	0	0	0	3	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	
3:15 PM	0	2	0	0	2	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	4	
3:30 PM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	3	
3:45 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	1	3	8	
4:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	1	1	0	0	0	1	3	5	
4:15 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	4	
4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
5:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	
5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:30 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	
5:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	0	12	0	0	12	0	0	0	0	0	0	0	12	3	0	15	2	0	2	0	4	31

## **Peak Hour Single Unit (SU) Truck & Buses Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	0	2	0	0	2	0	0	0	0	0	0	0	3	1	0	4	0	0	0	0	0	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	0	1	0	0	1	0	0	0	0	0	0	2	0	0	2	0	0	1	0	1	4	

# Intersection Traffic Volume Report

Count Basics		Page 8 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***15-Minute Semi-Truck Data***



15-Minute Semi-Truck Data

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics											Page 9 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Heavy Vehicle Data

Sherman Avenue and Fuller Drive-South



### 15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum		
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-South								
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total				
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	7:15 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1		
	7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1		
	7:45 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1		
	8:00 AM	0	1	0	0	1	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	3		
	8:15 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1		
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	3:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1		
	3:15 PM	0	2	0	0	2	0	0	0	0	0	1	1	0	2	0	0	0	0	0	0	4		
	3:30 PM	0	1	0	0	1	0	0	0	0	0	2	0	0	2	0	0	0	0	0	0	3		
	3:45 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	8		
	4:00 PM	0	1	0	0	1	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	5		
	4:15 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	4		
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3		
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4		
	5:00 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	5		
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	5:30 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2		
	5:45 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	1		
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Totals	0	12	0	0	12																		

# Intersection Traffic Volume Report

Count Basics		Page 10 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Percentages**

### ***Sherman Avenue and Fuller Drive-South***



## 15-Minute Heavy Vehicle Percentages

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly	↓ From North					← From East					↑ From South					→ From West					Hourly Heavy Vehicle Percent	
	Sherman Avenue		0			Sherman Avenue		Fuller Drive-South														
Time Period	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Hourly Heavy Vehicle Percent	
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	3.8	33.3	0.0	4.9	0.0	0.0	0.0	0.0	0.0	1.9	
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
PM 4:15 PM	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	0.0	25.0	0.0	11.1	1.0

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and Fuller Drive-South



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Sherman Avenue			0			Sherman Avenue			Fuller Drive-South				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	2	2	4	0	0	0	4	3	7	11	
6:45 AM	0	0	0	3	1	4	0	0	0	4	6	10	14	
7:00 AM	1	0	1	2	4	6	0	0	0	1	1	2	9	
7:15 AM	0	0	0	1	1	2	0	0	0	1	7	8	10	
7:30 AM	0	0	0	1	3	4	0	0	0	1	7	8	12	
7:45 AM	0	0	0	0	4	4	0	0	0	4	3	7	11	
8:00 AM	1	0	1	1	2	3	0	0	0	4	4	8	12	
8:15 AM	0	0	0	1	2	3	0	0	0	5	3	8	11	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	0	0	1	0	1	0	0	0	2	5	7	8	
3:15 PM	0	0	0	2	4	6	0	0	0	0	1	1	7	
3:30 PM	0	0	0	0	3	3	0	0	0	0	1	1	4	
3:45 PM	0	0	0	1	9	10	0	0	0	2	5	7	17	
4:00 PM	0	0	0	2	9	11	0	0	0	5	3	8	19	
4:15 PM	0	0	0	3	6	9	0	0	0	0	2	2	11	
4:30 PM	0	0	0	0	6	6	0	0	0	3	2	5	11	
4:45 PM	0	0	0	0	5	5	0	0	0	1	6	7	12	
5:00 PM	0	0	0	0	12	12	0	0	0	0	4	4	16	
5:15 PM	0	0	0	3	9	12	0	0	0	1	8	9	21	
5:30 PM	1	0	1	3	9	12	0	0	0	1	0	1	14	
5:45 PM	0	0	0	0	2	8	10	1	0	1	1	8	9	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	3	0	3	28	99	127	1	0	1	40	79	119	250	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	x					
Elementry School Age Children	x					
Visually Impaired (white cane/helper dog)	x					
Elderly/Disabled (except wheelchairs)	x					
Wheelchairs/Electric Scooters	x					
Other (None)	x					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Sherman Avenue and Fuller Drive-South

Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			0			Sherman Avenue			Fuller Drive-South						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	2	0	2	0	0	0	4	0	4	6	19		
6:45 AM	0	0	0	3	0	3	0	0	0	4	0	4	7	15		
7:00 AM	1	0	1	2	0	2	0	0	0	1	0	1	4	12		
7:15 AM	0	0	0	1	0	1	0	0	0	1	0	1	2	14		
7:30 AM	0	0	0	1	0	1	0	0	0	1	0	1	2	18		
7:45 AM	0	0	0	0	0	0	0	0	0	4	0	4	4	16		
8:00 AM	1	0	1	1	0	1	0	0	0	4	0	4	6	12		
8:15 AM	0	0	0	1	0	1	0	0	0	5	0	5	6	6		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	3		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	5		
3:00 PM	0	0	1	1	0	1	0	0	2	2	3	8	8	8		
3:15 PM	0	0	2	2	0	2	0	0	0	0	2	0	2	12		
3:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	13		
3:45 PM	0	0	1	1	0	1	0	0	2	2	3	16	16	16		
4:00 PM	0	0	2	2	0	2	0	0	5	5	7	14	14	14		
4:15 PM	0	0	3	3	0	3	0	0	0	0	3	3	7	7		
4:30 PM	0	0	0	0	0	0	0	0	3	3	3	3	8	8		
4:45 PM	0	0	0	0	0	0	0	0	1	1	1	1	1	10		
5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	13		
5:15 PM	0	0	3	3	0	3	0	0	1	1	4	4	13	13		
5:30 PM	1	3	3	3	0	3	0	0	1	1	5	5	9	9		
5:45 PM	0	0	2	2	1	2	1	1	1	1	4	4	4	4		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	3	0	3	28	0	28	1	0	1	40	0	40	72			

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

#### **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Version 2013.J4.1	Page 1 of 13
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries**

## **Intersection of: Sherman Avenue and Fuller Drive-North**


## Site Information

Municipality	City of Madison		
County	Dane	WisDOT Region	SW-M
Traffic Control	Partial Stop Control		
Roadway Names		North Direction	↑
North Leg	Sherman Avenue		
East Leg			
South Leg	Sherman Avenue		
West Leg	Fuller Drive-North		
Special Considerations			
Schools	In Session		
Holidays	None		
Special Events	None		
Special Pedestrians Observed			
	Pre-school children	None	
	Elementry school age children	None	
	Visually impaired (white cane/helper dog)	None	
	Elderly/disabled (except wheelchairs)	None	
	Wheelchairs/electric scooters	None	
Other (describe)		None	


## Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM					
1st Day of Count	Thursday, September 8, 2022			Weather		
AM Peak Period	Friday, September 9, 2022			Clear & Dry		
Midday Peak Period	Thursday, September 8, 2022			Clear & Dry		
PM Peak Period	Thursday, September 8, 2022			Clear & Dry		
Calculated Peak Hours						
	AM	7:15-8:15am	MD	PM	4:15-5:15pm	
Peak Hours Selected for Analysis						
	AM	7:30-8:30am	MD	PM	4:15-5:15pm	
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors					
Count Expansion Group	(2) Urban Arterials & Collectors					
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor			2.630	
Company Name	TADI, Inc.				Manual Adj.	1.000
Observers	AM Peak Period		Emma Czewski - Video			
	Midday Peak Period		None			
	PM Peak Period		Emma Czewski - Video			
Comments	2019 DOT Seasonal Factors					

## ***Observed 5 Hour Volume Summary***



## ***Estimated 24 Hour AADT***



# Intersection Traffic Volume Report


Page 2 of 13

## Peak Hour Volume Graphical Summary


### Sherman Avenue and Fuller Drive-North




#### AM Peak Hour Summary



#### Midday (MD) Peak Hour Summary



#### PM Peak Hour Summary



Count Basics	Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
	Total Number of Hours Counted:	5	Non-Holiday	No Special Events

# Intersection Traffic Volume Report

Count Basics										Page 3 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session			
Total Number of Hours Counted: 5					Non-Holiday					No Special Events			

## Peak Hour Volume Summary

### Sherman Avenue and Fuller Drive-North



#### Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West					Totals		
AM Peak Hour	AM Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-North									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	7:30 AM	0	68	0	0	68	0	0	0	0	0	0	16	0	0	16	1	0	2	0	3	87		
	7:45 AM	0	59	0	0	59	0	0	0	0	0	0	28	0	0	28	1	0	2	0	3	90		
	8:00 AM	2	45	0	0	47	0	0	0	0	0	0	23	0	0	23	1	0	0	0	1	71		
	8:15 AM	1	52	0	0	53	0	0	0	0	0	0	19	0	0	19	1	0	0	0	0	73		
	Peak Hour Volume	3	224	0	0	227	0	0	0	0	0	0	86	0	0	86	4	0	4	0	8	321		
	Rounded Hourly Volume	5	225	0	0	230	0	0	0	0	0	0	85	0	0	85	5	0	5	0	10	325		
	% Single Unit Trucks	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.2		
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Trucks (Total)	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.2		
	Peak Hour Factor (PHF)	0.37	0.82	0.00	0.00	0.83	0.00	0.00	0.00	0.00	0.00	0.00	0.77	0.00	0.00	0.77	1.00	0.00	0.50	0.00	0.67	0.89		

N/A		From North					From East					From South					From West					Totals		
Midday (MD) Peak Hour	MD Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-North									Totals	
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00		

Thursday, September 8, 2022		From North					From East					From South					From West					Totals
PM Peak Hour	PM Peak Hour	Sherman Avenue				0				Sherman Avenue				Fuller Drive-North								Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	2	51	0	0	53	0	0	0	0	0	0	45	1	0	46	1	0	3	0	4	103
	4:30 PM	3	47	0	0	50	0	0	0	0	0	0	55	0	0	55	0	0	3	0	3	108
	4:45 PM	2	47	0	0	49	0	0	0	0	0	0	47	0	0	47	1	0	1	0	2	98
	5:00 PM	4	48	0	0	52	0	0	0	0	0	0	55	0	0	55	0	0	2	0	2	109
	Peak Hour Volume	11	193	0	0	204	0	0	0	0	0	0	202	1	0	203	2	0	9	0	11	418
	Rounded Hourly Volume	10	195	0	0	205	0	0	0	0	0	0	200	0	0	200	0	0	10	0	10	415
	% Single Unit Trucks	9.1	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.5	0.0	0.0	11.1	0.0	9.1	1.4
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	% Trucks (Total)	9.1	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.5	0.0	0.0	11.1	0.0	9.1	1.4
	Peak Hour Factor (PHF)	0.69	0.95	0.00	0.00	0.96	0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.25	0.00	0.92	0.50	0.00	0.75	0.00	0.69	0.96

Pedestrians and Bicyclists		Crossing North Approach				Crossing East Approach				Crossing South Approach				Crossing West Approach				Total Ped & Bike Volume
AM	15-Minute Start Time	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Total Ped & Bike Volume	
	7:30 AM	0	0	0	0	2	2	0	0	0	4	3	7	9	0	0	0	
	7:45 AM	0	0	0	0	0	0	0	0	0	11	0	11	11	0	0	0	
	8:00 AM	0	0	0	0	0	0	0	0	0	6	0	6	6	0	0	0	
	8:15 AM	0	0	0	0	0	0	0	0	0	7	0	7	7	0	0	0	
	Total	0	0	0	0	2	2	0	0	0	28	3	31	33	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

### Sherman Avenue and Fuller Drive-North


#### All Motor Vehicles



#### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		0	71	
AM	6:00 AM	0	50	0	50	0	0	0	0	0	0	21	0	0	21	0	0	1	0	1	72	1	71	
	7:00 AM	2	223	0	225	0	0	0	0	0	0	73	0	0	73	2	0	9	0	11	309	11	298	
	8:00 AM	3	97	0	100	0	0	0	0	0	0	42	0	0	42	2	0	0	0	2	144	2	142	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	9	159	0	168	0	0	0	0	0	0	113	2	0	115	1	0	10	0	11	294	11	283	
	4:00 PM	12	188	0	200	0	0	0	0	0	0	192	1	0	193	2	0	8	0	10	403	10	393	
	5:00 PM	15	161	0	176	0	0	0	0	0	0	152	0	0	152	1	0	13	0	14	342	14	328	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		41	878	0	0	919	0	0	0	0	0	593	3	0	596	8	0	41	0	49	1564	49	1515	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		Schools in Session
		No Special Events

## **15-Minute Motor Vehicle Data**

### ***Sherman Avenue and Fuller Drive-North***



15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	0	21	0	0	21	0	0	0	0	0	10	0	0	10	0	0	0	0	0	0	31	0.86			
	6:45 AM	0	29	0	0	29	0	0	0	0	0	11	0	0	11	0	0	1	0	1	41	0.92				
	7:00 AM	0	32	0	0	32	0	0	0	0	0	15	0	0	15	0	0	2	0	2	49	0.89				
	7:15 AM	2	64	0	0	66	0	0	0	0	0	14	0	0	14	0	0	3	0	3	83	0.61				
	7:30 AM	0	68	0	0	68	0	0	0	0	0	16	0	0	16	1	0	2	0	3	87	0.75				
	7:45 AM	0	59	0	0	59	0	0	0	0	0	28	0	0	28	1	0	2	0	3	90	0.86				
	8:00 AM	2	45	0	0	47	0	0	0	0	0	23	0	0	23	1	0	0	0	1	71	0.92				
	8:15 AM	1	52	0	0	53	0	0	0	0	0	19	0	0	19	1	0	0	0	1	73	0.89				
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	3:00 PM	1	40	0	0	41	0	0	0	0	0	27	0	0	27	0	0	4	0	4	72	0.95				
	3:15 PM	0	41	0	0	41	0	0	0	0	0	26	0	0	26	0	0	3	0	3	70	0.84				
	3:30 PM	4	38	0	0	42	0	0	0	0	0	29	0	0	29	1	0	3	0	4	75	0.85				
	3:45 PM	4	40	0	0	44	0	0	0	0	0	31	2	0	33	0	0	0	0	0	77	0.88				
	4:00 PM	5	43	0	0	48	0	0	0	0	0	45	0	0	45	0	0	1	0	1	94	0.93				
	4:15 PM	2	51	0	0	53	0	0	0	0	0	45	1	0	46	1	0	3	0	4	103	0.96				
	4:30 PM	3	47	0	0	50	0	0	0	0	0	55	0	0	55	0	0	3	0	3	108	0.90				
	4:45 PM	2	47	0	0	49	0	0	0	0	0	47	0	0	47	1	0	1	0	2	98	0.84				
	5:00 PM	4	48	0	0	52	0	0	0	0	0	55	0	0	55	0	0	2	0	2	109	0.78				
	5:15 PM	2	36	0	0	38	0	0	0	0	0	38	0	0	38	0	0	3	0	3	79	0.90				
	5:30 PM	4	34	0	0	38	0	0	0	0	0	36	0	0	36	1	0	7	0	8	82	0.88				
	5:45 PM	5	43	0	0	48	0	0	0	0	0	23	0	0	23	0	0	1	0	1	72	0.93				
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0				
<b>Totals</b>		41	878	0	0	919	0	0	0	0	0	593	3	0	596	8	0	41	0	49	1564					

## **Peak Hour All Vehicle Volume Summary**

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	3	224	0	0	227	0	0	0	0	0	0	86	0	0	86	4	0	4	0	8	321	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	11	193	0	0	204	0	0	0	0	0	0	202	1	0	203	2	0	9	0	11	418	

# Intersection Traffic Volume Report

Count Basics											Page 6 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Automobile Data

### Sherman Avenue and Fuller Drive-North

Automobiles (Cars, Light Trucks, & Motorcycles)



#### 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	21	0	0	21	0	0	0	0	0	0	0	10	0	0	0	0	0	0	0	31	
6:45 AM	0	29	0	0	29	0	0	0	0	0	0	11	0	0	11	0	0	1	0	41		
7:00 AM	0	31	0	0	31	0	0	0	0	0	0	14	0	0	14	0	0	2	0	47		
7:15 AM	2	64	0	0	66	0	0	0	0	0	0	14	0	0	14	0	0	3	0	83		
7:30 AM	0	67	0	0	67	0	0	0	0	0	0	16	0	0	16	1	0	2	0	3	86	
7:45 AM	0	59	0	0	59	0	0	0	0	0	0	27	0	0	27	1	0	2	0	3	89	
8:00 AM	2	44	0	0	46	0	0	0	0	0	0	23	0	0	23	1	0	0	0	1	70	
8:15 AM	1	52	0	0	53	0	0	0	0	0	0	18	0	0	18	1	0	0	0	1	72	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
AM Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	1	38	0	0	39	0	0	0	0	0	26	0	0	26	0	0	4	0	4	69	
	3:15 PM	0	40	0	0	40	0	0	0	0	0	25	0	0	25	0	0	3	0	3	68	
	3:30 PM	4	36	0	0	40	0	0	0	0	0	27	0	0	27	0	0	3	0	3	70	
	3:45 PM	4	40	0	0	44	0	0	0	0	0	30	2	0	32	0	0	0	0	0	375	
	4:00 PM	4	42	0	0	46	0	0	0	0	0	45	0	0	45	0	0	1	0	1	92	
	4:15 PM	1	51	0	0	52	0	0	0	0	0	44	1	0	45	1	0	2	0	3	412	
	4:30 PM	3	47	0	0	50	0	0	0	0	0	54	0	0	54	0	0	3	0	3	390	
	4:45 PM	2	47	0	0	49	0	0	0	0	0	47	0	0	47	1	0	1	0	2	98	
	5:00 PM	4	47	0	0	51	0	0	0	0	0	54	0	0	54	0	0	2	0	2	338	
	5:15 PM	1	36	0	0	37	0	0	0	0	0	38	0	0	38	0	0	3	0	3	78	
	5:30 PM	4	34	0	0	38	0	0	0	0	0	36	0	0	36	0	0	7	0	7	81	
	5:45 PM	5	43	0	0	48	0	0	0	0	0	23	0	0	23	0	0	1	0	1	72	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		38	868	0	0	906	0	0	0	0	0											

# Intersection Traffic Volume Report

## 15-Minute Single Unit (SU) Truck & Bus Data

Sherman Avenue and Fuller Drive-North

Count Basics											Page 7 of 13			
Start Date: Thursday, September 8, 2022					Weekday				Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday				No Special Events					

### Single Unit (SU) Trucks & Buses



## 15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 AM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	7:45 AM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
	8:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
	8:15 AM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	2	0	0	2	0	0	0	0	0	0	1	0	0	1	0	0	0	0	3	
	3:15 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
	3:30 PM	0	2	0	0	2	0	0	0	0	0	0	2	0	0	2	1	0	0	0	1	
	3:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
	4:00 PM	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	4:15 PM	1	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	
	4:30 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:00 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	
	5:15 PM	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	
	5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	3	10	0	0	13	0	0	0	0	0	0	0	0	11	0	0	11	2	0	1	0
																					27	

## Peak Hour Single Unit (SU) Truck & Buses Volume Summary

| Hourly Time Period | From North | | | | | From East | | | | | From South | | | | | From West | | | | |
<th rowspan
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 8 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		No Special Events

## ***15-Minute Semi-Truck Data***

### ***Sherman Avenue and Fuller Drive-North***



## 15-Minute Semi-Truck Data

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics		Page 9 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## **15-Minute Heavy Vehicle Data**

### *Sherman Avenue and Fuller Drive-North*



15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
7:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
8:00 AM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	2	0	0	2	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	3	
3:15 PM	0	1	0	0	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	
3:30 PM	0	2	0	0	2	0	0	0	0	0	0	2	0	0	2	1	0	0	0	0	1	
3:45 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
4:00 PM	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	
4:15 PM	1	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	3	
4:30 PM	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
5:00 PM	0	1	0	0	1	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	2	
5:15 PM	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	
5:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	
5:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	3	10	0	0	13	0	0	0	0	0	0	0	11	0	0	11	2	0	1	0	3	27

## **Peak Hour Heavy Vehicle Volume Summary**

Daily Vehicle Counts Summary																	Total Hourly Volume					
Hourly	↓ From North					← From East					↑ From South					→ From West						
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	0	2	0	0	2	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	4	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM 4:15 PM	1	1	0	0	2	0	0	0	0	0	0	0	3	0	0	3	0	0	1	0	1	

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 10 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

### *Sherman Avenue and Fuller Drive-North*



## 15-Minute Heavy Vehicle Percentages

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Time Period	↓ From North					← From East					↑ From South					→ From West					Hourly Vehicle Percent
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North					
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
AM 7:30 AM	0.0	0.9	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.2
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PM 4:15 PM	9.1	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	1.5	0.0	0.0	11.1	0.0	9.1	1.4

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Sherman Avenue and Fuller Drive-North



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Sherman Avenue			0			Sherman Avenue			Fuller Drive-North				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	0	0	0	0	0	0	7	0	7	7	
6:45 AM	0	0	0	0	2	2	0	0	0	6	2	8	10	
7:00 AM	0	0	0	0	0	0	0	0	0	4	0	4	4	
7:15 AM	0	0	0	0	0	0	0	0	0	1	0	1	1	
7:30 AM	0	0	0	0	2	2	0	0	0	4	3	7	9	
7:45 AM	0	0	0	0	0	0	0	0	0	11	0	11	11	
8:00 AM	0	0	0	0	0	0	0	0	0	6	0	6	6	
8:15 AM	0	0	0	0	0	0	0	0	0	7	0	7	7	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
AM Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	0	0	0	0	0	0	0	6	0	6	6	
	3:15 PM	0	0	0	0	0	0	1	0	1	3	0	3	
	3:30 PM	0	0	0	0	0	0	0	0	3	0	3	3	
	3:45 PM	0	0	0	0	0	0	3	0	3	8	0	8	
	4:00 PM	0	0	0	0	0	0	0	0	2	0	2	2	
	4:15 PM	0	0	0	0	0	0	0	0	2	0	2	2	
	4:30 PM	0	0	0	0	0	0	0	0	2	0	2	2	
	4:45 PM	0	0	0	0	0	0	1	1	0	6	6	7	
	5:00 PM	0	0	0	0	0	0	0	0	4	4	4	4	
	5:15 PM	0	0	0	0	0	0	0	0	8	6	14	14	
	5:30 PM	0	0	0	0	0	0	0	0	3	1	4	4	
	5:45 PM	1	0	1	0	0	0	0	0	10	4	14	15	
PM Peak Period	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>4</b>	<b>4</b>	<b>4</b>	<b>1</b>	<b>5</b>	<b>93</b>	<b>26</b>	<b>119</b>	<b>129</b>

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Sherman Avenue and Fuller Drive-North

Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	Hourly Sum		
	Sherman Avenue			0			Sherman Avenue			Fuller Drive-North						
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total				
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 AM	0	0	0	0	0	0	0	0	0	7	7	7	7	18		
6:45 AM	0	0	0	0	0	0	0	0	0	6	6	6	6	15		
7:00 AM	0	0	0	0	0	0	0	0	0	4	4	4	4	20		
7:15 AM	0	0	0	0	0	0	0	0	0	1	1	1	1	22		
7:30 AM	0	0	0	0	0	0	0	0	0	4	4	4	4	28		
7:45 AM	0	0	0	0	0	0	0	0	0	11	11	11	11	24		
8:00 AM	0	0	0	0	0	0	0	0	0	6	6	6	6	13		
8:15 AM	0	0	0	0	0	0	0	0	0	7	7	7	7	7		
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
3:00 PM	0	0	0	0	0	0	0	0	0	6	6	6	6	24		
3:15 PM	0	0	0	0	0	0	0	1	1	3	3	3	4	20		
3:30 PM	0	0	0	0	0	0	0	0	0	3	3	3	3	18		
3:45 PM	0	0	0	0	0	0	0	3	3	8	8	8	11	17		
4:00 PM	0	0	0	0	0	0	0	0	0	2	2	2	2	6		
4:15 PM	0	0	0	0	0	0	0	0	0	2	2	2	2	4		
4:30 PM	0	0	0	0	0	0	0	0	0	2	2	2	2	10		
4:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
5:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
5:15 PM	0	0	0	0	0	0	0	0	0	8	8	8	8	22		
5:30 PM	0	0	0	0	0	0	0	0	0	3	3	3	3	14		
5:45 PM	1	1	0	0	0	0	0	0	0	10	10	10	11	11		
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Totals	1	0	1	0	0	0	4	0	4	93	0	93	98			

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Sherman Avenue					0					Sherman Avenue					Fuller Drive-North						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM				0					0					0					0	0	
	6:15 AM				0					0					0					0	0	
	6:30 AM				0					0					0					0	0	
	6:45 AM				0					0					0					0	0	
	7:00 AM				0					0					0					0	0	
	7:15 AM				0					0					0					0	0	
	7:30 AM				0					0					0					0	0	
	7:45 AM				0					0					0					0	0	
	8:00 AM				0					0					0					0	0	
	8:15 AM				0					0					0					0	0	
	8:30 AM				0					0					0					0	0	
	8:45 AM				0					0					0					0	0	
	9:00 AM				0					0					0					0	0	
	9:15 AM				0					0					0					0	0	
	9:30 AM				0					0					0					0	0	
	9:45 AM				0					0					0					0	0	
Midday Peak Period	10:00 AM				0					0					0					0	0	
	10:15 AM				0					0					0					0	0	
	10:30 AM				0					0					0					0	0	
	10:45 AM				0					0					0					0	0	
	11:00 AM				0					0					0					0	0	
	11:15 AM				0					0					0					0	0	
	11:30 AM				0					0					0					0	0	
	11:45 AM				0					0					0					0	0	
	12:00 PM				0					0					0					0	0	
	12:15 PM				0					0					0					0	0	
	12:30 PM				0					0					0					0	0	
	12:45 PM				0					0					0					0	0	
	1:00 PM				0					0					0					0	0	
	1:15 PM				0					0					0					0	0	
	1:30 PM				0					0					0					0	0	
	1:45 PM				0					0					0					0	0	
PM Peak Period	2:00 PM				0					0					0					0	0	
	2:15 PM				0					0					0					0	0	
	2:30 PM				0					0					0					0	0	
	2:45 PM				0					0					0					0	0	
	3:00 PM				0					0					0					0	0	
	3:15 PM				0					0					0					0	0	
	3:30 PM				0					0					0					0	0	
	3:45 PM				0					0					0					0	0	
	4:00 PM				0					0					0					0	0	
	4:15 PM				0					0					0					0	0	
	4:30 PM				0					0					0					0	0	
	4:45 PM				0					0					0					0	0	
	5:00 PM				0					0					0					0	0	
	5:15 PM				0					0					0					0	0	
	5:30 PM				0					0					0					0	0	
	5:45 PM				0					0					0					0	0	
	6:00 PM				0					0					0					0	0	
	6:15 PM				0					0					0					0	0	
	6:30 PM				0					0					0					0	0	
	6:45 PM				0					0					0					0	0	
	7:00 PM				0					0					0					0	0	
	7:15 PM				0					0					0					0	0	
	7:30 PM				0					0					0					0	0	
	7:45 PM				0					0					0					0	0	
	8:00 PM				0					0					0					0	0	
	8:15 PM				0					0					0					0	0	
	8:30 PM				0					0					0					0	0	
	8:45 PM				0					0					0					0	0	
	9:00 PM				0					0					0					0	0	
	9:15 PM				0					0					0					0	0	
	9:30 PM				0					0					0					0	0	
	9:45 PM				0					0					0					0	0	
<b>Totals</b>		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
																					<b>Hourly Sum</b>	

## **Peak Hour Bicycle Turning Movement Volume Summary**

# Intersection Traffic Volume Report

## Base Information, Observed (5) Hour and Estimated (24) Hour Volume Summaries

### Intersection of: Fordem Avenue and Sherman Avenue


#### Site Information

Municipality	City of Madison	
County	Dane	WisDOT Region SW-M
Traffic Control	Partial Stop Control	
Roadway Names	North Leg	North Direction ↑
North Leg	Fordem Avenue	
East Leg	Driveway	
South Leg	Fordem Avenue	
West Leg	Sherman Avenue	
Special Considerations		
Schools	In Session	
Holidays	None	
Special Events	None	
Special Pedestrians Observed		
Pre-school children	None	
Elementry school age children	None	
Visually impaired (white cane/helper dog)	None	
Elderly/disabled (except wheelchairs)	None	
Wheelchairs/electric scooters	None	
Other (describe)	None	None


#### Count Information

Hrs Counted:	6:30 AM-8:30 AM and 3:00 PM-6:00 PM	
1st Day of Count	Thursday, September 8, 2022	Weather
AM Peak Period	Friday, September 9, 2022	Clear & Dry
Midday Peak Period	Thursday, September 8, 2022	Clear & Dry
PM Peak Period	Thursday, September 8, 2022	Clear & Dry
Calculated Peak Hours	AM 7:30-8:30am MD	PM 4:00-5:00pm
Peak Hours Selected for Analysis	AM 7:30-8:30am MD	PM 4:15-5:15pm
Daily/Seasonal Adjustment Group	(2) Urban Arterials & Collectors	
Count Expansion Group	(2) Urban Arterials & Collectors	
Daily/Seasonal Adjustment Factor	0.853	Count Expansion Factor 2.630
Company Name	TADI, Inc.	Manual Adj. 1.000
Observers	AM Peak Period Emma Czewski - Video	
	Midday Peak Period	
	PM Peak Period Emma Czewski - Video	
Comments	2019 DOT Seasonal Factors	

#### Observed 5 Hour Volume Summary



#### Estimated 24 Hour AADT



## Intersection Traffic Volume Report


Count Basics		Page 2 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***Peak Hour Volume Graphical Summary***


### *Fordem Avenue and Sherman Avenue*




## ***AM Peak Hour Summary***



### ***Midday (MD) Peak Hour Summary***



## ***PM Peak Hour Summary***



# Intersection Traffic Volume Report

Count Basics		Page 3 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted:	5	Non-Holiday	No Special Events

## ***Peak Hour Volume Summary***

### *Fordem Avenue and Sherman Avenue*



## Peak Hour Volumes, Truck Percentages, and PHFs

Friday, September 9, 2022		From North					From East					From South					From West						
AM Peak Hour	AM Peak Hour	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Totals	
	7:30 AM	39	68	0	0	107	0	0	0	0	0	0	0	44	2	0	46	3	0	17	0	20	173
	7:45 AM	46	78	0	0	124	0	0	1	0	1	0	0	48	1	0	49	1	0	19	0	20	194
	8:00 AM	41	70	0	0	111	0	0	0	0	0	0	0	58	1	0	59	0	0	17	0	17	187
	8:15 AM	42	56	0	0	98	0	0	0	0	0	0	0	47	0	0	47	1	0	18	0	19	164
	Peak Hour Volume	168	272	0	0	440	0	0	1	0	1	0	0	197	4	0	201	5	0	71	0	76	718
	Rounded Hourly Volume	170	270	0	0	440	0	0	0	0	0	0	0	195	5	0	200	5	0	70	0	75	715
	% Single Unit Trucks	2.4	1.8	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	4.2	0.0	3.9	2.5
	% Heavy Trucks	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	% Trucks (Total)	2.4	2.2	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	4.2	0.0	3.9	2.6
	Peak Hour Factor (PHF)	0.91	0.87	0.00	0.00	0.89	0.00	0.00	0.25	0.00	0.25	0.00	0.85	0.50	0.00	0.85	0.42	0.00	0.93	0.00	0.95	0.93	

N/A		From North					From East					From South					From West					Midday (MD) Peak Hour Totals
Midday (MD) Peak Hour	MD Peak Hour	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue					Midday (MD) Peak Hour Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Peak Hour Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Rounded Hourly Volume	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	% Single Unit Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	% Trucks (Total)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	Peak Hour Factor (PHF)	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

Thursday, September 8, 2022		↓ From North					← From East					↑ From South					→ From West					Totals
PM Peak Hour	PM Peak Hour	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue					Totals
	Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	
	4:15 PM	42	61	0	0	103	0	0	0	0	0	77	3	0	80	1	0	31	0	32	215	
	4:30 PM	41	50	0	0	91	0	0	0	0	0	88	0	0	88	0	0	36	0	36	215	
	4:45 PM	39	56	0	0	95	0	0	0	0	0	68	1	0	69	2	0	45	0	47	211	
	5:00 PM	49	61	0	0	110	0	0	0	0	0	69	0	0	69	2	0	43	0	45	224	
	Peak Hour Volume	171	228	0	0	399	0	0	0	0	0	302	4	0	306	5	0	155	0	160	865	
	Rounded Hourly Volume	170	230	0	0	400	0	0	0	0	0	300	5	0	305	5	0	155	0	160	865	
	% Single Unit Trucks	0.6	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.0	0.0	0.0	2.6	0.0	2.5	1.2
% Heavy Trucks	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1
% Trucks (Total)	0.6	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	1.6	0.0	0.0	0.0	2.6	0.0	2.5	1.3
Peak Hour Factor (PHF)	0.87	0.93	0.00	0.00	0.91	0.00	0.00	0.00	0.00	0.00	0.00	0.86	0.33	0.00	0.87	0.62	0.00	0.86	0.00	0.85	0.97	

## **Peak Hour Pedestrian and Bicyclist Volumes**

Pedestrians and Bicyclists		Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			Total Ped & Bike Volume	
		Fordem Avenue			Driveway			Fordem Avenue			Sherman Avenue				
15-Minute Start Time		Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
AM	7:30 AM	0	2	2	0	0	0	0	0	0	3	2	5	7	
	7:45 AM	0	1	1	0	0	0	0	0	0	2	0	2	3	
	8:00 AM	0	1	1	0	0	0	0	0	0	1	1	2	3	
	8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Total	0	4	4	0	0	0	0	0	0	6	3	9	13	
MD	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Total	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	4:15 PM	1	0	1	0	0	0	0	0	0	2	0	2	3	
	4:30 PM	0	0	0	0	0	0	2	0	2	3	0	3	5	
	4:45 PM	0	0	0	0	0	0	0	0	0	5	0	5	5	
	5:00 PM	0	0	0	0	0	0	1	0	1	3	0	3	4	
	Total	1	0	1	0	0	0	3	0	3	13	0	13	17	

# Intersection Traffic Volume Report

Page 4 of 13

## Hourly Volume Summary - Motor Vehicle Data

Fordem Avenue and Sherman Avenue


All Motor Vehicles



### One-Hour Motor Vehicle Data

One-Hour Time Period	From North					From East					From South					From West					Total Vehicle Volume	Directional Volume Totals		
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						E/W	N/S	
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		19	195	
AM	6:00 AM	42	103	0	0	145	0	0	0	0	0	50	0	0	50	0	0	19	0	19	214	19	195	
	7:00 AM	148	239	0	0	387	0	0	1	0	1	182	3	0	185	6	1	65	0	72	645	73	572	
	8:00 AM	83	126	0	0	209	0	0	0	0	0	105	1	0	106	1	0	35	0	36	351	36	315	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MD	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	131	197	0	0	328	0	0	0	0	0	314	7	0	321	9	0	94	0	103	752	103	649	
	4:00 PM	160	232	0	0	392	0	0	0	0	0	317	6	0	323	8	0	144	0	152	867	152	715	
	5:00 PM	162	236	2	0	400	0	0	0	0	0	262	2	0	264	4	2	122	0	128	792	128	664	
6:00 PM	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		<b>726</b>	<b>1133</b>	<b>2</b>	<b>0</b>	<b>1861</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1230</b>	<b>19</b>	<b>0</b>	<b>1249</b>	<b>28</b>	<b>3</b>	<b>479</b>	<b>0</b>	<b>510</b>	<b>3621</b>	<b>511</b>	<b>3110</b>	

### Graphical Summary of Hourly Volumes



# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 5 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Non-Holiday
		Schools in Session
		No Special Events

## **15-Minute Motor Vehicle Data**

### *Fordem Avenue and Sherman Avenue*

## All Motor Vehicles

15-Minute Motor Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	Hourly Sum	PHF			
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue										
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total						
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 AM	16	47	0	0	63	0	0	0	0	0	22	0	0	22	0	0	8	0	8	93	492	0.87			
	6:45 AM	26	56	0	0	82	0	0	0	0	0	28	0	0	28	0	0	11	0	11	121	572	0.83			
	7:00 AM	25	49	0	0	74	0	0	0	0	0	54	0	0	54	1	0	12	0	13	141	645	0.83			
	7:15 AM	38	44	0	0	82	0	0	0	0	0	36	0	0	36	1	1	17	0	19	137	691	0.89			
	7:30 AM	39	68	0	0	107	0	0	0	0	0	44	2	0	46	3	0	17	0	20	173	718	0.93			
	7:45 AM	46	78	0	0	124	0	0	1	0	1	48	1	0	49	1	0	19	0	20	194					
	8:00 AM	41	70	0	0	111	0	0	0	0	0	58	1	0	59	0	0	17	0	17	187					
	8:15 AM	42	56	0	0	98	0	0	0	0	0	47	0	0	47	1	0	18	0	19	164					
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	3:00 PM	39	51	0	0	90	0	0	0	0	0	103	1	0	104	1	0	25	0	26	220	752	0.85			
	3:15 PM	32	48	0	0	80	0	0	0	0	0	79	2	0	81	4	0	22	0	26	187	758	0.84			
	3:30 PM	32	49	0	0	81	0	0	0	0	0	65	0	0	65	2	0	25	0	27	173	786	0.87			
	3:45 PM	28	49	0	0	77	0	0	0	0	0	67	4	0	71	2	0	22	0	24	172	828	0.92			
	4:00 PM	38	65	0	0	103	0	0	0	0	0	84	2	0	86	5	0	32	0	37	226	867	0.96			
	4:15 PM	42	61	0	0	103	0	0	0	0	0	77	3	0	80	1	0	31	0	32	215	865	0.97			
	4:30 PM	41	50	0	0	91	0	0	0	0	0	88	0	0	88	0	0	36	0	36	215	850	0.95			
	4:45 PM	39	56	0	0	95	0	0	0	0	0	68	1	0	69	2	0	45	0	47	211	827	0.92			
	5:00 PM	49	61	0	0	110	0	0	0	0	0	69	0	0	69	2	0	43	0	45	224	792	0.88			
	5:15 PM	37	57	1	0	95	0	0	0	0	0	73	1	0	74	2	2	27	0	31	200					
	5:30 PM	36	57	0	0	93	0	0	0	0	0	68	1	0	69	0	0	30	0	30	192					
	5:45 PM	40	61	1	0	102	0	0	0	0	0	52	0	0	52	0	0	22	0	22	176					
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
	Totals	726	1133	2	0	1861	0	0	1	0	1	0	1230	19	0	1249	28	3	479	0	510	3621				

## **Peak Hour All Vehicle Volume Summary**

Full Hour: All Vehicle Volume Summary																						
Hourly Time Period	↓ From North					← From East					↑ From South					→ From West					Total Hourly Volume	
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM 7:30 AM	168	272	0	0	440	0	0	1	0	1	0	197	4	0	201	5	0	71	0	76	718	
MD 12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
PM 4:15 PM	171	228	0	0	399	0	0	0	0	0	0	302	4	0	306	5	0	155	0	160	865	

# Intersection Traffic Volume Report

Count Basics											Page 6 of 13		
Start Date: Thursday, September 8, 2022					Weekday			Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday			No Special Events					

## 15-Minute Automobile Data

### Fordem Avenue and Sherman Avenue

#### Automobiles (Cars, Light Trucks, & Motorcycles)



#### 15-Minute Automobile Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	16	46	0	0	62	0	0	0	0	0	0	20	0	0	20	0	0	8	0	8	90
	6:45 AM	25	55	0	0	80	0	0	0	0	0	0	27	0	0	27	0	0	11	0	11	118
	7:00 AM	24	48	0	0	72	0	0	0	0	0	0	53	0	0	53	1	0	12	0	13	138
	7:15 AM	38	44	0	0	82	0	0	0	0	0	0	36	0	0	36	1	1	15	0	17	135
	7:30 AM	37	66	0	0	103	0	0	0	0	0	0	42	2	0	44	3	0	17	0	20	167
	7:45 AM	46	76	0	0	122	0	0	1	0	1	0	46	1	0	47	1	0	18	0	19	189
	8:00 AM	40	69	0	0	109	0	0	0	0	0	0	57	1	0	58	0	0	16	0	16	183
	8:15 AM	41	55	0	0	96	0	0	0	0	0	0	46	0	0	46	1	0	17	0	18	160
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	38	50	0	0	88	0	0	0	0	0	0	100	1	0	101	1	0	25	0	26	215
	3:15 PM	32	46	0	0	78	0	0	0	0	0	0	78	2	0	80	4	0	20	0	24	182
	3:30 PM	31	46	0	0	77	0	0	0	0	0	0	64	0	0	64	2	0	24	0	26	167
	3:45 PM	28	48	0	0	76	0	0	0	0	0	0	63	4	0	67	2	0	21	0	23	166
	4:00 PM	37	64	0	0	101	0	0	0	0	0	0	82	2	0	84	5	0	32	0	37	222
	4:15 PM	42	61	0	0	103	0	0	0	0	0	0	75	3	0	78	1	0	30	0	31	212
	4:30 PM	41	49	0	0	90	0	0	0	0	0	0	88	0	0	88	0	0	35	0	35	213
	4:45 PM	39	56	0	0	95	0	0	0	0	0	0	67	1	0	68	2	0	44	0	46	209
	5:00 PM	48	61	0	0	109	0	0	0	0	0	0	67	0	0	67	2	0	42	0	44	220
	5:15 PM	37	57	1	0	95	0	0	0	0	0	0	73	1	0	74	2	2	27	0	31	200
	5:30 PM	36	56	0	0	92	0	0	0	0	0	0	68	1	0	69	0	0	29	0	29	190
	5:45 PM	40	60	1	0	101	0	0	0	0	0	0	51	0	0	51	0	0	22	0	22	174
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	716	1113	2	0	1831	0	0	1	0	1	0	1203	19	0	1222						

# Intersection Traffic Volume Report

## 15-Minute Single Unit (SU) Truck & Bus Data

Fordem Avenue and Sherman Avenue

Count Basics												Page 7 of 13		
Start Date: Thursday, September 8, 2022						Weekday			Schools in Session					
Total Number of Hours Counted: 5						Non-Holiday			No Special Events					

### Single Unit (SU) Trucks & Buses



## 15-Minute Single Unit (SU) Truck & Bus Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	1	0	0	1	0	0	0	0	0	0	2	0	0	2	0	0	0	0	3	
	6:45 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	13	
	7:00 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	15	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	15	
	7:30 AM	2	2	0	0	4	0	0	0	0	0	2	0	0	2	0	0	0	0	0	6	
	7:45 AM	0	2	0	0	2	0	0	0	0	0	2	0	0	2	0	0	0	1	0	18	
	8:00 AM	1	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1	0	0	3	
	8:15 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	1	0	0	4	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	1	1	0	0	2	0	0	0	0	0	3	0	0	3	0	0	0	0	0	5	
	3:15 PM	0	2	0	0	2	0	0	0	0	0	1	0	0	1	0	0	2	0	0	20	
	3:30 PM	1	2	0	0	3	0	0	0	0	0	1	0	0	1	0	0	1	0	0	17	
	3:45 PM	0	1	0	0	1	0	0	0	0	0	4	0	0	4	0	0	1	0	0	14	
	4:00 PM	1	1	0	0	2	0	0	0	0	0	2	0	0	2	0	0	0	0	0	10	
	4:15 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	10	
	4:30 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	8	
	4:45 PM	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	8	
	5:00 PM	1	0	0	0	1	0	0	0	0	0	2	0	0	2	0	0	1	0	0	4	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	
	5:45 PM	0	1	0	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	10	18	0	0	28	0	0	0	0	0	0	26	0	0	26	0	0	13	0	13	67

## Peak Hour Single Unit (SU) Truck & Buses Volume Summary

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
Right	Thru	Left																			

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 8 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday Schools in Session
Total Number of Hours Counted:	5	Non-Holiday No Special Events

## ***15-Minute Semi-Truck Data***



15-Minute Semi-Truck Data

## **Peak Hour Semi-Truck Volume Summary**

# Intersection Traffic Volume Report

Count Basics												Page 9 of 13			
Start Date: Thursday, September 8, 2022					Weekday					Schools in Session					
Total Number of Hours Counted: 5					Non-Holiday					No Special Events					

## 15-Minute Heavy Vehicle Data

Fordem Avenue and Sherman Avenue



### 15-Minute Heavy Vehicle Data

15-Minute Time Period	From North					From East					From South					From West					15-Min Totals	
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total		
AM Peak Period	6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 AM	0	1	0	0	1	0	0	0	0	0	0	2	0	0	2	0	0	0	0	3	
	6:45 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	11	
	7:00 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	14	
	7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16	
	7:30 AM	2	2	0	0	4	0	0	0	0	0	2	0	0	2	0	0	0	0	0	17	
	7:45 AM	0	2	0	0	2	0	0	0	0	0	2	0	0	2	0	0	0	0	0	19	
	8:00 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	8:15 AM	1	1	0	0	2	0	0	0	0	0	1	0	0	1	0	0	0	0	0	1	
	8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Middle Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	1	1	0	0	2	0	0	0	0	0	3	0	0	3	0	0	0	0	0	5	
	3:15 PM	0	2	0	0	2	0	0	0	0	1	0	0	1	0	0	2	0	0	0	21	
	3:30 PM	1	3	0	0	4	0	0	0	0	1	0	0	1	0	0	1	0	0	0	19	
	3:45 PM	0	1	0	0	1	0	0	0	0	4	0	0	4	0	0	1	0	0	0	15	
	4:00 PM	1	1	0	0	2	0	0	0	0	2	0	0	2	0	0	0	0	0	0	11	
	4:15 PM	0	0	0	0	0	0	0	0	0	2	0	0	2	0	0	1	0	0	0	11	
	4:30 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	8	
	4:45 PM	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	0	0	8	
	5:00 PM	1	0	0	0	1	0	0	0	0	0	2	0	0	2	0	0	1	0	0	4	
	5:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	5:30 PM	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	
	5:45 PM	0	1	0	0	1	0	0	0	0	1	0	0	1	0	0	0	0	0	0	2	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
	Totals	10	20	0	0	30	0	0	0	0	0	0	27	0	0	27	0	0	14	0	71	

### Peak Hour Heavy Vehicle Volume Summary

Hourly Time Period	From North					From East					From South					From West					Total Hourly Volume
Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue						
Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru										

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 10 of 13</b>	
Start Date:	Thursday, September 8, 2022	Weekday
Total Number of Hours Counted:	5	Schools in Session Non-Holiday No Special Events

## **15-Minute Heavy Vehicle Percentages**

### ***Fordem Avenue and Sherman Avenue***



## 15-Minute Heavy Vehicle Percentages

## **Peak Hour Heavy Vehicle Percentages Summary**

Hourly Time Period	From North					From East					From South					From West					Hourly Heavy Vehicle Percent		
	Fordem Avenue					Driveway					Fordem Avenue					Sherman Avenue							
Start Time	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total	Right	Thru	Left	U-Tn	Total			
AM 7:30 AM	2.4	2.2	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	4.2	0.0	3.9	2.6
MD 12:00 PM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PM 4:15 PM	0.6	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	2.6	0.0	2.5	1.3

# Intersection Traffic Volume Report

Count Basics			Page 11 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Pedestrian and Bicyclist Data

### Fordem Avenue and Sherman Avenue

#### Pedestrians and Bicyclists



#### 15-Minute Pedestrian and Bicyclist Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Fordem Avenue			Driveway			Fordem Avenue			Sherman Avenue				
	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total	Pedestrian	Bicyclist	Total		
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	1	1	0	0	0	0	0	0	1	4	5	6	
6:45 AM	0	0	0	0	0	0	0	0	0	0	5	5	5	
7:00 AM	0	0	0	0	0	0	0	0	0	1	5	6	6	
7:15 AM	0	3	3	0	1	1	0	0	0	0	2	2	6	
7:30 AM	0	2	2	0	0	0	0	0	0	3	2	5	7	
7:45 AM	0	1	1	0	0	0	0	0	0	2	0	2	3	
8:00 AM	0	1	1	0	0	0	0	0	0	1	1	2	3	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
AM Peak Period	10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
Midday Peak Period	2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	3:00 PM	0	0	0	0	0	0	2	0	2	1	0	1	
	3:15 PM	2	0	2	0	0	0	0	0	1	0	1	3	
	3:30 PM	0	0	0	0	0	0	1	0	1	1	0	2	
	3:45 PM	1	0	1	0	0	0	2	0	2	1	0	1	
	4:00 PM	1	0	1	0	0	0	0	0	0	2	0	3	
	4:15 PM	1	0	1	0	0	0	0	0	0	2	0	2	
	4:30 PM	0	0	0	0	0	0	2	0	2	3	0	5	
	4:45 PM	0	0	0	0	0	0	0	0	0	5	0	5	
	5:00 PM	0	0	0	0	0	0	1	0	1	3	0	4	
	5:15 PM	0	0	0	0	0	0	2	0	2	0	0	2	
	5:30 PM	0	0	0	0	0	0	1	0	1	6	0	7	
	5:45 PM	1	0	1	0	0	0	2	0	2	2	0	2	
	6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	
	9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	
<b>Totals</b>		<b>6</b>	<b>8</b>	<b>14</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>13</b>	<b>0</b>	<b>13</b>	<b>35</b>	<b>19</b>	<b>54</b>	
													<b>82</b>	

#### Special Pedestrians

Pedestrian Type	None	1 or 2	A Few	Several	Many	Unknown
Pre-school Children	X					
Elementry School Age Children	X					
Visually Impaired (white cane/helper dog)	X					
Elderly/Disabled (except wheelchairs)	X					
Wheelchairs/Electric Scooters	X					
Other (None)	X					

# Intersection Traffic Volume Report

Count Basics			Page 12 of 13	
Start Date:	Thursday, September 8, 2022	Weekday	Schools in Session	
Total Number of Hours Counted:	5	Non-Holiday	No Special Events	

## 15-Minute Adult & Children Count (Manual Entry)

Fordem Avenue and Sherman Avenue

### Adults & Children



### 15-Minute Adult & Children Pedestrian Data

15-Minute Time Period	Crossing North Approach			Crossing East Approach			Crossing South Approach			Crossing West Approach			15-Min Totals	
	Fordem Avenue			Driveway			Fordem Avenue			Sherman Avenue				
	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total	Adults	Children	Total		
AM Peak Period														
6:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 AM	0	0	0	0	0	0	0	0	0	1	0	1	1	
6:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	1	
7:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 AM	0	0	0	0	0	0	0	0	0	3	0	3	3	
7:45 AM	0	0	0	0	0	0	0	0	0	2	0	2	2	
8:00 AM	0	0	0	0	0	0	0	0	0	1	0	1	1	
8:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Middle Peak Period														
10:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
10:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:00 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:15 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:30 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
11:45 AM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
12:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
1:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
PM Peak Period														
2:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
2:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
3:00 PM	0	0	0	0	0	0	2	2	1	1	3	12	12	
3:15 PM	2	2	0	0	0	0	0	0	1	1	3	12	12	
3:30 PM	0	0	0	0	1	0	1	1	1	1	2	12	12	
3:45 PM	1	1	0	0	2	0	2	1	1	1	4	15	15	
4:00 PM	1	1	0	0	0	0	0	0	2	2	3	16	16	
4:15 PM	1	0	0	0	0	0	0	0	2	2	3	17	17	
4:30 PM	0	0	0	0	2	0	2	3	3	5	16	16	16	
4:45 PM	0	0	0	0	0	0	0	0	5	5	5	18	18	
5:00 PM	0	0	0	0	1	0	1	3	3	4	18	18	18	
5:15 PM	0	0	0	0	2	0	2	0	0	0	2	14	14	
5:30 PM	0	0	0	0	1	0	1	6	6	7	12	12	12	
5:45 PM	1	1	0	0	2	0	2	2	2	2	5	5	5	
6:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
6:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
7:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
8:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:00 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:15 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:30 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
9:45 PM	0	0	0	0	0	0	0	0	0	0	0	0	0	
Totals	6	0	6	0	0	0	13	0	13	35	0	35	54	

# Intersection Traffic Volume Report

<b>Count Basics</b>	<b>Page 13 of 13</b>	
Start Date: Thursday, September 8, 2022	Weekday	Schools in Session
Total Number of Hours Counted: 5	Non-Holiday	No Special Events

## **15-Minute Bicycle Turning Movement Count (Manual Entry)**



## 15-Minute Bicycle Data

## **Peak Hour Bicycle Turning Movement Volume Summary**

Date:

September 15, 2022

## BASE SATURATION FLOW RATE CALCULATIONS

Intersection Name	Johnson Street at Baldwin Street
Urbanized Area/Cluster Population	401,661

\*Consider using 1900 pc/h/ln

Exit Ramp:	No
Speed Limit:	25
Sat. Flow	(pc/h/in)
1900	1900

Lane Type	# of Lanes
R	1
T-R	1
T	1
L-T	1
L	1

\* Consider Using 1300 Bed/m

Speed Limit:	25
Exit Ramp:	No



**Bureau of Traffic Operations**      **4/7/2022**  
**Last Updated:**



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Configuration Controller Sequence

#### Phase Ring Sequence and Assignment (MM) 1-1-1

Hardware Alternate Sequence Enable: No

**Phase Ring Sequence.....(Note: Sequences identical to the prior one are not printed)**

	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16
	B	B	B	B	B	B										
Sequence 1																
Ring 1	1	2	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 2																
Ring 1	2	1	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 3																
Ring 1	1	2	4	3	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 4																
Ring 1	1	2	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	6	5	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 5																
Ring 1	1	2	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	8	7	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 6																
Ring 1	1	2	3	4	10	9	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 7																
Ring 1	1	2	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	12	11	15	16	.	.	.	.	.	.	.	.
Sequence 8																
Ring 1	2	1	4	3	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 9																
Ring 1	1	2	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	6	5	8	7	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 10																
Ring 1	2	1	3	4	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	5	6	8	7	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 11																
Ring 1	1	2	4	3	9	10	13	14	.	.	.	.	.	.	.	.
Ring 2	6	5	7	8	11	12	15	16	.	.	.	.	.	.	.	.
Sequence 12																
Ring 1	2	1	3	4	9	10	13	14	.	.	.	.	.	.	.	.

Ring 2		6	5		7	8		11	12		15	16		.	.	.	.	.	.	.
Sequence 13																				
Ring 1		1	2		4	3		9	10		13	14		.	.	.	.	.	.	.
Ring 2		5	6		8	7		11	12		15	16		.	.	.	.	.	.	.
Sequence 14																				
Ring 1		2	1		4	3		9	10		13	14		.	.	.	.	.	.	.
Ring 2		6	5		7	8		11	12		15	16		.	.	.	.	.	.	.
Sequence 15																				
Ring 1		1	2		4	3		9	10		14	13		.	.	.	.	.	.	.
Ring 2		6	5		8	7		12	11		16	15		.	.	.	.	.	.	.
Sequence 16																				
Ring 1		2	1		3	4		9	10		13	14		.	.	.	.	.	.	.
Ring 2		6	5		8	7		11	12		15	16		.	.	.	.	.	.	.

**Phases In Use/Exclusive Ped (MM) 1-2**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Phases In Use	X	X		X	X	X										
Exclusive Ped																

**Phase Compatibility (MM)**

1-1-2

Phase	
n/a	Barrier Mode

**Phase and Overlap Descriptions**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Overlap	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
Description																

**Administration (MM) 1-7-1**

Enable Controller/Cabinet No  
 Interlock CRC  
 CRC (16 bit) F852  
 Enable Automatic Backup No  
 to Datakey

**Backup Prevent (MM) 1-1-3**

Phases	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Timing Phases	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Simultaneous Gap (MM) 1-1-4**

Phases	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Phase Must Gap With Phase	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
12	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
13	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
16	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Disable	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Load Switch Assignments (MM) 1-3**

Phase / Overlap	Type	Dimming				Power Up	Auto		Flash Together
		Red	Yellow	Green	Dark		Red	Yellow	
1	1	O			-	Auto	X		
2	2	O			-	Auto		X	X
3	3	O			-	Auto	X		
4	4	O			-	Auto	X		X
5	5	O			-	Auto	X		
6	6	O			-	Auto		X	X
7	7	O			-	Auto	X		

8	8	O			-	Auto	X		X
9	2	P			-	Auto			
10	4	P			-	Auto			
11	6	P			-	Auto			
12	8	P			-	Auto			
13	13	O			-	Auto	X		
14	14	O			+	Auto	X		X
15	15	O			-	Auto	X		
16	16	O			+	Auto	X		X



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Configuration Port 1 (SDLC)

#### Port 1 SDLC (MM) 1-4-1

BIU	1	2	3	4	5	6	7	8
Term & Facility								
Detector Rack								

Enable TS2/MMU Type Cabinet: No

Enable MMU Extended Status: No

Enable SDLC Stop Time: No

Enable 3 Critical RFE's Lockup: Yes

#### MMU Program (MM) 1-4-2

Channel Can Serve With Channel	
Channel 1	Channel 2

#### Color Check Enable (MM) 1-4-3

Enable Color Check: Yes

MMU/LS	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Green																
Yellow									X	X	X	X				
Red									X	X	X	X				

#### Secondary Stations/Tests (MM) 1-4-4

ID	1	2	3	4	5	6	7	8	MMU
Term & Facility									

ID	1	2	3	4	5	6	7	8	Diag
Detector Rack									

Enable SDLC Diagnostic Test: No



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Configuration Communications 1 (SDLC)

#### Ethernet Port Configuration (MM) NTCIP (MM) 1-5-5

<b>1-5-1</b>	NTCIP Backup Time (Sec):	0
Controller IP: 172.23.43.117	NTCIP UDP Port:	501
Subnet Mask: 255.255.255.0	Ethernet Priority:	1
Default Gateway IP: 172.23.43.113	Port 2 Priority (Port C50S for 2070):	4
Server IP: 0.0.0.0	Port 3A Priority (Port C21S for 2070):	2
	Port 3B Priority (Port C22S for 2070):	3

#### Port Configuration (MM) 1-5-2 to 1-5-4

Port	2 (C50S)	3A (C21S)	3B (C22S)
Protocol	TERMINAL	NTCIP	ECPIP
Enable	No	Yes	No
Data Rate (BPS)	9600	9600	1200
Data, Parity, Stop	8 N 1	8 N 1	8 N 1
Address	0	1	0
Telemetry Response Delay	0.0	0.0	0.9
Duplex - Half or Full	Half	Full	Full
Flow Control	Yes	Yes	Yes
Group Address	0	0	0
Single Flag Enable	Yes	Yes	Yes
RTS to CTS Delay	n/a	n/a	14.0
RTS Turn Off Delay	n/a	n/a	2.0
Dropout Time	10	10	10
Early RTS	n/a	n/a	No
Telemetry Mode	n/a	n/a	FSK
ATCS Railroad	0	n/a	n/a
ATCS Railroad Line	0	n/a	n/a
ATCS Group	0	n/a	n/a
Wayside Device	0	n/a	n/a
ATC Device	0	n/a	n/a
Wayside Subnode	0	n/a	n/a
ATC Subnode	0	n/a	n/a

#### ECPIP (MM) 1-5-6

Controller Address: 0

Expanded System Detector Address: 0

**System Detector  
Assignment**

System Detector	Local Detector
--------------------	-------------------



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Configuration Logging / Display

#### Event Logging (MM) 1-6-1

Critical RFE's (MMU/TF)	Yes	3 Critical Errors Within 24 Hours	Yes
MMU Flash Faults	Yes	Local Flash Fault	Yes
Non-Critical RFE's (Det/Test)	Yes	Detector Errors	Yes
Coordination Errors	Yes	Controller Download	Yes
Preemption Events	Yes	TSP Events	Yes
Power On/Off	Yes	Low Battery	Yes
Access	Yes	Data Change	Yes
Online / Offline	Yes		

Alarm Event	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Enable Logging	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X

#### Display Options (MM) 1-7-2

Key Click Enable:	Yes
Backlight Enable:	Yes
LED Mode:	Auto
Display Mode:	Advanced
Screen Format:	Advanced
Trans Mode Pop-Up Disable:	No

#### Sign On (MM) 8-5

Sign On Message Line 1: Maryland State Highway Administratio  
Sign On Message Line 2:

#### Software Modules (MM) 8-7

Application Version: 02.58.00  
OS (Boot) Version: 01.14.03



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

**Logic Processor Page 1**

**Logic Statement Control (MM) 1-8-1**

Logic #	Statement Control
31	E



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

## Logic Processor Page 2

### Logic Statements (MM) 1-8-2

Logic #:	31
----------	----

If:

	Assignment	#	State
IF	LP CIB CODE ON		160

Then:

	Assignment	#	State
	CTR SET LOCAL		On
	FL		



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Controller Timing Plan (MM) 2-1

#### Plan 1

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Direction																
Min Green	4	19	5	10	5	5	5	5	5	5	5	5	5	5	5	5
Bk Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CS Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk	0	7	0	18	0	7	0	10	0	10	0	10	0	10	0	10
Walk2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear	0	12	0	11	0	12	0	16	0	16	0	16	0	16	0	16
Ped Clear 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped CO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vehicle Ext	2.0	3.0	0.0	3.0	2.0	3.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Vehicle Ext 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max1	9	30	30	30	8	30	35	35	35	35	35	35	35	35	35	35
Max2	14	30	30	40	8	30	40	40	40	40	40	40	40	40	40	40
Max3	14	30	30	28	8	30	0	0	0	0	0	0	0	0	0	0
DYM Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dym Step	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow	3.0	3.5	3.0	3.0	3.0	3.5	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Red Clear	1.5	1.0	1.0	2.5	1.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Red Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Revert	5.0	5.0	5.0	5.0	5.0	5.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Act B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sec/Act	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max Int	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Wt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STPTDuc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TTReduc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0.0	3.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**Plan 2**

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Direction																
Min Green	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Bk Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CS Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10
Walk2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear	0	16	0	16	0	16	0	16	0	16	0	16	0	16	0	16
Ped Clear 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped CO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vehicle Ext	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Vehicle Ext 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max1	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
Max2	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
Max3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DYM Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dym Step	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Red Clear	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Red Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Revert	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Act B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sec/Act	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max Int	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Wt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STPTDuc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TTReduc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**Plan 3**

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Direction																
Min Green	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Bk Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CS Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10
Walk2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear	0	16	0	16	0	16	0	16	0	16	0	16	0	16	0	16
Ped Clear 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped CO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vehicle Ext	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Vehicle Ext 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max1	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
Max2	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
Max3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DYM Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dym Step	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Red Clear	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Red Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Revert	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Act B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sec/Act	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max Int	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Wt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STPTDuc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TTReduc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

**Plan 4**

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Direction																
Min Green	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
Bk Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CS Min Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delay Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk	0	10	0	10	0	10	0	10	0	10	0	10	0	10	0	10
Walk2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Walk Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear	0	16	0	16	0	16	0	16	0	16	0	16	0	16	0	16
Ped Clear 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped Clear Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ped CO	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Vehicle Ext	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0	5.0
Vehicle Ext 2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max1	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35	35
Max2	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40
Max3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
DYM Max	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Dym Step	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Yellow	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Red Clear	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0
Red Max	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Red Revert	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
Act B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sec/Act	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Max Int	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Time B4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cars Wt	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
STPTDuc	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TTReduc	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Min Gap	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Controller Overlaps

#### Vehicle Overlaps (MM) 2-2

Overlap	Type	Lag Green	Yellow	Red	Adv. Green
---------	------	-----------	--------	-----	------------

### Phases

Overlap	Phase	Included	Protect	Ped Protect	Not Overlap	Modifier	Lag X Phases	Lag 2 Phases	Flash Green
A	1	Yes	No	No	No		No	No	.
B	2	Yes	No	No	No		No	No	.
C	3	Yes	No	No	No		No	No	.
D	4	Yes	No	No	No		No	No	.
E	5	Yes	No	No	No		No	No	.
F	6	Yes	No	No	No		No	No	.
G	7	Yes	No	No	No		No	No	.
H	8	Yes	No	No	No		No	No	.
I	9	Yes	No	No	No		No	No	.
J	10	Yes	No	No	No		No	No	.
K	11	Yes	No	No	No		No	No	.
L	12	Yes	No	No	No		No	No	.

### PPLT FYA

Overlap	Protected Phase (Left Turn)	Permissive Phase (Opposing Thru)	Flashing Arrow Output	Flashing Arrow Output CH	Delay Start of FYA	Delay Start of Clearance	Action Plan SF Bit Disable	Ped Protected Enable
M	1	2	Green Overlap	13	0.0	0.0	0	n/a
N	5	6	Green Overlap	14	0.0	0.0	0	n/a

### Guaranteed Minimum Time Data (MM) 2-4

Phase	Min Green	Walk	Ped Clear	Yellow	Red Clear	Overlap Green
A01	5	0	7	3.0	0.0	5
B02	5	0	7	3.0	0.0	5
C03	5	0	7	3.0	0.0	5
D04	5	0	7	3.0	0.0	5
E05	5	0	7	3.0	0.0	5
F06	5	0	7	3.0	0.0	5
G07	5	0	7	3.0	0.0	5
H08	5	0	7	3.0	0.0	5
I09	5	0	7	3.0	0.0	5

J10	5	0	7	3.0	0.0	5
K11	5	0	7	3.0	0.0	5
L12	5	0	7	3.0	0.0	5
M13	5	0	7	3.0	0.0	5
N14	5	0	7	3.0	0.0	5
O15	5	0	7	3.0	0.0	5
P16	5	0	7	3.0	0.0	5



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

**Controller Pedestrian Overlaps**

**Vehicle / Pedestrian Overlaps (MM) 2-3**

Included	Pedestrian Overlaps
----------	---------------------



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Controller Start / Flash Data (MM) 2-5

#### Start Up

Phase	Phase Setting
1	.
2	G
3	.
4	.
5	.
6	G
7	.
8	.
9	.
10	.
11	.
12	.
13	.
14	.
15	.
16	.

Overlap
B
F

Flash Thru Mon: Yes

Flash Time: 8

All Red: 0

Power Start Seq: 1

MUTCD Enabled: No

Y->G: n/a

#### Automatic Flash

Entry
2
6

Exit
2
6

Overlap Exit
--------------

[B]

Flash Thru Mon: Yes  
Exit Flash: W  
Minimum Flash: 8  
Mimimum Recall: No  
Cycle Through Phase: No



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Controller Options

#### Controller Options (MM) 2-6-1

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Flashing Grn Ph	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
Guar Passage																
Non-Act I		X														
Non-Act II				X												
Dual Entry																
Cond Service																
Cond Reservice																
Ped Re-Service																
Rest In Walk																
Flashing Walk																
Ped Clr-Yel																
Ped Clr-Red																
IGRN + Veh Ext																

Ped Clear Protect: On      Unit Red Revert: 2.0      MUTCD 3 Seconds Don't Walk: No

#### Pre-Timed Mode (MM) 2-7

Enable Pre-Timed Mode: Free Input Disables Pre-Timed: No

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Pre-Timed																

#### Phase Recall Options (MM) 2-8

##### Plan # 1

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Lock Detector		X		X		X										
Vehicle Recall		X		X		X										
Ped Recall		X				X										
Max Recall				X												
Soft Recall																
No Rest																
AI Calc																



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

#### Coordination Options

##### Options (MM) 3-1

Manual Pattern	Auto	ECPI Coord	Yes
System Source	SYS	System Format	PTN
Splits In	Seconds	Offsets In	Seconds
Transition	Smooth	Max Select	MAXINH
Dwell / Add Time	25		
Delay Coord Wk-LZ	No	Force Off	Fixed
Offset Reference	Lead	Use Ped Time	No
Ped Recall	No	Ped Reservice	No
Local Zero	No	FO Added Ini	
Override	No	Green	No
Re-sync Count	0	Multisync	No

#### Auto Perm Minimum Green (Seconds) (MM) 3-4

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Minimum Green	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

#### Split Demand (MM) 3-5

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Demand 1																
Demand 2																

Demand	1	2
Detector	0	0
Call Time (Sec)	0	0
Cycle Count	0	0



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Coordination Pattern Data Coordinator Pattern Data (MM) 3-2

#### Coordinator Pattern # 1

Split Pattern	1	TS2 (Pat-Off)	0-1	Splits In	Seconds
Cycle	80	Std (COS)	9	Offsets In	Seconds
Offset Value	12s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

#### Split Preference Phases

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 1)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	80s	54s	0s	0s

Misc. Data  
Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
Split Demand 0 Split Demand 0 Crossing Arterial 0  
Pat 1 Pat 2 Pat

#### Split Pattern

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 2**

Split Pattern	2	TS2 (Pat-Off)	0-2	Splits In	Seconds
Cycle	90	Std (COS)	10	Offsets In	Seconds
Offset Value	3s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 2)	14	49	0	27	10	53	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	90s	63s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand Pat 1	0	Split Demand Pat 2	0	Crossing Arterial	0
				Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 3**

Split Pattern	3	TS2 (Pat-Off)	0-3	Splits In	Seconds
Cycle	100	Std (COS)	11	Offsets In	Seconds
Offset Value	43s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																

Splits (Split Pat 3)	15	58	0	27	10	63	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100s	73s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand	0	Split Demand	0	Crossing Arterial	0
Pat 1		Pat 2		Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 4**

Split Pattern	4	TS2 (Pat-Off)	1-1	Splits In	Seconds
Cycle	90	Std (COS)	82	Offsets In	Seconds
Offset Value	13s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 4)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	90s	65s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand Pat 1	0	Split Demand Pat 2	0	Crossing Arterial Pat	0

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 5**

Split Pattern	5	TS2 (Pat-Off)	1-2	Splits In	Seconds
Cycle	110	Std (COS)	12	Offsets In	Seconds
Offset Value	80s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																

Splits (Split Pat 5)	14	68	0	28	12	70	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	110s	82s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand	0	Split Demand	0	Crossing Arterial	0
Pat 1		Pat 2		Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 6**

Split Pattern	6	TS2 (Pat-Off)	1-3	Splits In	Seconds
Cycle	80	Std (COS)	13	Offsets In	Seconds
Offset Value	24s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 6)	0	46	0	34	0	46	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	80s	46s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand Pat 1	0	Split Demand Pat 2	0	Crossing Arterial	0
				Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 7**

Split Pattern	7	TS2 (Pat-Off)	2-1	Splits In	Seconds
Cycle	90	Std (COS)	154	Offsets In	Seconds
Offset Value	13s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																

Splits (Split Pat 7)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	90s	65s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand	0	Split Demand	0	Crossing Arterial	0
Pat 1		Pat 2		Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 8**

Split Pattern	8	TS2 (Pat-Off)	2-2	Splits In	Seconds
Cycle	80	Std (COS)	81	Offsets In	Seconds
Offset Value	11s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 8)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	80s	54s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand Pat 1	0	Split Demand Pat 2	0	Crossing Arterial Pat	0

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 9**

Split Pattern	9	TS2 (Pat-Off)	2-3	Splits In	Seconds
Cycle	110	Std (COS)	84	Offsets In	Seconds
Offset Value	80s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	0		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																

Splits (Split Pat 9)	10	78	0	22	12	76	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	110s	88s	0s	0s

## Misc. Data

Veh Perm 1	0	Veh Perm 2	0	Veh Perm 2 Disp	0
Split Demand	0	Split Demand	0	Crossing Arterial	0
Pat 1		Pat 2		Pat	

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 11**

Split Pattern	11	TS2 (Pat-Off)	3-2	Splits In	Seconds
Cycle	130	Std (COS)	158	Offsets In	Seconds
Offset Value	36s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	1		
Actuated Walk Rest	No	Sequence	0		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 11)	14	87	0	29	13	88	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	130s	101s	0s	0s

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 0 Split Demand Pat 2 0 Crossing Arterial 0  
 Pat

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 16**

Split Pattern	16	TS2 (Pat-Off)	5-1	Splits In	Seconds
Cycle	110	Std (COS)	0	Offsets In	Seconds
Offset Value	80s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	1		
Actuated Walk Rest	No	Sequence	1		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Description																
Splits (Split Pat 16)	10	78	0	22	125	76	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	110s	201s	0s	0s

## Misc. Data

Veh Perm 1 0   Veh Perm 2 0   Veh Perm 2 Disp 0  
 Split Demand 0   Split Demand 0   Crossing Arterial 0  
 Pat 1              Pat 2              Pat

## Split Pattern

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 17**

Split Pattern	17	TS2 (Pat-Off)	5-2	Splits In	Seconds
Cycle	100	Std (COS)	0	Offsets In	Seconds
Offset Value	43s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reservice	No	Action Plan	0		
Max Select	MAX 2	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 17)	15	45	0	40	10	50	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100s	60s	0s	0s

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 0 Split Demand Pat 2 0 Crossing Arterial 0  
 Pat

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 20**

Split Pattern	20	TS2 (Pat-Off)	6-2	Splits In	Seconds
Cycle	90	Std (COS)	0	Offsets In	Seconds
Offset Value	13s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	1		
Actuated Walk Rest	No	Sequence	1		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Description																
Splits (Split Pat 20)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	90s	65s	0s	0s

## Misc. Data

Veh Perm 1 0   Veh Perm 2 0   Veh Perm 2 Disp 0  
 Split Demand 0   Split Demand 0   Crossing Arterial 0  
 Pat 1              Pat 2              Pat

## Split Pattern

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 21**

Split Pattern	21	TS2 (Pat-Off)	6-3	Splits In	Seconds
Cycle	100	Std (COS)	0	Offsets In	Seconds
Offset Value	43s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	0		
Actuated Walk Rest	No	Sequence	0		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 21)	15	58	0	27	10	63	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	100s	73s	0s	0s

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand Pat 1 0 Split Demand Pat 2 0 Crossing Arterial 0  
 Pat

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 22**

Split Pattern	22	TS2 (Pat-Off)	7-1	Splits In	Seconds
Cycle	110	Std (COS)	0	Offsets In	Seconds
Offset Value	80s	Dwell/Add Time	0		
Actuated Coord No		Timing Plan	1		
Actuated Walk Rest	No	Sequence	1		
Phase Reservice	No	Action Plan	0		
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Description																
Splits (Split Pat 22)	14	68	0	28	12	70	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	110s	82s	0s	0s

## Misc. Data

Veh Perm 1 0   Veh Perm 2 0   Veh Perm 2 Disp 0  
 Split Demand 0   Split Demand 0   Crossing Arterial 0  
 Pat 1              Pat 2              Pat

## Split Pattern

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 25**

Split Pattern	25	TS2 (Pat-Off)	8-1	Splits In	Seconds
Cycle	150	Std (COS)	230	Offsets In	Seconds
Offset Value	10s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	1		
Actuated Walk	No	Sequence	0		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Splits (Split Pat 25)	13	102	0	35	12	103	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	150s	115s	0s	0s

## Misc. Data

Veh Perm 1 0   Veh Perm 2 0   Veh Perm 2 Disp 0  
 Split Demand Pat 1 0   Split Demand Pat 2 0   Crossing Arterial 0  
 Pat

**Split Pattern**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																

**Coordinator Pattern # 26**

Split Pattern	26	TS2 (Pat-Off)	8-2	Splits In	Seconds
Cycle	80	Std (COS)	0	Offsets In	Seconds
Offset Value	11s	Dwell/Add Time	0		
Actuated Coord	No	Timing Plan	1		
Actuated Walk	No	Sequence	1		
Rest					
Phase	No	Action Plan	0		
Reservice					
Max Select	None	Force Off	None		

**Split Preference Phases**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16

Description																
Splits (Split Pat 26)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Pref 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Pref 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Ring	1	2	3	4
Ring Split Ext	0	0	0	0
Ring Displacement	-	0	0	0
Split Sum	80s	54s	0s	0s

## Misc. Data

Veh Perm 1 0 Veh Perm 2 0 Veh Perm 2 Disp 0  
 Split Demand 0 Split Demand 0 Crossing Arterial 0  
 Pat 1 Pat 2 Pat

## Split Pattern

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max. Time																
Omit Phase									X	X	X	X	X	X	X	X
Special Funciton Outputs																





Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

**Coordination Split Pattern**  
**Split Pattern Data (MM) 3-3**

**Split Pattern # 1**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	80s	54s	0s	0s

**Split Pattern # 2**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	14	49	0	27	10	53	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	90s	63s	0s	0s

**Split Pattern # 3**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	15	58	0	27	10	63	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time									X	X	X	X	X	X	X	X
Omit Phase																

Ring	1	2	3	4
Split Sum	100s	73s	0s	0s

**Split Pattern # 4**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	90s	65s	0s	0s

**Split Pattern # 5**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	14	68	0	28	12	70	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time										X	X	X	X	X	X	X
Omit Phase																

Ring	1	2	3	4
Split Sum	110s	82s	0s	0s

**Split Pattern # 6**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	0	46	0	34	0	46	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time									X	X	X	X	X	X	X	X
Omit Phase																

Ring	1	2	3	4
Split Sum	80s	46s	0s	0s

**Split Pattern # 7**

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0	0
Coord Phase	X				X											
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase								X	X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	90s	65s	0s	0s

**Split Pattern # 8**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Coord Phase	X			X												
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase								X	X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	80s	54s	0s	0s

**Split Pattern # 9**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	10	78	0	22	12	76	0	0	0	0	0	0	0	0	0	0
Coord Phase	X			X												
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time								X	X	X	X	X	X	X	X	X
Omit Phase																

Ring	1	2	3	4
Split Sum	110s	88s	0s	0s

**Split Pattern # 11**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	14	87	0	29	13	88	0	0	0	0	0	0	0	0	0	0
Coord Phase	X			X												
Vehicle Recall																

Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase								X	X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	130s	101s	0s	0s

**Split Pattern # 16**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	10	78	0	22	125	76	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase								X	X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	110s	201s	0s	0s

**Split Pattern # 17**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	15	45	0	40	10	50	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase								X	X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	100s	60s	0s	0s

**Split Pattern # 20**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	12	53	0	25	12	53	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time									X	X	X	X	X	X	X	X
Omit Phase																

Ring	1	2	3	4
Split Sum	90s	65s	0s	0s

**Split Pattern # 21**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	15	58	0	27	10	63	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	100s	73s	0s	0s

**Split Pattern # 22**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	14	68	0	28	12	70	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	110s	82s	0s	0s

**Split Pattern # 25**

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	13	102	0	35	12	103	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	150s	115s	0s	0s

**Split Pattern # 26**

--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Description																
Split (seconds)	10	44	0	26	9	45	0	0	0	0	0	0	0	0	0	0
Coord Phase		X				X										
Vehicle Recall																
Pedestrian Recall																
Recall to Max.																
Time																
Omit Phase									X	X	X	X	X	X	X	X

Ring	1	2	3	4
Split Sum	80s	54s	0s	0s



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

**Time Base Clock/Calendar**

**Clock/Calendar Data (MM) 5-1**

Manual Action Plan: 0

SYNC Reference Time: 00:00

SYNC Reference: Reference Time

Day Light Savings: No

Time Reset Input Set Time: 0:00:00

Standard Time From GMT: 0



Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

### Time Base Action Plan

#### Action Plan (MM) 5-2

##### Action Plan - 1

Pattern	1	Override Sys	No
Timing Plan	1	Sequence	0
Veh Detector Plan	1	Det Log	None
Flash	No	Red Rest	No
Veh Det Diag Plan	0	Ped Det Diag Plan	0
Dimming Enable	No	Pmt Veh Priority Ret	No
Pmt Ped Priority Ret	No	Pmt Queue Delay	No
Pmt Cond Delay	No		

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 2**

Pattern 2 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 3**

Pattern 3 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

**Action Plan - 4**

Pattern 4 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Dimming Enable No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 5**

Pattern 5 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Dimming Enable No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

**Action Plan - 6**

Pattern 6 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 7**

Pattern 7 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

**Action Plan - 8**

Pattern 8 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 9**

Pattern 9 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Pmt Ped Priority No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

<b>Phase</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 10**

Pattern 10 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Dimming Enable No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 11**

Pattern 11 Override Sys No  
 Timing Plan 1 Sequence 0  
 Veh Detector Plan 1 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority No  
 Ret  
 Dimming Enable No Pmt Queue Delay No  
 Ret  
 Pmt Cond Delay No

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	

**Action Plan - 99**

Pattern Free Override Sys No  
 Timing Plan 0 Sequence 0  
 Veh Detector Plan 0 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority Ret  
 Dimming Enable No Pmt Queue Delay No  
 Pmt Ped Priority Ret  
 Pmt Cond Delay No

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ped Recall																
Walk 2																
Veh Ext 2																
Veh Recall																
Max Recall																
Max 2																
Max 3																
CS Inhibit																
Omit																
Spec Func (1-8)																
Aux Func (1-3)																
Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

**Action Plan - 100**

Pattern Flash Override Sys No  
 Timing Plan 0 Sequence 0  
 Veh Detector Plan 0 Det Log None  
 Flash No Red Rest No  
 Veh Det Diag Plan Ped Det Diag 0  
 Plan Pmt Veh Priority Ret  
 Dimming Enable No Pmt Queue Delay No  
 Pmt Ped Priority Ret  
 Pmt Cond Delay No

Phase	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
Ped Recall																

Walk 2															
Veh Ext 2															
Veh Recall															
Max Recall															
Max 2															
Max 3															
CS Inhibit															
Omit															
Spec Func (1-8)															
Aux Func (1-3)															
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
LP 1-15	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 16-30	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 31-45	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 46-60	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 61-75	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 76-90	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
LP 91-100	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.





Johnson-Baldwin - Johnson@Baldwin - Econolite Type - ASC/3

**Time Base Day Plan/Schedule  
Day Plan (MM) 5-3**

**Day Plan #1**

Event	Action Plan	Start Time
1	6	00:30
2	6	02:00
3	6	05:30
4	2	06:30
5	3	07:00
6	2	08:30
7	1	09:00
8	4	15:00
9	5	16:00
10	4	18:30
11	1	19:00
12	6	20:00

**Day Plan #2**

Event	Action Plan	Start Time
1	6	01:00
2	6	02:00
3	6	05:30
4	2	06:30
5	3	07:00
6	2	08:30
7	1	09:00
8	4	13:00
9	5	15:30
10	4	18:00
11	1	18:30
12	6	20:00

**Day Plan #3**

Event	Action Plan	Start Time
1	7	01:45
2	6	02:30
3	1	11:00
4	6	19:00

**Day Plan #4**

Event	Action Plan	Start Time
1	7	01:45
2	6	02:30
3	1	11:00
4	6	19:00

**Day Plan #6**

Event	Action Plan	Start Time
1	11	02:00
2	5	05:30
3	2	06:30
4	3	07:00
5	2	09:00
6	1	09:30
7	6	15:00
8	4	16:00
9	6	18:00
10	7	20:15
11	5	22:00

**Day Plan #7**

Event	Action Plan	Start Time
1	5	00:30
2	11	02:00
3	5	06:00
4	1	07:00
5	3	12:00
6	1	14:30
7	7	17:30
8	1	20:30

**Day Plan #11**

Event	Action Plan	Start Time
1	5	00:30
2	11	00:02
3	5	00:06
4	1	00:07
5	3	08:30
6	1	11:00
7	7	14:00
8	1	17:00
9	1	21:15
10	5	22:30

**Day Plan #13**

Event		

	Action Plan	Start Time
1	11	02:00
2	3	06:30
3	2	09:00
4	1	09:30
5	6	14:30
6	4	15:30
7	4	18:00
8	1	18:30

**Day Plan #16**

Event	Action Plan	Start Time
1	11	02:00
2	5	06:00
3	1	07:00
4	3	16:00
5	1	19:00
6	7	22:00
7	1	23:59

## **Appendix B**

### **Trip Generation Comparison Table**

**Appendix**  
**Trip Generation Comparison Table**  
**Existing Offices vs Proposed Apartments**

Land Use	ITE Code	Proposed Size	Weekday Daily	AM Peak			PM Peak		
				In	Out	Total	In	Out	Total
General Office Building	710	45,000 x 1,000 SF	580 FCE	75 (88%)	10 (12%)	85 FCE	15 (17%)	70 (83%)	85 FCE
Multifamily Housing (From Exhibit 4-3A)	220/221	433 Units	2,250	45	140	185	115	75	190
<b>Increase (Decrease) in Trips</b>			<b>1,670</b>	<b>(30)</b>	<b>130</b>	<b>100</b>	<b>100</b>	<b>5</b>	<b>105</b>

## **Appendix C**

### **Peak Hour Analysis Outputs**

*Existing Traffic*

*Full Build Traffic*

*Full Build Traffic – with Modifications*

Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	90	5	5	195	270	175
Future Volume (vph)	90	5	5	195	270	175
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.993				0.947	
Flt Protected	0.955			0.950		
Satd. Flow (prot)	1732	0	1752	1845	1764	0
Flt Permitted	0.955			0.950		
Satd. Flow (perm)	1732	0	1752	1845	1764	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	1	6			6
Confl. Bikes (#/hr)			1			1
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93
Heavy Vehicles (%)	4%	4%	3%	3%	2%	2%
Adj. Flow (vph)	97	5	5	210	290	188
Shared Lane Traffic (%)						
Lane Group Flow (vph)	102	0	5	210	478	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 37.4% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 2

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	90	5	5	195	270	175
Future Vol, veh/h	90	5	5	195	270	175
Conflicting Peds, #/hr	1	1	6	0	0	6
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	4	4	3	3	2	2
Mvmt Flow	97	5	5	210	290	188

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	611	391	484	0	-	0
Stage 1	390	-	-	-	-	-
Stage 2	221	-	-	-	-	-
Critical Hdwy	6.44	6.24	4.13	-	-	-
Critical Hdwy Stg 1	5.44	-	-	-	-	-
Critical Hdwy Stg 2	5.44	-	-	-	-	-
Follow-up Hdwy	3.536	3.336	2.227	-	-	-
Pot Cap-1 Maneuver	454	653	1074	-	-	-
Stage 1	680	-	-	-	-	-
Stage 2	811	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	446	649	1068	-	-	-
Mov Cap-2 Maneuver	446	-	-	-	-	-
Stage 1	673	-	-	-	-	-
Stage 2	806	-	-	-	-	-

Approach	EB	NB	SB		
HCM Control Delay, s	15.2	0.2	0		
HCM LOS	C				

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR	
Capacity (veh/h)	1068	-	453	-	-	
HCM Lane V/C Ratio	0.005	-	0.225	-	-	
HCM Control Delay (s)	8.4	-	15.2	-	-	
HCM Lane LOS	A	-	C	-	-	
HCM 95th %tile Q(veh)	0	-	0.9	-	-	

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	1	105	230	5
Future Volume (vph)	5	5	1	105	230	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976					
Satd. Flow (prot)	1711	0	0	1863	1876	0
Flt Permitted	0.976					
Satd. Flow (perm)	1711	0	0	1863	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	28			28
Confl. Bikes (#/hr)		1				3
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	6	6	1	118	258	6
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	119	264	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 23.3% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	1	105	230	5
Future Vol, veh/h	5	5	1	105	230	5
Conflicting Peds, #/hr	1	1	28	0	0	28
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	6	6	1	118	258	6

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	410	290	292	0	-	0
Stage 1	289	-	-	-	-	-
Stage 2	121	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.12	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.218	-	-	-
Pot Cap-1 Maneuver	600	752	1270	-	-	-
Stage 1	762	-	-	-	-	-
Stage 2	907	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	568	731	1236	-	-	-
Mov Cap-2 Maneuver	568	-	-	-	-	-
Stage 1	741	-	-	-	-	-
Stage 2	883	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.7	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1236	-	639	-	-
HCM Lane V/C Ratio	0.001	-	0.018	-	-
HCM Control Delay (s)	7.9	0	10.7	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
300: Sherman Ave & S Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EWR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	100	225	1
Future Volume (vph)	5	5	5	100	225	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.999	
Flt Protected	0.976			0.998		
Satd. Flow (prot)	1711	0	0	1806	1879	0
Flt Permitted	0.976			0.998		
Satd. Flow (perm)	1711	0	0	1806	1879	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	14			14
Confl. Bikes (#/hr)		1				17
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Heavy Vehicles (%)	1%	1%	5%	5%	1%	1%
Adj. Flow (vph)	6	6	6	114	256	1
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	120	257	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 22.8% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	5	100	225	1
Future Vol, veh/h	5	5	5	100	225	1
Conflicting Peds, #/hr	1	1	14	0	0	14
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	88	88	88	88	88	88
Heavy Vehicles, %	1	1	5	5	1	1
Mvmt Flow	6	6	6	114	256	1

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	398	272	271	0	-	0
Stage 1	271	-	-	-	-	-
Stage 2	127	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.15	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.245	-	-	-
Pot Cap-1 Maneuver	609	769	1275	-	-	-
Stage 1	777	-	-	-	-	-
Stage 2	901	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	590	758	1258	-	-	-
Mov Cap-2 Maneuver	590	-	-	-	-	-
Stage 1	763	-	-	-	-	-
Stage 2	889	-	-	-	-	-

Approach EB NB SB

HCM Control Delay, s	10.5	0.4	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1258	-	664	-	-
HCM Lane V/C Ratio	0.005	-	0.017	-	-
HCM Control Delay (s)	7.9	0	10.5	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	35	20	100	15	10	230
Future Volume (vph)	35	20	100	15	10	230
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.951		0.982			
Flt Protected	0.969				0.998	
Satd. Flow (prot)	1734	0	1760	0	0	1877
Flt Permitted	0.969				0.998	
Satd. Flow (perm)	1734	0	1760	0	0	1877
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		10	10	
Confl. Bikes (#/hr)		2		12		
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	1%	1%	6%	6%	1%	1%
Adj. Flow (vph)	37	21	105	16	11	242
Shared Lane Traffic (%)						
Lane Group Flow (vph)	58	0	121	0	0	253
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free			Free
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	29.7%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 1.6

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	N			
Traffic Vol, veh/h	35	20	100	15	10	230
Future Vol, veh/h	35	20	100	15	10	230
Conflicting Peds, #/hr	1	1	0	10	10	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	95	95	95	95	95	95
Heavy Vehicles, %	1	1	6	6	1	1
Mvmt Flow	37	21	105	16	11	242

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	388	124	0	0	131
Stage 1	123	-	-	-	-
Stage 2	265	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11
Critical Hdwy Stg 1	5.41	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209
Pot Cap-1 Maneuver	617	929	-	-	1460
Stage 1	905	-	-	-	-
Stage 2	782	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	605	919	-	-	1446
Mov Cap-2 Maneuver	605	-	-	-	-
Stage 1	896	-	-	-	-
Stage 2	774	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	10.7	0	0.3
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	691	1446	-
HCM Lane V/C Ratio	-	-	0.084	0.007	-
HCM Control Delay (s)	-	-	10.7	7.5	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.3	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

AM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	40	1	15	5	95	15	5	260	1
Future Volume (vph)	5	1	5	40	1	15	5	95	15	5	260	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.938				0.963				0.982		
Flt Protected		0.977				0.966				0.998		0.999
Satd. Flow (prot)	0	1724	0	0	1750	0	0	1790	0	0	1879	0
Flt Permitted		0.977				0.966				0.998		0.999
Satd. Flow (perm)	0	1724	0	0	1750	0	0	1790	0	0	1879	0
Link Speed (mph)		30				25				25		25
Link Distance (ft)		261				535				1148		317
Travel Time (s)		5.9				14.6				31.3		8.6
Confl. Peds. (#/hr)	1		1	1		1	14			3	3	14
Confl. Bikes (#/hr)			1			1				11		17
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	4%	4%	4%	1%	1%	1%
Adj. Flow (vph)	6	1	6	44	1	17	6	106	17	6	289	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	13	0	0	62	0	0	129	0	0	296	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0				0			0			0
Link Offset(ft)		0				0			0			0
Crosswalk Width(ft)		16				16			16			16
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free		Free		

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 27.5% ICU Level of Service A

Analysis Period (min) 15

## Intersection

Int Delay, s/veh 1.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
<b>Lane Configurations</b>												
Traffic Vol, veh/h	5	1	5	40	1	15	5	95	15	5	260	1
Future Vol, veh/h	5	1	5	40	1	15	5	95	15	5	260	1
Conflicting Peds, #/hr	1	0	1	1	0	1	14	0	3	3	0	14
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	1	1	1	4	4	4	1	1	1
Mvmt Flow	6	1	6	44	1	17	6	106	17	6	289	1

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	453	454	305	436	446	119	304	0	0	126	0	0
Stage 1	316	316	-	130	130	-	-	-	-	-	-	-
Stage 2	137	138	-	306	316	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.11	6.51	6.21	4.14	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.509	4.009	3.309	2.236	-	-	2.209	-	-
Pot Cap-1 Maneuver	519	503	737	532	509	935	1246	-	-	1467	-	-
Stage 1	697	657	-	876	791	-	-	-	-	-	-	-
Stage 2	869	784	-	706	657	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	498	490	726	521	496	931	1229	-	-	1463	-	-
Mov Cap-2 Maneuver	498	490	-	521	496	-	-	-	-	-	-	-
Stage 1	684	645	-	869	785	-	-	-	-	-	-	-
Stage 2	847	778	-	695	645	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB		
HCM Control Delay, s	11.3	11.8			0.3			0.1		
HCM LOS	B	B								
<hr/>										
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR		
Capacity (veh/h)	1229	-	-	580	590	1463	-	-		
HCM Lane V/C Ratio	0.005	-	-	0.021	0.105	0.004	-	-		
HCM Control Delay (s)	7.9	0	-	11.3	11.8	7.5	0	-		
HCM Lane LOS	A	A	-	B	B	A	A	-		
HCM 95th %tile Q(veh)	0	-	-	0.1	0.4	0	-	-		

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

AM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	1	1	1	5	1	35	1	70	1	35	270	1
Future Volume (vph)	1	1	1	5	1	35	1	70	1	35	270	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.955				0.883				0.998		
Flt Protected		0.984				0.994				0.999		0.994
Satd. Flow (prot)	0	1768	0	0	1619	0	0	1804	0	0	1870	0
Flt Permitted		0.984				0.994				0.999		0.994
Satd. Flow (perm)	0	1768	0	0	1619	0	0	1804	0	0	1870	0
Link Speed (mph)		30				25				25		25
Link Distance (ft)		294				1372				312		1148
Travel Time (s)		6.7				37.4				8.5		31.3
Confl. Peds. (#/hr)	2		16	16		2	37			11	11	37
Confl. Bikes (#/hr)			1			1				9		15
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	1%	3%	3%	3%	5%	5%	5%	1%	1%	1%
Adj. Flow (vph)	1	1	1	5	1	38	1	76	1	38	293	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	3	0	0	44	0	0	78	0	0	332	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0				0			0			0
Link Offset(ft)		0				0			0			0
Crosswalk Width(ft)		16				16			16			16
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free		Free		

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 37.0% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.7

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	1	1	1	5	1	35	1	70	1	35	270	1
Future Vol, veh/h	1	1	1	5	1	35	1	70	1	35	270	1
Conflicting Peds, #/hr	2	0	16	16	0	2	37	0	11	11	0	37
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	1	1	3	3	3	5	5	5	1	1	1
Mvmt Flow	1	1	1	5	1	38	1	76	1	38	293	1

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	507	497	347	477	497	90	331	0	0	88	0	0
Stage 1	407	407	-	90	90	-	-	-	-	-	-	-
Stage 2	100	90	-	387	407	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.13	6.53	6.23	4.15	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.527	4.027	3.327	2.245	-	-	2.209	-	-
Pot Cap-1 Maneuver	478	476	698	497	473	965	1212	-	-	1514	-	-
Stage 1	623	599	-	915	818	-	-	-	-	-	-	-
Stage 2	909	822	-	635	596	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	431	441	663	471	438	953	1169	-	-	1498	-	-
Mov Cap-2 Maneuver	431	441	-	471	438	-	-	-	-	-	-	-
Stage 1	601	561	-	905	809	-	-	-	-	-	-	-
Stage 2	869	813	-	604	558	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB				
HCM Control Delay, s	12.4	9.6				0.1		0.9				
HCM LOS	B	A				A		A				
<hr/>												
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR				
Capacity (veh/h)	1169	-	-	492	826	1498	-	-				
HCM Lane V/C Ratio	0.001	-	-	0.007	0.054	0.025	-	-				
HCM Control Delay (s)	8.1	0	-	12.4	9.6	7.5	0	-				
HCM Lane LOS	A	A	-	B	A	A	A	-				
HCM 95th %tile Q(veh)	0	-	-	0	0.2	0.1	-	-				

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	1	35	35	10	100	175
Future Volume (vph)	1	35	35	10	100	175
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.868		0.970			
Flt Protected	0.999				0.982	
Satd. Flow (prot)	1540	0	1807	0	0	1847
Flt Permitted	0.999				0.982	
Satd. Flow (perm)	1540	0	1807	0	0	1847
Link Speed (mph)	25		25		25	
Link Distance (ft)	1334		480		312	
Travel Time (s)	36.4		13.1		8.5	
Confl. Peds. (#/hr)	3	4		13	13	
Confl. Bikes (#/hr)		1		6		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	7%	7%	2%	2%	1%	1%
Adj. Flow (vph)	1	38	38	11	109	190
Shared Lane Traffic (%)						
Lane Group Flow (vph)	39	0	49	0	0	299
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0		0	
Link Offset(ft)	0		0		0	
Crosswalk Width(ft)	16		16		16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	32.7%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	1	35	35	10	100	175
Future Vol, veh/h	1	35	35	10	100	175
Conflicting Peds, #/hr	3	4	0	13	13	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	7	7	2	2	1	1
Mvmt Flow	1	38	38	11	109	190

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	468	61	0	0	62
Stage 1	57	-	-	-	-
Stage 2	411	-	-	-	-
Critical Hdwy	6.47	6.27	-	-	4.11
Critical Hdwy Stg 1	5.47	-	-	-	-
Critical Hdwy Stg 2	5.47	-	-	-	-
Follow-up Hdwy	3.563	3.363	-	-	2.209
Pot Cap-1 Maneuver	544	990	-	-	1547
Stage 1	953	-	-	-	-
Stage 2	659	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	493	974	-	-	1528
Mov Cap-2 Maneuver	493	-	-	-	-
Stage 1	942	-	-	-	-
Stage 2	604	-	-	-	-

Approach	WB	NB	SB	
HCM Control Delay, s	9	0	2.7	
HCM LOS	A			

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	948	1528	-
HCM Lane V/C Ratio	-	-	0.041	0.071	-
HCM Control Delay (s)	-	-	9	7.5	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.1	0.2	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y		T	↑↑	↑↓	
Traffic Volume (vph)	10	25	10	735	1230	25
Future Volume (vph)	10	25	10	735	1230	25
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70		0	
Storage Lanes	1	0	1		0	
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.902			0.997		
Flt Protected	0.986		0.950			
Satd. Flow (prot)	1673	0	1752	3505	3461	0
Flt Permitted	0.986		0.950			
Satd. Flow (perm)	1673	0	1752	3505	3461	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	1	8		8	
Confl. Bikes (#/hr)		1			16	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	3%	3%	4%	4%
Adj. Flow (vph)	10	26	10	758	1268	26
Shared Lane Traffic (%)						
Lane Group Flow (vph)	36	0	10	758	1294	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15		9	
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 45.1% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.6

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	10	25	10	735	1230	25
Future Vol, veh/h	10	25	10	735	1230	25
Conflicting Peds, #/hr	1	1	8	0	0	8
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	1	1	3	3	4	4
Mvmt Flow	10	26	10	758	1268	26

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1689	656	1302	0	-
Stage 1	1289	-	-	-	-
Stage 2	400	-	-	-	-
Critical Hdwy	6.82	6.92	4.16	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.23	-	-
Pot Cap-1 Maneuver	85	410	522	-	-
Stage 1	224	-	-	-	-
Stage 2	649	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	82	406	518	-	-
Mov Cap-2 Maneuver	82	-	-	-	-
Stage 1	218	-	-	-	-
Stage 2	644	-	-	-	-

Approach	EB	NB	SB	
HCM Control Delay, s	28.2	0.2	0	
HCM LOS	D			

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	518	-	191	-	-
HCM Lane V/C Ratio	0.02	-	0.189	-	-
HCM Control Delay (s)	12.1	-	28.2	-	-
HCM Lane LOS	B	-	D	-	-
HCM 95th %tile Q(veh)	0.1	-	0.7	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

	↑	→	↓	↗	↖	↙	↖	↗	↑	↗	↖	↓	↗
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations													
Traffic Volume (vph)	50	55	65	225	10	40	30	655	80	125	1125	5	
Future Volume (vph)	50	55	65	225	10	40	30	655	80	125	1125	5	
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769	
Storage Length (ft)	0		0	0		50	90		0	100		0	
Storage Lanes	0		0	1		0	1		0	1		0	
Taper Length (ft)	25			25			25			25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95	
Ped Bike Factor		0.99		0.99	0.99			1.00	1.00		1.00	1.00	
Fr <sub>t</sub>		0.949			0.879			0.984			0.999		
Flt Protected		0.985		0.950			0.950			0.950			
Satd. Flow (prot)	0	1739	0	1719	1572	0	1752	3203	0	1736	3228	0	
Flt Permitted		0.892		0.569			0.192			0.295			
Satd. Flow (perm)	0	1571	0	1019	1572	0	354	3203	0	538	3228	0	
Right Turn on Red			No			No			No		No		No
Satd. Flow (RTOR)													
Link Speed (mph)		25			25			25			25		
Link Distance (ft)		1334			254			313			261		
Travel Time (s)		36.4			6.9			8.5			7.1		
Confl. Peds. (#/hr)	6		12	12		1	8		4	4		8	
Confl. Bikes (#/hr)			1			1			1			8	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	
Heavy Vehicles (%)	1%	1%	1%	5%	5%	5%	3%	3%	3%	4%	4%	4%	
Adj. Flow (vph)	52	57	67	232	10	41	31	675	82	129	1160	5	
Shared Lane Traffic (%)													
Lane Group Flow (vph)	0	176	0	232	51	0	31	757	0	129	1165	0	
Enter Blocked Intersection	No												
Lane Alignment	Left	Left	Right										
Median Width(ft)		12			12			12			12		
Link Offset(ft)		0			0			0			0		
Crosswalk Width(ft)		16			16			16			16		
Two way Left Turn Lane													
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10	
Turning Speed (mph)	15		9	15		9	15		9	15		9	
Number of Detectors	1	2		1	2		1	2		1	2		
Detector Template	Left	Thru											
Leading Detector (ft)	20	100		20	100		20	100		20	100		
Trailing Detector (ft)	0	0		0	0		0	0		0	0		
Detector 1 Position(ft)	0	0		0	0		0	0		0	0		
Detector 1 Size(ft)	20	6		20	6		20	6		20	6		
Detector 1 Type	Cl+Ex	Cl+Ex											
Detector 1 Channel													
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 2 Position(ft)		94			94			94			94		
Detector 2 Size(ft)		6			6			6			6		
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex		
Detector 2 Channel													

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	27.0	27.0		27.0	27.0		10.0	58.0		15.0	63.0	
Total Split (%)	27.0%	27.0%		27.0%	27.0%		10.0%	58.0%		15.0%	63.0%	
Maximum Green (s)	21.5	21.5		22.5	22.5		5.5	53.5		10.5	58.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	21.5		22.5	22.5			62.2	57.0		67.4	62.6	
Actuated g/C Ratio	0.22		0.22	0.22			0.62	0.57		0.67	0.63	
v/c Ratio	0.52		1.01	0.14			0.11	0.41		0.29	0.58	
Control Delay	41.1		103.4	32.4			6.2	13.2		7.1	13.1	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	41.1		103.4	32.4			6.2	13.2		7.1	13.1	
LOS	D		F	C			A	B		A	B	
Approach Delay		41.1			90.6			12.9			12.5	
Approach LOS		D			F			B			B	

Intersection Summary

Area Type: Other

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 43 (43%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 55

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.01

Intersection Signal Delay: 23.3

Intersection LOS: C

Intersection Capacity Utilization 68.1%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SBT
Lane Group Flow (vph)	176	232	51	31	757	129	1165
v/c Ratio	0.52	1.01	0.14	0.11	0.41	0.29	0.58
Control Delay	41.1	103.4	32.4	6.2	13.2	7.1	13.1
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	41.1	103.4	32.4	6.2	13.2	7.1	13.1
Queue Length 50th (ft)	100	~152	26	6	134	25	233
Queue Length 95th (ft)	169	#306	58	14	185	44	302
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	337	229	353	298	1825	494	2021
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.52	1.01	0.14	0.10	0.41	0.26	0.58

Intersection Summary

- ~ Volume exceeds capacity, queue is theoretically infinite.  
Queue shown is maximum after two cycles.
- # 95th percentile volume exceeds capacity, queue may be longer.  
Queue shown is maximum after two cycles.

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	50	55	65	225	10	40	30	655	80	125	1125	5
Future Volume (veh/h)	50	55	65	225	10	40	30	655	80	125	1125	5
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.99			0.99			0.97	1.00		0.97	1.00	0.97
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1826	1826	1826	1856	1728	1728	1841	1714	1714
Adj Flow Rate, veh/h	52	57	67	232	10	41	31	675	82	129	1160	5
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	5	5	5	3	3	3	4	4	4
Cap, veh/h	129	141	138	318	69	282	308	1707	207	474	1998	9
Arrive On Green	0.22	0.22	0.22	0.22	0.22	0.22	0.03	0.58	0.58	0.05	0.60	0.60
Sat Flow, veh/h	368	627	611	1224	305	1252	1767	2937	356	1753	3324	14
Grp Volume(v), veh/h	176	0	0	232	0	51	31	377	380	129	568	597
Grp Sat Flow(s), veh/h/ln	1606	0	0	1224	0	1557	1767	1641	1652	1753	1628	1711
Q Serve(g_s), s	4.5	0.0	0.0	11.9	0.0	2.6	0.7	12.5	12.5	2.9	21.4	21.4
Cycle Q Clear(g_c), s	9.2	0.0	0.0	21.1	0.0	2.6	0.7	12.5	12.5	2.9	21.4	21.4
Prop In Lane	0.30			1.00			0.80	1.00		0.22	1.00	0.01
Lane Grp Cap(c), veh/h	408	0	0	318	0	350	308	954	960	474	979	1028
V/C Ratio(X)	0.43	0.00	0.00	0.73	0.00	0.15	0.10	0.40	0.40	0.27	0.58	0.58
Avail Cap(c_a), veh/h	408	0	0	318	0	350	354	954	960	573	979	1028
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	33.5	0.0	0.0	39.0	0.0	31.0	9.7	11.4	11.4	8.4	12.2	12.2
Incr Delay (d2), s/veh	0.7	0.0	0.0	8.3	0.0	0.2	0.1	1.2	1.2	0.1	2.5	2.4
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	6.8	0.0	0.0	10.4	0.0	1.8	0.5	8.3	8.3	1.9	12.7	13.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	34.2	0.0	0.0	47.3	0.0	31.2	9.8	12.6	12.6	8.5	14.7	14.6
LnGrp LOS	C	A	A	D	A	C	A	B	B	A	B	B
Approach Vol, veh/h		176			283			788			1294	
Approach Delay, s/veh		34.2			44.4			12.5			14.0	
Approach LOS		C			D			B			B	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	9.4	62.6		28.0	7.4	64.6		28.0				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	10.5	53.5		21.5	5.5	58.5		* 23				
Max Q Clear Time (g_c+l1), s	4.9	14.5		11.2	2.7	23.4		23.1				
Green Ext Time (p_c), s	0.1	5.9		0.7	0.0	10.5		0.0				
Intersection Summary												
HCM 6th Ctrl Delay			18.3									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												



Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	70	5	5	195	270	170
Future Volume (vph)	70	5	5	195	270	170
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.992				0.948	
Flt Protected	0.955			0.950		
Satd. Flow (prot)	1731	0	1752	1845	1766	0
Flt Permitted	0.955			0.950		
Satd. Flow (perm)	1731	0	1752	1845	1766	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	1	6			6
Confl. Bikes (#/hr)			1			1
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93
Heavy Vehicles (%)	4%	4%	3%	3%	2%	2%
Adj. Flow (vph)	75	5	5	210	290	183
Shared Lane Traffic (%)						
Lane Group Flow (vph)	80	0	5	210	473	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 36.0% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.6

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	70	5	5	195	270	170
Future Vol, veh/h	70	5	5	195	270	170
Conflicting Peds, #/hr	1	1	6	0	0	6
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	4	4	3	3	2	2
Mvmt Flow	75	5	5	210	290	183

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	609	389	479	0	-	0
Stage 1	388	-	-	-	-	-
Stage 2	221	-	-	-	-	-
Critical Hdwy	6.44	6.24	4.13	-	-	-
Critical Hdwy Stg 1	5.44	-	-	-	-	-
Critical Hdwy Stg 2	5.44	-	-	-	-	-
Follow-up Hdwy	3.536	3.336	2.227	-	-	-
Pot Cap-1 Maneuver	455	655	1078	-	-	-
Stage 1	681	-	-	-	-	-
Stage 2	811	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	447	651	1072	-	-	-
Mov Cap-2 Maneuver	447	-	-	-	-	-
Stage 1	674	-	-	-	-	-
Stage 2	806	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	14.6	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1072	-	457	-	-
HCM Lane V/C Ratio	0.005	-	0.176	-	-
HCM Control Delay (s)	8.4	-	14.6	-	-
HCM Lane LOS	A	-	B	-	-
HCM 95th %tile Q(veh)	0	-	0.6	-	-

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	1	85	225	5
Future Volume (vph)	5	5	1	85	225	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976			0.999		
Satd. Flow (prot)	1711	0	0	1861	1876	0
Flt Permitted	0.976			0.999		
Satd. Flow (perm)	1711	0	0	1861	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	28			28
Confl. Bikes (#/hr)			1			3
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	6	6	1	96	253	6
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	97	259	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 23.2% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	1	85	225	5
Future Vol, veh/h	5	5	1	85	225	5
Conflicting Peds, #/hr	1	1	28	0	0	28
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	6	6	1	96	253	6

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	383	285	287	0	-	0
Stage 1	284	-	-	-	-	-
Stage 2	99	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.12	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.218	-	-	-
Pot Cap-1 Maneuver	622	756	1275	-	-	-
Stage 1	766	-	-	-	-	-
Stage 2	927	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	588	735	1241	-	-	-
Mov Cap-2 Maneuver	588	-	-	-	-	-
Stage 1	745	-	-	-	-	-
Stage 2	902	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.6	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1241	-	653	-	-
HCM Lane V/C Ratio	0.001	-	0.017	-	-
HCM Control Delay (s)	7.9	0	10.6	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
300: Sherman Ave & S Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	80	220	1
Future Volume (vph)	5	5	5	80	220	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.999	
Flt Protected	0.976			0.997		
Satd. Flow (prot)	1711	0	0	1804	1879	0
Flt Permitted	0.976			0.997		
Satd. Flow (perm)	1711	0	0	1804	1879	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	14			14
Confl. Bikes (#/hr)		1				17
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Heavy Vehicles (%)	1%	1%	5%	5%	1%	1%
Adj. Flow (vph)	6	6	6	91	250	1
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	97	251	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	22.6%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 0.5

Movement	EBL	EBR	NBL	NBT	SBT	SBR
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	5	5	5	80	220	1
Future Vol, veh/h	5	5	5	80	220	1
Conflicting Peds, #/hr	1	1	14	0	0	14
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	88	88	88	88	88	88
Heavy Vehicles, %	1	1	5	5	1	1
Mvmt Flow	6	6	6	91	250	1

Major/Minor	Minor2	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	369	266	265	0	-	0
Stage 1	265	-	-	-	-	-
Stage 2	104	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.15	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.245	-	-	-
Pot Cap-1 Maneuver	633	775	1282	-	-	-
Stage 1	782	-	-	-	-	-
Stage 2	923	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	613	764	1265	-	-	-
Mov Cap-2 Maneuver	613	-	-	-	-	-
Stage 1	768	-	-	-	-	-
Stage 2	911	-	-	-	-	-

Approach	EB	NB	SB
----------	----	----	----

HCM Control Delay, s	10.4	0.5	0
----------------------	------	-----	---

HCM LOS	B
---------	---

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1265	-	680	-	-
HCM Lane V/C Ratio	0.004	-	0.017	-	-
HCM Control Delay (s)	7.9	0	10.4	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	1	1	85	0	0	235
Future Volume (vph)	1	1	85	0	0	235
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932					
Flt Protected	0.976					
Satd. Flow (prot)	1711	0	1792	0	0	1881
Flt Permitted	0.976					
Satd. Flow (perm)	1711	0	1792	0	0	1881
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		10	10	
Confl. Bikes (#/hr)		2		12		
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	1%	1%	6%	6%	1%	1%
Adj. Flow (vph)	1	1	89	0	0	247
Shared Lane Traffic (%)						
Lane Group Flow (vph)	2	0	89	0	0	247
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free			Free
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	22.7%				ICU Level of Service A	
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 0.1

Movement	WBL	WBR	NBT	NBR	SBL	SBT
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	1	1	85	0	0	235
Future Vol, veh/h	1	1	85	0	0	235
Conflicting Peds, #/hr	1	1	0	10	10	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	95	95	95	95	95	95
Heavy Vehicles, %	1	1	6	6	1	1
Mvmt Flow	1	1	89	0	0	247

Major/Minor	Minor1	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	347	100	0	0	99	0
Stage 1	99	-	-	-	-	-
Stage 2	248	-	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209	-
Pot Cap-1 Maneuver	652	958	-	-	1500	-
Stage 1	927	-	-	-	-	-
Stage 2	796	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	645	948	-	-	1486	-
Mov Cap-2 Maneuver	645	-	-	-	-	-
Stage 1	918	-	-	-	-	-
Stage 2	795	-	-	-	-	-

Approach	WB	NB	SB
----------	----	----	----

HCM Control Delay, s	9.7	0	0
HCM LOS	A		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
-----------------------	-----	-----	-------	-----	-----

Capacity (veh/h)	-	-	768	1486	-
HCM Lane V/C Ratio	-	-	0.003	-	-
HCM Control Delay (s)	-	-	9.7	0	-
HCM Lane LOS	-	-	A	A	-
HCM 95th %tile Q(veh)	-	-	0	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

AM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	0	0	0	5	80	10	10	225	1
Future Volume (vph)	5	1	5	0	0	0	5	80	10	10	225	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.938						0.986			0.999	
Flt Protected		0.977						0.997			0.998	
Satd. Flow (prot)	0	1724	0	0	1881	0	0	1796	0	0	1876	0
Flt Permitted		0.977						0.997			0.998	
Satd. Flow (perm)	0	1724	0	0	1881	0	0	1796	0	0	1876	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		261			535			1148			317	
Travel Time (s)		5.9			14.6			31.3			8.6	
Confl. Peds. (#/hr)	1		1	1		1	14		3	3		14
Confl. Bikes (#/hr)			1			1			11			17
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	4%	4%	4%	1%	1%	1%
Adj. Flow (vph)	6	1	6	0	0	0	6	89	11	11	250	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	13	0	0	0	0	0	106	0	0	262	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 25.5% ICU Level of Service A

Analysis Period (min) 15

## Intersection

Int Delay, s/veh 0.7

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
<b>Lane Configurations</b>												
Traffic Vol, veh/h	5	1	5	0	0	0	5	80	10	10	225	1
Future Vol, veh/h	5	1	5	0	0	0	5	80	10	10	225	1
Conflicting Peds, #/hr	1	0	1	1	0	1	14	0	3	3	0	14
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	1	1	1	4	4	4	1	1	1
Mvmt Flow	6	1	6	0	0	0	6	89	11	11	250	1

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	395	402	266	387	397	99	265	0	0	103	0	0
Stage 1	287	287	-	110	110	-	-	-	-	-	-	-
Stage 2	108	115	-	277	287	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.11	6.51	6.21	4.14	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.509	4.009	3.309	2.236	-	-	2.209	-	-
Pot Cap-1 Maneuver	567	538	775	573	542	960	1287	-	-	1495	-	-
Stage 1	723	676	-	898	806	-	-	-	-	-	-	-
Stage 2	900	802	-	732	676	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	553	522	764	560	526	956	1270	-	-	1491	-	-
Mov Cap-2 Maneuver	553	522	-	560	526	-	-	-	-	-	-	-
Stage 1	710	661	-	891	800	-	-	-	-	-	-	-
Stage 2	895	796	-	718	661	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB			
HCM Control Delay, s	10.8	0			0.4			0.3			
HCM LOS	B	A			A			A			
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1270	-	-	629	-	1491	-	-			
HCM Lane V/C Ratio	0.004	-	-	0.019	-	0.007	-	-			
HCM Control Delay (s)	7.8	0	-	10.8	0	7.4	0	-			
HCM Lane LOS	A	A	-	B	A	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	-	0	-	-			

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

AM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	1	1	1	5	1	25	1	60	1	10	220	1
Future Volume (vph)	1	1	1	5	1	25	1	60	1	10	220	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.955				0.890					0.998	
Flt Protected		0.984				0.992					0.999	
Satd. Flow (prot)	0	1768	0	0	1629	0	0	1804	0	0	1876	0
Flt Permitted		0.984				0.992					0.999	
Satd. Flow (perm)	0	1768	0	0	1629	0	0	1804	0	0	1876	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		294			1372			312			1148	
Travel Time (s)		6.7			37.4			8.5			31.3	
Confl. Peds. (#/hr)	2		16	16		2	37		11	11		37
Confl. Bikes (#/hr)			1			1			9			15
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	1%	3%	3%	3%	5%	5%	5%	1%	1%	1%
Adj. Flow (vph)	1	1	1	5	1	27	1	65	1	11	239	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	3	0	0	33	0	0	67	0	0	251	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 31.3% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	1	1	1	5	1	25	1	60	1	10	220	1
Future Vol, veh/h	1	1	1	5	1	25	1	60	1	10	220	1
Conflicting Peds, #/hr	2	0	16	16	0	2	37	0	11	11	0	37
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	1	1	3	3	3	5	5	5	1	1	1
Mvmt Flow	1	1	1	5	1	27	1	65	1	11	239	1

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	383	378	293	358	378	79	277	0	0	77	0	0
Stage 1	299	299	-	79	79	-	-	-	-	-	-	-
Stage 2	84	79	-	279	299	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.13	6.53	6.23	4.15	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.527	4.027	3.327	2.245	-	-	2.209	-	-
Pot Cap-1 Maneuver	577	555	749	596	552	979	1269	-	-	1528	-	-
Stage 1	712	668	-	927	827	-	-	-	-	-	-	-
Stage 2	927	831	-	725	664	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	535	526	712	575	523	967	1224	-	-	1512	-	-
Mov Cap-2 Maneuver	535	526	-	575	523	-	-	-	-	-	-	-
Stage 1	686	639	-	917	818	-	-	-	-	-	-	-
Stage 2	897	822	-	706	635	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB				
HCM Control Delay, s	11.2	9.4				0.1		0.3				
HCM LOS	B	A				A		A				
<hr/>												
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR				
Capacity (veh/h)	1224	-	-	580	850	1512	-	-				
HCM Lane V/C Ratio	0.001	-	-	0.006	0.04	0.007	-	-				
HCM Control Delay (s)	7.9	0	-	11.2	9.4	7.4	0	-				
HCM Lane LOS	A	A	-	B	A	A	A	-				
HCM 95th %tile Q(veh)	0	-	-	0	0.1	0	-	-				

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	1	25	35	10	55	170
Future Volume (vph)	1	25	35	10	55	170
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.870		0.970			
Flt Protected	0.998				0.988	
Satd. Flow (prot)	1542	0	1807	0	0	1859
Flt Permitted	0.998				0.988	
Satd. Flow (perm)	1542	0	1807	0	0	1859
Link Speed (mph)	25		25		25	
Link Distance (ft)	1334		480		312	
Travel Time (s)	36.4		13.1		8.5	
Confl. Peds. (#/hr)	3	4		13	13	
Confl. Bikes (#/hr)		1		6		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	7%	7%	2%	2%	1%	1%
Adj. Flow (vph)	1	27	38	11	60	185
Shared Lane Traffic (%)						
Lane Group Flow (vph)	28	0	49	0	0	245
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0		0	
Link Offset(ft)	0		0		0	
Crosswalk Width(ft)	16		16		16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	29.9%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 2.2

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	1	25	35	10	55	170
Future Vol, veh/h	1	25	35	10	55	170
Conflicting Peds, #/hr	3	4	0	13	13	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	7	7	2	2	1	1
Mvmt Flow	1	27	38	11	60	185

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	365	61	0	0	62
Stage 1	57	-	-	-	-
Stage 2	308	-	-	-	-
Critical Hdwy	6.47	6.27	-	-	4.11
Critical Hdwy Stg 1	5.47	-	-	-	-
Critical Hdwy Stg 2	5.47	-	-	-	-
Follow-up Hdwy	3.563	3.363	-	-	2.209
Pot Cap-1 Maneuver	625	990	-	-	1547
Stage 1	953	-	-	-	-
Stage 2	734	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	589	974	-	-	1528
Mov Cap-2 Maneuver	589	-	-	-	-
Stage 1	942	-	-	-	-
Stage 2	700	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	8.9	0	1.8
HCM LOS	A		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	950	1528	-
HCM Lane V/C Ratio	-	-	0.03	0.039	-
HCM Control Delay (s)	-	-	8.9	7.5	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.1	0.1	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y		Y	↑↑	↑↓	
Traffic Volume (vph)	1	10	10	705	1230	15
Future Volume (vph)	1	10	10	705	1230	15
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70		0	
Storage Lanes	1	0	1		0	
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.877			0.998		
Flt Protected	0.995		0.950			
Satd. Flow (prot)	1642	0	1752	3505	3464	0
Flt Permitted	0.995		0.950			
Satd. Flow (perm)	1642	0	1752	3505	3464	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	1	8		8	
Confl. Bikes (#/hr)		1			16	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	3%	3%	4%	4%
Adj. Flow (vph)	1	10	10	727	1268	15
Shared Lane Traffic (%)						
Lane Group Flow (vph)	11	0	10	727	1283	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15		9	
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 44.8% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.2

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	1	10	10	705	1230	15
Future Vol, veh/h	1	10	10	705	1230	15
Conflicting Peds, #/hr	1	1	8	0	0	8
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	1	1	3	3	4	4
Mvmt Flow	1	10	10	727	1268	15

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1669	651	1291	0	-
Stage 1	1284	-	-	-	-
Stage 2	385	-	-	-	-
Critical Hdwy	6.82	6.92	4.16	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.23	-	-
Pot Cap-1 Maneuver	88	414	528	-	-
Stage 1	226	-	-	-	-
Stage 2	660	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	85	410	524	-	-
Mov Cap-2 Maneuver	85	-	-	-	-
Stage 1	220	-	-	-	-
Stage 2	655	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	17.3	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	524	-	304	-	-
HCM Lane V/C Ratio	0.02	-	0.037	-	-
HCM Control Delay (s)	12	-	17.3	-	-
HCM Lane LOS	B	-	C	-	-
HCM 95th %tile Q(veh)	0.1	-	0.1	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

	→	→	→	←	←	↑	↑	↑	↓	↓	←	
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	20	55	20	225	10	40	20	655	80	125	1110	5
Future Volume (vph)	20	55	20	225	10	40	20	655	80	125	1110	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769
Storage Length (ft)	0		0	0		50	90		0	100		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95
Ped Bike Factor		0.99		0.99	0.99		1.00	1.00		1.00	1.00	
Fr <sub>t</sub>		0.971			0.879			0.984			0.999	
Flt Protected		0.990		0.950			0.950			0.950		
Satd. Flow (prot)	0	1797	0	1719	1572	0	1752	3203	0	1736	3228	0
Flt Permitted		0.936		0.697			0.209			0.296		
Satd. Flow (perm)	0	1696	0	1245	1572	0	385	3203	0	540	3228	0
Right Turn on Red			No			No			No		No	
Satd. Flow (RTOR)												
Link Speed (mph)		25			25			25			25	
Link Distance (ft)		1334			254			313			261	
Travel Time (s)		36.4			6.9			8.5			7.1	
Confl. Peds. (#/hr)	6		12	12		1	8		4	4		8
Confl. Bikes (#/hr)			1			1			1			8
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	1%	5%	5%	5%	3%	3%	3%	4%	4%	4%
Adj. Flow (vph)	21	57	21	232	10	41	21	675	82	129	1144	5
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	99	0	232	51	0	21	757	0	129	1149	0
Enter Blocked Intersection	No											
Lane Alignment	Left	Left	Right									
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10
Turning Speed (mph)	15		9	15		9	15		9	15		9
Number of Detectors	1	2		1	2		1	2		1	2	
Detector Template	Left	Thru										
Leading Detector (ft)	20	100		20	100		20	100		20	100	
Trailing Detector (ft)	0	0		0	0		0	0		0	0	
Detector 1 Position(ft)	0	0		0	0		0	0		0	0	
Detector 1 Size(ft)	20	6		20	6		20	6		20	6	
Detector 1 Type	Cl+Ex	Cl+Ex										
Detector 1 Channel												
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 2 Position(ft)		94			94			94			94	
Detector 2 Size(ft)		6			6			6			6	
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex	
Detector 2 Channel												

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	27.0	27.0		27.0	27.0		10.0	58.0		15.0	63.0	
Total Split (%)	27.0%	27.0%		27.0%	27.0%		10.0%	58.0%		15.0%	63.0%	
Maximum Green (s)	21.5	21.5		22.5	22.5		5.5	53.5		10.5	58.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	20.0		21.0	21.0			63.6	58.5		69.4	66.0	
Actuated g/C Ratio	0.20		0.21	0.21			0.64	0.58		0.69	0.66	
v/c Ratio	0.29		0.89	0.15			0.07	0.40		0.28	0.54	
Control Delay	35.8		72.0	32.7			5.8	12.6		6.8	11.2	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	35.8		72.0	32.7			5.8	12.6		6.8	11.2	
LOS	D		E	C			A	B		A	B	
Approach Delay		35.8			64.9			12.4			10.8	
Approach LOS		D			E			B			B	

Intersection Summary

Area Type: Other

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 43 (43%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.89

Intersection Signal Delay: 18.6

Intersection LOS: B

Intersection Capacity Utilization 67.7%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SBT
Lane Group Flow (vph)	99	232	51	21	757	129	1149
v/c Ratio	0.29	0.89	0.15	0.07	0.40	0.28	0.54
Control Delay	35.8	72.0	32.7	5.8	12.6	6.8	11.2
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	35.8	72.0	32.7	5.8	12.6	6.8	11.2
Queue Length 50th (ft)	53	142	26	4	134	25	166
Queue Length 95th (ft)	100	#272	58	11	185	44	296
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	364	280	353	321	1872	503	2131
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.27	0.83	0.14	0.07	0.40	0.26	0.54

Intersection Summary

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	20	55	20	225	10	40	20	655	80	125	1110	5
Future Volume (veh/h)	20	55	20	225	10	40	20	655	80	125	1110	5
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.98			0.97	0.99		0.97	1.00		0.97	1.00	0.97
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1826	1826	1826	1856	1728	1728	1841	1714	1714
Adj Flow Rate, veh/h	21	57	21	232	10	41	21	675	82	129	1144	5
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	5	5	5	3	3	3	4	4	4
Cap, veh/h	89	219	71	328	60	245	328	1799	218	499	2118	9
Arrive On Green	0.20	0.20	0.20	0.20	0.20	0.20	0.02	0.61	0.61	0.05	0.64	0.64
Sat Flow, veh/h	232	1117	363	1271	305	1249	1767	2937	356	1753	3324	15
Grp Volume(v), veh/h	99	0	0	232	0	51	21	377	380	129	560	589
Grp Sat Flow(s), veh/h/ln	1712	0	0	1271	0	1554	1767	1641	1652	1753	1628	1711
Q Serve(g_s), s	0.0	0.0	0.0	12.6	0.0	2.7	0.4	11.5	11.6	2.7	19.0	19.0
Cycle Q Clear(g_c), s	4.7	0.0	0.0	17.2	0.0	2.7	0.4	11.5	11.6	2.7	19.0	19.0
Prop In Lane	0.21			1.00		0.80	1.00		0.22	1.00		0.01
Lane Grp Cap(c), veh/h	379	0	0	328	0	304	328	1006	1012	499	1037	1090
V/C Ratio(X)	0.26	0.00	0.00	0.71	0.00	0.17	0.06	0.37	0.38	0.26	0.54	0.54
Avail Cap(c_a), veh/h	411	0	0	366	0	350	386	1006	1012	601	1037	1090
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	34.2	0.0	0.0	39.1	0.0	33.4	8.2	9.7	9.7	7.1	10.0	10.0
Incr Delay (d2), s/veh	0.4	0.0	0.0	5.4	0.0	0.3	0.0	1.1	1.1	0.1	2.0	1.9
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	3.8	0.0	0.0	10.1	0.0	1.9	0.3	7.7	7.7	1.7	11.2	11.6
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	34.6	0.0	0.0	44.5	0.0	33.7	8.2	10.8	10.8	7.2	12.1	12.0
LnGrp LOS	C	A	A	D	A	C	A	B	B	A	B	B
Approach Vol, veh/h		99			283			778			1278	
Approach Delay, s/veh		34.6			42.5			10.7			11.5	
Approach LOS		C			D			B			B	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	9.2	65.8		25.1	6.7	68.2		25.1				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	10.5	53.5		21.5	5.5	58.5		* 23				
Max Q Clear Time (g_c+l1), s	4.7	13.6		6.7	2.4	21.0		19.2				
Green Ext Time (p_c), s	0.1	5.9		0.4	0.0	10.5		0.3				
Intersection Summary												
HCM 6th Ctrl Delay			15.8									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												



Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	90	5	5	195	270	175
Future Volume (vph)	90	5	5	195	270	175
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.993			0.947		
Flt Protected	0.955		0.950			
Satd. Flow (prot)	1732	0	1752	1845	1764	0
Flt Permitted	0.955		0.950			
Satd. Flow (perm)	1732	0	1752	1845	1764	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	1	6		6	
Confl. Bikes (#/hr)			1		1	
Peak Hour Factor	0.93	0.93	0.93	0.93	0.93	0.93
Heavy Vehicles (%)	4%	4%	3%	3%	2%	2%
Adj. Flow (vph)	97	5	5	210	290	188
Shared Lane Traffic (%)						
Lane Group Flow (vph)	102	0	5	210	478	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 37.4% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 2

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	90	5	5	195	270	175
Future Vol, veh/h	90	5	5	195	270	175
Conflicting Peds, #/hr	1	1	6	0	0	6
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	93	93	93	93	93	93
Heavy Vehicles, %	4	4	3	3	2	2
Mvmt Flow	97	5	5	210	290	188

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	611	391	484	0	-	0
Stage 1	390	-	-	-	-	-
Stage 2	221	-	-	-	-	-
Critical Hdwy	6.44	6.24	4.13	-	-	-
Critical Hdwy Stg 1	5.44	-	-	-	-	-
Critical Hdwy Stg 2	5.44	-	-	-	-	-
Follow-up Hdwy	3.536	3.336	2.227	-	-	-
Pot Cap-1 Maneuver	454	653	1074	-	-	-
Stage 1	680	-	-	-	-	-
Stage 2	811	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	446	649	1068	-	-	-
Mov Cap-2 Maneuver	446	-	-	-	-	-
Stage 1	673	-	-	-	-	-
Stage 2	806	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	15.2	0.2	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1068	-	453	-	-
HCM Lane V/C Ratio	0.005	-	0.225	-	-
HCM Control Delay (s)	8.4	-	15.2	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0	-	0.9	-	-

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	1	105	230	5
Future Volume (vph)	5	5	1	105	230	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976					
Satd. Flow (prot)	1711	0	0	1863	1876	0
Flt Permitted	0.976					
Satd. Flow (perm)	1711	0	0	1863	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	28			28
Confl. Bikes (#/hr)		1				3
Peak Hour Factor	0.89	0.89	0.89	0.89	0.89	0.89
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	6	6	1	118	258	6
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	119	264	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 23.3% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	1	105	230	5
Future Vol, veh/h	5	5	1	105	230	5
Conflicting Peds, #/hr	1	1	28	0	0	28
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	89	89	89	89	89	89
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	6	6	1	118	258	6

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	410	290	292	0	-	0
Stage 1	289	-	-	-	-	-
Stage 2	121	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.12	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.218	-	-	-
Pot Cap-1 Maneuver	600	752	1270	-	-	-
Stage 1	762	-	-	-	-	-
Stage 2	907	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	568	731	1236	-	-	-
Mov Cap-2 Maneuver	568	-	-	-	-	-
Stage 1	741	-	-	-	-	-
Stage 2	883	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.7	0.1	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1236	-	639	-	-
HCM Lane V/C Ratio	0.001	-	0.018	-	-
HCM Control Delay (s)	7.9	0	10.7	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
300: Sherman Ave & S Fuller Dr

AM Peak  
10/20/2022



Lane Group	EBL	EWR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	100	225	1
Future Volume (vph)	5	5	5	100	225	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.999	
Flt Protected	0.976			0.998		
Satd. Flow (prot)	1711	0	0	1806	1879	0
Flt Permitted	0.976			0.998		
Satd. Flow (perm)	1711	0	0	1806	1879	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	14			14
Confl. Bikes (#/hr)		1				17
Peak Hour Factor	0.88	0.88	0.88	0.88	0.88	0.88
Heavy Vehicles (%)	1%	1%	5%	5%	1%	1%
Adj. Flow (vph)	6	6	6	114	256	1
Shared Lane Traffic (%)						
Lane Group Flow (vph)	12	0	0	120	257	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 22.8% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	5	100	225	1
Future Vol, veh/h	5	5	5	100	225	1
Conflicting Peds, #/hr	1	1	14	0	0	14
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	88	88	88	88	88	88
Heavy Vehicles, %	1	1	5	5	1	1
Mvmt Flow	6	6	6	114	256	1

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	398	272	271	0	-	0
Stage 1	271	-	-	-	-	-
Stage 2	127	-	-	-	-	-
Critical Hdwy	6.41	6.21	4.15	-	-	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	2.245	-	-	-
Pot Cap-1 Maneuver	609	769	1275	-	-	-
Stage 1	777	-	-	-	-	-
Stage 2	901	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	590	758	1258	-	-	-
Mov Cap-2 Maneuver	590	-	-	-	-	-
Stage 1	763	-	-	-	-	-
Stage 2	889	-	-	-	-	-

Approach	EB	NB	SB
----------	----	----	----

HCM Control Delay, s 10.5 0.4 0

HCM LOS B

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1258	-	664	-	-
HCM Lane V/C Ratio	0.005	-	0.017	-	-
HCM Control Delay (s)	7.9	0	10.5	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	35	20	100	15	10	230
Future Volume (vph)	35	20	100	15	10	230
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.951		0.982			
Flt Protected	0.969				0.998	
Satd. Flow (prot)	1734	0	1760	0	0	1877
Flt Permitted	0.969				0.998	
Satd. Flow (perm)	1734	0	1760	0	0	1877
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		10	10	
Confl. Bikes (#/hr)		2		12		
Peak Hour Factor	0.95	0.95	0.95	0.95	0.95	0.95
Heavy Vehicles (%)	1%	1%	6%	6%	1%	1%
Adj. Flow (vph)	37	21	105	16	11	242
Shared Lane Traffic (%)						
Lane Group Flow (vph)	58	0	121	0	0	253
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	29.7%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 1.6

Movement	WBL	WBR	NBT	NBR	SBL	SBT
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	35	20	100	15	10	230
Future Vol, veh/h	35	20	100	15	10	230
Conflicting Peds, #/hr	1	1	0	10	10	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	95	95	95	95	95	95
Heavy Vehicles, %	1	1	6	6	1	1
Mvmt Flow	37	21	105	16	11	242

Major/Minor	Minor1	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	388	124	0	0	131	0
Stage 1	123	-	-	-	-	-
Stage 2	265	-	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209	-
Pot Cap-1 Maneuver	617	929	-	-	1460	-
Stage 1	905	-	-	-	-	-
Stage 2	782	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	605	919	-	-	1446	-
Mov Cap-2 Maneuver	605	-	-	-	-	-
Stage 1	896	-	-	-	-	-
Stage 2	774	-	-	-	-	-

Approach	WB	NB	SB
----------	----	----	----

HCM Control Delay, s	10.7	0	0.3
----------------------	------	---	-----

HCM LOS	B
---------	---

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	691	1446	-
HCM Lane V/C Ratio	-	-	0.084	0.007	-
HCM Control Delay (s)	-	-	10.7	7.5	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.3	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

AM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	40	1	15	5	95	15	5	260	1
Future Volume (vph)	5	1	5	40	1	15	5	95	15	5	260	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.938			0.963			0.982				
Flt Protected		0.977			0.966			0.998			0.999	
Satd. Flow (prot)	0	1724	0	0	1750	0	0	1790	0	0	1879	0
Flt Permitted		0.977			0.966			0.998			0.999	
Satd. Flow (perm)	0	1724	0	0	1750	0	0	1790	0	0	1879	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		261			535			1148			317	
Travel Time (s)		5.9			14.6			31.3			8.6	
Confl. Peds. (#/hr)	1		1	1		1	14		3	3		14
Confl. Bikes (#/hr)			1			1			11			17
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	4%	4%	4%	1%	1%	1%
Adj. Flow (vph)	6	1	6	44	1	17	6	106	17	6	289	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	13	0	0	62	0	0	129	0	0	296	0
Enter Blocked Intersection	No	No	No									
Lane Alignment	Left	Left	Right									
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 27.5% ICU Level of Service A

Analysis Period (min) 15

## Intersection

Int Delay, s/veh 1.9

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
<b>Lane Configurations</b>												
Traffic Vol, veh/h	5	1	5	40	1	15	5	95	15	5	260	1
Future Vol, veh/h	5	1	5	40	1	15	5	95	15	5	260	1
Conflicting Peds, #/hr	1	0	1	1	0	1	14	0	3	3	0	14
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	1	1	1	4	4	4	1	1	1
Mvmt Flow	6	1	6	44	1	17	6	106	17	6	289	1

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	453	454	305	436	446	119	304	0	0	126	0	0
Stage 1	316	316	-	130	130	-	-	-	-	-	-	-
Stage 2	137	138	-	306	316	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.11	6.51	6.21	4.14	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.509	4.009	3.309	2.236	-	-	2.209	-	-
Pot Cap-1 Maneuver	519	503	737	532	509	935	1246	-	-	1467	-	-
Stage 1	697	657	-	876	791	-	-	-	-	-	-	-
Stage 2	869	784	-	706	657	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	498	490	726	521	496	931	1229	-	-	1463	-	-
Mov Cap-2 Maneuver	498	490	-	521	496	-	-	-	-	-	-	-
Stage 1	684	645	-	869	785	-	-	-	-	-	-	-
Stage 2	847	778	-	695	645	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB			
HCM Control Delay, s	11.3	11.8			0.3			0.1			
HCM LOS	B	B									
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1229	-	-	580	590	1463	-	-			
HCM Lane V/C Ratio	0.005	-	-	0.021	0.105	0.004	-	-			
HCM Control Delay (s)	7.9	0	-	11.3	11.8	7.5	0	-			
HCM Lane LOS	A	A	-	B	B	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	0.4	0	-	-			

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	1	1	1	5	1	35	1	70	1	35	270	1
Future Volume (vph)	1	1	1	5	1	35	1	70	1	35	270	1
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt				0.955			0.883			0.998		
Flt Protected				0.984			0.994			0.999		0.994
Satd. Flow (prot)	0	1768	0	0	1619	0	0	1804	0	0	1870	0
Flt Permitted		0.984			0.994			0.999			0.994	
Satd. Flow (perm)	0	1768	0	0	1619	0	0	1804	0	0	1870	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		294			1372			312			1148	
Travel Time (s)		6.7			37.4			8.5			31.3	
Confl. Peds. (#/hr)	2		16	16		2	37		11	11		37
Confl. Bikes (#/hr)			1			1			9			15
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	1%	3%	3%	3%	5%	5%	5%	1%	1%	1%
Adj. Flow (vph)	1	1	1	5	1	38	1	76	1	38	293	1
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	3	0	0	44	0	0	78	0	0	332	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 37.0% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.7

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	1	1	1	5	1	35	1	70	1	35	270	1
Future Vol, veh/h	1	1	1	5	1	35	1	70	1	35	270	1
Conflicting Peds, #/hr	2	0	16	16	0	2	37	0	11	11	0	37
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	92	92	92	92	92	92	92	92	92	92	92	92
Heavy Vehicles, %	1	1	1	3	3	3	5	5	5	1	1	1
Mvmt Flow	1	1	1	5	1	38	1	76	1	38	293	1

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	507	497	347	477	497	90	331	0	0	88	0	0
Stage 1	407	407	-	90	90	-	-	-	-	-	-	-
Stage 2	100	90	-	387	407	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.13	6.53	6.23	4.15	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.13	5.53	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.527	4.027	3.327	2.245	-	-	2.209	-	-
Pot Cap-1 Maneuver	478	476	698	497	473	965	1212	-	-	1514	-	-
Stage 1	623	599	-	915	818	-	-	-	-	-	-	-
Stage 2	909	822	-	635	596	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	431	441	663	471	438	953	1169	-	-	1498	-	-
Mov Cap-2 Maneuver	431	441	-	471	438	-	-	-	-	-	-	-
Stage 1	601	561	-	905	809	-	-	-	-	-	-	-
Stage 2	869	813	-	604	558	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB			
HCM Control Delay, s	12.4	9.6				0.1		0.9			
HCM LOS	B	A				A		A			
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1169	-	-	492	826	1498	-	-			
HCM Lane V/C Ratio	0.001	-	-	0.007	0.054	0.025	-	-			
HCM Control Delay (s)	8.1	0	-	12.4	9.6	7.5	0	-			
HCM Lane LOS	A	A	-	B	A	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0	0.2	0.1	-	-			

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

AM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	1	35	35	10	100	175
Future Volume (vph)	1	35	35	10	100	175
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.868		0.970			
Flt Protected	0.999				0.982	
Satd. Flow (prot)	1540	0	1807	0	0	1847
Flt Permitted	0.999				0.982	
Satd. Flow (perm)	1540	0	1807	0	0	1847
Link Speed (mph)	25		25		25	
Link Distance (ft)	1334		480		312	
Travel Time (s)	36.4		13.1		8.5	
Confl. Peds. (#/hr)	3	4		13	13	
Confl. Bikes (#/hr)		1		6		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	7%	7%	2%	2%	1%	1%
Adj. Flow (vph)	1	38	38	11	109	190
Shared Lane Traffic (%)						
Lane Group Flow (vph)	39	0	49	0	0	299
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0		0	
Link Offset(ft)	0		0		0	
Crosswalk Width(ft)	16		16		16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	32.7%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	1	35	35	10	100	175
Future Vol, veh/h	1	35	35	10	100	175
Conflicting Peds, #/hr	3	4	0	13	13	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	7	7	2	2	1	1
Mvmt Flow	1	38	38	11	109	190

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	468	61	0	0	62
Stage 1	57	-	-	-	-
Stage 2	411	-	-	-	-
Critical Hdwy	6.47	6.27	-	-	4.11
Critical Hdwy Stg 1	5.47	-	-	-	-
Critical Hdwy Stg 2	5.47	-	-	-	-
Follow-up Hdwy	3.563	3.363	-	-	2.209
Pot Cap-1 Maneuver	544	990	-	-	1547
Stage 1	953	-	-	-	-
Stage 2	659	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	493	974	-	-	1528
Mov Cap-2 Maneuver	493	-	-	-	-
Stage 1	942	-	-	-	-
Stage 2	604	-	-	-	-

Approach	WB	NB	SB	
HCM Control Delay, s	9	0	2.7	
HCM LOS	A			

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	948	1528	-
HCM Lane V/C Ratio	-	-	0.041	0.071	-
HCM Control Delay (s)	-	-	9	7.5	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.1	0.2	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

AM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y		T	↑↑	↑↓	
Traffic Volume (vph)	10	25	10	735	1230	25
Future Volume (vph)	10	25	10	735	1230	25
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70			0
Storage Lanes	1	0	1			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.902			0.997		
Flt Protected	0.986		0.950			
Satd. Flow (prot)	1673	0	1752	3505	3461	0
Flt Permitted	0.986		0.950			
Satd. Flow (perm)	1673	0	1752	3505	3461	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	1	8			8
Confl. Bikes (#/hr)		1				16
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	3%	3%	4%	4%
Adj. Flow (vph)	10	26	10	758	1268	26
Shared Lane Traffic (%)						
Lane Group Flow (vph)	36	0	10	758	1294	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 45.1% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.6

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	10	25	10	735	1230	25
Future Vol, veh/h	10	25	10	735	1230	25
Conflicting Peds, #/hr	1	1	8	0	0	8
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	1	1	3	3	4	4
Mvmt Flow	10	26	10	758	1268	26

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1689	656	1302	0	-
Stage 1	1289	-	-	-	-
Stage 2	400	-	-	-	-
Critical Hdwy	6.82	6.92	4.16	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.23	-	-
Pot Cap-1 Maneuver	85	410	522	-	-
Stage 1	224	-	-	-	-
Stage 2	649	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	82	406	518	-	-
Mov Cap-2 Maneuver	82	-	-	-	-
Stage 1	218	-	-	-	-
Stage 2	644	-	-	-	-

Approach	EB	NB	SB	
HCM Control Delay, s	28.2	0.2	0	
HCM LOS	D			

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	518	-	191	-	-
HCM Lane V/C Ratio	0.02	-	0.189	-	-
HCM Control Delay (s)	12.1	-	28.2	-	-
HCM Lane LOS	B	-	D	-	-
HCM 95th %tile Q(veh)	0.1	-	0.7	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

	→	→	→	←	←	↑	↑	↑	↓	↓	←	
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	50	55	65	225	10	40	30	655	80	125	1125	5
Future Volume (vph)	50	55	65	225	10	40	30	655	80	125	1125	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769
Storage Length (ft)	0	0	0	0	50	90	0	0	100	0	0	0
Storage Lanes	0	0	1	0	1	0	0	0	1	0	0	0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95
Ped Bike Factor	0.99		0.99	0.99			1.00	1.00		1.00	1.00	
Fr <sub>t</sub>	0.949			0.879			0.984			0.999		
Flt Protected	0.985		0.950			0.950				0.950		
Satd. Flow (prot)	0	1739	0	1719	1572	0	1752	3203	0	1736	3228	0
Flt Permitted	0.892		0.569			0.192				0.295		
Satd. Flow (perm)	0	1571	0	1019	1572	0	354	3203	0	538	3228	0
Right Turn on Red			No			No			No		No	
Satd. Flow (RTOR)												
Link Speed (mph)		25			25			25			25	
Link Distance (ft)		1334			254			313			261	
Travel Time (s)		36.4			6.9			8.5			7.1	
Confl. Peds. (#/hr)	6		12	12		1	8		4	4		8
Confl. Bikes (#/hr)			1			1			1			8
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	1%	5%	5%	5%	3%	3%	3%	4%	4%	4%
Adj. Flow (vph)	52	57	67	232	10	41	31	675	82	129	1160	5
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	176	0	232	51	0	31	757	0	129	1165	0
Enter Blocked Intersection	No											
Lane Alignment	Left	Left	Right									
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10
Turning Speed (mph)	15		9	15		9	15		9	15		9
Number of Detectors	1	2		1	2		1	2		1	2	
Detector Template	Left	Thru										
Leading Detector (ft)	20	100		20	100		20	100		20	100	
Trailing Detector (ft)	0	0		0	0		0	0		0	0	
Detector 1 Position(ft)	0	0		0	0		0	0		0	0	
Detector 1 Size(ft)	20	6		20	6		20	6		20	6	
Detector 1 Type	Cl+Ex	Cl+Ex										
Detector 1 Channel												
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 2 Position(ft)		94			94			94			94	
Detector 2 Size(ft)		6			6			6			6	
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex	
Detector 2 Channel												

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	27.0	27.0		27.0	27.0		10.0	58.0		15.0	63.0	
Total Split (%)	27.0%	27.0%		27.0%	27.0%		10.0%	58.0%		15.0%	63.0%	
Maximum Green (s)	21.5	21.5		22.5	22.5		5.5	53.5		10.5	58.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	21.5		22.5	22.5			62.2	57.0		67.4	62.6	
Actuated g/C Ratio	0.22		0.22	0.22			0.62	0.57		0.67	0.63	
v/c Ratio	0.52		1.01	0.14			0.11	0.41		0.29	0.58	
Control Delay	41.1		103.4	32.4			6.2	13.2		7.1	13.1	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	41.1		103.4	32.4			6.2	13.2		7.1	13.1	
LOS	D		F	C			A	B		A	B	
Approach Delay		41.1			90.6			12.9			12.5	
Approach LOS		D			F			B			B	

Intersection Summary

Area Type: Other

Cycle Length: 100

Actuated Cycle Length: 100

Offset: 43 (43%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 55

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 1.01

Intersection Signal Delay: 23.3


Intersection LOS: C

Intersection Capacity Utilization 68.1%

ICU Level of Service C

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SLD
Lane Group Flow (vph)	176	232	51	31	757	129	1165
v/c Ratio	0.52	1.01	0.14	0.11	0.41	0.29	0.58
Control Delay	41.1	103.4	32.4	6.2	13.2	7.1	13.1
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	41.1	103.4	32.4	6.2	13.2	7.1	13.1
Queue Length 50th (ft)	100	~152	26	6	134	25	233
Queue Length 95th (ft)	169	#306	58	14	185	44	302
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	337	229	353	298	1825	494	2021
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.52	1.01	0.14	0.10	0.41	0.26	0.58

Intersection Summary

- ~ Volume exceeds capacity, queue is theoretically infinite.  
Queue shown is maximum after two cycles.
- # 95th percentile volume exceeds capacity, queue may be longer.  
Queue shown is maximum after two cycles.

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

AM Peak  
10/20/2022

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	50	55	65	225	10	40	30	655	80	125	1125	5
Future Volume (veh/h)	50	55	65	225	10	40	30	655	80	125	1125	5
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.99			0.99			0.97	1.00		0.97	1.00	0.97
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1826	1826	1826	1856	1728	1728	1841	1714	1714
Adj Flow Rate, veh/h	52	57	67	232	10	41	31	675	82	129	1160	5
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	5	5	5	3	3	3	4	4	4
Cap, veh/h	129	141	138	318	69	282	308	1707	207	474	1998	9
Arrive On Green	0.22	0.22	0.22	0.22	0.22	0.22	0.03	0.58	0.58	0.05	0.60	0.60
Sat Flow, veh/h	368	627	611	1224	305	1252	1767	2937	356	1753	3324	14
Grp Volume(v), veh/h	176	0	0	232	0	51	31	377	380	129	568	597
Grp Sat Flow(s), veh/h/ln	1606	0	0	1224	0	1557	1767	1641	1652	1753	1628	1711
Q Serve(g_s), s	4.5	0.0	0.0	11.9	0.0	2.6	0.7	12.5	12.5	2.9	21.4	21.4
Cycle Q Clear(g_c), s	9.2	0.0	0.0	21.1	0.0	2.6	0.7	12.5	12.5	2.9	21.4	21.4
Prop In Lane	0.30			1.00			0.80	1.00		0.22	1.00	0.01
Lane Grp Cap(c), veh/h	408	0	0	318	0	350	308	954	960	474	979	1028
V/C Ratio(X)	0.43	0.00	0.00	0.73	0.00	0.15	0.10	0.40	0.40	0.27	0.58	0.58
Avail Cap(c_a), veh/h	408	0	0	318	0	350	354	954	960	573	979	1028
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	33.5	0.0	0.0	39.0	0.0	31.0	9.7	11.4	11.4	8.4	12.2	12.2
Incr Delay (d2), s/veh	0.7	0.0	0.0	8.3	0.0	0.2	0.1	1.2	1.2	0.1	2.5	2.4
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	6.8	0.0	0.0	10.4	0.0	1.8	0.5	8.3	8.3	1.9	12.7	13.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	34.2	0.0	0.0	47.3	0.0	31.2	9.8	12.6	12.6	8.5	14.7	14.6
LnGrp LOS	C	A	A	D	A	C	A	B	B	A	B	B
Approach Vol, veh/h		176			283			788			1294	
Approach Delay, s/veh		34.2			44.4			12.5			14.0	
Approach LOS		C			D			B			B	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	9.4	62.6		28.0	7.4	64.6		28.0				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	10.5	53.5		21.5	5.5	58.5		* 23				
Max Q Clear Time (g_c+l1), s	4.9	14.5		11.2	2.7	23.4		23.1				
Green Ext Time (p_c), s	0.1	5.9		0.7	0.0	10.5		0.0				
Intersection Summary												
HCM 6th Ctrl Delay			18.3									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												



Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	165	5	5	300	230	185
Future Volume (vph)	165	5	5	300	230	185
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.996				0.940	
Flt Protected	0.954			0.950		
Satd. Flow (prot)	1753	0	1770	1863	1768	0
Flt Permitted	0.954			0.950		
Satd. Flow (perm)	1753	0	1770	1863	1768	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	3	13			13
Confl. Bikes (#/hr)		1				1
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	2%	2%	1%	1%
Adj. Flow (vph)	170	5	5	309	237	191
Shared Lane Traffic (%)						
Lane Group Flow (vph)	175	0	5	309	428	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	40.5%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3.8

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	165	5	5	300	230	185
Future Vol, veh/h	165	5	5	300	230	185
Conflicting Peds, #/hr	1	3	13	0	0	13
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	3	3	2	2	1	1
Mvmt Flow	170	5	5	309	237	191

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	666	349	441	0	-
Stage 1	346	-	-	-	-
Stage 2	320	-	-	-	-
Critical Hdwy	6.43	6.23	4.12	-	-
Critical Hdwy Stg 1	5.43	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-
Follow-up Hdwy	3.527	3.327	2.218	-	-
Pot Cap-1 Maneuver	423	692	1119	-	-
Stage 1	714	-	-	-	-
Stage 2	734	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	411	681	1105	-	-
Mov Cap-2 Maneuver	411	-	-	-	-
Stage 1	702	-	-	-	-
Stage 2	725	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	19.8	0.1	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1105	-	416	-	-
HCM Lane V/C Ratio	0.005	-	0.421	-	-
HCM Control Delay (s)	8.3	-	19.8	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0	-	2	-	-

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	10	1	1	210	200	10
Future Volume (vph)	10	1	1	210	200	10
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.988				0.994	
Flt Protected	0.957					
Satd. Flow (prot)	1648	0	0	1863	1870	0
Flt Permitted	0.957					
Satd. Flow (perm)	1648	0	0	1863	1870	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				10
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	9%	9%	2%	2%	1%	1%
Adj. Flow (vph)	10	1	1	219	208	10
Shared Lane Traffic (%)						
Lane Group Flow (vph)	11	0	0	220	218	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 22.2% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	10	1	1	210	200	10
Future Vol, veh/h	10	1	1	210	200	10
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	9	9	2	2	1	1
Mvmt Flow	10	1	1	219	208	10

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	439	218	222	0	-	0
Stage 1	217	-	-	-	-	-
Stage 2	222	-	-	-	-	-
Critical Hdwy	6.49	6.29	4.12	-	-	-
Critical Hdwy Stg 1	5.49	-	-	-	-	-
Critical Hdwy Stg 2	5.49	-	-	-	-	-
Follow-up Hdwy	3.581	3.381	2.218	-	-	-
Pot Cap-1 Maneuver	562	805	1347	-	-	-
Stage 1	803	-	-	-	-	-
Stage 2	799	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	557	801	1342	-	-	-
Mov Cap-2 Maneuver	557	-	-	-	-	-
Stage 1	799	-	-	-	-	-
Stage 2	796	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	11.4	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1342	-	573	-	-
HCM Lane V/C Ratio	0.001	-	0.02	-	-
HCM Control Delay (s)	7.7	0	11.4	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
300: Sherman Ave & S Fuller Dr

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	200	190	5
Future Volume (vph)	5	5	5	200	190	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976			0.999		
Satd. Flow (prot)	1557	0	0	1879	1876	0
Flt Permitted	0.976			0.999		
Satd. Flow (perm)	1557	0	0	1879	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	1%	1%	1%	1%
Adj. Flow (vph)	5	5	5	220	209	5
Shared Lane Traffic (%)						
Lane Group Flow (vph)	10	0	0	225	214	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 24.9% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	5	200	190	5
Future Vol, veh/h	5	5	5	200	190	5
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	91	91	91	91	91	91
Heavy Vehicles, %	11	11	1	1	1	1
Mvmt Flow	5	5	5	220	209	5

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	447	217	218	0	-	0
Stage 1	216	-	-	-	-	-
Stage 2	231	-	-	-	-	-
Critical Hdwy	6.51	6.31	4.11	-	-	-
Critical Hdwy Stg 1	5.51	-	-	-	-	-
Critical Hdwy Stg 2	5.51	-	-	-	-	-
Follow-up Hdwy	3.599	3.399	2.209	-	-	-
Pot Cap-1 Maneuver	553	801	1358	-	-	-
Stage 1	799	-	-	-	-	-
Stage 2	787	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	546	797	1353	-	-	-
Mov Cap-2 Maneuver	546	-	-	-	-	-
Stage 1	793	-	-	-	-	-
Stage 2	784	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.7	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1353	-	648	-	-
HCM Lane V/C Ratio	0.004	-	0.017	-	-
HCM Control Delay (s)	7.7	0	10.7	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	WBL	WBR	NBT	NBR	SBL	SBT
Traffic Volume (vph)	15	25	210	45	15	180
Future Volume (vph)	15	25	210	45	15	180
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.915		0.976			
Flt Protected	0.982				0.996	
Satd. Flow (prot)	1690	0	1818	0	0	1874
Flt Permitted	0.982				0.996	
Satd. Flow (perm)	1690	0	1818	0	0	1874
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		8	8	
Confl. Bikes (#/hr)		1		32		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	16	27	228	49	16	196
Shared Lane Traffic (%)						
Lane Group Flow (vph)	43	0	277	0	0	212
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	32.2%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 1.1

Movement	WBL	WBR	NBT	NBR	SBL	SBT
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	15	25	210	45	15	180
Future Vol, veh/h	15	25	210	45	15	180
Conflicting Peds, #/hr	1	1	0	8	8	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	16	27	228	49	16	196

Major/Minor	Minor1	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	490	262	0	0	285	0
Stage 1	261	-	-	-	-	-
Stage 2	229	-	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209	-
Pot Cap-1 Maneuver	539	779	-	-	1283	-
Stage 1	785	-	-	-	-	-
Stage 2	811	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	527	772	-	-	1273	-
Mov Cap-2 Maneuver	527	-	-	-	-	-
Stage 1	779	-	-	-	-	-
Stage 2	799	-	-	-	-	-

Approach	WB	NB	SB
----------	----	----	----

HCM Control Delay, s	10.9	0	0.6
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
-----------------------	-----	-----	-------	-----	-----

Capacity (veh/h)	-	-	657	1273	-
HCM Lane V/C Ratio	-	-	0.066	0.013	-
HCM Control Delay (s)	-	-	10.9	7.9	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.2	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

PM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	20	1	15	5	235	45	10	180	5
Future Volume (vph)	5	1	5	20	1	15	5	235	45	10	180	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.939				0.945			0.979			0.997
Flt Protected		0.978				0.973			0.999			0.997
Satd. Flow (prot)	0	1572	0	0	1730	0	0	1840	0	0	1870	0
Flt Permitted		0.978				0.973			0.999			0.997
Satd. Flow (perm)	0	1572	0	0	1730	0	0	1840	0	0	1870	0
Link Speed (mph)		30				25			25			25
Link Distance (ft)		261				535			1148			317
Travel Time (s)		5.9				14.6			31.3			8.6
Confl. Peds. (#/hr)	1		1	1		1	4		3	3		4
Confl. Bikes (#/hr)			1			1			29			14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	11%	1%	1%	1%	1%	1%	1%	1%	1%	1%
Adj. Flow (vph)	5	1	5	22	1	16	5	258	49	11	198	5
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	11	0	0	39	0	0	312	0	0	214	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 27.1% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	1	5	20	1	15	5	235	45	10	180	5
Future Vol, veh/h	5	1	5	20	1	15	5	235	45	10	180	5
Conflicting Peds, #/hr	1	0	1	1	0	1	4	0	3	3	0	4
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	11	11	11	1	1	1	1	1	1	1	1	1
Mvmt Flow	5	1	5	22	1	16	5	258	49	11	198	5

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	529	547	206	523	525	287	207	0	0	310	0	0
Stage 1	227	227	-	296	296	-	-	-	-	-	-	-
Stage 2	302	320	-	227	229	-	-	-	-	-	-	-
Critical Hdwy	7.21	6.61	6.31	7.11	6.51	6.21	4.11	-	-	4.11	-	-
Critical Hdwy Stg 1	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.599	4.099	3.399	3.509	4.009	3.309	2.209	-	-	2.209	-	-
Pot Cap-1 Maneuver	446	432	812	466	459	754	1370	-	-	1256	-	-
Stage 1	756	700	-	715	670	-	-	-	-	-	-	-
Stage 2	688	636	-	778	717	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	429	423	808	455	449	751	1365	-	-	1252	-	-
Mov Cap-2 Maneuver	429	423	-	455	449	-	-	-	-	-	-	-
Stage 1	750	690	-	710	665	-	-	-	-	-	-	-
Stage 2	668	632	-	763	707	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB				
HCM Control Delay, s	11.8	12.1			0.1			0.4				
HCM LOS	B	B										
<hr/>												
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR				
Capacity (veh/h)	1365	-	-	544	544	1252	-	-				
HCM Lane V/C Ratio	0.004	-	-	0.022	0.073	0.009	-	-				
HCM Control Delay (s)	7.6	0	-	11.8	12.1	7.9	0	-				
HCM Lane LOS	A	A	-	B	B	A	A	-				
HCM 95th %tile Q(veh)	0	-	-	0.1	0.2	0	-	-				

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

PM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	5	10	5	10	90	1	185	5	15	170	5
Future Volume (vph)	5	5	10	5	10	90	1	185	5	15	170	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.935				0.885			0.996			0.996
Flt Protected		0.987				0.997						0.996
Satd. Flow (prot)	0	1736	0	0	1644	0	0	1855	0	0	1866	0
Flt Permitted		0.987				0.997						0.996
Satd. Flow (perm)	0	1736	0	0	1644	0	0	1855	0	0	1866	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		294			1372			312			1148	
Travel Time (s)		6.7			37.4			8.5			31.3	
Confl. Peds. (#/hr)	3		17	17		3	13		22	22		13
Confl. Bikes (#/hr)			1			1			19			11
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	2%	2%	2%	2%	2%	2%	1%	1%	1%
Adj. Flow (vph)	6	6	11	6	11	100	1	206	6	17	189	6
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	23	0	0	117	0	0	213	0	0	212	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 34.8% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	5	10	5	10	90	1	185	5	15	170	5
Future Vol, veh/h	5	5	10	5	10	90	1	185	5	15	170	5
Conflicting Peds, #/hr	3	0	17	17	0	3	13	0	22	22	0	13
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	2	2	2	2	2	2	1	1	1
Mvmt Flow	6	6	11	6	11	100	1	206	6	17	189	6

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	509	475	222	485	475	234	208	0	0	234	0	0
Stage 1	239	239	-	233	233	-	-	-	-	-	-	-
Stage 2	270	236	-	252	242	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.12	6.52	6.22	4.12	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.518	4.018	3.318	2.218	-	-	2.209	-	-
Pot Cap-1 Maneuver	476	490	820	492	488	805	1363	-	-	1339	-	-
Stage 1	767	709	-	770	712	-	-	-	-	-	-	-
Stage 2	738	712	-	752	705	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	397	466	797	458	465	786	1346	-	-	1311	-	-
Mov Cap-2 Maneuver	397	466	-	458	465	-	-	-	-	-	-	-
Stage 1	757	690	-	753	696	-	-	-	-	-	-	-
Stage 2	631	696	-	713	686	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB			
HCM Control Delay, s	11.7	11				0		0.6			
HCM LOS	B	B									
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1346	-	-	558	715	1311	-	-			
HCM Lane V/C Ratio	0.001	-	-	0.04	0.163	0.013	-	-			
HCM Control Delay (s)	7.7	0	-	11.7	11	7.8	0	-			
HCM Lane LOS	A	A	-	B	B	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	0.6	0	-	-			

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	5	100	90	10	60	125
Future Volume (vph)	5	100	90	10	60	125
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.871		0.986			
Flt Protected	0.998				0.984	
Satd. Flow (prot)	1603	0	1855	0	0	1851
Flt Permitted	0.998				0.984	
Satd. Flow (perm)	1603	0	1855	0	0	1851
Link Speed (mph)	25		25		25	
Link Distance (ft)	1334		480		312	
Travel Time (s)	36.4		13.1		8.5	
Confl. Peds. (#/hr)	4	3		31	31	
Confl. Bikes (#/hr)		1		16		
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles (%)	3%	3%	1%	1%	1%	1%
Adj. Flow (vph)	5	106	96	11	64	133
Shared Lane Traffic (%)						
Lane Group Flow (vph)	111	0	107	0	0	197
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0		0	
Link Offset(ft)	0		0		0	
Crosswalk Width(ft)	16		16		16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	30.6%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3.8

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	5	100	90	10	60	125
Future Vol, veh/h	5	100	90	10	60	125
Conflicting Peds, #/hr	4	3	0	31	31	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	3	3	1	1	1	1
Mvmt Flow	5	106	96	11	64	133

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	398	136	0	0	138
Stage 1	133	-	-	-	-
Stage 2	265	-	-	-	-
Critical Hdwy	6.43	6.23	-	-	4.11
Critical Hdwy Stg 1	5.43	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-
Follow-up Hdwy	3.527	3.327	-	-	2.209
Pot Cap-1 Maneuver	605	910	-	-	1452
Stage 1	891	-	-	-	-
Stage 2	777	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	556	881	-	-	1409
Mov Cap-2 Maneuver	556	-	-	-	-
Stage 1	864	-	-	-	-
Stage 2	736	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	9.8	0	2.5
HCM LOS	A		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	857	1409	-
HCM Lane V/C Ratio	-	-	0.13	0.045	-
HCM Control Delay (s)	-	-	9.8	7.7	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.4	0.1	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y		T	↑↑	↑↓	
Traffic Volume (vph)	10	15	40	1425	935	60
Future Volume (vph)	10	15	40	1425	935	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70			0
Storage Lanes	1	0	1			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.917			0.991		
Flt Protected	0.981		0.950			
Satd. Flow (prot)	1692	0	1770	3539	3507	0
Flt Permitted	0.981		0.950			
Satd. Flow (perm)	1692	0	1770	3539	3507	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	4	24		24	
Confl. Bikes (#/hr)		1			30	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	1%	1%	2%	2%	2%	2%
Adj. Flow (vph)	10	16	42	1484	974	63
Shared Lane Traffic (%)						
Lane Group Flow (vph)	26	0	42	1484	1037	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 50.6% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.6

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	10	15	40	1425	935	60
Future Vol, veh/h	10	15	40	1425	935	60
Conflicting Peds, #/hr	1	4	24	0	0	24
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	1	1	2	2	2	2
Mvmt Flow	10	16	42	1484	974	63

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1857	547	1061	0	-
Stage 1	1030	-	-	-	-
Stage 2	827	-	-	-	-
Critical Hdwy	6.82	6.92	4.14	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.22	-	-
Pot Cap-1 Maneuver	66	484	652	-	-
Stage 1	307	-	-	-	-
Stage 2	392	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	59	471	637	-	-
Mov Cap-2 Maneuver	59	-	-	-	-
Stage 1	280	-	-	-	-
Stage 2	383	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	41.6	0.3	0
HCM LOS	E		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	637	-	124	-	-
HCM Lane V/C Ratio	0.065	-	0.21	-	-
HCM Control Delay (s)	11	-	41.6	-	-
HCM Lane LOS	B	-	E	-	-
HCM 95th %tile Q(veh)	0.2	-	0.8	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

	↑	→	↓	↗	↖	↙	↖	↗	↑	↗	↖	↓	↗
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR	
Lane Configurations													
Traffic Volume (vph)	25	40	30	180	30	60	80	1380	105	75	865	10	
Future Volume (vph)	25	40	30	180	30	60	80	1380	105	75	865	10	
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769	
Storage Length (ft)	0		0	0		50	90		0	100		0	
Storage Lanes	0		0	1		0	1		0	1		0	
Taper Length (ft)	25			25			25			25			
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95	
Ped Bike Factor		0.99		0.99	0.98		1.00	1.00		1.00	1.00		
Fr <sub>t</sub>		0.957			0.900			0.989			0.998		
Flt Protected		0.987		0.950			0.950			0.950			
Satd. Flow (prot)	0	1763	0	1787	1659	0	1770	3253	0	1770	3287	0	
Flt Permitted		0.901		0.675			0.275			0.105			
Satd. Flow (perm)	0	1604	0	1260	1659	0	512	3253	0	196	3287	0	
Right Turn on Red			No			No			No		No		No
Satd. Flow (RTOR)													
Link Speed (mph)		25			25			25			25		
Link Distance (ft)		1334			254			313			261		
Travel Time (s)		36.4			6.9			8.5			7.1		
Confl. Peds. (#/hr)	9		7	7		9	2		4	4		2	
Confl. Bikes (#/hr)			3			6			1			31	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	2%	2%	2%	2%	2%	2%	
Adj. Flow (vph)	26	41	31	186	31	62	82	1423	108	77	892	10	
Shared Lane Traffic (%)													
Lane Group Flow (vph)	0	98	0	186	93	0	82	1531	0	77	902	0	
Enter Blocked Intersection	No												
Lane Alignment	Left	Left	Right										
Median Width(ft)		12			12			12			12		
Link Offset(ft)		0			0			0			0		
Crosswalk Width(ft)		16			16			16			16		
Two way Left Turn Lane													
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10	
Turning Speed (mph)	15		9	15		9	15		9	15		9	
Number of Detectors	1	2		1	2		1	2		1	2		
Detector Template	Left	Thru											
Leading Detector (ft)	20	100		20	100		20	100		20	100		
Trailing Detector (ft)	0	0		0	0		0	0		0	0		
Detector 1 Position(ft)	0	0		0	0		0	0		0	0		
Detector 1 Size(ft)	20	6		20	6		20	6		20	6		
Detector 1 Type	Cl+Ex	Cl+Ex											
Detector 1 Channel													
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0		
Detector 2 Position(ft)		94			94			94			94		
Detector 2 Size(ft)		6			6			6			6		
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex		
Detector 2 Channel													

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	28.0	28.0		28.0	28.0		12.0	68.0		14.0	70.0	
Total Split (%)	25.5%	25.5%		25.5%	25.5%		10.9%	61.8%		12.7%	63.6%	
Maximum Green (s)	22.5	22.5		23.5	23.5		7.5	63.5		9.5	65.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	18.9		19.9	19.9			77.5	72.5		77.5	72.5	
Actuated g/C Ratio	0.17		0.18	0.18			0.70	0.66		0.70	0.66	
v/c Ratio	0.36		0.82	0.31			0.19	0.71		0.35	0.42	
Control Delay	42.8		69.9	40.7			5.8	16.1		9.1	10.7	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	42.8		69.9	40.7			5.8	16.1		9.1	10.7	
LOS	D		E	D			A	B		A	B	
Approach Delay		42.8			60.2			15.6			10.5	
Approach LOS		D			E			B			B	

Intersection Summary

Area Type: Other

Cycle Length: 110

Actuated Cycle Length: 110

Offset: 80 (73%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.82

Intersection Signal Delay: 19.0

Intersection LOS: B

Intersection Capacity Utilization 76.6%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

PM Peak

10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SBT
Lane Group Flow (vph)	98	186	93	82	1531	77	902
v/c Ratio	0.36	0.82	0.31	0.19	0.71	0.35	0.42
Control Delay	42.8	69.9	40.7	5.8	16.1	9.1	10.7
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	42.8	69.9	40.7	5.8	16.1	9.1	10.7
Queue Length 50th (ft)	61	125	56	15	366	14	158
Queue Length 95th (ft)	109	#219	103	30	509	29	221
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	328	269	354	451	2142	278	2165
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.30	0.69	0.26	0.18	0.71	0.28	0.42

Intersection Summary

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

Movement	EBL	EBT	EBC	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	25	40	30	180	30	60	80	1380	105	75	865	10
Future Volume (veh/h)	25	40	30	180	30	60	80	1380	105	75	865	10
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.99			0.97	0.99		0.96	1.00		0.98	1.00	0.96
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1885	1885	1885	1870	1741	1741	1870	1741	1741
Adj Flow Rate, veh/h	26	41	31	186	31	62	82	1423	108	77	892	10
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	1	1	1	2	2	2	2	2	2
Cap, veh/h	89	132	83	278	89	179	474	2091	158	257	2221	25
Arrive On Green	0.16	0.16	0.16	0.16	0.16	0.16	0.04	0.67	0.67	0.03	0.66	0.66
Sat Flow, veh/h	291	807	508	1322	547	1093	1781	3112	235	1781	3350	38
Grp Volume(v), veh/h	98	0	0	186	0	93	82	753	778	77	441	461
Grp Sat Flow(s), veh/h/ln	1606	0	0	1322	0	1640	1781	1654	1692	1781	1654	1733
Q Serve(g_s), s	0.3	0.0	0.0	9.6	0.0	5.5	1.6	30.2	30.7	1.5	13.5	13.5
Cycle Q Clear(g_c), s	5.8	0.0	0.0	15.4	0.0	5.5	1.6	30.2	30.7	1.5	13.5	13.5
Prop In Lane	0.27			0.32	1.00		0.67	1.00		0.14	1.00	0.02
Lane Grp Cap(c), veh/h	304	0	0	278	0	268	474	1112	1137	257	1097	1149
V/C Ratio(X)	0.32	0.00	0.00	0.67	0.00	0.35	0.17	0.68	0.68	0.30	0.40	0.40
Avail Cap(c_a), veh/h	369	0	0	345	0	350	521	1112	1137	353	1097	1149
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	40.8	0.0	0.0	45.0	0.0	40.8	6.0	10.9	11.0	10.5	8.5	8.5
Incr Delay (d2), s/veh	0.6	0.0	0.0	3.6	0.0	0.8	0.1	3.3	3.3	0.2	1.1	1.0
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	4.4	0.0	0.0	9.0	0.0	4.2	1.0	16.7	17.2	1.0	8.5	8.8
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	41.4	0.0	0.0	48.6	0.0	41.6	6.0	14.2	14.3	10.7	9.6	9.6
LnGrp LOS	D	A	A	D	A	D	A	B	B	B	A	A
Approach Vol, veh/h		98			279			1613			979	
Approach Delay, s/veh		41.4			46.2			13.8			9.7	
Approach LOS		D			D			B			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	8.1	78.4		23.5	9.1	77.4		23.5				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	9.5	63.5		22.5	7.5	65.5		* 24				
Max Q Clear Time (g_c+l1), s	3.5	32.7		7.8	3.6	15.5		17.4				
Green Ext Time (p_c), s	0.0	15.3		0.4	0.0	7.6		0.6				
Intersection Summary												
HCM 6th Ctrl Delay			16.4									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												



Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	155	5	5	300	230	170
Future Volume (vph)	155	5	5	300	230	170
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.996				0.943	
Flt Protected	0.954			0.950		
Satd. Flow (prot)	1753	0	1770	1863	1774	0
Flt Permitted	0.954			0.950		
Satd. Flow (perm)	1753	0	1770	1863	1774	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	3	13			13
Confl. Bikes (#/hr)		1				1
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	2%	2%	1%	1%
Adj. Flow (vph)	160	5	5	309	237	175
Shared Lane Traffic (%)						
Lane Group Flow (vph)	165	0	5	309	412	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 39.0% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 3.5

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	155	5	5	300	230	170
Future Vol, veh/h	155	5	5	300	230	170
Conflicting Peds, #/hr	1	3	13	0	0	13
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	3	3	2	2	1	1
Mvmt Flow	160	5	5	309	237	175

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	658	341	425	0	-
Stage 1	338	-	-	-	-
Stage 2	320	-	-	-	-
Critical Hdwy	6.43	6.23	4.12	-	-
Critical Hdwy Stg 1	5.43	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-
Follow-up Hdwy	3.527	3.327	2.218	-	-
Pot Cap-1 Maneuver	428	699	1134	-	-
Stage 1	720	-	-	-	-
Stage 2	734	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	416	688	1120	-	-
Mov Cap-2 Maneuver	416	-	-	-	-
Stage 1	708	-	-	-	-
Stage 2	725	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	19	0.1	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1120	-	421	-	-
HCM Lane V/C Ratio	0.005	-	0.392	-	-
HCM Control Delay (s)	8.2	-	19	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0	-	1.8	-	-

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	10	1	1	200	185	10
Future Volume (vph)	10	1	1	200	185	10
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.988				0.993	
Flt Protected	0.957					
Satd. Flow (prot)	1648	0	0	1863	1868	0
Flt Permitted	0.957					
Satd. Flow (perm)	1648	0	0	1863	1868	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				10
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	9%	9%	2%	2%	1%	1%
Adj. Flow (vph)	10	1	1	208	193	10
Shared Lane Traffic (%)						
Lane Group Flow (vph)	11	0	0	209	203	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 21.6% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	10	1	1	200	185	10
Future Vol, veh/h	10	1	1	200	185	10
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	9	9	2	2	1	1
Mvmt Flow	10	1	1	208	193	10

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	413	203	207	0	-	0
Stage 1	202	-	-	-	-	-
Stage 2	211	-	-	-	-	-
Critical Hdwy	6.49	6.29	4.12	-	-	-
Critical Hdwy Stg 1	5.49	-	-	-	-	-
Critical Hdwy Stg 2	5.49	-	-	-	-	-
Follow-up Hdwy	3.581	3.381	2.218	-	-	-
Pot Cap-1 Maneuver	582	820	1364	-	-	-
Stage 1	815	-	-	-	-	-
Stage 2	808	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	577	816	1359	-	-	-
Mov Cap-2 Maneuver	577	-	-	-	-	-
Stage 1	811	-	-	-	-	-
Stage 2	805	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	11.2	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1359	-	593	-	-
HCM Lane V/C Ratio	0.001	-	0.019	-	-
HCM Control Delay (s)	7.7	0	11.2	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
300: Sherman Ave & S Fuller Dr

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	190	175	5
Future Volume (vph)	5	5	5	190	175	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976			0.999		
Satd. Flow (prot)	1557	0	0	1879	1876	0
Flt Permitted	0.976			0.999		
Satd. Flow (perm)	1557	0	0	1879	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	1%	1%	1%	1%
Adj. Flow (vph)	5	5	5	209	192	5
Shared Lane Traffic (%)						
Lane Group Flow (vph)	10	0	0	214	197	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 24.4% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	5	190	175	5
Future Vol, veh/h	5	5	5	190	175	5
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	91	91	91	91	91	91
Heavy Vehicles, %	11	11	1	1	1	1
Mvmt Flow	5	5	5	209	192	5

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	419	200	201	0	-	0
Stage 1	199	-	-	-	-	-
Stage 2	220	-	-	-	-	-
Critical Hdwy	6.51	6.31	4.11	-	-	-
Critical Hdwy Stg 1	5.51	-	-	-	-	-
Critical Hdwy Stg 2	5.51	-	-	-	-	-
Follow-up Hdwy	3.599	3.399	2.209	-	-	-
Pot Cap-1 Maneuver	574	819	1377	-	-	-
Stage 1	813	-	-	-	-	-
Stage 2	796	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	567	815	1372	-	-	-
Mov Cap-2 Maneuver	567	-	-	-	-	-
Stage 1	806	-	-	-	-	-
Stage 2	793	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.5	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1372	-	669	-	-
HCM Lane V/C Ratio	0.004	-	0.016	-	-
HCM Control Delay (s)	7.6	0	10.5	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	Y		Y		Y	Y
Traffic Volume (vph)	10	25	195	0	0	170
Future Volume (vph)	10	25	195	0	0	170
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.904					
Flt Protected	0.986					
Satd. Flow (prot)	1677	0	1863	0	0	1881
Flt Permitted	0.986					
Satd. Flow (perm)	1677	0	1863	0	0	1881
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		8	8	
Confl. Bikes (#/hr)		1		32		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	11	27	212	0	0	185
Shared Lane Traffic (%)						
Lane Group Flow (vph)	38	0	212	0	0	185
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free			Free
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	21.3%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 0.9

Movement	WBL	WBR	NBT	NBR	SBL	SBT
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	10	25	195	0	0	170
Future Vol, veh/h	10	25	195	0	0	170
Conflicting Peds, #/hr	1	1	0	8	8	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	11	27	212	0	0	185

Major/Minor	Minor1	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	406	221	0	0	220	0
Stage 1	220	-	-	-	-	-
Stage 2	186	-	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209	-
Pot Cap-1 Maneuver	603	821	-	-	1355	-
Stage 1	819	-	-	-	-	-
Stage 2	848	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	598	814	-	-	1345	-
Mov Cap-2 Maneuver	598	-	-	-	-	-
Stage 1	812	-	-	-	-	-
Stage 2	847	-	-	-	-	-

Approach	WB	NB	SB
----------	----	----	----

HCM Control Delay, s	10.1	0	0
----------------------	------	---	---

HCM LOS	B
---------	---

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	738	1345	-
HCM Lane V/C Ratio	-	-	0.052	-	-
HCM Control Delay (s)	-	-	10.1	0	-
HCM Lane LOS	-	-	B	A	-
HCM 95th %tile Q(veh)	-	-	0.2	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

PM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	0	0	0	5	190	1	1	175	5
Future Volume (vph)	5	1	5	0	0	0	5	190	1	1	175	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt				0.939					0.999			0.997
Flt Protected				0.978					0.999			
Satd. Flow (prot)	0	1572	0	0	1881	0	0	1877	0	0	1876	0
Flt Permitted		0.978						0.999				
Satd. Flow (perm)	0	1572	0	0	1881	0	0	1877	0	0	1876	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		261			535			1148			317	
Travel Time (s)		5.9			14.6			31.3			8.6	
Confl. Peds. (#/hr)	1		1	1		1	4		3	3		4
Confl. Bikes (#/hr)			1			1			29			14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	11%	1%	1%	1%	1%	1%	1%	1%	1%	1%
Adj. Flow (vph)	5	1	5	0	0	0	5	209	1	1	192	5
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	11	0	0	0	0	0	215	0	0	198	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 23.9% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	1	5	0	0	0	5	190	1	1	175	5
Future Vol, veh/h	5	1	5	0	0	0	5	190	1	1	175	5
Conflicting Peds, #/hr	1	0	1	1	0	1	4	0	3	3	0	4
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	11	11	11	1	1	1	1	1	1	1	1	1
Mvmt Flow	5	1	5	0	0	0	5	209	1	1	192	5

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	422	424	200	424	426	214	201	0	0	213	0	0
Stage 1	201	201	-	223	223	-	-	-	-	-	-	-
Stage 2	221	223	-	201	203	-	-	-	-	-	-	-
Critical Hdwy	7.21	6.61	6.31	7.11	6.51	6.21	4.11	-	-	4.11	-	-
Critical Hdwy Stg 1	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.599	4.099	3.399	3.509	4.009	3.309	2.209	-	-	2.209	-	-
Pot Cap-1 Maneuver	527	508	819	542	522	829	1377	-	-	1363	-	-
Stage 1	781	718	-	782	721	-	-	-	-	-	-	-
Stage 2	761	703	-	803	735	-	-	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-	-	-	-	-	-	-
Mov Cap-1 Maneuver	522	502	815	533	516	826	1372	-	-	1359	-	-
Mov Cap-2 Maneuver	522	502	-	533	516	-	-	-	-	-	-	-
Stage 1	775	714	-	777	716	-	-	-	-	-	-	-
Stage 2	757	698	-	795	731	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB				
HCM Control Delay, s	10.9	0			0.2			0				
HCM LOS	B	A			A			A				
<hr/>												
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR				
Capacity (veh/h)	1372	-	-	621	-	1359	-	-				
HCM Lane V/C Ratio	0.004	-	-	0.019	-	0.001	-	-				
HCM Control Delay (s)	7.6	0	-	10.9	0	7.7	0	-				
HCM Lane LOS	A	A	-	B	A	A	A	A				
HCM 95th %tile Q(veh)	0	-	-	0.1	-	0	-	-				

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

PM Peak  
10/20/2022

	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	5	10	5	10	45	1	140	5	10	150	5
Future Volume (vph)	5	5	10	5	10	45	1	140	5	10	150	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.935			0.899			0.995			0.996	
Flt Protected		0.987			0.996						0.997	
Satd. Flow (prot)	0	1736	0	0	1668	0	0	1853	0	0	1868	0
Flt Permitted		0.987			0.996						0.997	
Satd. Flow (perm)	0	1736	0	0	1668	0	0	1853	0	0	1868	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		294			1372			312			1148	
Travel Time (s)		6.7			37.4			8.5			31.3	
Confl. Peds. (#/hr)	3		17	17		3	13		22	22		13
Confl. Bikes (#/hr)			1			1			19			11
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	2%	2%	2%	2%	2%	2%	1%	1%	1%
Adj. Flow (vph)	6	6	11	6	11	50	1	156	6	11	167	6
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	23	0	0	67	0	0	163	0	0	184	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	
Intersection Summary												
Area Type:	Other											
Control Type:	Unsignalized											
Intersection Capacity Utilization	29.5%							ICU Level of Service A				
Analysis Period (min)	15											

Intersection

Int Delay, s/veh 2.4

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	5	10	5	10	45	1	140	5	10	150	5
Future Vol, veh/h	5	5	10	5	10	45	1	140	5	10	150	5
Conflicting Peds, #/hr	3	0	17	17	0	3	13	0	22	22	0	13
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	2	2	2	2	2	2	1	1	1
Mvmt Flow	6	6	11	6	11	50	1	156	6	11	167	6

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	400	391	200	401	391	184	186	0	0	184	0	0
Stage 1	205	205	-	183	183	-	-	-	-	-	-	-
Stage 2	195	186	-	218	208	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.12	6.52	6.22	4.12	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.518	4.018	3.318	2.218	-	-	2.209	-	-
Pot Cap-1 Maneuver	562	546	843	560	545	858	1388	-	-	1397	-	-
Stage 1	799	734	-	819	748	-	-	-	-	-	-	-
Stage 2	809	748	-	784	730	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	508	523	819	524	522	838	1371	-	-	1368	-	-
Mov Cap-2 Maneuver	508	523	-	524	522	-	-	-	-	-	-	-
Stage 1	789	719	-	801	732	-	-	-	-	-	-	-
Stage 2	746	732	-	748	715	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB			
HCM Control Delay, s	10.9	10.4				0.1		0.5			
HCM LOS	B	B									
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1371	-	-	633	728	1368	-	-			
HCM Lane V/C Ratio	0.001	-	-	0.035	0.092	0.008	-	-			
HCM Control Delay (s)	7.6	0	-	10.9	10.4	7.7	0	-			
HCM Lane LOS	A	A	-	B	B	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	0.3	0	-	-			

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	5	60	85	10	45	120
Future Volume (vph)	5	60	85	10	45	120
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.875		0.985			
Flt Protected	0.996				0.987	
Satd. Flow (prot)	1608	0	1853	0	0	1857
Flt Permitted	0.996				0.987	
Satd. Flow (perm)	1608	0	1853	0	0	1857
Link Speed (mph)	25		25			25
Link Distance (ft)	1334		480			312
Travel Time (s)	36.4		13.1			8.5
Confl. Peds. (#/hr)	4	3		31	31	
Confl. Bikes (#/hr)		1		16		
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles (%)	3%	3%	1%	1%	1%	1%
Adj. Flow (vph)	5	64	90	11	48	128
Shared Lane Traffic (%)						
Lane Group Flow (vph)	69	0	101	0	0	176
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	27.3%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	5	60	85	10	45	120
Future Vol, veh/h	5	60	85	10	45	120
Conflicting Peds, #/hr	4	3	0	31	31	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	3	3	1	1	1	1
Mvmt Flow	5	64	90	11	48	128

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	355	130	0	0	132
Stage 1	127	-	-	-	-
Stage 2	228	-	-	-	-
Critical Hdwy	6.43	6.23	-	-	4.11
Critical Hdwy Stg 1	5.43	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-
Follow-up Hdwy	3.527	3.327	-	-	2.209
Pot Cap-1 Maneuver	641	917	-	-	1459
Stage 1	896	-	-	-	-
Stage 2	808	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	597	887	-	-	1416
Mov Cap-2 Maneuver	597	-	-	-	-
Stage 1	869	-	-	-	-
Stage 2	776	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	9.6	0	2.1
HCM LOS	A		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	855	1416	-
HCM Lane V/C Ratio	-	-	0.081	0.034	-
HCM Control Delay (s)	-	-	9.6	7.6	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.3	0.1	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	Y		T	↑↑	↓↓	
Traffic Volume (vph)	10	10	30	1415	935	25
Future Volume (vph)	10	10	30	1415	935	25
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70			0
Storage Lanes	1	0	1			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.932			0.996		
Flt Protected	0.976		0.950			
Satd. Flow (prot)	1711	0	1770	3539	3525	0
Flt Permitted	0.976		0.950			
Satd. Flow (perm)	1711	0	1770	3539	3525	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	4	24		24	
Confl. Bikes (#/hr)		1			30	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	1%	1%	2%	2%	2%	2%
Adj. Flow (vph)	10	10	31	1474	974	26
Shared Lane Traffic (%)						
Lane Group Flow (vph)	20	0	31	1474	1000	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 50.4% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.5

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	10	10	30	1415	935	25
Future Vol, veh/h	10	10	30	1415	935	25
Conflicting Peds, #/hr	1	4	24	0	0	24
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	1	1	2	2	2	2
Mvmt Flow	10	10	31	1474	974	26

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1811	528	1024	0	-
Stage 1	1011	-	-	-	-
Stage 2	800	-	-	-	-
Critical Hdwy	6.82	6.92	4.14	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.22	-	-
Pot Cap-1 Maneuver	71	498	674	-	-
Stage 1	315	-	-	-	-
Stage 2	405	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	65	485	659	-	-
Mov Cap-2 Maneuver	65	-	-	-	-
Stage 1	293	-	-	-	-
Stage 2	396	-	-	-	-

Approach	EB	NB	SB
----------	----	----	----

HCM Control Delay, s 43.1 0.2 0

HCM LOS E

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	659	-	115	-	-
HCM Lane V/C Ratio	0.047	-	0.181	-	-
HCM Control Delay (s)	10.7	-	43.1	-	-
HCM Lane LOS	B	-	E	-	-
HCM 95th %tile Q(veh)	0.1	-	0.6	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	15	40	15	180	30	60	40	1370	105	75	860	10
Future Volume (vph)	15	40	15	180	30	60	40	1370	105	75	860	10
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769
Storage Length (ft)	0		0	0		50	90		0	100		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95
Ped Bike Factor		0.99		0.99	0.98		1.00	1.00		1.00	1.00	
Fr <sub>t</sub>		0.971			0.900			0.989			0.998	
Flt Protected		0.990		0.950			0.950			0.950		
Satd. Flow (prot)	0	1799	0	1787	1659	0	1770	3253	0	1770	3287	0
Flt Permitted		0.929		0.745			0.288			0.108		
Satd. Flow (perm)	0	1684	0	1389	1659	0	536	3253	0	201	3287	0
Right Turn on Red			No			No			No		No	
Satd. Flow (RTOR)												
Link Speed (mph)		25			25			25			25	
Link Distance (ft)		1334			254			313			261	
Travel Time (s)		36.4			6.9			8.5			7.1	
Confl. Peds. (#/hr)	9		7	7		9	2		4	4		2
Confl. Bikes (#/hr)		3			6			1			31	
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	2%	2%	2%	2%	2%	2%
Adj. Flow (vph)	15	41	15	186	31	62	41	1412	108	77	887	10
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	71	0	186	93	0	41	1520	0	77	897	0
Enter Blocked Intersection	No											
Lane Alignment	Left	Left	Right									
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10
Turning Speed (mph)	15		9	15		9	15		9	15		9
Number of Detectors	1	2		1	2		1	2		1	2	
Detector Template	Left	Thru										
Leading Detector (ft)	20	100		20	100		20	100		20	100	
Trailing Detector (ft)	0	0		0	0		0	0		0	0	
Detector 1 Position(ft)	0	0		0	0		0	0		0	0	
Detector 1 Size(ft)	20	6		20	6		20	6		20	6	
Detector 1 Type	Cl+Ex	Cl+Ex										
Detector 1 Channel												
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 2 Position(ft)		94			94			94			94	
Detector 2 Size(ft)		6			6			6			6	
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex	
Detector 2 Channel												

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	28.0	28.0		28.0	28.0		12.0	68.0		14.0	70.0	
Total Split (%)	25.5%	25.5%		25.5%	25.5%		10.9%	61.8%		12.7%	63.6%	
Maximum Green (s)	22.5	22.5		23.5	23.5		7.5	63.5		9.5	65.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	18.0		19.0	19.0			77.8	73.4		79.9	75.9	
Actuated g/C Ratio	0.16		0.17	0.17			0.71	0.67		0.73	0.69	
v/c Ratio	0.26		0.78	0.33			0.09	0.70		0.33	0.40	
Control Delay	40.9		64.5	41.6			5.1	15.3		8.5	9.2	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	40.9		64.5	41.6			5.1	15.3		8.5	9.2	
LOS	D		E	D			A	B		A	A	
Approach Delay		40.9			56.9			15.1			9.1	
Approach LOS		D			E			B			A	

Intersection Summary

Area Type: Other

Cycle Length: 110

Actuated Cycle Length: 110

Offset: 80 (73%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 65

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.78

Intersection Signal Delay: 17.7

Intersection LOS: B

Intersection Capacity Utilization 76.3%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SBT
Lane Group Flow (vph)	71	186	93	41	1520	77	897
v/c Ratio	0.26	0.78	0.33	0.09	0.70	0.33	0.40
Control Delay	40.9	64.5	41.6	5.1	15.3	8.5	9.2
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	40.9	64.5	41.6	5.1	15.3	8.5	9.2
Queue Length 50th (ft)	44	126	58	7	345	13	146
Queue Length 95th (ft)	83	199	103	18	501	29	213
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	344	296	354	471	2170	284	2268
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.21	0.63	0.26	0.09	0.70	0.27	0.40

Intersection Summary

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	15	40	15	180	30	60	40	1370	105	75	860	10
Future Volume (veh/h)	15	40	15	180	30	60	40	1370	105	75	860	10
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.99			0.99			0.96	1.00		0.98	1.00	
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1885	1885	1885	1870	1741	1741	1870	1741	1741
Adj Flow Rate, veh/h	15	41	15	186	31	62	41	1412	108	77	887	10
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	1	1	1	2	2	2	2	2	2
Cap, veh/h	71	169	54	280	81	163	479	2134	162	269	2299	26
Arrive On Green	0.15	0.15	0.15	0.15	0.15	0.15	0.03	0.69	0.69	0.03	0.69	0.69
Sat Flow, veh/h	213	1135	361	1338	546	1092	1781	3110	237	1781	3349	38
Grp Volume(v), veh/h	71	0	0	186	0	93	41	748	772	77	438	459
Grp Sat Flow(s), veh/h/ln	1709	0	0	1338	0	1637	1781	1654	1692	1781	1654	1733
Q Serve(g_s), s	0.0	0.0	0.0	9.9	0.0	5.6	0.7	28.5	29.0	1.4	12.4	12.4
Cycle Q Clear(g_c), s	3.8	0.0	0.0	13.7	0.0	5.6	0.7	28.5	29.0	1.4	12.4	12.4
Prop In Lane	0.21			1.00			0.67	1.00		0.14	1.00	
Lane Grp Cap(c), veh/h	295	0	0	280	0	244	479	1135	1161	269	1136	1190
V/C Ratio(X)	0.24	0.00	0.00	0.67	0.00	0.38	0.09	0.66	0.66	0.29	0.39	0.39
Avail Cap(c_a), veh/h	386	0	0	366	0	350	543	1135	1161	364	1136	1190
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	41.4	0.0	0.0	45.3	0.0	42.2	5.2	9.9	10.0	9.5	7.4	7.4
Incr Delay (d2), s/veh	0.4	0.0	0.0	2.9	0.0	1.0	0.0	3.0	3.0	0.2	1.0	0.9
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	3.2	0.0	0.0	8.9	0.0	4.3	0.5	15.7	16.2	1.0	7.9	8.1
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	41.9	0.0	0.0	48.1	0.0	43.2	5.2	12.9	13.0	9.7	8.3	8.3
LnGrp LOS	D	A	A	D	A	D	A	B	B	A	A	A
Approach Vol, veh/h		71			279			1561			974	
Approach Delay, s/veh		41.9			46.5			12.7			8.4	
Approach LOS		D			D			B			A	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	8.1	80.0		21.9	8.1	80.0		21.9				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	9.5	63.5		22.5	7.5	65.5		* 24				
Max Q Clear Time (g_c+l1), s	3.4	31.0		5.8	2.7	14.4		15.7				
Green Ext Time (p_c), s	0.0	15.5		0.3	0.0	7.5		0.7				
Intersection Summary												
HCM 6th Ctrl Delay			15.3									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												



Lanes, Volumes, Timings  
100: Fordman Ave & Sherman Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	165	5	5	300	230	185
Future Volume (vph)	165	5	5	300	230	185
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.996				0.940	
Flt Protected	0.954			0.950		
Satd. Flow (prot)	1753	0	1770	1863	1768	0
Flt Permitted	0.954			0.950		
Satd. Flow (perm)	1753	0	1770	1863	1768	0
Link Speed (mph)	25			30	30	
Link Distance (ft)	1011			843	605	
Travel Time (s)	27.6			19.2	13.8	
Confl. Peds. (#/hr)	1	3	13			13
Confl. Bikes (#/hr)		1				1
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	3%	3%	2%	2%	1%	1%
Adj. Flow (vph)	170	5	5	309	237	191
Shared Lane Traffic (%)						
Lane Group Flow (vph)	175	0	5	309	428	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	40.5%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3.8

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑	R	
Traffic Vol, veh/h	165	5	5	300	230	185
Future Vol, veh/h	165	5	5	300	230	185
Conflicting Peds, #/hr	1	3	13	0	0	13
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	0	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	97	97	97	97	97	97
Heavy Vehicles, %	3	3	2	2	1	1
Mvmt Flow	170	5	5	309	237	191

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	666	349	441	0	-	0
Stage 1	346	-	-	-	-	-
Stage 2	320	-	-	-	-	-
Critical Hdwy	6.43	6.23	4.12	-	-	-
Critical Hdwy Stg 1	5.43	-	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-	-
Follow-up Hdwy	3.527	3.327	2.218	-	-	-
Pot Cap-1 Maneuver	423	692	1119	-	-	-
Stage 1	714	-	-	-	-	-
Stage 2	734	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	411	681	1105	-	-	-
Mov Cap-2 Maneuver	411	-	-	-	-	-
Stage 1	702	-	-	-	-	-
Stage 2	725	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	19.8	0.1	0
HCM LOS	C		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1105	-	416	-	-
HCM Lane V/C Ratio	0.005	-	0.421	-	-
HCM Control Delay (s)	8.3	-	19.8	-	-
HCM Lane LOS	A	-	C	-	-
HCM 95th %tile Q(veh)	0	-	2	-	-

Lanes, Volumes, Timings  
200: Sherman Ave & N Fuller Dr

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	10	1	1	210	200	10
Future Volume (vph)	10	1	1	210	200	10
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.988				0.994	
Flt Protected	0.957					
Satd. Flow (prot)	1648	0	0	1863	1870	0
Flt Permitted	0.957					
Satd. Flow (perm)	1648	0	0	1863	1870	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	561			1072	1011	
Travel Time (s)	15.3			29.2	27.6	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				10
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	9%	9%	2%	2%	1%	1%
Adj. Flow (vph)	10	1	1	219	208	10
Shared Lane Traffic (%)						
Lane Group Flow (vph)	11	0	0	220	218	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 22.2% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	10	1	1	210	200	10
Future Vol, veh/h	10	1	1	210	200	10
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	9	9	2	2	1	1
Mvmt Flow	10	1	1	219	208	10

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	439	218	222	0	-	0
Stage 1	217	-	-	-	-	-
Stage 2	222	-	-	-	-	-
Critical Hdwy	6.49	6.29	4.12	-	-	-
Critical Hdwy Stg 1	5.49	-	-	-	-	-
Critical Hdwy Stg 2	5.49	-	-	-	-	-
Follow-up Hdwy	3.581	3.381	2.218	-	-	-
Pot Cap-1 Maneuver	562	805	1347	-	-	-
Stage 1	803	-	-	-	-	-
Stage 2	799	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	557	801	1342	-	-	-
Mov Cap-2 Maneuver	557	-	-	-	-	-
Stage 1	799	-	-	-	-	-
Stage 2	796	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	11.4	0	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1342	-	573	-	-
HCM Lane V/C Ratio	0.001	-	0.02	-	-
HCM Control Delay (s)	7.7	0	11.4	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations						
Traffic Volume (vph)	5	5	5	200	190	5
Future Volume (vph)	5	5	5	200	190	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.932				0.997	
Flt Protected	0.976			0.999		
Satd. Flow (prot)	1557	0	0	1879	1876	0
Flt Permitted	0.976			0.999		
Satd. Flow (perm)	1557	0	0	1879	1876	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	539			866	1072	
Travel Time (s)	14.7			23.6	29.2	
Confl. Peds. (#/hr)	1	1	4			4
Confl. Bikes (#/hr)		1				14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	1%	1%	1%	1%
Adj. Flow (vph)	5	5	5	220	209	5
Shared Lane Traffic (%)						
Lane Group Flow (vph)	10	0	0	225	214	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			0	0	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

#### Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 24.9% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.4

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		A	B		
Traffic Vol, veh/h	5	5	5	200	190	5
Future Vol, veh/h	5	5	5	200	190	5
Conflicting Peds, #/hr	1	1	4	0	0	4
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	91	91	91	91	91	91
Heavy Vehicles, %	11	11	1	1	1	1
Mvmt Flow	5	5	5	220	209	5

Major/Minor	Minor2	Major1	Major2			
Conflicting Flow All	447	217	218	0	-	0
Stage 1	216	-	-	-	-	-
Stage 2	231	-	-	-	-	-
Critical Hdwy	6.51	6.31	4.11	-	-	-
Critical Hdwy Stg 1	5.51	-	-	-	-	-
Critical Hdwy Stg 2	5.51	-	-	-	-	-
Follow-up Hdwy	3.599	3.399	2.209	-	-	-
Pot Cap-1 Maneuver	553	801	1358	-	-	-
Stage 1	799	-	-	-	-	-
Stage 2	787	-	-	-	-	-
Platoon blocked, %				-	-	-
Mov Cap-1 Maneuver	546	797	1353	-	-	-
Mov Cap-2 Maneuver	546	-	-	-	-	-
Stage 1	793	-	-	-	-	-
Stage 2	784	-	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	10.7	0.2	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	1353	-	648	-	-
HCM Lane V/C Ratio	0.004	-	0.017	-	-
HCM Control Delay (s)	7.7	0	10.7	-	-
HCM Lane LOS	A	A	B	-	-
HCM 95th %tile Q(veh)	0	-	0.1	-	-

Lanes, Volumes, Timings  
400: Sherman Ave & North D/W

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	15	25	210	45	15	180
Future Volume (vph)	15	25	210	45	15	180
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.915		0.976			
Flt Protected	0.982				0.996	
Satd. Flow (prot)	1690	0	1818	0	0	1874
Flt Permitted	0.982				0.996	
Satd. Flow (perm)	1690	0	1818	0	0	1874
Link Speed (mph)	25		25			25
Link Distance (ft)	525		317			866
Travel Time (s)	14.3		8.6			23.6
Confl. Peds. (#/hr)	1	1		8	8	
Confl. Bikes (#/hr)		1		32		
Peak Hour Factor	0.92	0.92	0.92	0.92	0.92	0.92
Heavy Vehicles (%)	1%	1%	2%	2%	1%	1%
Adj. Flow (vph)	16	27	228	49	16	196
Shared Lane Traffic (%)						
Lane Group Flow (vph)	43	0	277	0	0	212
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	32.2%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 1.1

Movement	WBL	WBR	NBT	NBR	SBL	SBT
----------	-----	-----	-----	-----	-----	-----

Lane Configurations						
Traffic Vol, veh/h	15	25	210	45	15	180
Future Vol, veh/h	15	25	210	45	15	180
Conflicting Peds, #/hr	1	1	0	8	8	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	92	92	92	92	92	92
Heavy Vehicles, %	1	1	2	2	1	1
Mvmt Flow	16	27	228	49	16	196

Major/Minor	Minor1	Major1	Major2
-------------	--------	--------	--------

Conflicting Flow All	490	262	0	0	285	0
Stage 1	261	-	-	-	-	-
Stage 2	229	-	-	-	-	-
Critical Hdwy	6.41	6.21	-	-	4.11	-
Critical Hdwy Stg 1	5.41	-	-	-	-	-
Critical Hdwy Stg 2	5.41	-	-	-	-	-
Follow-up Hdwy	3.509	3.309	-	-	2.209	-
Pot Cap-1 Maneuver	539	779	-	-	1283	-
Stage 1	785	-	-	-	-	-
Stage 2	811	-	-	-	-	-
Platoon blocked, %	-	-	-	-	-	-
Mov Cap-1 Maneuver	527	772	-	-	1273	-
Mov Cap-2 Maneuver	527	-	-	-	-	-
Stage 1	779	-	-	-	-	-
Stage 2	799	-	-	-	-	-

Approach	WB	NB	SB
----------	----	----	----

HCM Control Delay, s	10.9	0	0.6
HCM LOS	B		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
-----------------------	-----	-----	-------	-----	-----

Capacity (veh/h)	-	-	657	1273	-
HCM Lane V/C Ratio	-	-	0.066	0.013	-
HCM Control Delay (s)	-	-	10.9	7.9	0
HCM Lane LOS	-	-	B	A	A
HCM 95th %tile Q(veh)	-	-	0.2	0	-

Lanes, Volumes, Timings  
500: Sherman Ave & Driveway/South D/W

PM Peak

10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	1	5	20	1	15	5	235	45	10	180	5
Future Volume (vph)	5	1	5	20	1	15	5	235	45	10	180	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.939				0.945			0.979			0.997
Flt Protected		0.978				0.973			0.999			0.997
Satd. Flow (prot)	0	1572	0	0	1730	0	0	1840	0	0	1870	0
Flt Permitted		0.978				0.973			0.999			0.997
Satd. Flow (perm)	0	1572	0	0	1730	0	0	1840	0	0	1870	0
Link Speed (mph)		30				25			25			25
Link Distance (ft)		261				535			1148			317
Travel Time (s)		5.9				14.6			31.3			8.6
Confl. Peds. (#/hr)	1		1	1		1	4		3	3		4
Confl. Bikes (#/hr)			1			1			29			14
Peak Hour Factor	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91	0.91
Heavy Vehicles (%)	11%	11%	11%	1%	1%	1%	1%	1%	1%	1%	1%	1%
Adj. Flow (vph)	5	1	5	22	1	16	5	258	49	11	198	5
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	11	0	0	39	0	0	312	0	0	214	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 27.1% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 1.3

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	1	5	20	1	15	5	235	45	10	180	5
Future Vol, veh/h	5	1	5	20	1	15	5	235	45	10	180	5
Conflicting Peds, #/hr	1	0	1	1	0	1	4	0	3	3	0	4
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	91	91	91	91	91	91	91	91	91	91	91	91
Heavy Vehicles, %	11	11	11	1	1	1	1	1	1	1	1	1
Mvmt Flow	5	1	5	22	1	16	5	258	49	11	198	5

Major/Minor	Minor2	Minor1			Major1			Major2				
Conflicting Flow All	529	547	206	523	525	287	207	0	0	310	0	0
Stage 1	227	227	-	296	296	-	-	-	-	-	-	-
Stage 2	302	320	-	227	229	-	-	-	-	-	-	-
Critical Hdwy	7.21	6.61	6.31	7.11	6.51	6.21	4.11	-	-	4.11	-	-
Critical Hdwy Stg 1	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.21	5.61	-	6.11	5.51	-	-	-	-	-	-	-
Follow-up Hdwy	3.599	4.099	3.399	3.509	4.009	3.309	2.209	-	-	2.209	-	-
Pot Cap-1 Maneuver	446	432	812	466	459	754	1370	-	-	1256	-	-
Stage 1	756	700	-	715	670	-	-	-	-	-	-	-
Stage 2	688	636	-	778	717	-	-	-	-	-	-	-
Platoon blocked, %								-	-	-	-	-
Mov Cap-1 Maneuver	429	423	808	455	449	751	1365	-	-	1252	-	-
Mov Cap-2 Maneuver	429	423	-	455	449	-	-	-	-	-	-	-
Stage 1	750	690	-	710	665	-	-	-	-	-	-	-
Stage 2	668	632	-	763	707	-	-	-	-	-	-	-

Approach	EB	WB			NB			SB			
HCM Control Delay, s	11.8	12.1			0.1			0.4			
HCM LOS	B	B									
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1365	-	-	544	544	1252	-	-			
HCM Lane V/C Ratio	0.004	-	-	0.022	0.073	0.009	-	-			
HCM Control Delay (s)	7.6	0	-	11.8	12.1	7.9	0	-			
HCM Lane LOS	A	A	-	B	B	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	0.2	0	-	-			

Lanes, Volumes, Timings  
600: Sherman Ave & Parking/Marston Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	5	5	10	15	10	90	1	185	5	15	170	5
Future Volume (vph)	5	5	10	15	10	90	1	185	5	15	170	5
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor												
Frt		0.935			0.895			0.996			0.996	
Flt Protected		0.987			0.993						0.996	
Satd. Flow (prot)	0	1736	0	0	1655	0	0	1855	0	0	1866	0
Flt Permitted		0.987			0.993						0.996	
Satd. Flow (perm)	0	1736	0	0	1655	0	0	1855	0	0	1866	0
Link Speed (mph)		30			25			25			25	
Link Distance (ft)		294			1372			312			1148	
Travel Time (s)		6.7			37.4			8.5			31.3	
Confl. Peds. (#/hr)	3		17	17		3	13		22	22		13
Confl. Bikes (#/hr)			1			1			19			11
Peak Hour Factor	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90	0.90
Heavy Vehicles (%)	1%	1%	1%	2%	2%	2%	2%	2%	2%	1%	1%	1%
Adj. Flow (vph)	6	6	11	17	11	100	1	206	6	17	189	6
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	23	0	0	128	0	0	213	0	0	212	0
Enter Blocked Intersection	No	No	No	No	No	No	No	No	No	No	No	No
Lane Alignment	Left	Left	Right	Left	Left	Right	Left	Left	Right	Left	Left	Right
Median Width(ft)		0			0			0			0	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15		9	15		9	15		9	15		9
Sign Control		Stop			Stop			Free			Free	
Intersection Summary												
Area Type:	Other											
Control Type:	Unsignalized											
Intersection Capacity Utilization	35.5%							ICU Level of Service A				
Analysis Period (min)	15											

Intersection

Int Delay, s/veh 3.2

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Vol, veh/h	5	5	10	15	10	90	1	185	5	15	170	5
Future Vol, veh/h	5	5	10	15	10	90	1	185	5	15	170	5
Conflicting Peds, #/hr	3	0	17	17	0	3	13	0	22	22	0	13
Sign Control	Stop	Stop	Stop	Stop	Stop	Stop	Free	Free	Free	Free	Free	Free
RT Channelized	-	-	None									
Storage Length	-	-	-	-	-	-	-	-	-	-	-	-
Veh in Median Storage, #	-	0	-	-	0	-	-	0	-	-	0	-
Grade, %	-	0	-	-	0	-	-	0	-	-	0	-
Peak Hour Factor	90	90	90	90	90	90	90	90	90	90	90	90
Heavy Vehicles, %	1	1	1	2	2	2	2	2	2	1	1	1
Mvmt Flow	6	6	11	17	11	100	1	206	6	17	189	6

Major/Minor	Minor2	Minor1				Major1		Major2				
Conflicting Flow All	509	475	222	485	475	234	208	0	0	234	0	0
Stage 1	239	239	-	233	233	-	-	-	-	-	-	-
Stage 2	270	236	-	252	242	-	-	-	-	-	-	-
Critical Hdwy	7.11	6.51	6.21	7.12	6.52	6.22	4.12	-	-	4.11	-	-
Critical Hdwy Stg 1	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Critical Hdwy Stg 2	6.11	5.51	-	6.12	5.52	-	-	-	-	-	-	-
Follow-up Hdwy	3.509	4.009	3.309	3.518	4.018	3.318	2.218	-	-	2.209	-	-
Pot Cap-1 Maneuver	476	490	820	492	488	805	1363	-	-	1339	-	-
Stage 1	767	709	-	770	712	-	-	-	-	-	-	-
Stage 2	738	712	-	752	705	-	-	-	-	-	-	-
Platoon blocked, %							-	-	-	-	-	-
Mov Cap-1 Maneuver	397	466	797	458	465	786	1346	-	-	1311	-	-
Mov Cap-2 Maneuver	397	466	-	458	465	-	-	-	-	-	-	-
Stage 1	757	690	-	753	696	-	-	-	-	-	-	-
Stage 2	631	696	-	713	686	-	-	-	-	-	-	-

Approach	EB	WB				NB		SB			
HCM Control Delay, s	11.7	11.5				0		0.6			
HCM LOS	B	B									
<hr/>											
Minor Lane/Major Mvmt	NBL	NBT	NBR	EBLn1	WBLn1	SBL	SBT	SBR			
Capacity (veh/h)	1346	-	-	558	681	1311	-	-			
HCM Lane V/C Ratio	0.001	-	-	0.04	0.188	0.013	-	-			
HCM Control Delay (s)	7.7	0	-	11.7	11.5	7.8	0	-			
HCM Lane LOS	A	A	-	B	B	A	A	-			
HCM 95th %tile Q(veh)	0	-	-	0.1	0.7	0	-	-			

Lanes, Volumes, Timings  
700: Sherman Ave & Baldwin St

PM Peak  
10/20/2022



Lane Group	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations						
Traffic Volume (vph)	5	100	90	10	70	125
Future Volume (vph)	5	100	90	10	70	125
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00
Ped Bike Factor						
Frt	0.871		0.986			
Flt Protected	0.998				0.982	
Satd. Flow (prot)	1603	0	1855	0	0	1847
Flt Permitted	0.998				0.982	
Satd. Flow (perm)	1603	0	1855	0	0	1847
Link Speed (mph)	25		25			25
Link Distance (ft)	1334		480			312
Travel Time (s)	36.4		13.1			8.5
Confl. Peds. (#/hr)	4	3		31	31	
Confl. Bikes (#/hr)		1		16		
Peak Hour Factor	0.94	0.94	0.94	0.94	0.94	0.94
Heavy Vehicles (%)	3%	3%	1%	1%	1%	1%
Adj. Flow (vph)	5	106	96	11	74	133
Shared Lane Traffic (%)						
Lane Group Flow (vph)	111	0	107	0	0	207
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Right	Left	Left
Median Width(ft)	12		0			0
Link Offset(ft)	0		0			0
Crosswalk Width(ft)	16		16			16
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9		9	15	
Sign Control	Stop		Free		Free	
Intersection Summary						
Area Type:	Other					
Control Type:	Unsignalized					
Intersection Capacity Utilization	31.2%			ICU Level of Service A		
Analysis Period (min)	15					

Intersection

Int Delay, s/veh 3.9

Movement	WBL	WBR	NBT	NBR	SBL	SBT
Lane Configurations	W	B	A			
Traffic Vol, veh/h	5	100	90	10	70	125
Future Vol, veh/h	5	100	90	10	70	125
Conflicting Peds, #/hr	4	3	0	31	31	0
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	-	-	-	-
Veh in Median Storage, #	0	-	0	-	-	0
Grade, %	0	-	0	-	-	0
Peak Hour Factor	94	94	94	94	94	94
Heavy Vehicles, %	3	3	1	1	1	1
Mvmt Flow	5	106	96	11	74	133

Major/Minor	Minor1	Major1	Major2		
Conflicting Flow All	418	136	0	0	138
Stage 1	133	-	-	-	-
Stage 2	285	-	-	-	-
Critical Hdwy	6.43	6.23	-	-	4.11
Critical Hdwy Stg 1	5.43	-	-	-	-
Critical Hdwy Stg 2	5.43	-	-	-	-
Follow-up Hdwy	3.527	3.327	-	-	2.209
Pot Cap-1 Maneuver	590	910	-	-	1452
Stage 1	891	-	-	-	-
Stage 2	761	-	-	-	-
Platoon blocked, %	-	-	-	-	-
Mov Cap-1 Maneuver	537	881	-	-	1409
Mov Cap-2 Maneuver	537	-	-	-	-
Stage 1	864	-	-	-	-
Stage 2	715	-	-	-	-

Approach	WB	NB	SB
HCM Control Delay, s	9.8	0	2.8
HCM LOS	A		

Minor Lane/Major Mvmt	NBT	NBR	WBLn1	SBL	SBT
Capacity (veh/h)	-	-	855	1409	-
HCM Lane V/C Ratio	-	-	0.131	0.053	-
HCM Control Delay (s)	-	-	9.8	7.7	0
HCM Lane LOS	-	-	A	A	A
HCM 95th %tile Q(veh)	-	-	0.4	0.2	-

Lanes, Volumes, Timings  
800: E Johnson St & Marston Ave

PM Peak  
10/20/2022



Lane Group	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	↔		↑	↑↑	↑↑	
Traffic Volume (vph)	0	15	40	1435	935	60
Future Volume (vph)	0	15	40	1435	935	60
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900
Storage Length (ft)	0	0	70			0
Storage Lanes	1	0	1			0
Taper Length (ft)	25		25			
Lane Util. Factor	1.00	1.00	1.00	0.95	0.95	0.95
Ped Bike Factor						
Fr <sub>t</sub>	0.865			0.991		
Flt Protected			0.950			
Satd. Flow (prot)	1627	0	1770	3539	3507	0
Flt Permitted			0.950			
Satd. Flow (perm)	1627	0	1770	3539	3507	0
Link Speed (mph)	25			25	25	
Link Distance (ft)	1372			261	626	
Travel Time (s)	37.4			7.1	17.1	
Confl. Peds. (#/hr)	1	4	24		24	
Confl. Bikes (#/hr)		1			30	
Peak Hour Factor	0.96	0.96	0.96	0.96	0.96	0.96
Heavy Vehicles (%)	1%	1%	2%	2%	2%	2%
Adj. Flow (vph)	0	16	42	1495	974	63
Shared Lane Traffic (%)						
Lane Group Flow (vph)	16	0	42	1495	1037	0
Enter Blocked Intersection	No	No	No	No	No	No
Lane Alignment	Left	Right	Left	Left	Left	Right
Median Width(ft)	12			12	12	
Link Offset(ft)	0			0	0	
Crosswalk Width(ft)	16			16	16	
Two way Left Turn Lane						
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00
Turning Speed (mph)	15	9	15			9
Sign Control	Stop			Free	Free	

Intersection Summary

Area Type: Other

Control Type: Unsignalized

Intersection Capacity Utilization 50.9% ICU Level of Service A

Analysis Period (min) 15

Intersection

Int Delay, s/veh 0.3

Movement	EBL	EBR	NBL	NBT	SBT	SBR
Lane Configurations	W		T	↑↑	↑↑	
Traffic Vol, veh/h	0	15	40	1435	935	60
Future Vol, veh/h	0	15	40	1435	935	60
Conflicting Peds, #/hr	1	4	24	0	0	24
Sign Control	Stop	Stop	Free	Free	Free	Free
RT Channelized	-	None	-	None	-	None
Storage Length	0	-	70	-	-	-
Veh in Median Storage, #	0	-	-	0	0	-
Grade, %	0	-	-	0	0	-
Peak Hour Factor	96	96	96	96	96	96
Heavy Vehicles, %	1	1	2	2	2	2
Mvmt Flow	0	16	42	1495	974	63

Major/Minor	Minor2	Major1	Major2		
Conflicting Flow All	1863	547	1061	0	-
Stage 1	1030	-	-	-	-
Stage 2	833	-	-	-	-
Critical Hdwy	6.82	6.92	4.14	-	-
Critical Hdwy Stg 1	5.82	-	-	-	-
Critical Hdwy Stg 2	5.82	-	-	-	-
Follow-up Hdwy	3.51	3.31	2.22	-	-
Pot Cap-1 Maneuver	65	484	652	-	-
Stage 1	307	-	-	-	-
Stage 2	390	-	-	-	-
Platoon blocked, %				-	-
Mov Cap-1 Maneuver	58	471	637	-	-
Mov Cap-2 Maneuver	58	-	-	-	-
Stage 1	280	-	-	-	-
Stage 2	381	-	-	-	-

Approach	EB	NB	SB
HCM Control Delay, s	12.9	0.3	0
HCM LOS	B		

Minor Lane/Major Mvmt	NBL	NBT	EBLn1	SBT	SBR
Capacity (veh/h)	637	-	471	-	-
HCM Lane V/C Ratio	0.065	-	0.033	-	-
HCM Control Delay (s)	11	-	12.9	-	-
HCM Lane LOS	B	-	B	-	-
HCM 95th %tile Q(veh)	0.2	-	0.1	-	-

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

	→	→	→	←	←	↑	↑	↑	↓	↓	←	
Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (vph)	35	40	30	180	30	60	80	1380	105	75	865	10
Future Volume (vph)	35	40	30	180	30	60	80	1380	105	75	865	10
Ideal Flow (vphpl)	1900	1900	1900	1900	1900	1900	1900	1769	1769	1900	1769	1769
Storage Length (ft)	0		0	0		50	90		0	100		0
Storage Lanes	0		0	1		0	1		0	1		0
Taper Length (ft)	25			25			25			25		
Lane Util. Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	0.95	0.95	1.00	0.95	0.95
Ped Bike Factor	0.99		0.99	0.98			1.00	1.00		1.00	1.00	
Fr <sub>t</sub>	0.961			0.900				0.989			0.998	
Flt Protected	0.984		0.950			0.950				0.950		
Satd. Flow (prot)	0	1766	0	1787	1659	0	1770	3253	0	1770	3287	0
Flt Permitted	0.869		0.658			0.275				0.105		
Satd. Flow (perm)	0	1554	0	1228	1659	0	512	3253	0	196	3287	0
Right Turn on Red			No			No			No		No	
Satd. Flow (RTOR)												
Link Speed (mph)		25			25			25			25	
Link Distance (ft)		1334			254			313			261	
Travel Time (s)		36.4			6.9			8.5			7.1	
Confl. Peds. (#/hr)	9		7	7		9	2		4	4		2
Confl. Bikes (#/hr)			3			6			1			31
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Heavy Vehicles (%)	1%	1%	1%	1%	1%	1%	2%	2%	2%	2%	2%	2%
Adj. Flow (vph)	36	41	31	186	31	62	82	1423	108	77	892	10
Shared Lane Traffic (%)												
Lane Group Flow (vph)	0	108	0	186	93	0	82	1531	0	77	902	0
Enter Blocked Intersection	No											
Lane Alignment	Left	Left	Right									
Median Width(ft)		12			12			12			12	
Link Offset(ft)		0			0			0			0	
Crosswalk Width(ft)		16			16			16			16	
Two way Left Turn Lane												
Headway Factor	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.10	1.10	1.00	1.10	1.10
Turning Speed (mph)	15		9	15		9	15		9	15		9
Number of Detectors	1	2		1	2		1	2		1	2	
Detector Template	Left	Thru										
Leading Detector (ft)	20	100		20	100		20	100		20	100	
Trailing Detector (ft)	0	0		0	0		0	0		0	0	
Detector 1 Position(ft)	0	0		0	0		0	0		0	0	
Detector 1 Size(ft)	20	6		20	6		20	6		20	6	
Detector 1 Type	Cl+Ex	Cl+Ex										
Detector 1 Channel												
Detector 1 Extend (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Queue (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 1 Delay (s)	0.0	0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Detector 2 Position(ft)		94			94			94			94	
Detector 2 Size(ft)		6			6			6			6	
Detector 2 Type		Cl+Ex			Cl+Ex			Cl+Ex			Cl+Ex	
Detector 2 Channel												

Lanes, Volumes, Timings  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022



Lane Group	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Detector 2 Extend (s)		0.0			0.0			0.0			0.0	
Turn Type	Perm	NA		Perm	NA		pm+pt	NA		pm+pt	NA	
Protected Phases		4			8		5	2		1	6	
Permitted Phases	4			8			2			6		
Detector Phase	4	4		8	8		5	2		1	6	
Switch Phase												
Minimum Initial (s)	5.0	5.0		5.0	5.0		5.0	19.0		4.0	19.0	
Minimum Split (s)	10.5	10.5		9.5	9.5		9.5	23.5		8.5	23.5	
Total Split (s)	28.0	28.0		28.0	28.0		12.0	68.0		14.0	70.0	
Total Split (%)	25.5%	25.5%		25.5%	25.5%		10.9%	61.8%		12.7%	63.6%	
Maximum Green (s)	22.5	22.5		23.5	23.5		7.5	63.5		9.5	65.5	
Yellow Time (s)	3.0	3.0		3.5	3.5		3.0	3.5		3.0	3.5	
All-Red Time (s)	2.5	2.5		1.0	1.0		1.5	1.0		1.5	1.0	
Lost Time Adjust (s)		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Lost Time (s)		5.5		4.5	4.5		4.5	4.5		4.5	4.5	
Lead/Lag							Lead	Lag		Lead	Lag	
Lead-Lag Optimize?												
Vehicle Extension (s)	3.0	3.0		3.0	3.0		2.0	3.0		2.0	3.0	
Recall Mode	None	None		None	None		None	C-Max		None	C-Max	
Act Effect Green (s)	19.1		20.1	20.1			77.3	72.2		77.3	72.3	
Actuated g/C Ratio	0.17		0.18	0.18			0.70	0.66		0.70	0.66	
v/c Ratio	0.40		0.83	0.31			0.19	0.72		0.35	0.42	
Control Delay	43.9		71.8	40.5			5.8	16.3		9.1	10.8	
Queue Delay		0.0		0.0	0.0		0.0	0.0		0.0	0.0	
Total Delay	43.9		71.8	40.5			5.8	16.3		9.1	10.8	
LOS	D		E	D			A	B		A	B	
Approach Delay		43.9			61.4			15.8			10.6	
Approach LOS		D			E			B			B	

Intersection Summary

Area Type: Other

Cycle Length: 110

Actuated Cycle Length: 110

Offset: 80 (73%), Referenced to phase 2:NBTL and 6:SBTL, Start of 1st Green

Natural Cycle: 60

Control Type: Actuated-Coordinated

Maximum v/c Ratio: 0.83

Intersection Signal Delay: 19.4

Intersection LOS: B

Intersection Capacity Utilization 76.6%

ICU Level of Service D

Analysis Period (min) 15

Splits and Phases: 900: E Johnson St & Baldwin St



Queues  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022



Lane Group	EBT	WBL	WBT	NBL	NBT	SBL	SBT
Lane Group Flow (vph)	108	186	93	82	1531	77	902
v/c Ratio	0.40	0.83	0.31	0.19	0.72	0.35	0.42
Control Delay	43.9	71.8	40.5	5.8	16.3	9.1	10.8
Queue Delay	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total Delay	43.9	71.8	40.5	5.8	16.3	9.1	10.8
Queue Length 50th (ft)	67	125	56	15	372	14	160
Queue Length 95th (ft)	119	#224	103	30	509	29	221
Internal Link Dist (ft)	1254		174		233		181
Turn Bay Length (ft)				90		100	
Base Capacity (vph)	317	262	354	449	2135	278	2159
Starvation Cap Reductn	0	0	0	0	0	0	0
Spillback Cap Reductn	0	0	0	0	0	0	0
Storage Cap Reductn	0	0	0	0	0	0	0
Reduced v/c Ratio	0.34	0.71	0.26	0.18	0.72	0.28	0.42

Intersection Summary

# 95th percentile volume exceeds capacity, queue may be longer.

Queue shown is maximum after two cycles.

HCM 6th Signalized Intersection Summary  
900: E Johnson St & Baldwin St

PM Peak  
10/20/2022

Movement	EBL	EBT	EBR	WBL	WBT	WBR	NBL	NBT	NBR	SBL	SBT	SBR
Lane Configurations												
Traffic Volume (veh/h)	35	40	30	180	30	60	80	1380	105	75	865	10
Future Volume (veh/h)	35	40	30	180	30	60	80	1380	105	75	865	10
Initial Q (Q <sub>b</sub> ), veh	0	0	0	0	0	0	0	0	0	0	0	0
Ped-Bike Adj(A_pbT)	0.99			0.97	0.99		0.97	1.00		0.98	1.00	0.96
Parking Bus, Adj	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Work Zone On Approach		No			No			No			No	
Adj Sat Flow, veh/h/ln	1885	1885	1885	1885	1885	1885	1870	1741	1741	1870	1741	1741
Adj Flow Rate, veh/h	36	41	31	186	31	62	82	1423	108	77	892	10
Peak Hour Factor	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97	0.97
Percent Heavy Veh, %	1	1	1	1	1	1	2	2	2	2	2	2
Cap, veh/h	108	119	74	277	95	191	465	2057	155	251	2185	24
Arrive On Green	0.17	0.17	0.17	0.17	0.17	0.17	0.04	0.66	0.66	0.03	0.65	0.65
Sat Flow, veh/h	370	681	423	1324	547	1095	1781	3112	235	1781	3350	38
Grp Volume(v), veh/h	108	0	0	186	0	93	82	753	778	77	441	461
Grp Sat Flow(s), veh/h/ln	1474	0	0	1324	0	1642	1781	1654	1692	1781	1654	1733
Q Serve(g_s), s	2.4	0.0	0.0	8.8	0.0	5.5	1.6	31.2	31.7	1.6	13.9	13.9
Cycle Q Clear(g_c), s	7.8	0.0	0.0	16.7	0.0	5.5	1.6	31.2	31.7	1.6	13.9	13.9
Prop In Lane	0.33			0.29	1.00		0.67	1.00		0.14	1.00	0.02
Lane Grp Cap(c), veh/h	300	0	0	277	0	286	465	1094	1119	251	1079	1130
V/C Ratio(X)	0.36	0.00	0.00	0.67	0.00	0.33	0.18	0.69	0.70	0.31	0.41	0.41
Avail Cap(c_a), veh/h	348	0	0	329	0	351	512	1094	1119	346	1079	1130
HCM Platoon Ratio	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Upstream Filter(l)	1.00	0.00	0.00	1.00	0.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Uniform Delay (d), s/veh	40.5	0.0	0.0	44.8	0.0	39.8	6.4	11.6	11.7	11.2	9.1	9.1
Incr Delay (d2), s/veh	0.7	0.0	0.0	4.1	0.0	0.7	0.1	3.6	3.6	0.3	1.1	1.1
Initial Q Delay(d3), s/veh	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
%ile BackOfQ(95%), veh/ln	4.9	0.0	0.0	9.1	0.0	4.1	1.0	17.3	17.9	1.1	8.8	9.2
Unsig. Movement Delay, s/veh												
LnGrp Delay(d), s/veh	41.2	0.0	0.0	48.9	0.0	40.4	6.5	15.1	15.3	11.5	10.2	10.2
LnGrp LOS	D	A	A	D	A	D	A	B	B	B	B	B
Approach Vol, veh/h		108			279			1613			979	
Approach Delay, s/veh		41.2			46.1			14.8			10.3	
Approach LOS		D			D			B			B	
Timer - Assigned Phs	1	2		4	5	6		8				
Phs Duration (G+Y+R <sub>c</sub> ), s	8.1	77.2		24.7	9.1	76.2		24.7				
Change Period (Y+R <sub>c</sub> ), s	4.5	4.5		5.5	4.5	4.5		* 5.5				
Max Green Setting (Gmax), s	9.5	63.5		22.5	7.5	65.5		* 24				
Max Q Clear Time (g_c+l1), s	3.6	33.7		9.8	3.6	15.9		18.7				
Green Ext Time (p_c), s	0.0	15.0		0.4	0.0	7.6		0.5				
Intersection Summary												
HCM 6th Ctrl Delay			17.2									
HCM 6th LOS			B									
Notes												
* HCM 6th computational engine requires equal clearance times for the phases crossing the barrier.												

