



City of Madison

City of Madison
Madison, WI 53703
www.cityofmadison.com

Agenda - Approved

BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD

Tuesday, September 17, 2013

12:15 PM

215 Martin Luther King, Jr. Blvd.
Room LL-110 (Madison Municipal Building)

If you need an interpreter, translator, materials in alternate formats or other accommodations to access this service, activity or program, please call the phone number below at least three business days prior to the meeting.

Si necesita un intérprete, un traductor, materiales en formatos alternativos u otros arreglos para acceder a este servicio, actividad o programa, comuníquese al número de teléfono que figura a continuación tres días hábiles como mínimo antes de la reunión.

Yog hais tias koj xav tau ib tug neeg txhais lus, ib tug neeg txhais ntawv, cov ntawv ua lwm hom ntawv los sis lwm cov kev pab kom siv tau cov kev pab, cov kev ua ub no (activity) los sis qhov kev pab cuam, thov hu rau tus xov toj hauv qab yam tsawg peb hnuv ua hauj lwm ua ntej yuav tuaj sib tham.

Building Inspection Division, 608-266-4551

CALL TO ORDER / ROLL CALL

APPROVAL OF MINUTES

July 16, 2013: <http://madison.legistar.com/Calendar.aspx>

PUBLIC COMMENT

Three minutes allotted per individual.

DISCLOSURES AND RECUSALS

Members of the body should make any required disclosures or recusals under the City's Ethics Code.

PETITION FOR VARIANCE

1. [31584](#) 441 N. Frances Street (C-09-74-2013)
Antunovich Associates appealing IBC Table 705.8, which does not allow protected openings within 3 feet of the property line. The Variance requested is to allow windows at three locations in the one-hour walls to be protected with sprinklers. The Madison Fire Department supports the Variance.
Attachments: [441 N Frances St.pdf](#)

ADJOURNMENT

