

GENERAL FLOOR PLAN NOTES TO CONTRACTOR

THIS DRAWING IS FURTHER SUPPORTED BY INFORMATION CONTAINED IN THE SPECIFICATION MANUAL.

THE MECHANICAL, ELECTRICAL, PLUMBING, FIRE PROTECTION, AND TECHNOLOGY DRAWINGS ARE SUPPLEMENTARY TO

INFORMATION CONTAINED IN ALL THE DRAWINGS BEFORE THE INSTALLATION OF ALL WORK.

3. DO NOT SCALE DRAWINGS. CONTRACTOR TO VERIFY ALL CONDITIONS AND DIMENSIONS AT THE JOB SITE PRIOR TO COMMENCING CONSTRUCTION.

COMMENCING CONSTRUCTION.

4. FLOOR ELEVATIONS ARE TO THE TOP OF THE SUB-FLOOR MATERIAL UNLESS OTHERWISE NOTED.

MILLWORK, DOOR FRAMES, DOORS, AND ALL WORK MOUNTED OR SUSPENDED BY ALL TRADES.

CONTRACTORS SHALL JOINTLY PROVIDE AND INSTALL ALL STIFFENERS, BRACING, BACKING PLATES, WALL BLOCKING AND SUPPORTING BRACKETS REQUIRED FOR THE INSTALLATION OF CASEWORK, TOILET ACCESSORIES, PARTITIONS.

THE ARCHITECTURAL DRAWINGS. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO COORDINATE THE

ALL EXISTING WALLS THAT ARE TO REMAIN AT PROJECT COMPLETION ARE TO BE PATCHED AND PREPARED TO ACCEPT NEW FINISHES.

CUT EXISTING TOPPING SLAB TO DEPTH REQUIRED TO RECEIVE NEW CELLULAR RACEWAY. COORDINATE COMPONENTS AND EXTENTS WITH ELECTRICAL DRAWINGS.

PROVIDE AND INSTALL 2X WOOD BLOCKING (MIN. 24" x 24" AREA) INSIDE WALL PARTITON REQUIRED TO SUPPORT FLAT PANEL

NEW WORK PLAN KEY NOTES

SEE PROJECT GENERAL CONDITIONS, GENERAL INFORMATION ON SHEET A001 AND SELECTIVE DEMOLITION, CUTTING AND PATCHING SPECIFICATIONS THAT ARE USED IN ASSOCIATION WITH THESE NOTES.

NEW WORK PLAN KEY NOTES APPLY TO ALL NEW WORK DRAWINGS AND MAY NOT BE USED ON EVERY SHEET.

4'WX4'H PUBLIC NOTICE DISPLAY CASE FOR CLERK WITH LOCKABLE GLASS DOORS, MAGNETIC POSTING SURFACE. MOUNT AFF AS SHOWN ON INTERIOR ELEVATION.
 3 3'WX4'H PUBLIC NOTICE DISPLAY CASE FOR TREASURER WITH LOCKABLE GLASS DOORS, MAGNETIC POSTING SURFACE.

4 PANIC BUTTON - SEE TECHNOLOGY DRAWINGS
5 DOOR ACTUATOR PADDLE. SEE ELECTRICAL DRAWINGS.

6 ADA ACCESSIBLE SELF-SERVICE PUBLIC TAX ROLL KIOSK TBD BY TENANT. COORDINATE WITH ELECTRCIAL.

MOUNT AFF AS SHOWN ON INTERIOR ELEVATION.

7 DIGITAL SIGNAGE BY TENANT. COORDINATE WITH ELECTRICAL

8 FIVE ADJUSTABLE PLAM SHELVES ON HEAVY-DUTY WALL-MOUNTED STANDARDS AND BRACKETS.
9 EXISTING BENCH BY TENANT.

10 WALL-MOUNTED COAT HOOK. BASIS OF DESIGN BOBRICK B-7671. SEE A001 FOR MOUNTING HEIGHT.
 11 IDF SERVER RACK - SEE TECHNOLOGY DRAWINGS.
 12 REINSTALL EXISTING, REFURBISHED (STRIPPING/REPAINTING) RADIATOR COVER - SEE MECHANICAL DRAWINGS. PAINT PT-1.

DISPLAY AND BRACKET. TO COORDINATE LOCATION / EXTENT OF BLOCKING, VERIFY DISPLAY SIZE WITH OWNER AND COORDINATE WORK WITH ELECTRICAL DOCUMENTS, APPICABLE INTERIOR ELEVATIONS.

14 ACOUSTIC TACK WALL COVERING. SEE INTERIOR ELEVATION AND ROOM FINISH SCHEDULE.
 15 PLAM SHELF AND ROD. SEE A001 FOR MOUNTING HEIGHT.

SECURE PACKAGE RECEIVER. B.O.D HAMILTON PRS-2.
 INSET CASH TRAYB.O.D. TOTAL SECURITY SOLUTIONS 16"X 10" X 2 1/2"H STAINLESS STEEL TRAY.

CCB - STAGE 2 REMODEL - PARTIAL 1ST AND 5TH FLOORS

210 Martin Luther King Jr. Blvd.

SHEET TITLE:

T 414.220.9640

Milwaukee, WI

751 North Jefferson St,


Suite 200

53202

CONSULTANTS:

CONTRACT 9226 -PHASE 2

1 ENLARGED PLAN - LEVEL 05 - COMMON COUNCIL, OIM, SHARED BREAKROOM



SCALE VARIES

PROJECT 210101

SET DD PROGRESS

DATE ISSUED 08/24/2022

SHEET NUMBER A604