City of Madison Landmarks Commission

APPLICATION

City of Madison Planning Division, 126 S Hamilton Street, P.C. Roy 2985, Marticos, We 53701, 1985



1. LOCATION 4/3	5 Ingers	11 57	Aldermanic District:	
2. PROJECT Project Title / Description	uegsegg	zer		The control of the co
This is an application for: (check	ell that apply)	172		
☐ Alteration / Addition to a I	Designated Landmark			
☐ Land Division/Combination	of Designated Lundma	rk site		Legistas V
☐ Alteration / Addition to a b	wilding adjacent to a De	isignated Landmark	3	
	uilding in a Local Histor Third Lake Ridge Marquette Bungalo in a Local Historic Distr Hird Lake Ridge Marquette Bungalo	ic District (specify): 11 First Settlement ws 11 (specify): 12 First Settlement ws	PLANNING DIVISION USE ONLY	
☐ New Construction in a Loca ☐ Mansion Hill ☐ University Heights ☐ Demolition ☐ Variance from the Historic I	U Third Lake Ridge U Marquette Bungalor	33 First Settlement ws	PLANNIN	El benapez-in enteriorme de la constitución de la c
☐ Referral from Common Cou				
☐ Landmark Nomination/Resi (Meose centers the Historic		at Nomination/Amend	lment ts.)	
		and the second of the second s	and an experience (1) (2007) (2) is submitted to the submitted of the subm	place of a reference and a second a second and a second a
3. APPLICANT Applicant's Name: Address: Telephone:		Company:		mengelekkan kentan an mengelekkan kentan
Property Owner (if not applicant): Address: 404 (J) Property Owner's Signature:	Work Ry	1838/KS	66209 Date: 41	125/17

NOTICE REGARDING LOBERTING ORGANIANCE: If you are specially approval of a development that has over 40,000 square first of non-respectful space, or a residential development of over 10 dwelling grats, or if you are seeking assistance from the City with a value of \$10,000 finducting grants, learns, its or similar assistance), then you likely are subject to Madrant's holdering ardinance (Sec. 2.40, MGO). You are required to register and report your following. Please consult the City Orch's Office for more information. I salars to comply with the lighting prolinears may result in lines.

4. APPLICATION SUBMISSION REQUIREMENTS (see checklist on reverse)

All applications must be filed by 4-30 p.m. on the submission date with the Preservation Planner, the Department of Planning & Community & Economic Development, Planning Division, located at 126.5 Hamilton Street. Applications submitted after the submittal date or incomplete applications will be postponed to the next subeduled filing time.





4/25/17

City of Madison Landmarks Commission


126 S Hamilton Street

Madison, WI 53701-2985


Siding Unlimited will remove and dispose of the existing wood siding and we will furnish and install the following items:


- Includes dumpster being placed on street with barricade flashers from the city permit included
- CertainTeed Monogram .046 Vinyl Siding in Cypress (lifetime warranty)
 - 4" lap size
 - Dow 3/8" closed cell insulation, tape seams on insulation and caulk all door and window openings with solvent based caulk – Additional 1.5 R-Value
 - Includes flashing around window/doors, & along brick ledges for higher energy efficiencies We wrap foundation to structure around perimeter of home and return back to foundation wall for preventative air/water infiltration
 - Install aluminum trim surrounds on windows & entry doors in 2.5" brick mold wrapped in Rugged Canyon coil and caulked Not removing storms before trimming
 - All 3 gable vents, light mounting blocks, and misc. trim pieces are included
- Mastic aluminum soffit & fascia material for house Rugged Canyon
 - Solid panels used because the house attic ventilates with gable vents only
 - Includes replacing rotten drip ledge (approx. 60lf) and wrapping in aluminum to match siding/trim
 - Includes replacing estimated amount of rotten wood found during initial inspection/site visit – additional repairs are handled on time/material basis

Siding Unlimited will supply dumpster, clean up and remove all debris
















Monogram®





















- | ---: ! Star
















Siding: Monogram Double 4" Clapboard in sandpiper.

Trim: Vinyl Carpentry® & Restoration Millwork®.





	D4	D5	D5	D4	Ď5	
	Clapboard	Clapboard	Dutching	Clapboard	Dutchlap	
Arbor Blend**	•		•		1457	
Arctic Blend**	•		•			
Weathered Blend**	•		•			
Frontier Blend**	•		•			
Timber Blend**	•		•			
Canyon Blend*	•		•			3
Meadow Blend*	•	1	•	344		
Glacier Blend*	•		•			
Autumn Red*	•	•	•			
Terra Cotta*	•					
Mountain Cedar*						
Sable Brown*	•	•	•	•		
Hearthstone*	•	•	•			
Suede	•	•	•			
Spruce*	•	·	•	•		
Forest*	•	•	•			
Ivy Green*	•					
Padific Blue ^k	٠	. 0	•	•	- 1	
Flagstone*	•	•	٠			
Charcoal Gray*	•	•	•	•		
Granite Gray	•	•	•	•	•	
Sterling Gray			•	•	•	
Bermuda Blue	•					
Oxford Blue	•	•	•	•	•	
Seagrass	•	•	•			
Cypress		•	•		•	
Green Tea	•					
Linen	•	•	•			
Silver Ash	•		•		•	
Herringbone						
Sandstone Beige		•		•	•	
Desert Tan			•		•	
Natural Clay Savannah Wicker						
Light Maple Buckskin			•			
Sandpiper	•		•	V V		
Heritage Cream	0	0				
Autumn Yellow						
Snow	•	•	•			
Colonial White	•	•	•	•	•	45
						1.40

*Deluxe Colors **Premium Colors

HOME / SIDING / PRODUCTS / MONOGRAM®





110010017

MONOGRAM®

<u>OVERVIEW</u>

TECHNICAL INFO

INSTALLATION

WARRANTY

SUSTAINABILITY

FIND A PRO

The Natural Look of Painted or Stained Cedar

Whether it is a Victorian reproduction, a New England saltbox or a modern beach house get-away, we offer the rich look of natural cedar without the expense and heavy maintenance. You can create a home to be proud of with Monogram's designer palette of over 40 siding and trim colors. Inspired by nature, these colors are designed to harmonize home and environment.

Widest color section in the industry:

33 low-gloss solid colors

8 low-gloss wood-tone blends

40 coordinating trim colors

Three Classic Styles:

Double 4" Clapboard

Double 5" Clapboard

Double 5" Dutchlap

Monogram Offers:

- · Heavy-Duty .046" thickness
- TrueTexture™ rough cedar finish molded from real cedar boards
- Patented STUDfinder™ is designed for accurate and secure installation
- RigidForm™ 220 Technology has been tested to withstand wind load pressures up to 220 mph
- CertiLock™ self-aligning, post-formed positive lock
- 3/4" panel projection
- · Virtually maintenance free, never needs painting

. . . 1 / . . / 1 . /

- · Class 1(A) fire rating
- · Lifetime limited warranty

Works with Monogram® XL length siding

Envoy[®] Aluminum Soffit

SAS12319 Product Code/Description

Color Availability

Triple 4" Solid U-Groove Soffit

Finish: Alumature 2000® Nomiral .019 Thick Length: 12' Exposure: 12' 20 Pcs./Cin. 240 Sq. Ft./Cin. 77.7 Lbs./Cin.



White Almond Black Brandy Wood Evergreen Evergreen Harbor Grey Jefferson Tan Carneo Charcoal Grey Classic Cream Dark Bronze Desert Sand

Linen
London Brown
Martogany
Mortogany
Mortogan Suede
Musket Brown
Pebblicstone Clay
Royal Brown
Rugged Caryon
Rugset Rod
Sandtone Scotlish Thistle Silver Grey Terra Bronze Tuscan Olive Victorian Grey Wicker

Envoy Triple 4" Center Lanced U-Greeve Soffit

LCAS12319

Firish: Alumalure 2000° Nominal .019 Thick 4.4 Sq. In. N.F.A./Ft. Length: 12' Exposure: 12" 20 Pcs./Ctn. 240 Sq. Ft./Ctn. 77.7 Lbs./Ctn.

LFAS12319

Envoy Triple 4" Full Lanced U-Groove Soffit

Finish: Alumature 2000° Nominal .019 Thick 13.2 Sq. In. N.F.A./Ft. Length: 12° Exposure: 12° 20 Pcs./Ctn. 240 Sq. Ft./Ctn.





Notes:

V-GROOVE • SINGLE • DOUBLE U-GROOVE . DOUBLE 6" • TRIPLE 4" • QUAD 4"

performance across long spans. meets or exceeds Q801 standards — delivering rigid Envoy, our strongest and hardest aluminum soffit, . Manufactured from only the highest-grade aluminum

V-GROOVE

- Our v-groove designs replicate the classic look of tongue-andgroove wood soffit more closely than any other metal soffit system. The industry's only v-groove in a 6" width, our design helps
- Parforated v-groove offers the most net free ventilation per eliminate sagging and nail facing — a big plus.
- lineal foot of any aluminum soffit system.

- Wider grooves cast a more subtle shadow.
 Helps hide construction imperfections.



AVAILABLE IN UP TO 29 COLORS
See Product Spec Guide for complete details.




This revolutionary finish holds its color and resists the toughest corrosive elements — even UV radiation and polluted air, Applied answers in a two-coat process, Alumalure* 2000 is a combination of corrosion-inhibiting primer and an ultra-tough, low-mar topcoat.



V.1.P. LIMITED LIFETIME WARRANTY
Premium guarantee of lasting quality and peace of mind —
backed by Mastic, a trusted industry leader for 50+ years (see warranty for complete details).

The contraction of the form of the contraction of t





TRIPLE 4" FULL LANCED

GUAD 4" CENTER LANCED

GUAD 4" SOLID (SMOOTH)



TRIPLE 4" CENTER LANCED

TRIPLE 4" SOLID (SMOOTH)









veni

Eng < П

Economy Triple 4" Solid Aluminum Soffit Triple 4" Aluminum Soffit

