



Legislation Details (With Text)

**File #:** 45477      **Version:** 1      **Name:** 315 N PINCKNEY ST  
**Type:** Miscellaneous      **Status:** Held in Committee  
**File created:** 12/15/2016      **In control:** BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD  
**On agenda:**      **Final action:** 3/31/2022  
**Enactment date:**      **Enactment #:**

**Title:** 315 N Pinckney St (C-12-77-2016)  
James Westring of Westring Construction appealing IBC 1013.2. The rule requires that guard and handrails shall not be less than 42" high. The variance requested is to allow reduced height on a Mansion Hill Historic Building. The Madison Fire Department has no comment. 2nd Ald. Dist.

**Sponsors:**

**Indexes:**

**Code sections:**

**Attachments:** 1. 315 N PINCKNEY ST.pdf

Date	Ver.	Action By	Action	Result
12/20/2016	1	BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD	Table	

**Title**  
315 N Pinckney St (C-12-77-2016)  
James Westring of Westring Construction appealing IBC 1013.2. The rule requires that guard and handrails shall not be less than 42" high. The variance requested is to allow reduced height on a Mansion Hill Historic Building. The Madison Fire Department has no comment. 2nd Ald. Dist.