



City of Madison

City of Madison
Madison, WI 53703
www.cityofmadison.com

Agenda - Approved

BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD

Wednesday, February 19, 2020

12:15 PM

215 Martin Luther King, Jr. Blvd.
(Madison Municipal Building)
Suite 013

If you need an interpreter, translator, materials in alternate formats or other accommodations to access this service, activity or program, please call the phone number below immediately.

Si necesita un intérprete, un traductor, materiales en formatos alternativos u otros arreglos para acceder a este servicio, actividad o programa, comuníquese inmediatamente al número de teléfono que figura a continuación.

Yog tias koj xav tau ib tug neeg txhais lus, ib tug neeg txhais ntawv, cov ntaub ntawv ua lwm yam los sis lwm cov kev pab kom siv tau qhov kev pab, kev ua num los sis kev pab cuam no, thov hu rau tus xov tooj hauv qab no tam sim no.

Building Inspection 608-266-4551

CALL TO ORDER / ROLL CALL

APPROVAL OF MINUTES

December 17, 2019: December

PUBLIC COMMENT

DISCLOSURES AND RECUSALS

Members of the body should make any required disclosures or recusals under the City's Ethics Code.

PETITION FOR VARIANCE, AREA EXCEPTIONS OR APPEALS

[59580](#)

609 Glenway Street
BLDVAR-2020-00043

The property owner is seeking a variance from SPS 321.04(2)(a)1 requiring stairways shall measure at least 36 inches in width and SPS321.04(2)d requiring stairways shall be provided with a minimum headroom clearance of 76 inches measured vertically from a line parallel from the nosing of the treads to the ceiling. The owner has applied for permit to rough frame portions of the basement and is requesting the existing stairway be allowed to remain at 25 inches wide with a minimum headroom of 74 inches. Alder District #13.

ADJOURNMENT