



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**  
Monday July 26, 2021

**Complaint Application:**  
HLTCOD-2021-00226

**Location of Complaint or Problem:**  
675 S WHITNEY WAY  
MADISON, WI 53711

**Application Name/Project Name:**

9100 Undeveloped and unused land area (vacant land).

**Property Owner Information:**  
HY-VEE INC  
5820 WESTOWN PKWY  
WEST DES MOINES, IA 50266

**Complainant Information:**  
NAME: PHIL GAEBLER  
ADDRESS:  
  
PHONE: (608) 266-4059  
EMAIL: [pgaebler@cityofmadison.com](mailto:pgaebler@cityofmadison.com)

**Description of Complaint:**  
Email complaint forwarded from Engineering. Grease spill from a smoker at the grocery store.

**Complaint Response:**

RSW - 07/26/2021 - Pending Investigation

RSW - 07/26/2021 - Onsite Visit

I met with the store manager, Ken. He was aware of the grease leaking from the smoker. I explained MGO 7.46 and the procedure to retrieve the waste. He was going to get it remediated immediately.

RSW - 08/05/2021 - Follow Up Complete

The smoker has been moved, and spilled grease has been retrieved.







Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**  
Tuesday July 27, 2021

**Complaint Application:**  
HLTCOD-2021-00254

**Location of Complaint or Problem:**  
2126 N SHERMAN AVE  
MADISON, WI 53704

**Application Name/Project Name:**

8911 Churches, synagogues and temples.

**Property Owner Information:**  
ST PAULS ENGLISH EVANGEL  
LUTHERAN CHURCH  
2126 N SHERMAN AVE  
MADISON, WI 53704-3999

**Complainant Information:**  
NAME: JOHN HAUSBECK  
ADDRESS:  
  
PHONE: (608) 243-0331  
EMAIL: jhausbeck@publichealthmdc.com

**Description of Complaint:**  
JH received a call that the River Food Pantry had a milk spill at their satellite storage facility located at Saint Paul's Lutheran Church on North Sherman Avenue. They are looking for advice on the best way to deal with the milk in the parking lot.

**Complaint Response:**  
RSW - 07/27/2021 - Pending Investigation  
RSW - 07/27/2021 - Onsite Visit  
I spoke with a representative of the food pantry. The fire department had already flushed the milk from the parking lot.  
  
There is standing water in the gutter on Fremont Avenue and Calypso Road. The water is clear, and shows no sign of milk. There is no indication that the flow made it to ditch north of Trailsway. The ditch is dry so there is no impact from the discharge expected.  
RSW - 07/27/2021 - Follow Up Complete



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**

Wednesday July 28, 2021

**Complaint Application:**

HLTCOD-2021-00255

**Location of Complaint or Problem:**

2701 ATWOOD AVE  
MADISON, WI 53704

**Application Name/Project Name:**

5810 Eating places or restaurants.

**Property Owner Information:**

CHAKRA LLC  
% KRISHNA PRADHAN  
302 S BASSETT ST  
MADISON, WI 53703

**Complainant Information:**

NAME: GABRIEL SCHUETT  
ADDRESS:  
  
PHONE: (608) 338-6704  
EMAIL:

**Description of Complaint:**

Voice mail complaint to department phone. The complainant is looking for advice on how to deal with some "bio-medical waste" that someone dumped in the parking lot at Stalzy's. He reports a lot of petri dishes, with some labeled E. coli.

**Complaint Response:**

RSW - 07/28/2021 - Pending Investigation

RSW - 07/28/2021 - Consultation

I contacted Bryon Johnson, Streets, to see if he had any ideas on the best way for Stalzy's to deal with the waste material. He suggested they contact Madison Environmental Resourcing Inc. (608) 838-3212 as they haul medical waste.

RSW - 07/28/2021 - Onsite Visit

I was not able to identify any petri dishes labeled "E. coli". I supplied the staff at Stalzy's with contact information for MERI.

RSW - 07/28/2021 - Follow Up Complete





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**  
Friday July 30, 2021

**Complaint Application:**  
HLTCOD-2021-00257

**Location of Complaint or Problem:**  
1133 E WILSON ST  
MADISON, WI 53703

**Application Name/Project Name:**

2198 Macaroni, spaghetti, vermicelli and noodles - manufacturing.

**Property Owner Information:**  
S-K INVESTMENT CO  
% RICHARD KARLS  
4105 KEEWATIN TRL  
VERONA, WI 53593

**Complainant Information:**

NAME: HEIDI WARD  
ADDRESS:

PHONE: (608) 284-1824  
EMAIL: hward@publichealthmdc.com

**Description of Complaint:**

HW received a complaint Working Draft Beer Company concerning a trail of blood leaking from waste hauled from Underground Meats' dumpster on their shared property.

**Complaint Response:**

RSW - 07/30/2021 - Pending Investigation

RSW - 08/05/2021 - Onsite Visit

Site is clean today. It appears their dumpster is a heavy plastic dumpster, and leakproof. The discharge likely occurred after transfer to the garbage truck. I sent an email request for information on waste handling to DATCP.

RSW - 09/20/2021 - Consultation

Second voice message left for complainant, asking for an update on any further issues.

DATCP has not responded to my inquiry regarding waste handling for butchers.

RSW - 09/29/2021 - Follow Up Complete







Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**  
Monday August 2, 2021

**Complaint Application:**  
HLTCOD-2021-00297

**Location of Complaint or Problem:**  
216 S PINCKNEY ST  
MADISON, WI 53703

**Application Name/Project Name:**

1160 Mixed res/comm.

**Property Owner Information:**  
CITY OF MADISON- STR ROW  
PO BOX 298 3  
MADISON, WI 53701 2983

**Complainant Information:**

NAME: ANN FREIWALD  
ADDRESS:  
  
PHONE: (698) 243-2848  
EMAIL: [afreiwald@cityofmadison.com](mailto:afreiwald@cityofmadison.com)

**Description of Complaint:**  
Ms. Freiwald observed a flow of water smelling of gasoline from the construction site.

**Complaint Response:**

RSW - 08/02/2021 - Pending Investigation

RSW - 08/02/2021 - Onsite Visit

This flow occurred last Friday. Everything is dry and there is no staining.

RSW - 08/02/2021 - Follow Up Complete

It is not possible to determine what occurred or the RP.





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**  
Monday August 16, 2021

**Complaint Application:**  
HLTCOD-2021-00261

**Location of Complaint or Problem:**  
517 STATE ST  
MADISON, WI 53703

**Application Name/Project Name:**

5810 Eating places or restaurants.

**Property Owner Information:**  
519 STATE STREET LLC  
% OPITZ MNGT INC  
502 N EAU CLAIRE AVE  
MADISON, WI 53705

**Complainant Information:**  
NAME: MARK KIESOW  
ADDRESS:

PHONE: (608) 266-6031  
EMAIL: [mkiesow@cityofmadison.com](mailto:mkiesow@cityofmadison.com)

**Description of Complaint:**  
Mall Concourse staff documented another cooking oil release.

**Complaint Response:**

RSW - 08/16/2021 - Pending Investigation  
RSW - 08/16/2021 - Onsite Visit

I spoke with the manager on site, Nick (608) 852-9662. I informed him of the release, and requirements for clean up. I also informed him this is a repeat offense and will be cited, or referred. He had just started and was unaware of the history of this issue.

Some oil absorbent material had been applied, but it was woefully inadequate.

RSW - 08/16/2021 - Consultation

Operations will attempt to recover the material in the gutter and on the sidewalk this evening. University move-in is occurring now and access to the spill would be difficult.

RSW - 08/17/2021 - Consultation

Operations responded last night. There was nothing to clean, they believe it had been washed down already. This is contrary to my instructions to the restaurant staff.

RSW - 08/31/2021 - Follow Up Complete

4th offense citation issued (\$1321.00) to headquarters in Virginia.







Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**  
Monday September 13,  
2021

**Complaint Application:**  
HLTCOD-2021-00298

**Location of Complaint or Problem:**  
833 STEWART ST  
MADISON, WI 53713

**Application Name/Project Name:**

6376 General warehousing and storage.

**Property Owner Information:**  
STEWART STREET PARTNERS  
ATTN BANYAN MNGMT GRP  
6701 RAYMOND RD  
MADISON, WI 53719

**Complainant Information:**

NAME: PHIL GAEBLER  
ADDRESS:

PHONE: Not Provided  
EMAIL: pgaebler@cityofmadison.com

**Description of Complaint:**  
PG forwarded a notice from MFD of a release of used motor oil that occurred on 9/2.

**Complaint Response:**

RSW - 09/14/2021 - Pending Investigation  
RSW - 09/14/2021 - Onsite Visit

There has been several rainfalls since this occurred. There is some staining along the runoff flow path, but there is no indication of fresh oil, or where it may have originated. There is a waste oil tank outside the auto repair shop at this address. There are no leaks and no staining to indicate oil has escaped. This release may have been the result of a spill that wasn't contained.

I spoke with the only person on site, Max. He doesn't speak English. My Spanish is very limited, but I was able to convey the message that oil on the pavement must be absorbed and cleaned up.

RSW - 09/14/2021 - Follow Up Complete









Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**

Tuesday September 14,  
2021

**Complaint Application:**

HLTCOD-2021-00293

**Location of Complaint or Problem:**

4222 MANDAN CRES  
MADISON, WI 53711

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

LEITCH, LAURA J  
4222 MANDAN CRESCENT  
MADISON, WI 53711-3062

**Complainant Information:**

NAME: TOM ROSEMEYER  
ADDRESS:  
  
PHONE: (608) 266-5984  
EMAIL: trosemeyer@madisonwater.org

**Description of Complaint:**

WU field staff incidental observation of concrete waste in the gutter.

**Complaint Response:**

RSW - 09/14/2021 - Pending Investigation

RSW - 09/14/2021 - Onsite Visit

Sign in yard identifies concrete contractor as Cox Custom Renovations (608) 501-4216.

There is a mass of solidified concrete waste in the form of a wheelbarrow, in the yard. This was probably the container used for waste containment. However, there is a stain of concrete waste in the gutter running toward Seminole Highway. Stain ends at 4206; waste did not reach a storm inlet.

RSW - 09/14/2021 - Consultation

I spoke with Brett of Cox Construction. I explained that allowing concrete waste to run down the gutter is a violation of MGO 7.46. Containment had been used (wheelbarrow). Since waste did not reach an inlet, I gave a verbal warning.

RSW - 09/14/2021 - Follow Up Complete





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**

Thursday September 16,  
2021

**Complaint Application:**

HLTCOD-2021-00321

**Location of Complaint or Problem:**

112 ALTON DR  
MADISON, WI 53718

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

CITY OF MADISON STREET RIGHT OF WAY  
CITY MUNIC IPA L BLDG G100  
MADISON, WI 53703 3352

**Complainant Information:**

NAME: MAX KOZACZKI  
ADDRESS:  
PHONE: Not Provided  
EMAIL: max.kozaczki@gmail.com

**Description of Complaint:**

RAP complaint of oversprayed granular fertilizer being directed into a storm sewer inlet by an employee of Weed Man.

**Complaint Response:**

RSW - 09/16/2021 - Pending Investigation

RSW - 09/20/2021 - Onsite Visit

Granular fertilizer evident in the gutter and the storm sewer inlet. Pictures taken.

RSW - 09/21/2021 - Consultation

I informed the complainant I would issue a citation for the violation if he was willing to testify, or at least talk to the City Attorney. He was not. I will issue a warning.

RSW - 10/04/2021 - Consultation

I spoke with the manager of the local Weedman company (608) 268-2022. I explained what the witness saw, that it was a citable offense, and that future violations would be prosecuted. He will inform his employees of proper clean up procedures.

RSW - 10/04/2021 - Consultation

RSW - 10/04/2021 - Follow Up Complete





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**  
Monday October 18, 2021

**Complaint Application:**  
HLTCOD-2021-00335

**Location of Complaint or Problem:**  
2506 MCDIVITT RD  
MADISON, WI 53713

**Application Name/Project Name:**

1137 25-50 units.

**Property Owner Information:**  
BRISTOL ARMS LLC  
PO BOX 510558  
MILWAUKEE, WI 53203

**Complainant Information:**  
NAME: JOSEPH HELTON  
ADDRESS:  
  
PHONE: (608) 469-0161  
EMAIL: ehltontj82@gmail.com

**Description of Complaint:**  
Mr. Helton reports observing TC Carpet Care discharging waste water into a storm drain.

**Complaint Response:**  
RSW - 10/06/2021 - Pending Investigation  
RSW - 10/06/2021 - Consultation  
I emailed Mr. Helton and asked if he would be willing to testify if necessary.  
RSW - 10/19/2021 - Consultation  
Mr. Helton has not responded to my email. I attempted to contact him by phone today. He did not answer and his mailbox is full.  
RSW - 10/19/2021 - Consultation  
I contacted TC Carpet Care and spoke with Ana since the manager was not available. I explained they would receive a citation for this violation, but the witness is unavailable. I warned that the violation would count as an offense for the fine escalator if another occurrence is reported or observed.  
  
I advised they remind their crews to dispose of their wastewater properly.,  
RSW - 10/19/2021 - Follow Up Complete



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**  
Friday October 15, 2021

**Complaint Application:**  
HLTCOD-2022-00006

**Location of Complaint or Problem:**  
648 S WHITNEY WAY  
MADISON, WI 53711

**Application Name/Project Name:**

6411 Automobile and truck repair services.

**Property Owner Information:**  
FULL MOON PROPERTIES LLC  
PO BOX 620796  
MIDDLETON, WI 53562

**Complainant Information:**  
NAME: JOHN OLSON  
ADDRESS:  
  
PHONE: (608) 271-3895  
EMAIL: dadyo961@hotmail.com

**Description of Complaint:**  
Complainant reports many containers of used motor oil behind the closed Jiffy Lube. Forwarded to Health on 10/15.

**Complaint Response:**

RSW - 10/15/2021 - Pending Investigation  
Assigned to JR

RSW - 10/15/2021 - Onsite Visit  
JR inspected and took pictures.

RSW - 10/18/2021 - Consultation  
I noticed that BI had already begun an investigation of this complaint, so I contacted the assigned inspector, Joel Green. He has issued clean up orders with a completion date of 11/3. I offered to provide additional motivation for clean up if compliance isn't gained.

RSW - 11/08/2021 - Follow Up Complete  
BI reports issue has been resolved.





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**

Tuesday December 7, 2021

**Complaint Application:**

HLTCOD-2021-00385

**Location of Complaint or Problem:**

909 E DAYTON ST  
MADISON, WI 53703

**Application Name/Project Name:**

1133 5-7 units.

**Property Owner Information:**

MULLINS APARTMENTS LLP  
401 N CARROLL ST  
MADISON, WI 53703

**Complainant Information:**

NAME: LIZ HAYNES  
ADDRESS:  
  
PHONE: (352) 223-3601  
EMAIL: [lizhaynes@gmail.com](mailto:lizhaynes@gmail.com)

**Description of Complaint:**

RAP complaint of property maintenance workers depositing leaves in the street. Incident occurred on 11/5.

**Complaint Response:**

RSW - 12/07/2021 - Pending Investigation

RSW - 12/07/2021 - Consultation

I informed the complainant that the issue is being investigated. I also requested contact information for the property maintenance company from Mullins Apartments, property owner.

RSW - 12/15/2021 - Consultation

I spoke with David Balsamo of Mullins Apartments. He is aware of the requirements for lawn waste. He stated that the maintenance workers blow the leaves down the driveway into the street. They then blow them down the street a ways and up onto the terrace. He further stated their crews are checked on regularly to ensure they are following this procedure.

This seems reasonable, and is not incongruent with the photo supplied by the complainant. Since the leaves are long gone, there is no way to confirm or deny the RP's statements. He seemed knowledgeable and credible.

RSW - 12/15/2021 - Follow Up Complete





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**  
Thursday December 2,  
2021

**Complaint Application:**  
HLTCOD-2022-00007

**Location of Complaint or Problem:**  
5109 HAMMERSLEY RD  
MADISON, WI 53711

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**  
TREBNIO, JACK  
& ANNA JUSZCZEL  
5109 HAMMERSLEY RD  
MADISON, WI 53711-2617

**Complainant Information:**

NAME: WILLIAM K  
ADDRESS:

PHONE: Not Provided  
EMAIL:

**Complaint Response:**

RSW - 12/02/2021 - Pending Investigation  
RSW - 12/02/2021 - No Violation

This is an allowable discharge. Complainant does not want update.



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**  
Monday December 6, 2021

**Complaint Application:**  
HLTCOD-2022-00010

**Location of Complaint or Problem:**  
5029 SHEBOYGAN AVE  
MADISON, WI 53705

**Application Name/Project Name:**

1137 25-50 units.

**Property Owner Information:**  
MONTICELLO APARTMENTS LLP  
% BRAND & MOHS  
2 E MIFFLIN ST STE 901  
MADISON, WI 53703-2860

**Complainant Information:**  
NAME: RENE ROBINSON  
ADDRESS:  
  
PHONE: (608) 233-9299  
EMAIL: the monticello@sbcglobal.net

**Description of Complaint:**  
RAP complaint dated 11/20/21. Ms. Robinson discovered that a resident of the apartments dumped used motor oil down a floor drain in the garage. She is uncertain about the time or amount dumped.

**Complaint Response:**  
RSW - 12/02/2021 - Pending Investigation  
RSW - 12/06/2021 - Consultation  
I informed Ms. Robinson that the discharge is prohibited, but there is nothing that can be done to remediate the issue after so much time has elapsed. (complaint was not forwarded during my absence)  
RSW - 12/06/2021 - Follow Up Complete



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**

Wednesday December 8,  
2021

**Complaint Application:**

HLTCOD-2021-00387

**Location of Complaint or Problem:**

5201 KNIGHTSBRIDGE RD  
MADISON, WI 53714

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

JONES, ALEX T  
MEGAN B JONES  
5201 KNIGHTSBRIDGE RD  
MADISON, WI 53714

**Complainant Information:**

NAME: RICK WENTA  
ADDRESS:

PHONE: Not Provided  
EMAIL: rwenta@publichealthmdc.com

**Description of Complaint:**

Incidental observation of staining indicating concrete waste flow in the gutter.

**Complaint Response:**

RSW - 12/08/2021 - Pending Investigation

RSW - 12/08/2021 - Onsite Visit

I spoke with the home owner. She stated she had issues with their driveway installation. The contractor was Fischer.

RSW - 01/06/2022 - Consultation

I emailed the RP explaining the illegal nature of the discharge and containment requirements.

RSW - 01/06/2022 - Follow Up Complete



Thu 1/6/2022 11:09 AM

Wenta, Rick

Illegal discharge of concrete waste at 5201 Knightsbridge Road, Madison, WI

To 'fisherconcreteconstruction@gmail.com'

On December 8, I observed staining and residue indicating concrete waste was illegally allowed to flow down the gutter at the above address. The property owner identified your business as the responsible party. This communication is to inform you of the illegal nature of this discharge. You are required to contain your waste. Allowing concrete waste to flow in the gutter can result in a citation or prosecution under Madison General Ordinance 7.46. Waste contained on a grassy surface is not a violation.

A future violation will be considered a second offense. Please contact me if you have questions.

**Rick Wenta**

Environmental Protection Lead Worker | [Public Health Madison & Dane County](#)

210 Martin Luther King Jr. Blvd, Room 507, Madison, WI 53703

Phone: (608) 243-0351 | Cell: (608) 225-2396 | Fax: (608) 266-4858

Healthy People. Healthy Places.



This email, including any attachments, may contain confidential or protected health information which is only for the intended recipient. If you received this email in error, please delete and notify the sender immediately. Emails sent or received by our agency are subject to open records requests and could be released to the public, unless there is an exception allowed by law.





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**

Wednesday December 8,  
2021

**Complaint Application:**

HLTCOD-2021-00384

**Location of Complaint or Problem:**

5222 KINGSBRIDGE RD  
MADISON, WI 53714

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

WICHLACZ, ROBERT  
KATRINA WALDRON  
5222 KINGSBRIDGE RD  
MADISON, WI 53714

**Complainant Information:**

NAME: SUSAN SANDFORD  
ADDRESS:

PHONE: Not Provided  
EMAIL: [susan.sandford@gmail.com](mailto:susan.sandford@gmail.com)

**Description of Complaint:**

Ms. Sandford noticed staining on the driveway indicating a discharge of paint waste to the street. Date of observation was 11/5.

**Complaint Response:**

RSW - 12/08/2021 - Pending Investigation

RSW - 12/08/2021 - Onsite Visit

Some staining is still evident. Flow went into the gutter, but difficult to determine how far it traveled. No answer at the door.

RSW - 12/21/2021 - Consultation

Warning letter sent.

RSW - 12/21/2021 - Follow Up Complete



City-County Building, Room 507  
210 Martin Luther King, Jr. Boulevard  
Madison, WI 53703

Phone (608) 266-4821  
Fax (608) 266-4858  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

Robert Wichlacz & Katrina Waldron  
5222 Kingsbridge Road  
Madison, WI 53714

December 21, 2021

**RE: Illegal discharge to the gutter.**

We have been informed of an illegal discharge from your property. Staining indicative of a waste flow was observed on November 5. If the material was latex paint, it should have been directed to the grass to prevent it reaching the street. If the material was an oil-based paint, it must be retrieved with absorbent.

Madison General Ordinance 7.46 prohibits discharges to the street or gutter. Future discharges could result in a fine of \$50-2000. If you have any questions, please contact me.

Rick Wenta

Environmental Protection Lead Worker | [Public Health Madison & Dane County](#)

210 Martin Luther King Jr. Blvd, Room 507, Madison, WI 53703

Phone: (608) 243-0351 | Cell: (608) 225-2396 | Fax: (608) 266-4858





Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

## Environmental Health Complaint Report

**Date of Complaint:**  
Monday December 20,  
2021

**Complaint Application:**  
HLTCOD-2022-00038

**Location of Complaint or Problem:**  
622 UNIVERSITY AVE  
MADISON, WI 53715

**Application Name/Project Name:**

5810 Eating places or restaurants.

**Property Owner Information:**  
OKONEK PROPERTIES LLC  
PO BOX 185  
MONDOVI, WI 54755

**Complainant Information:**

NAME: JOEL GREEN  
ADDRESS:  
PHONE: Not Provided  
EMAIL: jgreen@cityofmadison.com

**Description of Complaint:**

This is a recurrence of past improper storage of used cooking oil on City property by the Church Key. BI has asked for assistance in determining if storage is unsecured.

**Complaint Response:**

RSW - 12/20/2021 - Pending Investigation

RSW - 12/21/2021 - Onsite Visit

EPU met with BI and Parking Utility on site. They have established Church Key is the RP. They will not be allowed to store oil in 5-gallon buckets anywhere. A secured 55-gallon drum on their property would be suitable.

PU will alert us every morning they observe oil stored on City property. JH will respond while Jesse and I are out.

RSW - 12/22/2021 - Consultation

We have attempted to contact staff for two days. They have not been open for business during posted hours and do not answer the phone.

RSW - 12/27/2021 - Consultation

PU reports oil containers are still on City property. JH contacted the Church Key manager, Armando Acosta, and alerted him to the need to removed the containers.

RSW - 12/29/2021 - Consultation

PU reports the oil containers have been moved.

RSW - 01/10/2022 - Follow Up Complete

PU reports there have been no further instances of illegal storage on City property.









Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**

Monday February 1, 2021

**Complaint Application:**

HLTCOD-2021-00030

**Location of Complaint or Problem:**

1910 SCOTT LN  
MADISON, WI 53704

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

HEIDELBERGER, REBECCA  
1653 SUNFIELD ST  
MADISON, WI 53704

**Complainant Information:**

NAME: ANON  
ADDRESS:  
  
PHONE: Not Provided  
EMAIL:

**Description of Complaint:**

RAP complaint of a vehicle leaking large amounts of motor oil.

**Complaint Response:**

RSW - 02/01/2021 - Pending Investigation

RSW - 02/01/2021 - Onsite Visit

Recent heavy snowfall has obliterated any sign of an oil release. I will reinspect after sunshine has reduced the snow cover, this afternoon or tomorrow.

RSW - 05/04/2021 - Follow Up Complete

This complaint was 7 weeks old when received. There is no ongoing discharges and stains have weathered beyond recognition.



Healthy people. Healthy places.

Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**

Tuesday June 8, 2021

**Complaint Application:**

HLTCOD-2021-00162

**Location of Complaint or Problem:**

1804 E MAIN ST  
MADISON, WI 53704

**Application Name/Project Name:**

7630 Parks - conservation, including greenways or drainageways.

**Property Owner Information:**

CITY OF MADISON PARKS  
YAHARA RIVER PARKWAY  
210 MLK JR BLVD RM 104  
MADISON, WI 53703-3342

**Complainant Information:**

NAME: CHRISTOPHER MURPHY  
ADDRESS:

PHONE: Not Provided  
EMAIL: paleoelectronics@yahoo.com

**Description of Complaint:**

Email complaint. Mr. Murphy found a white powder in the street on E Main Street behind the Marling. This occurred several weeks ago. He collected the material to keep it out of the river since rain was immanent. He is inquiring where he can get the material tested.

**Complaint Response:**

RSW - 06/08/2021 - Pending Investigation

RSW - 06/08/2021 - Consultation

I advised Mr. Murphy that identifying the material at this point would not be useful. I asked him to alert me to any additional spills he sees so we can identify a source.

RSW - 06/08/2021 - Follow Up Complete



Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
[www.publichealthmdc.com](http://www.publichealthmdc.com)

## Environmental Health Complaint Report

**Date of Complaint:**

Wednesday July 21, 2021

**Complaint Application:**

HLTCOD-2021-00253

**Location of Complaint or Problem:**

217 KAREN CT  
MADISON, WI 53705

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

CITY OF MADISON- STR ROW  
PO BOX 298 3  
MADISON, WI 53701 2983

**Complainant Information:**

NAME: BOB MORGAN  
ADDRESS:  
  
PHONE: (608) 231-9704  
EMAIL: [uplandmorgans@uwalumni.com](mailto:uplandmorgans@uwalumni.com)

**Description of Complaint:**

Complainant reports liquid leaking from a dumpster removed mid-block on Karen Ct.

**Complaint Response:**

RSW - 07/21/2021 - Pending Investigation

RSW - 07/21/2021 - Consultation

Complainant reports street sweeper passed by and removed most of the material from the street.

RSW - 07/22/2021 - Onsite Visit

There was no visible evidence of a release. I spoke with the remodelers working at 217 Karen Court. They were not aware of a leaking dumpster.

RSW - 07/22/2021 - Follow Up Complete



Healthy people. Healthy places.

Environmental Health Division  
2300 S Park St, Suite 2010  
Madison, WI 53713

Phone (608) 242-6515  
Animal Services Voicemail (608) 267-1989  
Fax (608) 242-6435  
www.publichealthmdc.com

### Environmental Health Complaint Report

**Date of Complaint:**

Monday September 20,  
2021

**Complaint Application:**

HLTCOD-2021-00299

**Location of Complaint or Problem:**

222 ACEWOOD BLVD  
MADISON, WI 53714

**Application Name/Project Name:**

1110 One family unit.

**Property Owner Information:**

HANSEN, NEALE T  
222 ACEWOOD BLVD  
MADISON, WI 53714

**Complainant Information:**

NAME: RICK WENTA  
ADDRESS:  
  
PHONE: (608) 243-0351  
EMAIL: rwenta@publichealthmdc.com

**Description of Complaint:**

Incidental observation of a concrete waste discharge.

**Complaint Response:**

RSW - 09/20/2021 - Pending Investigation  
RSW - 09/20/2021 - Onsite Visit

A bobcat with a bucket was used by the concrete truck for washout. There was evidence in the gutter of flow to the inlet. The inlet contained a small amount of concrete slurry. This likely came off the truck as it was too thick to have been washed off and flowing to the inlet.  
I spoke with the owner of Krizan Concrete, Dennis. I showed him the material in the storm sewer and explained how partially submerged storm sewers would convey the material in a harmful, dissolved form to the lake. He acknowledged the material shouldn't be there and will do a better job of containment.  
No removal of material is necessary. The small amount that is there will be dry before the rain tonight.

RSW - 09/20/2021 - Follow Up Complete