

(ABKA) or the American Kennel Club (AKC). Such procedures, which shall be followed for the life of the business, must address the identification and correction of animal behavior that impacts surrounding uses, including excessive barking.

Assisted Living Facility, Congregate Care Facility, Skilled Nursing Facility.

- (a) The yard requirements for multi-family use in the district apply.
- (b) A facility established after the effective date of this ordinance within a predominantly residential or mixed-use area shall have vehicular access to a collector or higher classification street.
- (c) The site shall contain a minimum of one hundred fifty (150) square feet of usable open space per resident, consisting of outdoor seating areas, gardens and/or recreational facilities. Public parks or plazas within three hundred (300) feet of the site may be used to meet this requirement.
- (d) An appropriate transition area between the use and adjacent property may be required, using landscaping, screening, and other site improvements consistent with the character of the neighborhood.
- (e) The owner shall submit a Management Plan for the facility and a floor plan showing sleeping areas, emergency exits and bathrooms.

ATM.

- (a) In the DC, UMX, LMX, NMX and TSS districts, no more than one ATM may be installed per street frontage on a zoning lot.
- (b) In the DC, UMX, LMX, NMX and TSS districts, ATMs must be integrated into building design. Construction or modifications to accommodate an ATM shall be made in a manner consistent with the overall design of a façade.
- (c) In the DC, UMX, LMX, NMX and TSS districts, no storefront glass shall be removed to accommodate the installation of an ATM, unless the storefront glass is ninety- (90) degrees perpendicular to the sidewalk, and the ATM is being installed in an existing alcove.
- (d) In the DC, UMX, LMX, NMX and TSS districts, the exterior face, including any cabinet or casing, of an ATM shall not exceed eight (8) square feet in size.

(Cr. by ORD-13-00147, 9-11-13)

Automobile Body Shop, Automobile Sales and Rental, Automobile Service Station, Automobile Repair Station, Convenience Store.

- (a) All automobile servicing and repair activities shall be carried on within an enclosed building.
- (b) No automobile servicing and repair activities may take place between the hours of 7:00 p.m. and 7:00 a.m. unless all of the building's windows and doors are closed.
- (c) A convenience store shall not be located within one thousand nine hundred eighty (1,980) feet distance of three (3) or more existing convenience stores, as measured along the center lines of streets.
- (d) The following activities and equipment are allowed outside if located within the rear yard and building envelope, and at least fifty (50) feet from a residential zoning district:
 1. Storage of vehicle parts and refuse.
 2. Temporary storage of vehicles during repair and pending delivery to the customer.
 3. Vacuuming and cleaning.
- (e) Outside storage or parking of any disabled, wrecked, or partially dismantled vehicle is not allowed for a period exceeding ten (10) days during any thirty (30) day period.
- (f) No building, structure, canopy, gasoline pump, or storage tank shall be located within twenty-five (25) feet of a residential zoning district.
- (g) In the NMX, DC, UMX and TSS Districts, the requirement in (g) above, may be modified as part of the conditional use approval so that pump islands are located in front of the building if provides more effective circulation, aesthetics or buffering of neighboring uses.

(Am. by ORD-13-00088, 5-29-13; ORD-17-00021, 2-20-17)