

From: [E Crawford](#)
To: [Phillips, Robert](#); [Hacker, Marsha](#); [Rummel, Marsha](#); mnaboard@marquette-neighborhood.org
Subject: Canopy trees
Date: Tuesday, February 02, 2016 6:36:09 PM

Put electrical line underground: A critical component of the plan calls for putting only the high-voltage electrical line underground at a price that's fair and reasonable to residents. This does not affect existing service between the pole and houses. This alone will end the brutal pruning we've witnessed in recent years and permit the planting of canopy trees, which otherwise would not be allowed beneath these lines. Increase the water permeable soil volume to ensure greater tree health and improve their likelihood of surviving droughts and heatwaves by providing a slightly wider terrace of a foot on each side of the street. This increases the soil area of the street terraces by almost 17 percent. The new curb locations will decrease the damage to existing tree roots and enhance their survivability.

Retain existing, healthy ash trees where possible. Treat and protect the healthy well-branched ash trees presently designated for removal. Presently, adjoining property owners are not permitted to adopt the trees to have them treated. They should be treated, and they should be allowed to be adopted by nearby property owners or other entities.

Re-plant canopy shade trees rather than short tree varieties to replace those lost, throughout.

Beth Crawford
836 Spaight st
Madison, WI 53703