PLANNING UNIT REPORT DEPARTMENT OF PLANNING AND DEVELOPMENT January 23, 2006

RE: I.D. #02762, Demolition Permit - 100 Morningside Avenue

- 1. Requested Action: Approval of a demolition permit for a single-family residence at 100 Morningside Avenue.
- 2. Applicable Regulations: Section 28.04 (22) provides the guidelines and regulations for the approval of demolition permits.
- 3. Report Prepared By: Timothy M. Parks, Planner

GENERAL INFORMATION:

- 1. Applicant & Property Owner: George Riggin, Operation Fresh Start; 1925 Winnebago Street; Madison.
- 2. Development Schedule: The applicants have begun demolition of the former residence and construction of the new single-family residence.
- 3. Parcel Location: An approximately 8,491square-foot parcel located at the northwest corner of Morningside Avenue and Buckeye Road; Aldermanic District 15; Madison Metropolitan School District.
- 4. Existing Conditions: The site is developed with an existing single-family residence, zoned R2 (Single-Family Residence District).
- 5. Proposed Use: A new single-family residence.
- 6. Surrounding Land Use and Zoning: The larger area surrounding the subject site includes single-family residences in the R1 and R2 single-family zoning districts. A residence across the street at 101 Morningside Avenue was rezoned to R4 (General Residence District) in March 2005 to accommodate an existing duplex/ dependency living arrangement.
- 7. Adopted Land Use Plan: This area is identified as "Residential, Low-Density Single Unit Housing Type Uses" according to the 1988 <u>Land Use Plan</u> and for "Low-Density Residential" in the recently adopted <u>Comprehensive Plan</u>.
- 8. Environmental Corridor Status: This property is not located within a mapped environmental corridor.
- 9. Public Utilities & Services: This property is served by a full range of urban services

Item #02762 100 Morningside Avenue January 23, 2006 Page 2

STANDARDS FOR REVIEW:

This application is subject to the demolition standards of Section 28.04 (22).

ANALYSIS, EVALUATION AND CONCLUSION:

The applicant is requesting approval of a demolition permit to resume demolition of a one-story, 1,000 square-foot single-family residence located at the northwest corner of Buckeye Road and Morningside Avenue. The property is a 70-foot wide and 121.3-foot deep lot located in an area developed with single-family residences on similarly sized lots in R1 and R2 single-family zoning districts. The applicant indicates that they originally intended to renovate the former residence on the property and construct a full basement where a combination low-depth basement and crawl space was previously located. However, during interior renovations, it was determined by the applicant that the building was structurally unsound. The applicant then razed the former residence and began to construct a new single-family residence where the previous one stood before the Inspection Unit stopped work. At present, the new residence has been framed out and enclosed, windows and doors installed and protective wrapping clad to the exterior walls.

The new residence is a one-story, ranch-style frame structure and will contain approximately 1,020 square feet of floor area with three bedrooms and one bathroom. The new residence will be constructed with horizontal vinyl siding and a gabled roof with decorative vinyl scalloped siding located beneath the gable. The entrance to the new residence will face Morningside Avenue. The subject site features two mature shade trees and a tall evergreen in the front and street side yards, and a deciduous hedge along Buckeye Road, which is located slightly below the grade of the site. Photos of the new residence under construction have been included with the case materials.

Demolition of the former residence and construction of the new one without the necessary permits are violations of both the Zoning and Building codes. The Planning Unit, however, at this point sees no value in not granting the demolition permit and allowing the construction of the new residence to resume. No photos of the former residence were provided with the application, as demolition had already occurred before the applicant was made aware that a demolition permit was required. [Staff has provided a photo from the City Assessor's database, which shows a one-story frame residence.] The applicant provided a written account of the condition of the building that suggests that it was likely not feasible to rehabilitate or in a condition that would suggest sustained market viability. The finished floor area of the new residence is not significantly greater than the former residence but will have a full-depth basement accessible through the residence (the basement of the former house was only accessible from the outside) and will be fully constructed to code. The new structure should be more economically viable over the long term than the former residence, and will be compatible with other residences in the neighborhood.

RECOMMENDATION

The Planning Unit recommends that the Plan Commission find that the demolition standards are met and **approve** demolition of single-family residence at 100 Morningside Avenue subject to input at the public hearing and comments from reviewing agencies.



CITY OF MADISON FIRE DEPARTMENT

Fire Prevention Division

325 W. Johnson St., Madison, WI 53703-2295 Phone: 608-266-4484 • FAX: 608-267-1153

DATE:

December 20, 2005

TO:

Plan Commission

FROM:

Edwin J. Ruckriegel, Fire Marshal

SUBJECT:

100 Morningside Ave.

The City of Madison Fire Department (MFD) has reviewed the subject development and has the following comments:

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1	No	comme	ents.

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

2. None.

Please contact John Lippitt, MFD Fire Protection Engineer, at 608-261-9658 if you have questions regarding the above items.

cc:

John Lippitt

CITY OF MADISON INTERDEPARTMENTAL CORRESPONDENCE

Date: January 3, 2006

To:

Plan Commission

From:

Kathy Voeck, Assistant Zoning Administrator

Subject:

100 Morningside Avenue, Demolition

Present Zoning District:

R-2

Proposed Use: Approve demo of a single family home & approve reconstruction of a new

home

Conditional Use:

28.04(22) Demolition of a principal building requires Plan Com. app.

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project). NONE.

GENERAL OR STANDARD REVIEW COMMENTS

ZONING CRITERIA

Bulk Requirements	Required	Proposed
Lot Area	6,000 sq. ft.	14,566 sq. ft.
Lot width	50'	60'
Usable open space	1,000 sq. ft.	adequate
Front yard	20.6'	16.9' (Var. app. 12/22/05)
Side yards	6'	12' & 28'
Rear yard	40'	adequate
Building height	2 stories/35'	1 story

Site Design	Required	Proposed	
Number parking stalls	1	1	

Other Critical Zoning Items	
Flood plain	No

With the above conditions, the proposed project does comply with all of the above requirements.



Traffic Engineering Division

David C. Dryer, City Traffic Engineer

Madison Municipal Building 215 Martin Luther King, Jr. Boulevard P.O. Box 2986 Madison, Wisconsin 53701-2986 PH 608/266-4761 TTY 608/267-9623 FAX 608/267-1158

January 12, 2006

TO:

Plan Commission

FROM:

David C. Dryer, P.E., City Traffic Engineer

SUBJECT:

100 Morningside Avenue – Demolish House – Build New Single Family

Home

The City Traffic Engineering Division has reviewed the subject development and has the following comments.

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. None

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

2. None

Please contact John Leach, City Traffic Engineering at 267-8755 if you have questions regarding the above items:

Contact Person: George Riggin

Fax: 608-244-8162

Email: timofs@hotmail.com

DCD:DJM:dm



Department of Public Works City Engineering Division

608 266 4751

Larry D. Nelson, P.E. City Engineer

City-County Building, Room 115 210 Martin Luther King, Jr. Boulevard Madison, Wisconsin 53703 608 264 9275 FAX 608 267 8677 TDD Deputy City Engineer Robert F. Phillips, P.E.

Principal Engineers Michael R. Dalley, P.E. Christina M. Bachman, P.E. John S. Fahrney, P.E. David L. Benzschawel, P.E. Gregory T. Fries, P.E.

> Operations Supervisor Kathleen M. Cryan

Hydrogeologist Joseph L. DeMorett, P.G.

> GIS Manager David A. Davis, R.L.S.

DATE:

January 12, 2006

TO:

Plan Commission

FROM:

Larry D. Nelson, P.E., City Engineer

SUBJECT:

100 Morningside Avenue Demolition

The City Engineering Division has reviewed the subject development and has the following comments.

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

- Each buildable lot shall have a separate sanitary lateral.
- 2. If the existing sanitary lateral is to be abandoned, the owner shall obtain a sewer plug permit, \$900 deposit and \$100 non-refundable check (2-separate checks to City Engineering).

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

Engineering Division Review of Planned Community Developments, Planned Unit Developments and Conditional Use Applications.

Name: 100 Morningside Avenue Demolition

General		
	1.1	The construction of this building will require removal and replacement of sidewalk, curb and gutter and possibly other parts of the City's infrastructure. The applicant shall enter into a City / Developer agreement for the improvements required for this development. The applicant shall be required to provide deposits to cover City labor and materials and surety to cover the cost of construction. The applicant shall meet with the City Engineer to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. The developer shall sign the Developer's Acknowledgement prior to the City Engineer signing off on this project.
	1.2	The site plan shall identify lot and block numbers of recorded Certified Survey Map or Plat.
	1.3	The site plan shall include all lot/ownership lines, existing building locations, proposed building additions, demolitions, parking stalls, driveways, sidewalks (public and/or private), existing and proposed signage, existing and proposed utility locations and landscaping.
	1.4	The site plan shall identify the difference between existing and proposed impervious areas.
	1.5	The site plan shall reflect a proper street address of the property as reflected by official City of Madison Assessor and Engineering Division records.

1)

□	1.6	The site plan shall include a full and complete legal description of the site or property being subjected to this application.
Right of	Way / E	asements
	2.1	The Applicant shall Dedicate a foot wide strip of Right of Way along
	2.2	The Applicant shall Dedicate a foot wide strip of Right of Way along
	2.3	The Applicant shall Dedicate a Permanent Limited Easement for grading and sloping feet wide along
	2.4	The City Engineer has reviewed the need for pedestrian and bicycle connections through the development and finds that no connections are required.
□ ·	2.5	The Applicant shall Dedicate a Permanent Limited Easement for a pedestrian / bicycle easement feet wide from to
<u>.</u> .	2.6	The Developer shall provide a private easement for public pedestrian and bicycle use through the property running from to
	2.7	The developer shall be responsible for the ongoing construction and maintenance of a path within the easement. The maintenance responsibilities shall include, but not be limited to, paving, repairing, marking and plowing. The developer shall work with the City of Madison Real Estate Staff to administer this easement. Applicable fees shall apply.
Streets	and Sid	ewalks
	3.1	The Applicant shall execute a waiver of notice and hearing on the assessments for the improvement of [roadway]
		in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
	3.2	Value of sidewalk installation over \$5000. The Applicant shall Construct Sidewalk to a plan approved by the City Engineer along
	3.3	Value of sidewalk installation under \$5000. The Applicant shall install public sidewalk along The Applicant shall obtain a Street Excavation Permit for the sidewalk work, which is available from the City. Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. All work must be completed within six months or the succeeding June 1, whichever is later.
	3.4	The Applicant shall execute a waiver of their right to notice and hearings on the assessments for the installation of sidewalk along [roadway] in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
	3.5	The Applicant shall grade the property line along to a grade established by the City Engineer. The grading shall be suitable to allow the installation of sidewalk in the future without the need to grade beyond the property line. The Applicant shall obtain a Street Excavation permit prior to the City Engineer signing off on this development.
	3.6	The Applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.
	3.7	Value of the restoration work less than \$5,000. When computing the value, do not include a cost for driveways. Do not include the restoration required to facilitate a utility lateral installation. The Applicant's project requires the minor restoration of the street and sidewalk. The Applicant shall obtain a Street Excavation Permit for the street restoration work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees.
	3.8	The Applicant shall make improvements to in order to facilitate ingress and egress to the development. The improvement shall include a (Describe what the work involves or strike this part of the comment.)
	3.9	The Applicant shall make improvements to The improvements shall consist of
	3.10	The approval of this Conditional Use does not include the approval of the changes to roadways, sidewalks or utilities. The applicant shall obtain separate approval by the Board of Public Works and the Common Council for the restoration of the public right of way including any changes requested by developer. The City Engineer shall complete the final plans for the restoration with input from the developer. The curb location, grades, tree locations, tree species, lighting modifications and other items required to facilitate the development or restore the right of way shall be reviewed by the City Engineer, City Traffic Engineer, and City Forester.
	3.11	The Applicant shall provide the City Engineer with a survey indicating the grade of the existing sidewalk and street. The Applicant shall hire a Professional Engineer to set the grade of the building entrances adjacent to the public right of way. The Applicant shall provide the City Engineer the proposed grade of the building entrances. The City Engineer shall approve the grade of the entrances prior to signing off on this development.

<u>.</u>	3.12	construction or any sidewalk and curb and gutter which the City Engineer determines needs to be replaced because it is not at a desirable grade regardless of whether the condition existed prior to beginning construction.
	3.13	The Applicant shall obtain a privilege in streets agreement for any encroachments inside the public right of way. The approval of this development does not constitute or guarantee approval of the encroachments.
	3.14	The Applicant shall provide the City Engineer with the proposed soil retention system to accommodate the restoration. The soil retention system must be stamped by a Professional Engineer. The City Engineer may reject or require modifications to the retention system.
	3.15	The Applicant shall complete work on exposed aggregate sidewalk in accordance with specifications provided by the city. The stone used for the exposed aggregate shall be approved by the City. The Construction Engineer shall be notified prior to beginning construction. Any work that does not match the adjacent work or which the City Construction Engineer finds is unacceptable shall be removed and replaced.
\boxtimes	3.16	All work in the public right-of-way shall be performed by a City licensed contractor.
Storm	Water Ma	anagement
	4.1	The site plans shall be revised to show the location of all rain gutter down spout discharges.
	4.2	Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.
	4.3	The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.
	4.5	The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.
:	4.6	The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
'	4.7	The City of Madison is an approved agent of the Department of Commerce. This proposal contains a commercial building and as such, the City of Madison is authorized to review infiltration, stormwater management, and erosion control on behalf of the Department of Commerce. No separate submittal to Commerce or the WDNR is required.
	4.8	This development includes multiple building permits within a single lot. The City Engineer and/or the Director of the Inspection Unit may require individual control plans and measures for each building.
	4.9	If the lots within this site plan are inter-dependent upon one another for stormwater runoff conveyance, and/or a private drainage system exists for the entire site an agreement shall be provided for the rights and responsibilities of all lot owners. Said agreement shall be reviewed and placed on file by the City Engineer, referenced on the site plan and recorded at the Dane Co Register of Deeds.
	4.10	Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to:
		 □ Detain the 2 & 10-year storm events. □ Detain the 2, 10, & 100-year storm events. □ Control 40% TSS (20 micron particle). □ Control 80% TSS (5 micron particle). □ Provide infiltration in accordance with NR-151. □ Provide substantial thermal control. □ Provide oil & grease control from the first 1/2" of runoff from parking areas.
		Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.
	4.11	The plan set shall be revised to show more information on proposed drainage for the site. This shall be accomplished by using spot elevations and drainage arrows or through the use of proposed contours. It is necessary to show the location of drainage leaving the site to the public right-of-way. It may be necessary to provide information off the site to fully meet this requirement.
	4.12	A portion of this project comes under the jurisdiction of the US Army Corp of Engineers and WDNR for wetland or flood plain issues. A permit for those matters shall be required prior to construction on any of the lots currently within the jurisdictional flood plain.
	4.13	The Applicant shall submit, prior to plan sign-off, digital CAD files to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital copies shall be to scale and represent final construction.
		CAD submittals can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) formats and contain the following data, each on a separate layer name/level number:

		 b) Internal Walkway Areas c) Internal Site Parking Areas d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.) e) Right-of-Way lines (public and private) f) Lot lines g) Lot numbers h) Lot/Plat dimensions i) Street names 	
		NOTE: Email file transmissions preferred lzenchenko@cityofmadison.com . Include the site address in this transmittal.	
	4.14	NR-151 of the Wisconsin Administrative Code will be effective on October 1, 2004. Future phases of this project shall comply with NR 151 in effect when work commences. Specifically, any phases not covered by a Notice of Intent (NOI) received from the WDNR under NR-216 prior to October 1, 2004 shall be responsible for compliance with all requirements of NR-151 Subchapter III. As most of the requirements of NR-151 are currently implemented in Chapter 37 of the Madison General Ordinances, the most significant additional requirement shall be that of infiltration.	,
		NR-151 requires infiltration in accord with the following criteria. For the type of development, the site shall comply with one of the three (3) options provided below:	
	•	Residential developments shall infiltrate 90% of the predevelopment infiltration amount, 25% of the runoff from the 2-year post development storm or dedicated a maximum of 1% of the site area to active infiltration practices.	
		Commercial development shall infiltrate 60% of the predevelopment infiltration amount, 10% of the runoff from the 2-year post development storm or dedicate a maximum of 2% of the site area to active infiltration practices.	
Ó	4.15	The applicant shall submit, prior to plan sign-off, digital PDF files to the Engineering Division (Jeff Benedict or Tim Troester). The digital copies shall be to scale, and shall have a scale bar on the plan set.	
		PDF submittals shall contain the following information: a) Building footprints. b) Internal walkway areas. c) Internal site parking areas. d) Lot lines and right-of-way lines. e) Street names. f) Stormwater Management Facilities. g) Detail drawings associated with Stormwater Management Facilities (including if applicable planting plans).	
	4.16	The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:	
		a) SLAMM DAT files. b) RECARGA files. c) TR-55/HYDROCAD/Etc d) Sediment loading calculations	•
		If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided.	
Utilitie	es Genera	ıl	
· 🛛 ,	5.1	The Applicant shall obtain a Street Excavation permit for the installation of utilities required to serve this project. The Applicant shall pay the permit fee, inspection fee and street degradation fee as applicable and shall comply with all the conditions of the permit.	
	5.2	The applicant shall obtain all necessary sewer connection permits and sewer plugging permits prior to any utility work.	
	5.3	All proposed and existing utilities including gas, electric, phone, steam, chilled water, etc shall be shown on the plan.	
	5.4	The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction.	
	5.5	The site plans shall be revised to show the location of existing utilities, including depth, type, and size in the adjacent right-of-way.	
	5.6	The developer shall provide information on how the Department of Commerce's requirements regarding treatment of storm water runoff, from parking structures, shall satisfied prior to discharge to the public sewer system. Additionally, information shall be provided on which system (storm or sanitary) the pipe shall be connected to.	٠
Sanita	ary Sewer		11
	6.1	Prior to approval of the conditional use application, the owner shall obtain a permit to plug each existing sanitary sewer lateral that serves a building that is proposed for demolition. For each lateral to be plugged the owner shall	

	deposit \$1,000 with the City Engineer in two separate checks in the following amounts: (1). \$100 non-refundable deposit for the cost of inspection of the plugging by City staff; and (2). \$900 for the cost of City crews to perform the plugging. If the owner elects to complete the plugging of a lateral by private contractor and the plugging is inspected and approved by the City Engineer, the \$900 fee shall be refunded to the owner.
6.2	All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior to connection to the public sewerage system.
6.3	Each unit of a duplex building shall be served by a separate and independent sanitary sewer lateral.
6.4	The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size and alignment of the proposed service.