


3401 E WASHINGTON AVE – RISE MADISON

Contract No: 9263 / Project No.: 14436

Entity Name: WHPC-Rise-Madison, LLC




Work in right of way for developer agreement:

- Right of Way dedication or Public Sidewalk Easement for and responsibility for the construction of a six (6)-foot sidewalk, eight (8)-foot terrace, and additional one (1)-foot for maintenance on E Washington Avenue.
- Right of Way dedication or Public Sidewalk Easement for and responsibility for the construction of a five (5)-foot sidewalk, eight (8)-foot terrace, and additional one (1)-foot for maintenance on N Fair Oaks Avenue.
- Sanitary, storm, and water lateral connections to Public mains.
- Tree protection for existing trees and additional tree plantings on N Fair Oaks Avenue as determined by City Forester.
- Temporary lighting on E Washington Avenue as required by Traffic Engineering.
- Earth Retention plans and calculations.

# Demolition Plan Contract 9263, Project 14436

© Vierbicher Associates, Inc.

08 Oct 2022 - 12:28: M:\vickonath housing preservation\corps\103002\_401\_e\_washington\_ave\_CADD\21\10302\_Emitting\_Conditions.dwg by: rdt



**DEMOLITION PLAN LEGEND**

	CURB AND GUTTER REMOVAL
	ASPHALT REMOVAL
	CONCRETE REMOVAL
	BUILDING REMOVAL
	TREE REMOVAL
	SAWCUT
	UTILITY STRUCTURE REMOVAL
	UTILITY LINE REMOVAL

- DEMOLITION NOTES:**
- CONTRACTOR SHALL KEEP ALL CITY STREETS FREE AND CLEAR OF CONSTRUCTION RELATED DIRT/DUST/DEBRIS.
  - COORDINATE EXISTING UTILITY REMOVAL/ABANDONMENT WITH LOCAL AUTHORITIES AND UTILITY COMPANIES HAVING JURISDICTION.
  - ALL SAWCUTTING SHALL BE FULL DEPTH TO PROVIDE A CLEAN EDGE TO MATCH NEW CONSTRUCTION. MATCH EXISTING ELEVATIONS AT POINTS OF CONNECTION FOR NEW AND EXISTING PAVEMENT, CURB, SIDEWALKS, ETC. ALL SAWCUT LOCATIONS SHOWN ARE APPROXIMATE AND MAY BE FIELD ADJUSTED TO ACCOMMODATE CONDITIONS, JOINTS, MATERIAL TYPE, ETC. REMOVE MINIMUM AMOUNT NECESSARY FOR INSTALLATION OF PROPOSED IMPROVEMENTS.
  - CONTRACTOR SHALL PROVIDE AND SHALL BE RESPONSIBLE FOR ANY NECESSARY TRAFFIC CONTROL SIGNAGE AND SAFETY MEASURES DURING DEMOLITION AND CONSTRUCTION OPERATIONS WITHIN OR NEAR THE PUBLIC ROADWAY.
  - COORDINATE TREE REMOVAL WITH LANDSCAPE ARCHITECT. ALL TREES TO BE REMOVED SHALL BE REMOVED IN THEIR ENTIRETY AND STUMPS SHALL BE GROUND TO 12" BELOW PROPOSED SUBGRADE.
  - IF APPLICABLE, PROVIDE TREE PROTECTION FENCING PRIOR TO CONSTRUCTION OPERATIONS. MAINTAIN THROUGHOUT CONSTRUCTION.
  - ALL LIGHT POLES TO BE REMOVED FROM PRIVATE PROPERTY SHALL BE REMOVED IN THEIR ENTIRETY, INCLUDING BASE AND ALL APPURTENANCES. COORDINATE ABANDONMENT OF ELECTRICAL LINES WITH ELECTRICAL ENGINEER AND OWNER PRIOR TO DEMOLITION.
  - CONTRACTOR SHALL CLOSE ALL ABANDONED DRIVEWAYS BY REPLACING THE CURB IN FRONT OF THE DRIVEWAYS AND RESTORING THE TERRACE WITH GRASS.
  - CONTRACTOR SHALL OBTAIN ANY NECESSARY DEMOLITION AND UTILITY PLUGGING PERMITS.
  - ANY DAMAGE TO THE CITY PAVEMENT, INCLUDING DAMAGE RESULTING FROM CURB REPLACEMENT, WILL REQUIRE RESTORATION IN ACCORDANCE WITH THE CITY ENGINEERING PATCHING CRITERIA.
- RIGHT-OF-WAY NOTES:**
- ALL PUBLIC IMPROVEMENTS OR RESTORATION WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE COMPLETED PER THE PLANS APPROVED AND ISSUED BY THE CITY ENGINEERING (CONTRACT 9145, CITY PROJECT 14032)
  - THE RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANYTIME PER THE RECOMMENDATION/PLAN OF TRAFFIC ENGINEERING AND CITY ENGINEERING DEPTS.



Planners | Engineers | Architects  
Phone: (608) 261-5898

---

Demolition Plan  
3401 E Washington Ave  
City of Madison  
Dane County, WI

NO.	DATE	REVISIONS	REMARKS

---

DATE: 10/05/2022

DRAWER: AMEA

CHECKED: MMAR

PROJECT NO: 210302

C200




# Site Plan

## Contract 9263, Project 14436

- ~Construction of six-foot sidewalk, eight-foot terrace, and one-foot maintenance on E Washington Ave.
- ~Construction of five-foot walk, eight-foot terrace, and one-foot maintenance on N Fair Oaks Ave.
- ~Tree protection and additional trees on N Fair Oaks as determined by City Forester.
- ~Temporary lighting on E Washington Ave per Traffic Engineering

### GENERAL NOTES

- THE APPLICANT SHALL REPLACE ALL SIDEWALK AND CURB AND GUTTER THAT ABUTS THE PROPERTY THAT IS DAMAGED BY THE CONSTRUCTION, OR ANY SIDEWALK AND CURB AND GUTTER WHICH THE CITY ENGINEER DETERMINES NEEDS TO BE REPLACED BECAUSE IT IS NOT AT A DESIRABLE GRADE, REGARDLESS OF WHETHER THE CONDITION EXISTED PRIOR TO BEGINNING CONSTRUCTION.
- ALL WORK IN THE PUBLIC RIGHT OF WAY SHALL BE PERFORMED BY A CITY-LICENSED CONTRACTOR.
- ALL DAMAGE TO THE PAVEMENT ON CITY STREETS AND ADJACENT TO THIS DEVELOPMENT SHALL BE RESTORED IN ACCORDANCE WITH THE CITY OF MADISON'S PAVEMENT PATCHING CRITERIA.
- ALL PROPOSED STREET TREE REMOVALS WITHIN THE RIGHT OF WAY SHALL BE REVIEWED BY CITY FORESTRY BEFORE THE PLAN COMMISSION MEETING. STREET TREE REMOVALS REQUIRE APPROVAL AND A TREE REMOVAL PERMIT ISSUED BY CITY FORESTRY. ANY STREET TREE REMOVALS REQUESTED AFTER THE DEVELOPMENT PLAN IS APPROVED BY THE PLAN COMMISSION OR THE BOARD OF PUBLIC WORKS AND CITY FORESTRY WILL REQUIRE A MINIMUM OF A 72-HOUR REVIEW PERIOD WHICH SHALL INCLUDE THE NOTIFICATION OF THE ALDERPERSON WITHIN WHOSE DISTRICT IS AFFECTED BY THE STREET TREE REMOVAL(S) PRIOR TO A TREE REMOVAL PERMIT BEING ISSUED.
- AS DEFINED BY THE SECTION 107.13(C) OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION; NO EXCAVATION IS PERMITTED WITHIN 3 FEET OF THE TRUNK OF THE STREET TREE OR WHEN CUTTING ROOTS OVER 1/2 INCHES IN DIAMETER. IF EXCAVATION IS NECESSARY, THE CONTRACTOR SHALL CONTACT MADISON CITY FORESTRY (562-4816) PRIOR TO EXCAVATION. CITY OF MADISON FORESTRY PERSONNEL SHALL ASSESS THE IMPACT TO THE TREE AND TO ITS ROOT SYSTEM PRIOR TO WORK COMMENCING. TREE PROTECTION SPECIFICATIONS CAN BE FOUND ON THE FOLLOWING WEBSITE: [CITYOFMADISON.COM/BUSINESS/SP/SPFCS/SPFCS](http://CITYOFMADISON.COM/BUSINESS/SP/SPFCS/SPFCS)
- CONTRACTOR SHALL TAKE PRECAUTIONS DURING CONSTRUCTION TO NOT DISBURGE, SCAR, OR IMPAIR THE HEALTH OF ANY STREET TREE. CONTRACTOR SHALL OPERATE EQUIPMENT IN A MANNER AS TO NOT DAMAGE THE BRANCHES OF THE STREET TREES. THIS MAY REQUIRE USING SMALLER EQUIPMENT AND LOADING AND UNLOADING MATERIALS IN A DESIGNATED SPACE AWAY FROM TREES ON THE CONSTRUCTION SITE. ANY DAMAGE OR INJURY TO EXISTING STREET TREES (EITHER ABOVE OR BELOW GROUND) SHALL BE REPORTED IMMEDIATELY TO CITY FORESTRY AT 266-4816. PENALTIES AND REMEDIATION SHALL BE REQUIRED.
- SECTION 107.13(C) OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION ADDRESSES SOIL COMPACTION NEAR STREET TREES AND SHALL BE FOLLOWED BY CONTRACTOR. THE STORAGE OF PARKED VEHICLES, CONSTRUCTION EQUIPMENT, BUILDING MATERIALS, REFUSE, EXCAVATED SPILLS OR DUMPING OF POISONOUS MATERIALS ON OR AROUND TREES AND ROOTS WITHIN FIVE (5) FEET OF THE TREE OR WITHIN THE PROTECTION ZONE IS PROHIBITED.
- ON THIS PROJECT, STREET TREE PROTECTION ZONE FENCING IS REQUIRED. THE FENCING SHALL BE BRECHED BEFORE THE EXPOSITION, GRADING OR CONSTRUCTION BEGINS. THE FENCE SHALL INCLUDE THE ENTIRE WIDTH OF TERRACE AND EXTEND AT LEAST 5 FEET ON BOTH SIDES OF THE OUTSIDE EDGE OF THE TREE TRUNK. DO NOT REMOVE THE FENCING TO ALLOW FOR DELIVERIES OR EQUIPMENT ACCESS THROUGH THE TREE PROTECTION ZONE.
- STREET TREE PRUNING SHALL BE COORDINATED WITH MADISON FORESTRY AT A MINIMUM OF TWO WEEKS PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT. ALL PRUNING SHALL FOLLOW THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) A300 - PART 1 STANDARDS FOR PRUNING.
- AT LEAST ONE WEEK PRIOR TO STREET TREE PLANTING, CONTRACTOR SHALL CONTACT CITY FORESTRY AT (608) 266-4816 TO SCHEDULE INSPECTION AND APPROVAL OF NURSERY TREE STOCK AND REVIEW PLANTING SPECIFICATIONS WITH THE LANDSCAPER.
- APPROVAL OF PLANS FOR THIS PROJECT DOES NOT INCLUDE ANY APPROVAL TO PRUNE, REMOVE, OR PLANT TREES IN THE PUBLIC RIGHT-OF-WAY. PERMISSION FOR SUCH ACTIVITIES MUST BE OBTAINED FROM THE CITY FORESTER (266-4816).
- THE PUBLIC RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANY TIME. NOTES SHOWN ON THIS SITE PLAN TO PRUNE, REMOVE, OR PLANT TREES IN THE PUBLIC RIGHT-OF-WAY ARE PERMANENT AND MAY NEED TO BE REVIEWED AT THE APPLICANT'S EXPENSE UPON NOTIFICATION BY THE CITY.



### SHEET INDEX



SITE	
C-11	SITE PLAN
C-12	OVERALL SITE LIGHTING
C-13	IRREVERSIBLE ACCESS
C-14	LOT COVERAGE
C-15	LANDSCAPE PLAN
C-16	EXISTING CONDITIONS
C-17	DEMOLITION PLAN
C-18	OVERALL GRADING PLAN
C-19	GRADING PLAN-NORTH
C-20	GRADING PLAN-SOUTH
C-21	GRADING PLAN-PARK
C-22	GRADING DETAIL
C-23	OVERALL UTILITY PLAN
C-24	UTILITY PLAN-NORTH
C-25	UTILITY PLAN-SOUTH
C-26	UTILITY SERVICE TIE-TO-EXISTING TABLES
C-27	CONSTRUCTION DETAILS
C-28	CONSTRUCTION DETAILS
C-29	CONSTRUCTION DETAILS
C-30	CONSTRUCTION DETAILS
C-31	CONSTRUCTION DETAILS
C-32	CONSTRUCTION DETAILS
C-33	CONSTRUCTION DETAILS
C-34	CONSTRUCTION DETAILS
C-35	CONSTRUCTION DETAILS
C-36	CONSTRUCTION DETAILS
C-37	CONSTRUCTION DETAILS
C-38	CONSTRUCTION DETAILS
C-39	CONSTRUCTION DETAILS
C-40	CONSTRUCTION DETAILS
C-41	CONSTRUCTION DETAILS
C-42	CONSTRUCTION DETAILS
C-43	CONSTRUCTION DETAILS
C-44	CONSTRUCTION DETAILS
C-45	CONSTRUCTION DETAILS
C-46	CONSTRUCTION DETAILS
C-47	CONSTRUCTION DETAILS
C-48	CONSTRUCTION DETAILS
C-49	CONSTRUCTION DETAILS
C-50	CONSTRUCTION DETAILS
C-51	CONSTRUCTION DETAILS
C-52	CONSTRUCTION DETAILS
C-53	CONSTRUCTION DETAILS
C-54	CONSTRUCTION DETAILS
C-55	CONSTRUCTION DETAILS
C-56	CONSTRUCTION DETAILS
C-57	CONSTRUCTION DETAILS
C-58	CONSTRUCTION DETAILS
C-59	CONSTRUCTION DETAILS
C-60	CONSTRUCTION DETAILS
C-61	CONSTRUCTION DETAILS
C-62	CONSTRUCTION DETAILS
C-63	CONSTRUCTION DETAILS
C-64	CONSTRUCTION DETAILS
C-65	CONSTRUCTION DETAILS
C-66	CONSTRUCTION DETAILS
C-67	CONSTRUCTION DETAILS
C-68	CONSTRUCTION DETAILS
C-69	CONSTRUCTION DETAILS
C-70	CONSTRUCTION DETAILS
C-71	CONSTRUCTION DETAILS
C-72	CONSTRUCTION DETAILS
C-73	CONSTRUCTION DETAILS
C-74	CONSTRUCTION DETAILS
C-75	CONSTRUCTION DETAILS
C-76	CONSTRUCTION DETAILS
C-77	CONSTRUCTION DETAILS
C-78	CONSTRUCTION DETAILS
C-79	CONSTRUCTION DETAILS
C-80	CONSTRUCTION DETAILS
C-81	CONSTRUCTION DETAILS
C-82	CONSTRUCTION DETAILS
C-83	CONSTRUCTION DETAILS
C-84	CONSTRUCTION DETAILS
C-85	CONSTRUCTION DETAILS
C-86	CONSTRUCTION DETAILS
C-87	CONSTRUCTION DETAILS
C-88	CONSTRUCTION DETAILS
C-89	CONSTRUCTION DETAILS
C-90	CONSTRUCTION DETAILS
C-91	CONSTRUCTION DETAILS
C-92	CONSTRUCTION DETAILS
C-93	CONSTRUCTION DETAILS
C-94	CONSTRUCTION DETAILS
C-95	CONSTRUCTION DETAILS
C-96	CONSTRUCTION DETAILS
C-97	CONSTRUCTION DETAILS
C-98	CONSTRUCTION DETAILS
C-99	CONSTRUCTION DETAILS
C-100	CONSTRUCTION DETAILS

### ARCHITECTURAL

BUILDING #1	
A-101	BASEMENT PLAN
A-102	FIRST FLOOR PLAN
A-103	SECOND FLOOR PLAN
A-104	THIRD FLOOR PLAN
A-105	FOURTH FLOOR PLAN
A-106	FIFTH FLOOR PLAN
A-107	ROOF PLAN
BUILDING #2	
A-108	FIRST FLOOR PLAN
A-109	SECOND FLOOR PLAN
A-110	ROOF PLAN
BUILDING #3	
A-111	BASEMENT PLAN
A-112	FIRST FLOOR PLAN
A-113	SECOND FLOOR PLAN
A-114	THIRD FLOOR PLAN
A-115	FOURTH FLOOR PLAN
A-116	FIFTH FLOOR PLAN
A-117	ROOF PLAN
BUILDING #4	
A-118	BASEMENT PLAN
A-119	FIRST FLOOR PLAN
A-120	SECOND FLOOR PLAN
A-121	THIRD FLOOR PLAN
A-122	FOURTH FLOOR PLAN
A-123	FIFTH FLOOR PLAN
A-124	ROOF PLAN
ELEVATIONS	
BUILDING #1	
A-201	EXTERIOR ELEVATIONS
A-202	EXTERIOR ELEVATIONS
A-203	EXTERIOR ELEVATIONS
A-204	EXTERIOR ELEVATIONS COLORED
A-205	EXTERIOR ELEVATIONS COLORED
A-206	EXTERIOR ELEVATIONS COLORED
BUILDING #2	
A-207	EXTERIOR ELEVATIONS
A-208	EXTERIOR ELEVATIONS
A-209	EXTERIOR ELEVATIONS
A-210	EXTERIOR ELEVATIONS COLORED
A-211	EXTERIOR ELEVATIONS COLORED
A-212	EXTERIOR ELEVATIONS COLORED
BUILDING #3	
A-213	EXTERIOR ELEVATIONS
A-214	EXTERIOR ELEVATIONS
A-215	EXTERIOR ELEVATIONS
A-216	EXTERIOR ELEVATIONS COLORED
A-217	EXTERIOR ELEVATIONS COLORED
A-218	EXTERIOR ELEVATIONS COLORED
BUILDING #4	
A-219	EXTERIOR ELEVATIONS
A-220	EXTERIOR ELEVATIONS
A-221	EXTERIOR ELEVATIONS COLORED
A-222	EXTERIOR ELEVATIONS COLORED
A-223	EXTERIOR ELEVATIONS COLORED
A-224	EXTERIOR ELEVATIONS COLORED
BRIDGES	
B-101	
A-301	EXTERIOR ELEVATIONS BRID-GLOSS
A-302	EXTERIOR ELEVATIONS BRID-GLOSS
A-303	EXTERIOR ELEVATIONS BRID-GLOSS
B-102	
A-304	EXTERIOR ELEVATIONS BRID-GLOSS
A-305	EXTERIOR ELEVATIONS BRID-GLOSS
A-306	EXTERIOR ELEVATIONS BRID-GLOSS
B-103	
A-307	EXTERIOR ELEVATIONS BRID-GLOSS
A-308	EXTERIOR ELEVATIONS BRID-GLOSS
A-309	EXTERIOR ELEVATIONS BRID-GLOSS
B-104	
A-310	EXTERIOR ELEVATIONS BRID-GLOSS
A-311	EXTERIOR ELEVATIONS BRID-GLOSS
A-312	EXTERIOR ELEVATIONS BRID-GLOSS
B-105	
A-313	EXTERIOR ELEVATIONS BRID-GLOSS
A-314	EXTERIOR ELEVATIONS BRID-GLOSS
A-315	EXTERIOR ELEVATIONS BRID-GLOSS
B-106	
A-316	EXTERIOR ELEVATIONS BRID-GLOSS
A-317	EXTERIOR ELEVATIONS BRID-GLOSS
A-318	EXTERIOR ELEVATIONS BRID-GLOSS
B-107	
A-319	EXTERIOR ELEVATIONS BRID-GLOSS
A-320	EXTERIOR ELEVATIONS BRID-GLOSS
A-321	EXTERIOR ELEVATIONS BRID-GLOSS
B-108	
A-322	EXTERIOR ELEVATIONS BRID-GLOSS
A-323	EXTERIOR ELEVATIONS BRID-GLOSS
A-324	EXTERIOR ELEVATIONS BRID-GLOSS
B-109	
A-325	EXTERIOR ELEVATIONS BRID-GLOSS
A-326	EXTERIOR ELEVATIONS BRID-GLOSS
A-327	EXTERIOR ELEVATIONS BRID-GLOSS
B-110	
A-328	EXTERIOR ELEVATIONS BRID-GLOSS
A-329	EXTERIOR ELEVATIONS BRID-GLOSS
A-330	EXTERIOR ELEVATIONS BRID-GLOSS
B-111	
A-331	EXTERIOR ELEVATIONS BRID-GLOSS
A-332	EXTERIOR ELEVATIONS BRID-GLOSS
A-333	EXTERIOR ELEVATIONS BRID-GLOSS
B-112	
A-334	EXTERIOR ELEVATIONS BRID-GLOSS
A-335	EXTERIOR ELEVATIONS BRID-GLOSS
A-336	EXTERIOR ELEVATIONS BRID-GLOSS
B-113	
A-337	EXTERIOR ELEVATIONS BRID-GLOSS
A-338	EXTERIOR ELEVATIONS BRID-GLOSS
A-339	EXTERIOR ELEVATIONS BRID-GLOSS
B-114	
A-340	EXTERIOR ELEVATIONS BRID-GLOSS
A-341	EXTERIOR ELEVATIONS BRID-GLOSS
A-342	EXTERIOR ELEVATIONS BRID-GLOSS
B-115	
A-343	EXTERIOR ELEVATIONS BRID-GLOSS
A-344	EXTERIOR ELEVATIONS BRID-GLOSS
A-345	EXTERIOR ELEVATIONS BRID-GLOSS
B-116	
A-346	EXTERIOR ELEVATIONS BRID-GLOSS
A-347	EXTERIOR ELEVATIONS BRID-GLOSS
A-348	EXTERIOR ELEVATIONS BRID-GLOSS
B-117	
A-349	EXTERIOR ELEVATIONS BRID-GLOSS
A-350	EXTERIOR ELEVATIONS BRID-GLOSS
A-351	EXTERIOR ELEVATIONS BRID-GLOSS
B-118	
A-352	EXTERIOR ELEVATIONS BRID-GLOSS
A-353	EXTERIOR ELEVATIONS BRID-GLOSS
A-354	EXTERIOR ELEVATIONS BRID-GLOSS
B-119	
A-355	EXTERIOR ELEVATIONS BRID-GLOSS
A-356	EXTERIOR ELEVATIONS BRID-GLOSS
A-357	EXTERIOR ELEVATIONS BRID-GLOSS
B-120	
A-358	EXTERIOR ELEVATIONS BRID-GLOSS
A-359	EXTERIOR ELEVATIONS BRID-GLOSS
A-360	EXTERIOR ELEVATIONS BRID-GLOSS
B-121	
A-361	EXTERIOR ELEVATIONS BRID-GLOSS
A-362	EXTERIOR ELEVATIONS BRID-GLOSS
A-363	EXTERIOR ELEVATIONS BRID-GLOSS
B-122	
A-364	EXTERIOR ELEVATIONS BRID-GLOSS
A-365	EXTERIOR ELEVATIONS BRID-GLOSS
A-366	EXTERIOR ELEVATIONS BRID-GLOSS
B-123	
A-367	EXTERIOR ELEVATIONS BRID-GLOSS
A-368	EXTERIOR ELEVATIONS BRID-GLOSS
A-369	EXTERIOR ELEVATIONS BRID-GLOSS
B-124	
A-370	EXTERIOR ELEVATIONS BRID-GLOSS
A-371	EXTERIOR ELEVATIONS BRID-GLOSS
A-372	EXTERIOR ELEVATIONS BRID-GLOSS
B-125	
A-373	EXTERIOR ELEVATIONS BRID-GLOSS
A-374	EXTERIOR ELEVATIONS BRID-GLOSS
A-375	EXTERIOR ELEVATIONS BRID-GLOSS
B-126	
A-376	EXTERIOR ELEVATIONS BRID-GLOSS
A-377	EXTERIOR ELEVATIONS BRID-GLOSS
A-378	EXTERIOR ELEVATIONS BRID-GLOSS
B-127	
A-379	EXTERIOR ELEVATIONS BRID-GLOSS
A-380	EXTERIOR ELEVATIONS BRID-GLOSS
A-381	EXTERIOR ELEVATIONS BRID-GLOSS
B-128	
A-382	EXTERIOR ELEVATIONS BRID-GLOSS
A-383	EXTERIOR ELEVATIONS BRID-GLOSS
A-384	EXTERIOR ELEVATIONS BRID-GLOSS
B-129	
A-385	EXTERIOR ELEVATIONS BRID-GLOSS
A-386	EXTERIOR ELEVATIONS BRID-GLOSS
A-387	EXTERIOR ELEVATIONS BRID-GLOSS
B-130	
A-388	EXTERIOR ELEVATIONS BRID-GLOSS
A-389	EXTERIOR ELEVATIONS BRID-GLOSS
A-390	EXTERIOR ELEVATIONS BRID-GLOSS
B-131	
A-391	EXTERIOR ELEVATIONS BRID-GLOSS
A-392	EXTERIOR ELEVATIONS BRID-GLOSS
A-393	EXTERIOR ELEVATIONS BRID-GLOSS
B-132	
A-394	EXTERIOR ELEVATIONS BRID-GLOSS
A-395	EXTERIOR ELEVATIONS BRID-GLOSS
A-396	EXTERIOR ELEVATIONS BRID-GLOSS
B-133	
A-397	EXTERIOR ELEVATIONS BRID-GLOSS
A-398	EXTERIOR ELEVATIONS BRID-GLOSS
A-399	EXTERIOR ELEVATIONS BRID-GLOSS
B-134	
A-400	EXTERIOR ELEVATIONS BRID-GLOSS
A-401	EXTERIOR ELEVATIONS BRID-GLOSS
A-402	EXTERIOR ELEVATIONS BRID-GLOSS
B-135	
A-403	EXTERIOR ELEVATIONS BRID-GLOSS
A-404	EXTERIOR ELEVATIONS BRID-GLOSS
A-405	EXTERIOR ELEVATIONS BRID-GLOSS
B-136	
A-406	EXTERIOR ELEVATIONS BRID-GLOSS
A-407	EXTERIOR ELEVATIONS BRID-GLOSS
A-408	EXTERIOR ELEVATIONS BRID-GLOSS
B-137	
A-409	EXTERIOR ELEVATIONS BRID-GLOSS
A-410	EXTERIOR ELEVATIONS BRID-GLOSS
A-411	EXTERIOR ELEVATIONS BRID-GLOSS
B-138	
A-412	EXTERIOR ELEVATIONS BRID-GLOSS
A-413	EXTERIOR ELEVATIONS BRID-GLOSS
A-414	EXTERIOR ELEVATIONS BRID-GLOSS
B-139	
A-415	EXTERIOR ELEVATIONS BRID-GLOSS
A-416	EXTERIOR ELEVATIONS BRID-GLOSS
A-417	EXTERIOR ELEVATIONS BRID-GLOSS
B-140	
A-418	EXTERIOR ELEVATIONS BRID-GLOSS
A-419	EXTERIOR ELEVATIONS BRID-GLOSS
A-420	EXTERIOR ELEVATIONS BRID-GLOSS
B-141	
A-421	EXTERIOR ELEVATIONS BRID-GLOSS
A-422	EXTERIOR ELEVATIONS BRID-GLOSS
A-423	EXTERIOR ELEVATIONS BRID-GLOSS
B-142	
A-424	EXTERIOR ELEVATIONS BRID-GLOSS
A-425	EXTERIOR ELEVATIONS BRID-GLOSS
A-426	EXTERIOR ELEVATIONS BRID-GLOSS
B-143	
A-427	EXTERIOR ELEVATIONS BRID-GLOSS
A-428	EXTERIOR ELEVATIONS BRID-GLOSS
A-429	EXTERIOR ELEVATIONS BRID-GLOSS
B-144	
A-430	EXTERIOR ELEVATIONS BRID-GLOSS
A-431	EXTERIOR ELEVATIONS BRID-GLOSS
A-432	EXTERIOR ELEVATIONS BRID-GLOSS
B-145	
A-433	EXTERIOR ELEVATIONS BRID-GLOSS
A-434	EXTERIOR ELEVATIONS BRID-GLOSS
A-435	EXTERIOR ELEVATIONS BRID-GLOSS
B-146	
A-436	EXTERIOR ELEVATIONS BRID-GLOSS
A-437	EXTERIOR ELEVATIONS BRID-GLOSS
A-438	EXTERIOR ELEVATIONS BRID-GLOSS
B-147	
A-439	EXTERIOR ELEVATIONS BRID-GLOSS
A-440	EXTERIOR ELEVATIONS BRID-GLOSS
A-441	EXTERIOR ELEVATIONS BRID-GLOSS
B-148	
A-442	EXTERIOR ELEVATIONS BRID-GLOSS
A-443	EXTERIOR ELEVATIONS BRID-GLOSS
A-444	EXTERIOR ELEVATIONS BRID-GLOSS
B-149	
A-445	EXTERIOR ELEVATIONS BRID-GLOSS
A-446	EXTERIOR ELEVATIONS BRID-GLOSS
A-447	EXTERIOR ELEVATIONS BRID-GLOSS
B-150	
A-448	EXTERIOR ELEVATIONS BRID-GLOSS
A-449	EXTERIOR ELEVATIONS BRID-GLOSS
A-450	EXTERIOR ELEVATIONS BRID-GLOSS
B-151	
A-451	EXTERIOR ELEVATIONS BRID-GLOSS
A-452	EXTERIOR ELEVATIONS BRID-GLOSS
A-453	EXTERIOR ELEVATIONS BRID-GLOSS
B-152	
A-454	EXTERIOR ELEVATIONS BRID-GLOSS
A-455	EXTERIOR ELEVATIONS BRID-GLOSS
A-456	EXTERIOR ELEVATIONS BRID-GLOSS
B-153	
A-457	EXTERIOR ELEVATIONS BRID-GLOSS
A-458	EXTERIOR ELEVATIONS BRID-GLOSS
A-459	EXTERIOR ELEVATIONS BRID-GLOSS
B-154	
A-460	EXTERIOR ELEVATIONS BRID-GLOSS
A-461	EXTERIOR ELEVATIONS BRID-GLOSS
A-462	EXTERIOR ELEVATIONS BRID-GLOSS
B-155	
A-463	EXTERIOR ELEVATIONS BRID-GLOSS
A-464	EXTERIOR ELEVATIONS BRID-GLOSS
A-465	EXTERIOR ELEVATIONS BRID-GLOSS
B-156	
A-466	EXTERIOR ELEVATIONS BRID-GLOSS
A-467	EXTERIOR ELEVATIONS BRID-GLOSS
A-468	EXTERIOR ELEVATIONS BRID-GLOSS
B-157	
A-469	EXTERIOR ELEVATIONS BRID-GLOSS
A-470	EXTERIOR ELEVATIONS BRID-GLOSS
A-471	EXTERIOR ELEVATIONS BRID-GLOSS
B-158	
A-472	EXTERIOR ELEVATIONS BRID-GLOSS
A-473	EXTERIOR ELEVATIONS BRID-GLOSS
A-474	EXTERIOR ELEVATIONS BRID-GLOSS
B-159	
A-475	EXTERIOR ELEVATIONS BRID-GLOSS
A-476	EXTERIOR ELEVATIONS BRID-GLOSS
A-477	EXTERIOR ELEVATIONS BRID-GLOSS
B-160	
A-478	EXTERIOR ELEVATIONS BRID-GLOSS
A-479	EXTERIOR ELEVATIONS BRID-GLOSS
A-480	EXTERIOR ELEVATIONS BRID-GLOSS
B-161	
A-481	EXTERIOR ELEVATIONS BRID-GLOSS
A-482	EXTERIOR ELEVATIONS BRID-GLOSS
A-483	EXTERIOR ELEVATIONS BRID-GLOSS
B-162	
A-484	EXTERIOR ELEVATIONS BRID-GLOSS
A-485	EXTERIOR ELEVATIONS BRID-GLOSS
A-486	EXTERIOR ELEVATIONS BRID-GLOSS
B-163	
A-487	EXTERIOR ELEVATIONS BRID-GLOSS
A-488	EXTERIOR ELEVATIONS BRID-GLOSS
A-489	EXTERIOR ELEVATIONS BRID-GLOSS
B-164	
A-490	EXTERIOR ELEVATIONS BRID-GLOSS
A-491	EXTERIOR ELEVATIONS BRID-GLOSS
A-492	EXTERIOR ELEVATIONS BRID-GLOSS
B-165	
A-493	EXTERIOR ELEVATIONS BRID-GLOSS
A-494	EXTERIOR ELEVATIONS BRID-GLOSS
A-495	EXTERIOR ELEVATIONS BRID-GLOSS
B-166	
A-496	EXTERIOR ELEVATIONS BRID-GLOSS
A-497	EXTERIOR ELEVATIONS BRID-GLOSS
A-498	EXTERIOR ELEVATIONS BRID-GLOSS



Utility Plan South  
 Contract 9263, Project 14436



Private 12" storm lateral connection.  
 Installation of new 48" concrete storm manhole.

Private 8" sanitary lateral connection.

Private water lateral connection.

**vierbicher**  
 planners | engineers | advisors  
 Phone: (608) 261-8898

Utility Plan - South  
 3401 E Washington Ave  
 City of Madison  
 Dane County, WI

NO.	DATE	REVISIONS	REMARKS

DATE: 10/05/2022  
 DRAFTER: NDM  
 CHECKED: JZM  
 PROJECT NO: 210302  
**C502**

NOTES:  
 1. REFER TO SHEET C500 - OVERALL UTILITY PLAN FOR UTILITY NOTES.