

**APPLICATION FOR
URBAN DESIGN COMMISSION
REVIEW AND APPROVAL**

AGENDA ITEM # _____

Project # _____

20459

DATE SUBMITTED: <u>11/3/10</u>	Action Requested
UDC MEETING DATE: <u>11/10/10</u>	<input type="checkbox"/> Informational Presentation
	<input type="checkbox"/> Initial Approval and/or Recommendation
	<input type="checkbox"/> Final Approval and/or Recommendation

PROJECT ADDRESS: 501 E. BADGER RD.

ALDERMANIC DISTRICT: 14

OWNER/DEVELOPER (Partners and/or Principals) ARCHITECT/DESIGNER/OR AGENT:
Center for Resilient Cities Hoffman
200 N. Blount St. Vierbicher
Madison, WI 53703 Dr. Ricardo Roca

CONTACT PERSON: Kate Stalker
Address: same
Phone: 255-9811
Fax: 255-0793
E-mail address: Kate.stalker@resilientcities.org

TYPE OF PROJECT:

(See Section A for:)

- Planned Unit Development (PUD)
 - General Development Plan (GDP)
 - Specific Implementation Plan (SIP)
- Planned Community Development (PCD)
 - General Development Plan (GDP)
 - Specific Implementation Plan (SIP)
- Planned Residential Development (PRD)
- New Construction or Exterior Remodeling in an Urban Design District * (A public hearing is required as well as a fee)
- School, Public Building or Space (Fee may be required)
- New Construction or Addition to or Remodeling of a Retail, Hotel or Motel Building Exceeding 40,000 Sq. Ft.
- Planned Commercial Site

(See Section B for:)

- New Construction or Exterior Remodeling in C4 District (Fee required)

(See Section C for:)

- R.P.S.M. Parking Variance (Fee required)

(See Section D for:)

- Comprehensive Design Review* (Fee required)
- Street Graphics Variance* (Fee required)

Other _____

*Public Hearing Required (Submission Deadline 3 Weeks in Advance of Meeting Date)

Where fees are required (as noted above) they apply with the first submittal for either initial or final approval of a project.



October 22, 2010

Department of Planning and Development
215 Martin Luther King Jr. Blvd
Madison, WI 53701

RE: **Letter of Intent**
Resilience Research Center
Land Use Application Submittal

Dear Plan Commissioners,

Please accept this letter of intent and attached plans as our formal request for review and approval of the Land Use Application for Rezoning, Demolition Permit, and Conditional Use. This list of building and site elements represents the intent of the owner, and although many elements are integral to the mission of the project, some listed are subject to phasing and funding. The references to 'will' and 'desire/hope/intend' clarify intended status of each.

Project: ***Resilience Research Center***
501 E. Badger Road, Madison, WI 53713
parcel ID #: 251/0709-363-0224-2

DESIGN/CONSTRUCTION TEAM

Owner:	Center for Resilient Cities 200 N. Blount Street Madison, WI 53703 attn: Kate Stalker
Planner/Architect:	Hoffman LLC Appleton, WI
Civil Engineer:	Vierbicher Madison, WI
Stormwater:	Dr. Aicardo Roa Espinoza Belleville, WI

PROJECT LOCATION

The site is 3.85 acres located on the south side of E. Badger Road, just east of Rimrock Road, and south of the Beltline. It is bounded on the west by existing City of Madison storm water management basins, on the north by E. Badger Road and Badger Bowl, to the east by existing residential properties, and to the south by existing residential properties and the City of Madison’s Badger Park.

EXISTING CONDITIONS AND USES OF THE PROPERTY

The property is currently zoned R-3. Badger School operated from this building until the mid-1980s. Dane County purchased the property from MMSD for use as a social services center until 2005. As a condition of purchase by the Center for Resilient Cities, Dane County performed asbestos remediation (windows/plumbing/electrical systems removed) in the fall of 2009. The Center for Resilient Cities purchased the property from the County on 1/4/2010.

PROPOSED SITE DATA

Main Building -	51,645 gross square feet (2-story)
Building Footprint	34,421 square feet
Greenhouses (2)	3,472 gross square feet
Parking -	60 stalls proposed
Concrete Surface	27,687 square feet
Grasscrete	10,187 square feet
Decomposed Granite	5,148 square feet
<u>Green Space</u>	<u>85,299 square feet</u>
Total Site Area	3.85 acres (166,448 square feet)

PROJECT DEVELOPMENT SCHEDULE

Demolition of the existing building is scheduled to begin in January of 2011. Site construction will begin in Spring, 2011, and completion of the project is planned for Summer, 2012. The Center for Resilient Cities is committed to working toward a September, 2011 Charter School opening for two 6th grade classes totaling forty students. If that portion of the building required to hold classes cannot be completed by that deadline, a temporary structure will house the school on-site.

Our plan is to begin with that two-story part of the building that will house the school. We will frame the two floors, but build-out the first floor first, in time for fall, 2011 classes. During the school year the second floor build-out will occur, so that in fall, 2012, two more 6th grade classes can join the now 7th graders in the second floor school.

Although it is our intent to construct this facility in two contiguous phases, this is subject to fundraising. If there is a delay between phases, the western-facing façade will be finished in keeping with the rest of the structure.

OWNER/TENANT BUSINESS DETAILS

The Resilience Research Center will be a mixed-use facility, home to several businesses/entities. The following is a listing of tenants who have committed to space here:

NAME OF TENANT	TYPE OF BUSINESS	# FT STAFF	HRS OF OPERATION
Center for Resilient Cities	developer	2	7 am-5 pm
Growing Power	urban ag/retail	2	7 am-6 pm
Badger Rock Middle School	education	7	7 am-5 pm
MG&E	utility	0	(remote)
Neighborhood Center	non-profit	2	7 am-10 pm
Food Fight	restaurant/ food outlet	0	7 am-5 pm

DEMOLITION AND CONSTRUCTION RECYCLING

We are committed to reuse or recycling of the existing structure & trees to be removed as well as construction debris resulting from our new facility. Additionally, over the life of the project as old technologies are removed and replaced with new, each will be offered for reuse or recycling.

BUILDING ELEMENTS

OVERALL IMPRESSION

The Resilience Research Center will be a good neighbor. A mixture of one and two story elements reduce the overall mass of the building so it can relate to both the surrounding homes and to the commercial buildings across Rimrock Road. The three-story stair tower adds interest to the north elevation, visible from Badger Road. Since the topography is such that the first floor roofs will be visible from the second floor windows of adjacent homes and upper floor offices across Rimrock Road, we've designed the structure so they will be able to enjoy the first floor roof gardens. The array of PV panels that may eventually cover the upper roofs will be screened by a minimum 3' mechanicals screen. The main entrance faces south, to help keep it free of winter snow and ice, and to instill in the visitor that this site is not auto-centric, but rather bike/ped-centric. It is our hope that in the long term, we can work with the Parks Department to provide a bike/ped approach to the Center through the adjacent park.

MATERIALS/COLOR SELECTION

It is anticipated that the principal wall finish will be a neutral beige/buttercream. It is also anticipated that a sky blue will be used between some of the windows, on the stair towers, and to wrap most of the columns. The remainder of the columns will be tubular steel. The west and north façades of the building will be more colorful to draw retail interest from the perspective of Rimrock Road. The south and east facades will coordinate but be more subtle, in keeping with our residential neighbors. Light gray cast stone is proposed for the sills and between some of the windows. Corrugated metal panels are proposed for the fascia that runs the length of the colonnade, on the walls that enclose the three curved balconies, as accents above some of the windows, and on a portion of the upper wall of the gymnasium. The north wall of the second floor mechanical room will consist of a metal grille that will conceal the various louvers. This material would also be used to screen any other mechanical equipment that might not be accommodated inside this mechanical room. The colors selected for the window frames, metal copings, panels, fascias, columns, railings, and brackets will add cheerful splashes of color, as will the walls that enclose the second floor offices. It is anticipated that the principal entry doors will be full-glass doors with frames that match the windows. Secondary/service entrances will be painted to blend in with the adjacent wall color.

BUILDING ACCENTS

Additional elements that may be incorporated into or attached to the building exterior could include brackets on the brick columns to support colorful banners that might celebrate cultural festivals, the seasons, or other school or neighborhood events. Any banners installed will be in compliance with the City's sign ordinance. These brackets might also be used to support hanging baskets filled with edible plants. The brackets that support the photovoltaic panels on the south façade may be provided with hooks

from which small metal mobiles could be hung to twist and turn in the breeze. The teachers have expressed a desire to mount a weather station on the main roof terrace. This would include a weathervane, thermometer, barometer, rain gauge and other equipment that the students could use to measure and record the weather.

BUILDING ENTRANCES

The multi-use Resilience Research Center will have several entrances, each with its own character. Closest to the entry drive, a colonnade shelters the retail space entrance(s) and directs the eye to southwestern corner of the building where a stair tower and large canopy lead to the main entrance to the Neighborhood Center and School. A covered walkway on the eastern side of the retail space shelters students from winter winds as they walk to/from the bus/parent drop-off on Badger Road and the cafeteria entrance.

OUTDOOR EATING AREAS

Our café/commons area has direct access to an outdoor seating area. This patio will be used for a multitude of purposes, from eating to Middle School art/craft projects. The five tables of four will allow for one entire classroom to work outside on a project. Additionally, a small picnic table may be desired near the entrance to the Growing power offices, to accommodate field workers' lunches.

NATURE EXPLORE CLASSROOM

The Nature Explore™ program is a joint effort of the Arbor Day Foundation and Dimensions Educational Research Foundation in collaboration with organizations such as U.S. Forest Service, U.S. Fish and Wildlife Service, American Society of Landscape Architects, and many others who are committed to reconnecting children with nature.

This concept plan has been developed based on field-tested, research-based principles for creating effective spaces that support children's interactions with the natural world. The Nature Explore Classroom will serve students at Badger Rock Middle School and is also being considered as a site for use by the neighborhood after hours and on weekends.

The entire Nature Explore Classroom space will be divided into distinct activity areas: a music and movement area, garden/dirt digging area, messy materials area, open area, sand area, climbing/crawling area, nature art area, and gathering area. By providing a complete mix of activities, children with a variety of needs and learning styles are engaged. By keeping areas separated, behavioral issues are reduced. More things can be added to each area over time, but creating all recommended areas and providing at least one experience for children in all the areas is important.

INTEGRATING LANDSCAPE ELEMENTS

It is important that the building and landscape complement each other. The addition of whimsical design elements will harmonize with the various garden structures and sculptural elements. Roof gardens and planters built into the balcony walls will provide the Charter School students with direct access from their second floor learning area to outdoor growing spaces. We are working with a 'living wall' designer, and hope to incorporate living walls as a part of our façade treatment on east, south and west building elevations.

ENERGY ELEMENTS

BUILDING SHELL

The Resilience Research Center (RRC) will be a highly energy efficient project that will include renewable energy. Although the site is limited to 3.85 acres, evaluation is currently underway to determine whether it may be feasible and desirable to set a goal of eventually achieving zero-net energy. The basic elements in energy efficiency are an efficient shell and orientation to support daylighting, provide views, and create an inspiring learning and working environment. Window location and specification will provide views while managing glare and solar heat gain.

BUILDING LIGHTING

High performance electric lighting with low lighting power densities will complement the daylight in the facility. As new technologies are developed, the RRC will strive to replace old technologies with new.

HVAC

Ground-sourced heat pumps (geo-thermal energy) are likely the most promising HVAC system because of their high efficiency, the ability to move heat to different locations (including to and from the fish tanks and greenhouses), and flexibility in design and operation.

AIR HANDLING UNITS AND NATURAL VENTILATION

Air handling units will include energy recovery ventilation and be allocated to different spaces to allow partial operation of the facility. Operable windows and clerestories may be used to enable natural ventilation to complement mechanical ventilation.

PHOTOVOLTAIC ELEMENTS

The minimum initial renewable energy goal is to use solar energy to provide 15% of the Resilience Research Center's energy requirement. The long continuous awnings above the south-facing windows are photovoltaic (PV) panels. Solar thermal energy will also be included to support hot water needs in the fish tanks and for kitchen and bathroom use. The PV system will be designed to be expandable so, as funding becomes available, arrays of PV panels and other solar electric systems would extend across the roofs to accomplish the potential goal of providing 100% of the Center's need for energy on a net-zero basis from onsite renewable sources. An option under evaluation for the south-facing slopes of the greenhouse roofs and the main entrance canopy is a BIPV (building integrated photovoltaic) approach that uses PV laminated glass that will generate energy while providing filtered light.

ENERGY RESEARCH ELEMENTS

The RRC is in discussion with MGE (Madison Gas and Electric) regarding using a portion of the roof area, as well as other areas, as a renewable energy research and demonstration center for emerging technologies. These might include low temperature solar energy supporting a Sterling cycle engine to provide electricity, vinyl flat roof adhered PV, SunPower's new T5 Lego Block type PV system, small scale wind applications, and new technologies we can't conceive of now. The vision is to provide energy education and research opportunities that are accessible to the middle school, MGE, and the broader community.

WATER MANAGEMENT

The Resilience Research Center has a focus on water management and conservation that is reflected in building and site use. Water supplied for greenhouses, fish tanks, and site agriculture will use rain water captured and stored on roof areas and supplemented as needed by City water. Water recycling will capture waste water from fish tanks for plant application. Other water conservation techniques will include the use of low-flow fixtures and waterless urinals.

BUILDING CONTROL SYSTEM

The building control system (BCS) will be used to provide user-ready interface with building systems to provide an exceptional indoor environment. In addition to providing control, the monitoring capability of the BCS enables energy efficient operation and educational information on building energy use and renewable energy generation to students, other building users, and the public.

Note: Most, of the above elements are visible in one or more of the attached eye level and "bird's eye" views of the building and site.

COMMUNITY GARDENS

GARDEN PLOTS

Plots will be consistent with City of Madison standard sizes. Several plots are raised planters for handicap accessibility, and the associated pathways are designed to ADA specification.

GARDEN SHEDS

The community gardens will be anchored by three garden sheds. These structures house gardening tools/supplies/hoses available to gardeners. An attached work bench is provided for potting, etc. These structures sit on decomposed granite & are made from treated lumber, and designed to complement the whimsical elements of the Resilience Research Center. Sheds will comply with building code for accessory structures.

PAVILION

A garden pavilion will sit at the crossroads of the community gardens. This open air, rectangular structure consisting of columns and a roof, provides a shaded gathering place where gardeners can rest and get to know each other. It sits on a base of decomposed granite, is made from treated lumber designed to complement the whimsical elements of the Resilience Research Center. Its maximum size is 20'x30', and it will comply with the building code for accessory structures.

ARBOR

The entrance to the community gardens will be defined by an inviting arbor. The words "Community Gardens" announce the transition from the Resilience Research Center Gardens at this gateway. A local artist has offered to donate this custom arbor, constructed of welded steel. It will sit on a base of decomposed granite and will comply with building code for accessory structures.

WATER

Water is available for these gardens through rainwater harvesting, soil moisture-enhancing additives & thoughtfully designed conveyance & infiltration systems, as well as spigots installed near each garden shed.

SITE LIGHTING

One low-level light fixture with motion sensor will be installed on each garden structure. Since the gardens are normally in use during times of lengthy daylight hours, the primary purpose of these lights is as a deterrent to vandalism.

BUFFER FROM NEIGHBORING PROPERTIES

These community gardens are adjacent to residential properties. The City zoning ordinance states that developers of C-2 properties must install a 6-8' fence along the property line shared with R zoned properties. We have initiated discussion with each adjacent property owner, to offer either plantings as they prefer on either their property or ours, and/or a fence, and accessibility to community gardens and the Resilience Research Center directly from their properties. We intend to provide each of these neighbors with a 'custom' buffer that will take into account the views of the RRC from their properties & their desire for either inclusion or privacy.

INTENSIVE URBAN AGRICULTURE LANDS

GREENHOUSES

The greenhouses on our site will be of varying sizes and serve a variety of functions. These structures are constructed primarily of glass and photovoltaic roof areas as feasible, and aluminum, and sit on a continuous concrete footing. We are committed to ongoing maintenance for both continued functionality and appearance. Our greenhouses will comply with building code for accessory structures.

HOOP HOUSES

Although these are considered temporary structures, our hoop houses will remain in place for a considerable period of time and will comply with building code for accessory structures. Our standard hoop house is constructed of an aluminum/treated wood frame with a door at each end. This frame is covered in 2 layers of 6 mil polyethylene film. As the intensity of agronomy increases, the hoop houses can expand into the garden space. We are committed to quarterly maintenance of these structures, and welcome semi-annual City inspections to avoid or correct any unsightly defects, which would detract from the appearance of the Resilience Research Center and the neighborhood.

EXPERIMENTAL STRUCTURES

In keeping with our mission as a research facility, we intend to explore designs and inventions for structures that may accomplish more intensive agronomic practices. As each option is explored, we will come back to the City with construction drawings for approval. Each will comply with building code for accessory structures. These structures may rotate through the site on an annual or bi-annual basis, and are not intended to be permanent structures. All maintenance standards in place for initial structures apply to these structures as well, and we understand that experimental structures may require approved alterations to the conditional use.

COMPOSTING/VERMACULTURE

Our composting facility plays an integral part in the 'closed loop' system of providing food. Our gardens supply food to Badger Rock Middle School, other on-site users, & local restaurant partners, and in turn, these restaurants supply vegetable scraps back to the Resilience Research Center. The food scraps from on-site users will be composted on site, and that of our restaurant partners at our off-site composting facility 1/2 mile away. Here they are layered in 4' square treated wood containers with worms and soil to produce compost, which in turn, supplies nutrients to the next generation of plants.

Additionally, the energy used in creating compost creates heat. We harness that heat by surrounding the base of the hoop houses with compost, which insulates them from freezing temperatures in winter.

Our drives and walks will be maintained daily to insure that they are free of gardening waste/compost.

FRUIT & NUT TREES

As a major component of our buffer yards, our infiltration basin, bioswales and parking area canopy, fruit & nut trees play an important role in the well-rounded edible landscape. Fruit trees are available in dwarf, semi-dwarf and standard sizes. We will use different cultivars as each application warrants. For example, in a middle school garden, a dwarf tree may be most appropriate, but as parking area canopy, a standard fruit tree would be desired. We will carefully maintain and monitor ripening fruits to avoid 'groundfalls'. Groundfalls will be used for compost.

RESEARCH AGRONOMY/INTENSIVE URBAN AGRICULTURE

Our project partner, Growing Power, has successfully practiced intensive urban agriculture in the City of Milwaukee for decades. As with any farming operation, they have adapted their practices and structures over time to maximize yield. At the Resilience Research Center we will study and record yields, and working with varied soils, sunlight, spacing, practices, etc., will evaluate the productivity of the gardens. The produce generated will be shared with the school and neighborhood center, sold in a Market Basket (CSA) program, and delivered to our restaurant partners.

SCHOOL GARDEN

The Badger Rock Middle School students will be in school year-round to take full advantage of the growing season. Although they will have access to the professionally-run gardens, we intend for them to have their own gardens and greenhouse to use in education.

EXPERIMENTAL AGRONOMY

Dr. Aicardo Roa, formerly of the Dane County Land Conservation Department, has invented several polymers and soil amendments which have a variety of benefits to the agronomist. We are working closely with him to provide opportunities for research in infiltration capacity, nutrient delivery, and soil moisture absorption enhancement as they pertain to the science of agronomy.

AQUACULTURE

Within our hoop houses/greenhouses will be below-grade, timber structures used as fish tanks. These tanks are heated by swimming pool heaters. Above the tanks are a series of treated wooden 'lofts', filled with stone and used for growing plants. The water from the fish tank, containing nutrient-rich fish waste, is pumped up to these lofts where the nutrients are utilized by the plants. The clean water is returned to the fish tank below. At the end of each cycle, both fish and plants are sources of food for the school and restaurant partners, demonstrating a 'closed-loop' system. Our aquaculture facility will comply with City of Madison building code.

WATER

Our roofs will serve as a storm water collection facility. Water may be stored high on the building to gravity-feed the gardens. Prior to a known major rain event, these tanks will be emptied to allow for storage, as a part of our zero net runoff storm water management plan. Additionally, spigots throughout the site and possibly a well, insure water delivery to gardens in times of drought. The rainwater harvesting tanks will also include overflow downspouts directed to a rain garden or other pervious areas in the event the rain volume exceeds the tank capacity.

SITE LIGHTING

One low-level light fixture with motion sensor will be installed at the entrance to each garden structure. Since the gardens are normally in use during times of lengthy daylight hours, the primary purpose of these lights is as a deterrent to vandalism.

SERVICE DRIVE

Our service drive is sized to accommodate an aerial ladder fire truck, but is more generally used for produce pick up, compost drop off, school and facility deliveries, and parking for community gardens and research garden staff. It may also be used to service the incubator kitchen as needed. The largest trucks using this drive, other than fire trucks, will be 2 axle panel trucks and garbage trucks. Semi tractor/trailers will not enter this facility at any time.

BUFFER FROM NEIGHBORING PROPERTIES

These gardens are adjacent to residential properties. The City zoning ordinance states that developers of C-2 properties must install a 6-8' fence along the property line shared with R zoned properties. We have initiated discussion with each adjacent property owner, to offer either plantings as they prefer on either their property or ours, or a fence, and accessibility to gardens and the Resilience Research Center directly from their properties. We intend to provide each of these neighbors with a 'custom' buffer that will take into account the views of the RRC from their properties & their desire for either inclusion or privacy.

PAVED AREAS

DRIVE AISLES

Our drive aisles will be a concrete surface, designed to withstand the load of City emergency and service vehicles. This impervious surface is a trade-off for added pedestrian accessibility, ease of bicycle traffic, and maximum reflection of sunlight.

PARKING STALLS

Grasscrete is an interlocking concrete paver, which installed over a sub-base of gravel, infiltrates storm water at a higher rate than lawn. It also reflects sunlight, reducing the heat island effect. All parking stalls at the Resilience Research Center will be Grasscrete, contributing to storm water infiltration. Any runoff from Grasscrete parking stalls will be conveyed directly into bioswales.

SIDEWALKS ADJACENT TO THE MAIN STRUCTURE

The walks surrounding the main building will be poured concrete for accessibility and reflection of sunlight.

BIKE/PED PATHS

Bike/pedestrian paths on our site will be 10' wide, decomposed granite to allow for two-way (4' wide) bicycle traffic and (2') pedestrian traffic.

GARDEN PATHS

Walks and garden paths will be a variety of widths and materials which reflect the hierarchy of their uses. The most common materials are mulch and decomposed granite, although experimental materials with the potential for improved infiltration capacity will be studied.

STORM WATER TREATMENT & FACILITIES

BIOSWALES, FORESTED WETLAND, INFILTRATION BASIN

Our storm water management plan is based on best management practices (BMPs) as we know them today. The technological advances in this area are coming at such a fast pace, that we can't anticipate how quickly BMPs used on our site will become outdated. We intend to work toward our goal of detaining and infiltrating 100% of the storm water runoff volume generated on site. Additionally, we are working to capture runoff from an approximately 2 off-site acres, as it makes its way toward the City detention area on Rimrock Road. We intend to hold it in storage tanks for use in the community gardens. We are now considering a system that would include bioswales, a forested wetland, and an infiltration basin in a system that infiltrates, conveys, and detains. As new BMPs develop, we intend to incorporate them into our storm water plan and study their impact. At no time during the occupation of the building will the site storm water management practices provide mitigation below the City standards for redevelopment of this type.

The bioretention basins will treat the parking areas for total suspended solids (TSS) and serve as oil and grease control. There will be grass filter strips and grasscrete prior to the bioretention basins that will help extend the life of the bioretention basins and infiltration basin as well. The infiltration basin and bioretention basin will be planted with native plants and prairie grasses. These plants would produce seeds that could be harvested in the future. A local nursery could work with students to educate them on seed harvesting.

POROUS PAVEMENT

There are many types of pavement classified as porous, but Grasscrete, on a substantial bed of gravel, stands out as the one with the greatest potential for infiltration. The amount of storm water directed to the Grasscrete is relatively little, so the surface area is large enough to infiltrate storm water from a large event.

ROOF COLLECTION SYSTEM

We desire to capture and contain one hundred percent (100%) of a 100-year, 24 hour storm volume that lands on the roof of our facility. This storm water will be the primary source of water for our on-site gardens. Although they will never be full for long, twenty-four hours prior to an expected major rain event these tanks will be emptied to insure they are holding at maximum capacity when needed. The rainwater harvesting tanks will also include overflow downspouts directed to a rain garden or other pervious areas in the event the rain volume exceeds the tank capacity. A portion of the roof is also planned to be green. Our roof collection system will comply with the City of Madison building code.

RAIN BARRELS

Rain barrels at the Resilience Research Center will demonstrate that holding tanks can be both functional and aesthetic. As with the roof collection system, these tanks will be emptied to insure they are holding at maximum capacity when needed and will also include appropriate overflow accommodations. Rain barrels will comply with the City of Madison building code.

POLYMERS

We will test water retention and treatment through installation of polymer modified mulch, wood chips, fiber and soil, as invented by Dr. Aicardo Roa, formerly of the Dane County Land Conservation Department. As Dr. Roa and his team invent new polymers and mulches, we hope to use our site as a testing facility for their efficiency in storm water management.

THE ART OF RESILIENCE

LIVING WALLS

The concept of growing plants on a building's exterior walls is an old one. At the Resilience Research Center, we hope to take this ancient concept and turn it into a high-tech solution for:

- insulating the building
- creating additional space for intensive urban agriculture
- utilizing roof run-off
- reducing the perception of a large façade
- introducing plants as public art

The Wisconsin climate is not conducive to containerized plant growth through the winter season, but we plan to study different systems and plant materials on east, south and west facades, to find a way to use plants to beautify our façade while yielding a food crop for our facility.

HISTORIC FARMING SCULPTURES

From windmills to weather vanes, the functional elements of early American farms have stood the test of time as 'objets d'arte' in the rural landscape. One hundred and fifty years later, their beauty and purpose is as relevant as it once was. We hope to showcase some of these historic technologies to illustrate that often the simple approach is the best approach. We intend to be good neighbors in our residential neighborhood, so any sculpture/technology showcased will be to the scale appropriate (minor) and in a location that will not negatively affect our residential neighbors.

KUSARI DOI & RAINWATER DISPERSEMENT SYSTEMS

Japanese inspired rain chains are popping up with more frequency as people learn about simple & ancient storm water practices. The Resilience Research Center showcases rainwater dispersement systems as functional and beautiful ways to enhance the landscape with works of art.

STUDENT/NEIGHBORHOOD CENTER PROJECTS

The Resilience Research Center is a hub of community culture and education. Art is an integral part of the landscape here, where permanent pieces and temporary showings of student/neighborhood center works punctuate the site.

LIVING STRUCTURES

There are many ways to use plants to create outdoor spaces. We bring the full breadth of landscape architecture to this notion in the development of outdoor rooms. Using a variety of plant material, we lead visitors through spaces via intriguing terminal views, and invite them to stop and enjoy these 'living' rooms.

OVERVIEW OF MISSION

Project Description

The Resilience Research Center will transform a vacant school building and site on Madison's South Side into a neighborhood support center, with productive urban agriculture and a project-based charter middle school. It will serve as a multigenerational neighborhood hub for socializing, learning, training, research, and healthy resilient living.

The lead project partners, in addition to the immediate neighborhoods, are Will Allen and Growing Power, the Center for Resilient Cities, Badger Rock Middle School and Madison Gas and Electric. Support and program partners include Sustain Dane, Community Action Coalition, Community Groundworks and MACLT – all organizations with urban agriculture expertise and extensive practice in working with communities.

Activity Areas

The Resilience Research Center will encompass six major areas of activity:

- **Neighborhood-Based, Neighborhood-Focused Services (Mixed Use)**

The neighborhood presently offers little in the way of neighborhood-focused businesses. (Examples: coffee shop, market, other needed services.) The plan offers up to 5000 square feet of space to accommodate neighborhood focused business.

- **Intensive Urban Agriculture**

The entire site will be involved in year-round food production outdoors including community gardens, hoop houses and greenhouses using sustainable growing practices, including worms-as-compost-creators, and fish. Training in food production, preparation, service and marketing will involve entrepreneurial youth development with an emphasis on "green" neighborhood jobs.

- **Neighborhood Center**

The campus will serve as an active hub of youth and teen programming, adult services, senior activities, community activities, events, and gatherings, and "green" job development.

- **Project-Based Charter Middle School – Bring Back Badger**

A 120-student project-based charter middle school will feature an interdisciplinary program focusing on environmental sustainability with culturally-relevant teaching. Approximately 50% of the students will be from the immediate neighborhoods. The campus serves as a living laboratory for hands-on exploration and study of food production and science, energy and water use, and community cooperation—all crucial areas of knowledge for future academic and job success.

- **Energy Services Center**

Madison Gas and Electric and the Resilience Research Center will demonstrate a wide range of innovative approaches to green, energy-efficient design, ranging from low-cost alternatives that anyone can use at home to higher-cost elements that demonstrate cutting-edge technologies and design.

- **Research/Measurement and Outreach**

All of the above activities— neighborhood center and services, intensive urban agriculture, charter school, and energy use in addition to water and health—will be accompanied and enriched by applied research, measurement, testing, and outreach. The goals are to enhance quality improvement of all activities, operations, and services and to make significant contributions to knowledge in every area. In keeping with our mission, we recognize that many of our site and building elements will be replaced eventually, and we may need to have an alteration approved (likely a minor alteration) for some of the changes over time.


Letter of Intent (12 copies): describing this application in detail including, but not limited to: existing conditions and uses of the property; development schedule for the project; names of persons involved (contractor, architect, landscaper, business manager, etc.); types of businesses; number of employees; hours of operation; square footage or acreage of the site; number of dwelling units; sale or rental price range for dwelling units; gross square footage of building(s); number of parking stalls, etc.

Resilience Research Center

501 E. Badger Avenue, Madison, WI


Sheet Index:

- 1.0 Existing Conditions
- 2.0 Tree Preservation Plan
- 3.0 Demolition Plan
- 4.0 Site Master Plan
- 5.0 Site Access Plan
- 6.0 Utility Plan
- 7.0 Conceptual Grading Plan
- 8.0 Conceptual Storm Water Management Plan
- 9.0 Landscape Plan
- 10.0 Floor Plans
- 11.0 Building Elevations
- 12.0 Phase I Site Plan
- 13.0 Phase I Site Access Plan
- 14.0 Phase I Utility Plan
- 15.0 Phase I Conceptual Grading Plan
- 16.0 Phase I Conceptual Storm Water Management Plan
- 17.0 Phase I Landscape Plan
- 18.0 Phase I Floor Plans
- 19.0 Phase I Building Elevations
- 20.0 Site Details




Graphic Scale

Site Aerial



Site Location



Location Map

Owner:



Center for Resilient Cities
200 N. Blount Street
Madison, WI 53703
Tel. 608.255.9877
Fax 608.255.6793
www.resilientcities.org

Architect / Construction Manager:





Hoffman, LLC
122 East College Avenue, Suite 1 G
Appleton, WI 54911
Tel. 800.236.2370
www.hoffman.net

P.O. Box 8034
Appleton, WI 54912

City of Madison
Land Use Application Submittal
Resilience Research Center


8 September 2010 / Revised 22 October 2010






Sheet No. 19.0
 Phase I Building Elevations
 Resilience Research Center

22 October 2010




Phase I
First Floor Plan

SCALE: 1" = 10'-0"



Phase I
Second Floor Plan

SCALE: 1" = 10'-0"



WOOD FENCE DETAIL
NOT TO SCALE

- ALL WOOD TO BE PRESSURE TREATED FROM SUSTAINABLE TREE FARM.
- ALL POSTS TO BE SET IN CONCRETE.

NOTES:

- SEE SHEET 1.0 EXISTING CONDITIONS PLAN & SHEET 2.0 DEMOLITION PLAN FOR INFORMATION REGARDING EXISTING VEGETATION WITHIN 100 FEET OF THE ADJACENT PARK AND INDICATING WHAT IS TO BE REMOVED.
- GARDEN WALKS AND AREAS SURROUNDING THE GARDENS AND HOOP HOUSES WILL HAVE GROUND COVER. THE MOST COMMON MATERIALS WILL BE MULCH AND DECOMPOSED GRANITE. EXPERIMENTAL MATERIALS WITH POTENTIAL FOR IMPROVED INFILTRATION WILL BE STUDIED.
- PARKING LOT LANDSCAPING

REQUIRED TREES

WEST LOT (17) STALLS TREES REQUIRED	- 1
EAST LOT (11) STALLS TREES REQUIRED	- 1
TOTAL TREES REQUIRED	- 2
@ 2" - 2 1/2" CALIPER	

REQUIRED LANDSCAPE POINTS


WEST LOT (17) STALLS POINTS REQUIRED	- 84
EAST LOT (11) STALLS POINTS REQUIRED	- 117
LOADING AREA (1) POINTS REQUIRED	- 75
TOTAL POINTS REQUIRED	- 276

PROPOSED LANDSCAPING & SCREENING TO MEET PARKING LOT REQUIREMENTS

17 trees (1 1/2" - 2" caliper) x 15 pts	= 255 points
680 Lf. of WOOD PRIVACY FENCE	= 340 points
TOTAL LANDSCAPE POINTS	= 595 points

4. DISTRICT BOUNDARY SCREENING

- Sites adjoining existing residential lots shall have effective screening to be not less than 6 feet in height, nor more than 8 feet in height.
 - Plan indicates 680 L.F. of fence as screening for existing residential lots.
 - All proposed fence to meet the screening requirements will be 6-foot board on board, dog-eared, pressure treated wood from sustainable tree farm. (see detail this sheet)
- Fruit trees shall be apple, pear, cherry, or plum.
 - Nut trees shall be hickory, walnut, or chestnut
 - Screening for landscaping located less than 4 feet from the street lot line shall not exceed a height greater than 4'-6" above the curb level or its equivalent. Within 10 feet from any driveway crossing of a street lot line, any screening shall not exceed 2 feet in height.




existing storm water basin

3 - nut/ fruit trees
2" - 2 1/2" caliper

8 - nut/ fruit trees
1-1/2" - 2" caliper


3 - nut/ fruit trees
1-1/2" - 2" caliper
existing tree (to remain)

5 - nut/ fruit trees
1-1/2" - 2" caliper
existing trees (to remain)



badger park


Phase I Landscape Plan




Phase I Landscape Plan
Resilience Research Center

Sheet No. 17.0

22 October 2010






- key**
- W--- proposed water line
 - SAN--- proposed sanitary lateral
 - ◆ proposed fire hydrant


notes:

1. All sanitary sewer and water laterals & connections to mains to be installed to meet City of Madison requirements.



badger park


Phase I - Utility Plan



Phase I - Utility Plan
Resilience Research Center


Sheet No. 14.0

22 October 2010




Key:

- Fire Lane
- Hydrant Location
- Hydrant #1 Hose Layout (500')
- Hydrant #2 Hose Layout (500')
- Proposed Hydrant Hose Layout (500')



Phase I - Site Access Plan



Phase I - Site Access Plan Resilience Research Center





Sheet No. 13.0

22 October 2010

J:\10747\09 Architectural Design\09-02 Schematic Design (SD)\10747 - Site w Phase 1 - 22 Oct.dwg | Site Access | 10/21/2010 1:16:32 PM | XES Synergix \$10.pcd | 1/8" = 1'-0"




© COPYRIGHT HOFFMAN, LLC 2010

pavement key

-  concrete pavement
-  grasscrete (permeable)
-  decomposed granite surface
-  asphalt (with binder course only)

notes:

1. Site adjoining existing residential lots shall have effective screening to be not less than 6 feet in height.
2. All proposed fencing to meet the screening requirement will be 6 foot board on board, dog-eared, pressure treated wood from a sustainable tree farm.




Phase I Site Plan


**Phase I Site Plan
Resilience Research Center**

Sheet No. 12.0


22 October 2010



East Elevation




West Elevation



North Elevation



South Elevation



REVISED 10-22-10:


- ALTERED STAIR ORIENTATION / LOCATIONS
- MODIFIED MAIN ENTRANCE
- UPDATED MATERIALITY AND WINDOW LAYOUT

Sheet No. 11.0

Building Elevations

Resilience Research Center

22 October 2010






Sheet No. 5.0

Site Access Plan

Resilience Research Center

22 October 2010

pavement key

-  concrete pavement
-  grasscrete (permeable)
-  decomposed granite surface

notes:

1. Site adjoining existing residential lots shall have effective screening to be not less than 6 feet in height.
2. All proposed fencing to meet the screening requirement will be 6 foot board on board, dog-eared, pressure treated wood from a sustainable tree farm.

existing storm water basin


electric car charging station

Existing 12' R/W Grant Doc. #2378410

possible future connection to park

badger park



Site Master Plan




- REVISED 10-22-10:**
- UPDATE BUILDING ENVELOPE & FLOOR PLAN.
 - REVISE GARDEN STRUCTURE NOTES.
 - ADD RIBBON CURB & GRASSCRETE TO PARKING AREAS

Sheet No. 4.0
Site Master Plan
Resilience Research Center

22 October 2010






- NOTES:**
1. ALL UTILITY REMOVAL OR RELOCATION TO BE COORDINATED WITH UTILITY COMPANY OR CITY OF MADISON AS APPLICABLE.
 2. ALL EXISTING TREES TO REMAIN SHALL HAVE TREE PROTECTION. SEE SHEET 2.0 TREE PRESERVATION PLAN.
 3. DEMOLITION AND CONSTRUCTION WASTE MANAGEMENT PLAN.
- DEMOLITION AND CONSTRUCTION WASTE MANAGEMENT PLANS BOTH WILL REQUIRE THAT A MINIMUM OF 75% BY WEIGHT OF THE WASTE BE DIVERTED FROM THE LANDFILL BY RECYCLING, SALVAGING, OR REUSING. THE FOLLOWING MAY NOT BE DISPOSED OF IN LANDFILLS, OR BY ILLEGAL BURYING OR DUMPING ON OR OFF SITE, OR INCINERATION.
- a. ALUMINUM OR PLASTIC CONTAINERS.
 - b. CORRUGATED CARDBOARD.
 - c. WOOD PALLETS.
 - d. CLEAN DIMENSIONAL WOOD.
 - e. LAND CLEARING DEBRIS, INCLUDING BRUSH, BRANCHES, LOGS, AND STUMPS.
 - f. CONCRETE: MAY BE CRUSHED AND USED AS RIPRAP, AGGREGATE, SUB-BASE MATERIAL, OR FILL.
 - g. BRICKS: MAY BE USED ON PROJECT IF WHOLE, CRUSHED, AND USED AS SUB-BASE MATERIAL OR FILL.
 - h. CONCRETE MASONRY UNITS: MAY BE USED ON PROJECT IF WHOLE, CRUSHED, AND USED AS SUB-BASE MATERIAL OR FILL.
 - i. PRECAST CONCRETE PANELS: MAY BE CRUSHED, AND USED AS SUB-BASE MATERIAL OR FILL.
 - j. ASPHALT PAVING.
 - k. METALS, INCLUDING PACKAGING BINDING, METAL STUDS, SHEET METAL, STRUCTURAL STEEL, PIPING, REINFORCING BARS, DOOR FRAMES, AND OTHER ITEMS MADE OF STEEL, IRON GALVANIZED STEEL, STAINLESS STEEL, ALUMINUM, COPPER, ZINC, LEAD, BRASS AND BRONZE.
 - l. GYPSUM DRYWALL AND PLASTER.
 - m. CARPET, CARPET CUSHION, CARPET TILE, AND CARPET REMNANTS, BOTH NEW AND REMOVED.
 - n. FLUORESCENT LAMPS.
 - o. ACOUSTICAL CEILING TILES AND PANELS.


REVISED 10-22-10:

- ADD TREE SPECIES (TREES WITHIN 100' OF PARK).
- ADD DEMOLITION AND CONSTRUCTION WASTE MANAGEMENT NOTE #3



badger park

Demolition Plan



Resilience Research Center



Sheet No. 3.0



22 October 2010

notes:


1. PRIOR TO START OF WORK, ARBORIST TO TOP PRUNE EXISTING TREES WITHIN LIMITS OF CONSTRUCTION AS NEEDED TO MITIGATE POTENTIAL DAMAGE TO ROOTS.
2. IN EARLY SPRING OR LATE FALL, PRIOR TO START OF WORK, ARBORIST TO APPLY A DEEP-ROOT FERTILIZER WITHOUT NITROGEN, SUCH AS 0-20-10 THROUGHOUT THE FEEDER ROOT AREA OF EACH EXISTING TREE WITHIN LIMITS OF CONSTRUCTION.
3. PRIOR TO START OF WORK, ARBORIST TO INSTALL BARRIER FENCING @ A MIN. 5' OUTSIDE TREE CANOPY, CREATING A COMPLETE LOOP.
4. GENERAL CONTRACTOR TO PAY A FINE OF \$1,000 PER DAY, PER BREACH OF FENCING.
5. FENCING TO BE REMOVED BY ARBORIST WITHIN ONE WEEK AFTER FINAL INSPECTION OF BUILDING CONSTRUCTION.

key

-  existing deciduous tree
-  existing evergreen




Tree Preservation Plan



Sheet No. 2.0

Tree Preservation Plan
Resilience Research Center

22 October 2010




NOTES


- DESCRIPTION FURNISHED: Lot 1, Certified Survey Map 3040, recorded in Vol. 12 of Certified Survey Maps, page 28, as #1600221, in the City of Madison, Dane County, Wisconsin.
- Date of field work: November 19 & 20, 2009 and March 31, 2010.
- Parcel address & number surveyed: 501 East Badger Road, 251/0709-363-0224-2.
- Area of record surveyed: 17,574 square feet.
- Utility locations are based upon substantial, visible above ground structures or as marked by Digger's Hotline One-Call Ticket Numbers 20094611645, 20094611647, and 20094611654.
- No attempt has been made as a part of this survey to obtain or show data concerning condition, or capacity of any utility or municipal/public service facility. For information regarding these utilities contact the appropriate agencies.
- No trees, hedgerows or ground cover have been located as a part of this survey.
- Surveyor has made no investigation or independent search for encumbrances, restrictive covenants, easements, or other facts that an accurate and current title search may disclose.
- For zoning information obtained from the City of Madison's website on 12-03-2009, the existing zoning of this parcel is R3, Single- and Two-Family Residence District. Setbacks per Ch.28.08(4)(1) of the Madison General Ordinance (hereafter MOG) shall not be less than the following:
 - Front yard: twenty-five (25) feet.
 - Side yards:
 - One story buildings—least side yard of five (5) feet except where the side yard abuts the rear yard of the adjacent property and when said adjacent property is not non-complying as to rear yard, in which case such a structure or addition shall not be less than four (4) feet to the side lot line.
 - Two story buildings—least side yard of six (6) feet.
 - For each foot by which the side walls of a building exceed forty (40) feet (measured parallel to the adjoining lot line), the required side yard width shall be increased one and one-half (1-1/2) inches. For the purpose of this calculation, only that portion of the side wall of a single family or two-unit building beyond eighteen (18) feet of the side lot line shall be excluded from this side yard penalty.
 - Reversed corner lot—twelve and one-half (12 1/2) feet for side yard adjoining street.
- Per Ch.28.08(4)(b) of the MOG, no structure shall exceed 10,000 square feet in floor area.
- Per Ch.28.08(4)(c) of the MOG, no building or structure shall exceed two (2) stories or thirty-five (35) feet in height. However, as part of a planned residential development where authorized by the Plan Commission because of a superior site plan or design, a building not exceeding three (3) stories may be permitted.
- Per Ch.28.08(4)(d) of the MOG, there shall be provided a usable open space of not less than seven hundred fifty (750) square feet per dwelling unit.
- By graphic plotting only, the parcels surveyed are located in "Zone X" - Areas determined to be outside the 0.2% annual chance floodplain of the Flood Insurance Rate Map Community Panel Number 417 of B50, Community-Panel Number 55025210470, Revised Date of January 02, 2009.
- Based upon existing driveway locations the parcel surveyed has access to and from East Badger Road.
- Names of adjoining land ownership are depicted based upon information from the AccessData website on November 05, 2009.
- Surveyor has made no investigation or independent search for encumbrances, restrictive covenants, easements, or other facts that an accurate and current title search may disclose.
- During the course of field survey work no evidence of earth moving work, building construction or building additions were observed.
- For a discussion with the City of Madison Engineering Department on December 03, 2009 no changes in street right of way lines has been completed or proposed.
- There was no visible evidence of which the surveyor is aware, of this site being used as a solid waste dump, sump or sanitary landfill.
- Easements shown herein are based upon the City of Madison Ordinance, NAVD83.
- Surveyor has been provided with a copy of Title Commitment No. P0306568, dated August 20, 2009 at 07:44a.m. Schedule B-Part I, Exceptions of said Commitment references the following:
 - 19-10' Limited Highway Easement - as shown on Certified Survey Map. (Easement shown.)
 - 11-10' Private Drainage Easement - as shown on Certified Survey Map. (Drainage easement falls outside of parcel surveyed therefore easement not shown.)
 - 12-Restrictions relative to the direction of drainage swale construction - as shown on the plot. (Plot of 1st Add. to Rimrock Heights does not reference this restriction. The Certified Survey Map references drainage swale, however said swale and correlating drainage arrows are not referenced on parcel surveyed. Said swale and correlating arrows appear to fall entirely within Lot 2 of said Certified Survey Map.)
 - 13-Existing building - as shown on Certified Survey Map. (Building shown.)
 - 14-Right of Way Grant Underground Electric to Madison Gas and Electric Company, recorded in Vol. 22809 of Records, Page 5, as #4468742. (Right of Way Grant shown.)
 - 15-Right of Way Grant to Wisconsin Bell, Inc., recorded in Vol. 18663 of Records, Page 12, as #2378416. (Right of Way Grant shown.)
 - 16-Easement Right of Way Grant to Wisconsin Telephone Company recorded in Vol. 4585 of Records, Page 72, as #1784683. (Easement Right of Way Grant shown.)
 - 17-Plot Restriction recorded in Vol. 71 of Records, Page 327, as #1229154. (Restriction affects Lots 1-12, Block 4, 1st Add. to Rimrock Heights. Said restriction does not encumber the parcel described herein.)

SURVEYOR'S CERTIFICATE

To Badger Resilience Research Center, LLC and Preferred Title:
 This is to certify that this map or plan and the survey on which it is based were made in accordance with the Minimum Standard Detail Requirements for ALTA/ACSM Land Title Surveys, jointly established and adopted by ALTA and NSPS in 2005, and includes Items 1-7a, 8-10, 11b, 13, 14, 16, 17, and 18 of Table A hereof. Pursuant to the Accuracy Standards as adopted by ALTA and NSPS and in effect on the date of this certification, undersigned further certifies that in my professional opinion, as a land surveyor registered in the State of Wisconsin, the Relative Positional Accuracy of this survey does not exceed that which is specified therein.
 Veribicher Associates, Inc.
 By: Michael S. Marty, P.L.S. No. 2452
 Date: December 22, 2009
 Revised: April 01, 2010




vierbicher
 planners | engineers | advisors
 REEDSBURG - MADISON - PRAIRIE DU CHIEN
 999 Fourier Drive, Suite 201 Madison, Wisconsin 53717
 Phone: (608) 655-0332 Fax: (608) 654-0300



LEGEND

- 3/4" dia. Solid Iron Rod Found
- 1-1/4" dia. Solid Iron Rod Found
- Set. Wt. 1.50lbs./ft. Indicates Recorded As
- Distances are measured to the Nearest Hundredth of a Foot.
- Handicap Parking Stall
- Cable Television Box
- Telephone Box
- Fire Department Connection
- Electric Box
- Electric Meter
- Transformer
- Gas Gate Valve
- Gas Meter
- Light Pole
- Sign
- Signal Pole
- Hydrant
- Utility Pole
- Water Gate Valve
- Air Conditioning Unit
- Deciduous Tree (Dia. Noted in Inches)
- Coniferous Tree (Dia. Noted in Inches)
- Gas Line
- Overhead Electric Line
- Sanitary Sewer Line
- Storm Sewer Line
- Underground Electric Line
- Underground Telephone Line
- Watermain Line
- Fiber Optic Line
- 1' Contour Interval (NAVD83)




Surveyed For:
Badger Resilience Research Center, LLC
 200 North Blount Street
 Madison, WI 53703

REVISION DATE	DESCRIPTION
04/01/2010	LOCATION OF TREES


PROJECT NO.	05107230
CAD FILE NAME	
DRAWN BY	PEH & MSM
CHECKED BY	JRQ
DATE	December 22, 2009
CLIENT PROJECT NO.	

TITLE
ALTA/ACSM Land Title Survey-501 E. Badger Rd.
 LOT 1, CERTIFIED SURVEY MAP NUMBER 3040, AS RECORDED IN VOLUME 12 OF CERTIFIED SURVEY MAPS, ON PAGES 28-29, AS DOCUMENT NUMBER 1600221, DANE COUNTY REGISTRY, LOCATED IN THE NE 1/4 OF THE SW 1/4 OF SEC. 36, T07N, R09E, CITY OF MADISON, DANE COUNTY, WISCONSIN

SHEET **S-262** MAP NUMBER



Existing Conditions Plan




Existing Conditions Plan
 Resilience Research Center

22 October 2010


Hoffman planners • architects • construction managers
 800.236.2370 www.hoffman.net

tpm TOTAL PROJECT MANAGEMENT
 Vision taken to the power of green



Living Wall Details
 (Gsky Green Wall Panels or Equal)

Living Wall Example Images
 (Gsky Green Wall Panels or Equal)



Greenhouse Section

NOTE:
 GREENHOUSE CONSTRUCTION WILL COMPLY WITH THE INTERNATIONAL BUILDING CODE, INTERNATIONAL FIRE CODE, AND ALL APPLICABLE MADISON GENERAL ORDINANCES.

Sheet No. 20.0



Details

Resilience Research Center

22 October 2010

Greenhouse Roof Example Images
 (Laminated Photovoltaic Cells)

Greenhouse Example Images



PROPOSED LEGEND

- PROPERTY LINE
- SANITARY SEWER
- WM WATERMAIN
- ST STORM SEWER
- - - 865 EXISTING CONTOURS
- CURB & GUTTER (NOTE: SHADING INDICATES REVERSE PITCH CURB)
- x - x - FENCE
- FIRE HYDRANT
- WATER VALVE
- MANHOLE
- CURB INLET
- FIELD INLET
- ENDWALL
- SITE GRADE SPOT ELEVATION, SEE ABBREVIATIONS
- ⇒ DRAINAGE DIRECTION

ABBREVIATIONS



- TC - TOP OF CURB
- FF - FINISHED FLOOR
- FL - FLOW LINE
- SW - TOP OF WALK
- TW - TOP OF WALL
- BW - BOTTOM OF WALL

NOT FOR CONSTRUCTION

REVISIONS	
NO.	REMARKS

CAD FILE/ FIELD BOOK	
PROJECT NO.	33107436.00
DRAFTER	SCALE
DEHL	1" = 30'
CHECKED	DATE
TSCH2/MSCH	10-22-10

LIVING WALLS





Northeast Eyelevel View




Northwest Eyelevel View



Southwest Eyelevel View



Southeast Eyelevel View



PROPOSED LEGEND

- PROPERTY LINE
- SANITARY SEWER
- WATER MAIN
- STORM SEWER
- - - 865 - - - EXISTING CONTOURS
- CURB & GUTTER (NOTE: SHADING INDICATES REVERSE PITCH CURB)
- FENCE
- FIRE HYDRANT
- WATER VALVE
- MANHOLE
- CURB INLET
- FIELD INLET
- ENDWALL
- SITE GRADE SPOT ELEVATION, SEE ABBREVIATIONS
- DRAINAGE DIRECTION


ABBREVIATIONS

- TC - TOP OF CURB
- FF - FINISHED FLOOR
- FL - FLOW LINE
- SW - TOP OF WALK
- TW - TOP OF WALL
- BW - BOTTOM OF WALL

NOT FOR CONSTRUCTION

REVISIONS	
NO.	REMARKS

CAD FILE/ FIELD BOOK	
PROJECT NO.	33107436.00
DRAFTER	SCALE
DEHL	1" = 30'
CHECKED	DATE
TSCH2/MSCH	10-22-10



PROPOSED LEGEND

- PROPERTY LINE
- SANITARY SEWER
- WATER MAIN
- STORM SEWER
- - - 865 EXISTING CONTOURS
- CURB & GUTTER (NOTE: SHADING INDICATES REVERSE PITCH CURB)
- x - x - FENCE
- FIRE HYDRANT
- WATER VALVE
- MANHOLE
- CURB INLET
- FIELD INLET
- ENDWALL
- SITE GRADE SPOT ELEVATION, SEE ABBREVIATIONS
- DRAINAGE DIRECTION

ABBREVIATIONS

- TC - TOP OF CURB
- FF - FINISHED FLOOR
- FL - FLOW LINE
- SW - TOP OF WALK
- TW - TOP OF WALL
- BW - BOTTOM OF WALL

NOT FOR CONSTRUCTION

REVISIONS	
NO.	REMARKS

CAD FILE/ FIELD BOOK

PROJECT NO.: 33107436.00

DRAFTER: DEHL SCALE: 1" = 30'

CHECKED: TSCH2/MSCH DATE: 10-22-10




InVue Vision Site, LED

CONTOUR A = 0.50 FC AT 4 FT AFG


CALCULATION SUMMARY		LUMINAIRE SCHEDULE		LLF		DIT	
TYPE	DESCRIPTION	TYPE	WATTAGE	TYPE	WATTAGE	TYPE	WATTAGE
Option 1	At Grade	(40) WSC	119	(40) LED BARS	663	6	6
	(40) LEFT POOL	(40) LED BARS	187				
	(40) RIGHT POOL	(40) LED BARS	187				
DB	Schreder Nemo	(4) LED, TESTED IN MH	16-70	(4) LUMINOUS COLUMN	1.00	8	8
	(4) NEC MH 16-70						



Schreder Nemo, LED




PHOTOMETRICS PLAN



Phase I - Southeast Bird's Eye View

Phase I Conceptual Massing
Resilience Research Center


22 October 2010



Phase I - Northwest Bird's Eye View

Phase I Conceptual Massing
Resilience Research Center


22 October 2010



Phase I - Northeast Bird's Eye View

Phase I Conceptual Massing
Resilience Research Center

22 October 2010



Phase I - Southwest Bird's Eye View

Phase I Conceptual Massing
Resilience Research Center

22 October 2010