

Momental

Elver Park



Maintenance Manual

Overview

Upon completion of the work an endowment was formed. This endowment will be held by the Madison Parks Foundation to administer any necessary maintenance for a minimum of 10 years. This manual will provide information about the piece and maintenance.

In 2027, Madison Parks Division and Bethany Jurewicz will assess the condition of the work and the remaining funds in the endowment to make a decision on de-installation or the continued exhibition of the work.

Sculpture Information

Momenta is made of two main types of material. The external cladding is formed out of Playboard HDPE plastic. The internal structure is created out of stainless-steel square tubing.



These materials allow for both longevity and easy maintenance. The hardware used is also stainless steel to ensure minimal to no rust throughout the sculpture.

Playboard HDPE plastic has a host of benefits, while being available locally at Midland Plastics in Monona. The following traits make it optimal for outdoor sculpture use.

- Excellent Scratch Resistance
- Easy to Clean
- Great Impact and Stiffness Performance
- Weatherability (UV Stabilized)
- Will Not Delaminate, Chip, Rot, or Swell
- Easy to Machine with Standard Tooling
- No Moisture Absorption

The following pages contain more information on the Playboard plastic used.

PLAYBOARD® POLYCARVE® HDPE

Playboard® Polycarve® is a HDPE multi-colored material with the outside layers and the core being different colors. It contains the same superior UV package as standard Playboard® HDPE for superior weatherability. Polycarve can be routed so that the core color becomes visible.

Top Applications:

- Playground Systems
- Signage
- Metric Boards
- Recreational - Resorts & Amusement Parks

Key Material Benefits:

- Multi Colored HDPE Material
- Excellent Scratch Resistance
- Easy to Clean
- Great Impact and Stiffness Performance
- Weatherability (UV Stabilized)
- Will Not Delaminate, Chip, Rot, or Swell
- Easy to Machine with Standard Tooling
- No Moisture Absorption


Competitive Advantages

(vs. similar material):

- Optimal Skin Thickness & Consistency for Faster Processing
- Custom Color Palette

Compliances:

- CPSIA
- REACH Compliant
- RoHS Compliant



COLORS	① BEIGE/GREEN/BEIGE	② BLUE/YELLOW/BLUE	③ GREEN/BEIGE/GREEN	④ YELLOW/RED/YELLOW	⑤ BLACK/WHITE/BLACK
THICKNESSES	1/2" - 3/4"	1/2" - 3/4"	1/2" - 3/4"	1/2" - 3/4"	1/2" - 3/4"
FINISH	MATTE	MATTE	MATTE	MATTE	MATTE

Standard sheet size is 48" x 120".
Custom colors and sizes available upon request.



VYCOM

WHERE QUALITY MEETS PERFORMANCE

Vycom manufactures market leading brands of highly innovative plastic sheet products designed to replace wood, metal and other traditional materials in a variety of applications. We strive to be the essential partner in creating solutions that optimize quality, performance and provide a more sustainable future.

A DIVISION OF THE AZEK® COMPANY

801 E. COREY STREET
SCRANTON, PA 18505

PH: (800) 235-8320

FX: (800) 858-9266

WWW.VYCOMPLASTICS.COM



MADE IN THE USA

CELTREC CORRTEC DESIGNBOARD FLAMETEC PLAYBOARD SANATEC SEABOARD

Cleaning (As Needed)


The surface of the sculpture is resistant to both dirt and grime. Most dirt and mud will be washed off by rain. This goes for grass clippings as well. When possible though please brush/blow loose clippings off sculpture/pad.

If dirt or other materials do not wash off in rain, warm soapy water should be enough to remove it. For any tougher cleaning jobs a chemical solution may be used, as HDPE is very chemical resistant.

Damage to sculpture or Parts

If there is any damage to the sculpture itself or parts please contact the artist, Jeff Repko, to assess the situation.

Through *Momental's* design parts can be refabricated away from the site and then replaced on site. Each part is catalogue and stored in the artist's digital records. This allows each piece to be remade accurately. Time for repair would depend on extent of damage. The work will be done by the artist or locally by another fabricator at the discretion of the artist.



Additional Questions

If there are any additional questions about the work or maintenance, please contact the artist Jeff Repko.

Phone: (412) 867 -5907

Email: Repko.jeff@gmail.com

Website: jeffrepko.com