Sec. 33.19

33.19 LANDMARKS COMMISSION, Style Definition: Normal: Font: Arial, 10 pt, Purpose and Intent. It is hereby declared a matter of public policy that the protection, enhancement, perpetuation and use of improvements of special character or special historical Style Definition: Heading 1: Font: Times New interest or value is a public necessity which will strengthen the economy of the City, and whichand is required in the interest of health, prosperity, safety and welfare of the people. The Formatted: Font: Not Bold purpose of this section is to: Effect and accomplish the protection, enhancement and perpetuation of such (a) improvements and of districts which represent or reflect elements of the City's cultural, social, economic, political and architectural history. (b) Safeguard the City's historic and cultural heritage, as embodied and reflected in such landmarks and historic districts. (c) Stabilize and improve property values. Foster civic pride in the beauty and noble accomplishments of the past. (d) Protect and enhance the City's attractions to residents, tourists and visitors, and serve as (e) a support and stimulus to business and industry. (f(f) Strengthen the economy of the City (g) Promote the use of historic districts and landmarks for the education, pleasure and welfare of the people of the City. It is the intent that where the regulations imposed by the landmarks ordinance are either more or less restrictive than regulations in other ordinances or laws, including Chapter 28, the regulations which are more restrictive or which impose higher standards or requirements shall prevail, unless an exception to this provision is specifically noted. (2) <u>Definitions</u>. In this section, unless the context clearly requires otherwise: **Comment [ATJWS1]:** I have not added new definitions discussed at 5/19 LC meeting. Abrasive cleaning method means a cleaning procedure that uses any of the following materials or tools: Formatted: Indent: Left: 0.5", Hanging: Abrasive materials, including, but not limited to, sand, glass beads, ground slag, 0.5", Tab stops: -1", Left volcanic ash, crushed nutshells, rice husks, ground corncobs or crushed eggshells, carried in high pressure air or water; or High pressure water Commission means the Landmarks Commission and marks preservation commission-Formatted: Justified, Indent: Left: 1", Tab stops: -1", Left created under this section. Development means any new structure or exterior alteration to an existing structure. Historic district is an area designated by the commission with the consent of the Common-Formatted: Indent: First line: 0", Tab stops: Council <u>pursuant to this ordinance</u> which contains <u>improvements with architectural</u>, cultural, or historic significance. one or more landmarks or landmark sites, as well as those abutting improvement parcels which the commission determines should fall under the provisions of this section to assure that their appearance and development is harmonious with such landmarks or landmark sites. Improvement means any building, structure, place, landscape, work of art or other object constituting a physical betterment of real property, or any part of such betterment. Improvement parcel is the unit of property which includes a physical betterment constituting an improvement and the land embracing the site thereof, and is treated as a single entity for the purpose of levying real estate taxes. Provided, however that the term "improvement parcel" shall also include any unimproved area of land which is treated as a single entity for such tax purposes. Landmark means Anyany improvement which has architectural, cultural, or historic a special Formatted: Indent: Left: 1.5", Hanging: character or special historic interest or value reflectingas part of the 0.5", Tab stops: -1", Left development, heritage or cultural characteristics of the City, state or nation and

b) Any

33 - 25 Rev. 6/15/13

which has been designated as a landmark pursuant to the provisions of this

Sec. 33.19(2)

Landmark site means any parcel of land of historic significance due to a substantial value in tracing the history of humankindaboriginal man, or upon which an historic event has occurred, and which has been designated as a landmark pursuant to the provisions of site under this section.

Landmark site means any lot, or an improvement parcel, or part thereof, on which is situated a landmark and any abutting lotimprovement parcel, or part thereof, used as and constituting part of the premises on which the landmark is situated.

<u>Person</u> means any individual, association, corporation or business entity. For purposes of repeated violations of the provisions of this chapter, any association, corporation or business entity is considered the same as another association, corporation or business entity if they share at least one (1) officer.

Structure means anything constructed or erected, the use of which requires more or less permanent location on the ground, and in the case of flood areas, in the stream bed or lake bed.

Visually Related Area (VRA) means properties constructed during the period of significance (Mansion Hill: 1850-1930; Third Lake Ridge: 1850-1929; University Heights: 1893-1928; Marquette Bungalows: 1924-1930; First Settlement: 1850-1920) that are within two hundred (200) feet of the boundary of a lot, with the following exceptions:

(a) Outside of an historic district, no property other than a landmark, or landmark site shall be evaluated in Visually related area for a corner parcel shall be defined as the area described by a circle drawn on a two hundred (200) foot radius, the center being the center of the corner parcel, i.e. the intersection of diagonals from the principal corners of that parcel. (Am. by Ord. 8690, 10-10-85 & 11-14-85; Am. by Ord. 13,001, 2-8-02)

Visually related area for a parcel within a block (not a corner parcel) shall be defined as the area described by a two hundred (200) foot circle drawn from the centerpoint of the streetside (front) lot line. (Am. by Ord. 8690, 10-10-85 & 11-14-85; Am. by Ord. 13,001, 2-8-02)

Zoned for Commercial Use shall be defined as the application of zoning categories NMX, UMX, TSS, CCT, LMX to an improvement parcel regardless of current

Zoned for Employment Use shall be defined as the application of the VRA.

(b) The VRA shall not include the building proposed to be demolished as part of any application for which VRA is being calculated.

Computation of Time in computing any period of time prescribed by this ordinance the day of the act or event from which the designated period of time beginszoning catego IG and TE to run shall not be included. The last day of the period so computed shall be included. When the period of time prescribed or allowed is less than 11 days, Saturdays, Sundays and holidays shall be excluded from the computationan improvement parcel regardless of current use.

Zoned for Residential Use shall be defined as the application of zoning categories TR-V1, TR-V2, TR-U1, TR-C1, TR-C2, TR-C3, TR-C4 to an improvement parcel regardless of current use.

(Sec. 33.01(2) Am. by Ord. 6470, 1-9-79; ORD-13-00087, 5-29-13)

Formatted: Indent: Left: 1"

Comment [ATJWS2]: DA to create new

Formatted: Indent: Left: 1", First line: 0"

Rev. 6/15/13 33 - 26 Landmarks Commission Composition and Terms.

Waivers under subsection (17);

under subdivision (11)(f): and

A Landmarks Commission is hereby created, consisting of seven (7) members. Of the membership, two (2) shall meet the Professional Qualifications Standards established by the

Sec. 33.19(3)

33 - 27 Rev. 3/15/14

Applications for Certificates of Appropriateness which require public hearing

4. Creation and amendment of an historic district under subsection (9).

Notice of the time, place and purpose of the hearing shall also be sent by the City Clerk to the property owner of the affected property and the owners of record, as listed in the

- office of the City Assessor, who are owners of property in whole or in part situated within two hundred (200) feet of the boundaries of the property affected.
- (c) For creation or amendment of an historic district, notice shall also be sent to all owners of record within the proposed district and the Alder of the Aldermanic District or Districts in which the historic district is located.
- (d) For hearings on waivers and certificates of appropriateness, notice shall also be sent to the applicant and the Alderperson of the District in which the property affected is located.
- (e) Notice shall be sent at least ten (10) days prior to the date of the public hearing.
- (7) Designation of Landmarks.
 - (a) Nomination. The Landmarks Commission and the Common Council may consider nominations for landmark designation. Any(a)—For purposes of this ordinance, a landmark or landmark site designation may be placed on any site, natural or improved, including any building, improvement or structure located thereon, or any area of particular historic, architectural or cultural significance to the City of Madison may be nominated. An individual or group may nominate a property for consideration by submitting an application and a nomination on a form provided by the Commission. —such as historic structures or sites which:
 - (b) Public Hearing. If a complete, accurate application is submitted to the Commission, a public hearing shall be scheduled. Notice shall be given according to subsection (6). The Commission shall request comments, when relevant, from Department of Public Works, Parks Division, Fire, Public Health, and Police Departments. Department of Planning and Community and Economic Development and Plan Commission. Each such department shall respond to the Commission within thirty (30). days of notification with any comments on the proposed designation. In addition to the notified persons, the Commission may hear witnesses and shall have the power to subpoena such witnesses and records as it deems necessary. The Commission may conduct an independent investigation into the proposed designation.
 - (c) Standards. The Commission may recommend designation as a landmark if it determines that the nominated area or structure:
 - Exemplifies or reflects the broad cultural, political, economic or social history of the nation, state or community; or
 - Is identified with important historic personages or with important events in national, state or local history; or
 - Embodies the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction, or of indigenous materials or craftsmanship or
 - Is representative of the notable work of a master builder, designer or architect.
 Notification of Property Owner. The Commission shall send notification to the owner of record of its recommendation for or against designation. Notification of the Commission's recommendation shall be sent to the property owner within ten (10) days of Commission's decision and at least 5 days before any meeting at which the Common Council may act on the Commission's recommendation.
 - (e) Report to Common Council. The Commission shall report its recommendation, along with the reasons for it, to the Common Council. After considering the Commission's report, and considering the standards contained in this ordinance, the Common Council may designate the property as a landmark. The City Clerk shall notify the Director of the Building Inspection Division and the City Assessor of all designations. The City Clerk shall cause such designation to be recorded, at City expense, in the Dane County Register of Deeds office.
 - (f) For those properties listed on pages 50 and 51 of the Downtown Historic Preservation Plan, adopted in 1998, the procedure to designate a property as a landmark cannot be initiated once a completed application for a conditional use, demolition permit or zoning map amendment has been submitted.
 - (g) Voluntary Designation of Additional Preservation Restriction(s).
 - At the time of designation, or at any time thereafter, the owner of record of any landmark may request that the Commission recommend the placement of additional restriction(s) on the landmark identifying elements or features of the landmark that shall not be altered without a Certificate of Appropriateness from the Commission.

- The Commission shall identify specific standards for approval of such a
 Certificate
- 3. The Commission shall submit recommendations for Additional Preservation
 Restrictions along with the standards for approval of a Certificate of
 Appropriateness to the Common Council. The Council shall approve, approve
 with modifications, or deny such restrictions or standards.
- (h) Recognition of Landmarks. At such time as a landmark has been properly designated in accordance with this subsection, the Commission shall cause to be prepared and erected on such property at City expense, a suitable plaque declaring that such property is a landmark. Such plaque shall be so placed as to be easily visible to passing pedestrians. In the case of a landmark structure, the plaque shall state the accepted name of the landmark, the date of its construction, and other information deemed proper by the Commission. In the case of a landmark which is not a structure, such plaque shall state the common name of the landmark and such other information deemed appropriate by the Commission. However, if the landmark is ecologically or culturally sensitive such that the Commission determines placement of a plaque is inappropriate, no plaque is required. No person shall remove or alter a plaque without approval of the Preservation Planner.

(8) Rescission.

- (a) By Owner of Record at Time of Designation.
 - Any person who is listed as the owner of record of a landmark at the time of its designation who has held continuous ownership since designation, and any person who has inherited the landmark from such person may petition for rescission of the designation under this subdivision by submitting an application to the Landmarks Commission.
 - Upon receipt of a complete application the Commission shall schedule a public hearing. Notice shall be given according to subsection (6).
 - The Commission shall conduct the hearing, may hear witnesses, and shall have the power to subpoena such witnesses and records as it deems necessary. The Commission may conduct an independent investigation into the proposed rescission.
 - 4. A landmark designation may be rescinded under this subdivision (a) only if the owner demonstrates that he or she is unable to find a buyer willing to preserve such landmark, even though he or she has made reasonable attempts in good faith to find and attract such a buyer. Such attempts must be supported by evidence including but not limited to the following:
 - a. Comparable real estate listings showing current market values;
 - Current real estate listing including disclosure statement;
 - Dates of real estate agent showings;
 - d. Original listing date;
 - e. Original listing amount and dates of subsequent changes;
 - Value of improvements made to the property during ownership;
 - g. Current assessed value; and
 - h. List of routine maintenance and associated costs during ownership.
 - 5. The Commission may recommend for or against the rescission of the designation of the property as a landmark based on the standard(s) in subparagraph (8)(a)4 of this ordinance. The Commission shall send notification to the owner of record of its recommendation for or against rescission within ten (10) days from the first regularly scheduled Commission meeting following the public hearing.
 - 6. The Commission shall report its recommendation, along with the reasons for it, to the Common Council. After considering the Commission's report, and considering the standard(s) for rescission contained in this ordinance, the Common Council may rescind the designation of the property as a landmark The City Clerk shall notify the Director of the Building Inspection Division and the City Assessor. The City Clerk shall cause such rescission to be recorded, at City expense, in the Dane County Register of Deeds office.
 - Following any rescission under this subdivision, the Common Council may not redesignate the subject property a landmark for a period of not less than five (5) years following the date of rescission, unless requested by the owner of record.

- Sec. 33.19(3)
- (b) Due to Substantially Changed Physical Appearance.
 - The owner of record or the City Preservation Planner may petition the Commission for rescission of a landmark designation under this subdivision by submitting a letter of intent to the Landmarks Commission.
 - Upon receipt of the letter of intent, the Commission shall schedule a public hearing. Notice shall be given according to subsection (6) of this ordinance.
 - The Commission shall conduct the hearing, may hear witnesses, and shall have the power to subpoen a such witnesses and records as it deems necessary. The Commission may conduct an independent investigation into the proposed rescission.
 - 4. A landmark designation may be rescinded under this subdivision (8)(b) of this ordinance only when the physical appearance of the site has changed substantially such that the site no longer meets the standards set forth for designation in subdivision (7)(c) of this ordinance, provided that such change was not due to the owner of record's failure to maintain the property in good repair.
 - 5. The Commission may recommend for or against the rescission of the designation of the property as a landmark, based on the standard(s) in subparagraph (8)(b)4 of this ordinance. The Commission shall send notification to the owner of record of its recommendation for or against rescission. Notification shall be sent within ten (10) days of Commission's decision and at least 5 days before any meeting at which the Common Council may act on the Commission's recommendation.
 - 6. The Commission shall report its recommendation, along with the reasons for it, to the Common Council. After considering the Commission's report, and considering the standard(s) for designation and rescission contained in this ordinance, the Common Council may rescind the designation of the property as a landmark. The City Clerk shall notify the Director of the Building Inspection Division and the City Assessor. The City Clerk shall cause such rescission to be recorded, at City expense, in the Dane County Register of Deeds office.
- (9) Creation and Amendment of Historic Districts.
 - (a) The Landmarks Commission shall select geographically defined areas to be designated as historic districts. These areas shall have been identified in an adopted City Plan, or in a special area plan, as areas of particular historic, architectural, or cultural significance to the City of Madison, which:
 - Exemplify or reflect the broad cultural, political, economic or social history of the nation, state or community; or
 - 2. Are identified with importanthistoric personages or with important events in national, state or local history; or
 - 3. Embody the distinguishing characteristics of an architectural typestype specimen, inherently valuable for thea study of a period or periods, styles, methods or, style, method of construction, or of indigenous materials or craftsmanship; or
 - Are representative of the notable <u>workswerk</u> of a-master <u>builders</u>, <u>designers</u>, <u>builder</u>, <u>designer</u> or <u>architects</u>.
 - (b) Each ordinance creating or amending an historic district shall indicate the basis for designation in (a) above and shall include specific standards for reviewing development in the historic district. The review standards for development in historic districts should provide an understandable set of standards to ensure that construction and exterior alterations will be done in a manner sensitive to the character of each historic district. Guidelines for the Landmarks Commission to consider when adopting standards in historic districts include but are not limited to the following:
 - It is not the intent of this ordinance to discourage contemporary architectural
 expression that is visually compatible with its environment and otherwise meets
 the standards in the ordinance, to encourage the rote emulation of existing
 building styles or to prevent the prior lawful conforming use of buildings that are
 reconstructed following destruction by fire or other natural disaster.
 - A sensitively designed building in a contemporary style may better preserve and enhance the inherent characteristics of a historic district than a mediocre adaptation of a more traditional style.

Comment [ATJWS3]: Should we add a sentence to clarify that these guidelines are only binding to the extent and in the manner in which they are adopted in an actual historic district ordinance (ie, mansion hill historic district).

- All new structures shall have a height that is visually compatible with the structures and environment with which they are visually related.
- 4. The gross volume of any new structure shall be visually compatible with the structures and environment with which it is visually related.
- In the street elevation(s) of a structure, the proportion between the width and height in the facade(s) should be visually compatible with the structures and environment with which it is visually related.
- The proportions and relationships between doors and windows in the street
 facade(s) should be visually compatible with the structures and environment with which it is visually related.
- The rhythm of solids to voids, created by openings in the facade, should be visually compatible with the structures and environment with which it is visually related.
- 8. The existing rhythm created by existing structure masses and spaces between them should be preserved.
- 9. The materials used in the final facade(s) should be visually compatible with the structures and environment with which it is visually related.
- 10. The texture inherent in the facade should be visually compatible with the structures and environment with which it is visually related.
- Colors and patterns used on the facade (especially trim) should be visually
 compatible with the structures and environment.
- 12. The design of the roof should be visually compatible with the structures and environment with which it is visually related.
- 13. The landscape plan should be sensitive to the architect whose individual structure, its occupants and their needs. Further, the landscape treatment should be visually compatible with the structures and environment with which it is visually related.
- genius influences her or his age. (Am. by ORD-14. All street facade(s) should blend with other structures via directional expression. When adjacent structures have a dominant horizontal or vertical expression, this expression should be carried over and reflected.-00012, 1-14-14)
- 15. Architectural details should be incorporated as necessary to relate the new with the old and to preserve and enhance the inherent characteristics of the area.
- (d) Review and Adoption Procedure.
 - Landmarks Commission. The Landmarks Commission(b)

 The commission may adopt specific operating guidelines for landmark and landmark site designation providing such are in conformance with the provisions of this paragraph.
- (5) Powers and Duties.
 - (a) Designation. The commission shall hold a public hearing when considering an ordinance creating or amending an historic district. Notice shall be given accordinghave the power subject to subsection (6) of this ordinance. Following the public hearing, the Landmarks Commission shall votehereunder, to recommend, reject or withhold action on the ordinance. This recommendation shall be forwarded to to the Common Council the designation of landmarks, landmark sites and historic districts within the City Plan Commission and the Common Council.
 - The City Plan Commission. The Plan Commission shall review the ordinance creating or amending the historic district ordinance and make a recommendation to limits of Madison. Such designations shall be made by the Common Council within thirty (30) days of the public hearing. The Plan Commission may extend this time by referral.
 - 3. The based upon subsection (4) hereof. Once designated by the Common Council. The Common Council, upon receipt of the recommendations from the Landmarks Commission and Plan Commission, shall hold a public hearing, notice to be according to subsection (6) of this ordinance and shall either designate, amend, or reject the historic district ordinance.
 - (e) Recognition of Historic Districts. The Commission shall assist other City planning efforts to visually define and highlight historic districts.
- (10) Maintenance of Landmarks, Landmark Sites and Historic Districts.

Formatted: Underline

Comment [ATJWS4]: Mortar, vines, etc.?

- (a) Every person in charge of an improvement on a landmark site or in an historic district shall keep in good repair all of the exterior portions of such improvement and all interior portions thereof which, if not so maintained, may cause or tend to cause the exterior portions of such improvement to fall into a state of disrepair. This provision shall be in addition to all other provisions of law requiring such improvement to be kept in good repair.
- (b) Insofar as they are applicable to a landmark, landmark site or improvement in an historic district, designated under this section, any provision of Chapters 18 (Plumbing Code), 27 (Minimum Housing and Property Maintenance Code), 29 (Building Code), 30 (Heating, Ventilating and Air Conditioning Code) and 31 (Sign Control Ordinance) of the Madison General Ordinances may be varied or waived, on application, by the appropriate board having such jurisdiction over such chapter or, in the absence of such board, such landmarks, landmark sites and historic districts shall be subject to all the provisions of this ordinance. (Am. by the Director of the Building Inspection Division, provided such variance or waiver does not endanger public health or safety. Ord. 11,983, 12-12-97)
- (c) Notwithstanding subdivision (a) above, sandblasting of any exterior surface of an improvement on a landmark site or in an historic district is prohibited. Other types of abrasive cleaning methods also are prohibited unless specifically approved by the Landmarks Commission prior to their use. The Landmarks Commission shall approve exterior surface cleaning projects using abrasive or corrosive cleaning methods only if the project will not cause irreparable damage to the building material to which it is applied.
- (11) Certificate of Appropriateness.
 - a) Certificate of Appropriateness Required. A Certificate of Appropriateness, approved by the Landmarks Commission, is required for the following:
 - Exterior alteration of a designated landmark.
 - Exterior alteration of a structure within an historic district.

BOARDS, COMMISSIONS, AND COMMITTEES

	3. (b) Regulation of Construction of new structure on a landmark site.		Formatted: No underline
	 Construction of a new structure in an historic district. 		
	5. Demolition or removal of all or part of a landmark.		
	6. Demolition or removal of a structure in an historic district.		
	7. Painting or restoring a sign on a brick structure on a landmark site or in an		
	historic district.		
	8. Reconstruction and Exterior Alteration of part of a landmark designated as an		Formatted: Indent: Left: 1.5", Hanging:
	Additional Preservation Restriction	\	0.5", Numbered + Level: 1 + Numbering Style:
(b)	Permits. The 1. Any application for a permit from the Director of the Building Inspection	~ \	1, 2, 3, + Start at: 1 + Alignment: Left +
1-27	Division involving the exterior of a designated landmark, landmark site or structure within	11	Aligned at: 2" + Indent at: 2.25"
	an Historic District shall not issue a permit allowing painting of signs, alteration,	- / /	Formatted: No underline
	construction, demolition or removal for which a Certificate of Appropriateness is required	/	
	unless such Certificate has been approved by thebe filed with the Landmarks		Formatted: Indent: Left: 1"
	Commission and issued by the Preservation Planner or designee. (Am. by Ord. 8081, 7-		
	29-83; ORD-08-00109, 10-7-08)		
(c)	Prohibition. 2.—No owner, operator, or person in charge of a landmark, landmark site or		
(0)	structure within an historic districtHistoric District shall reconstruct or alter all or any part		
	of the exterior of such property or construct any improvement upon such designated		
	property or properties within an Historic District or cause or permit any painting of signs.		
	alteration, construction, demolition or removal for which such work to be performed upon		
	such property unless a Certificate of Appropriateness is required unless such Certificate		
	has been approvedgranted by the Landmarks Commission.		
<u>(d)</u>	Administrative Approval or its designee(s) as hereinafter provided. The Landmarks	•	Formatted: Indent: Left: 1"
	Commission may appoint a designee or designees to approve certain projects that will		
	have little effect on the appearance of the exterior of such properties, provided that the		
	Landmarks Commission shall first adopt a written policy on the types of projects which		
	can be approved by its designee(s). Unless such certificate has been granted by the		
	commission or its designee(s), and the process to be followed the Director of the Building		
	Inspection Division shall not issue a permit for any such work. (Am. by Ord. 8081, 7-29-		
	83; ORD-08-00109, 10-7-08)		
<u>(e)</u>	Application. An application for a Certificate of Appropriateness shall be filed with the		
	Planning Department, c/o the Preservation Planner. The application shall be considered		
	filed when it is stamped "accepted" by the Preservation Planner. The timelines applicable		
	in subsection (g) below shall not begin until an application is stamped accepted by the		
	Preservation Planner. Every application shall include at least the following information		
	unless otherwise indicated by the Preservation Planner:		
	1. 2. 3.		
	<u>2.</u>		
	<u>3.</u>		
	<u>4.</u>		
			Comment [ATJWS5]: Add required materials
	Any other information requested by the Preservation Planner. Once an application is		from face sheet of application
	accepted by the Preservation Planner, the Commission shall review the application		
	based on the standards in this ordinance.		
(f)	Public Hearings. The Commission shall hold a Public Hearing and provide Class 2 Notice		
	according to subsection (6) of this ordinance for applications involving the following:		
	Demolition or removal of all or part of a landmark;		
	2. Demolition or removal of a structure in an historic district;		
	 Construction of a new principal structure in an historic district; 		
	4. Construction of an accessory structure with a footprint larger than one hundred		
	(100) square feet, not including decks and open porches, in an historic district;		
	and		
	5. Exterior alteration of a structure in an historic district that increases the footprint		
	of the structure more than one hundred (100) square feet, not including decks		
	and open porches.		
(g)	Issuance of Certificate of Appropriateness. The Landmarks Commission shall approve or		
197	deny a Certificate of Appropriateness, based upon the applicable standards in		
	subsections (12), (13) or (14) of this ordinance, within sixty (60) days of the filing of an		O FAT DAYOUT ON LINE OF THE CO.
			Comment [ATJWS6]: Or historic district?
	accepted application. Failure to approve a Certificate of Appropriateness within sixty (60)		

Rev. 3/15/14 33 - 28

days shall be deemed a denial, effective on the last day of the determination period. However, the determination period may be extended an additional sixty (60) days by written agreement of the applicant and approval of the Landmarks Commission. Upon approval of the Certificate by the Commission, the Preservation Planner or designee shall issue a Certificate of Appropriateness.

- (h) Penalty for Work Done Without, or in Violation of, a Certificate of Appropriateness.

 In addition to any other penalty provided in this section, the Landmarks Commission, may order the removal or modification of any alteration, construction or other work that was performed without a required Certificate of Appropriateness, or that was not performed in compliance with the conditions of a lawfully issued Certificate of Appropriateness, when such work does not meet the applicable standards for a Certificate under subsections (12), (13), or (14) of this ordinance, or under the Additional Preservation Restriction specific to that andmark. Alternatively, the Commission may order renovation to make such work comply with those standards.
- (i) Two-Year Deadline. A Certificate of Appropriateness shall expire two (2) years from the date of issuance unless a building permit is obtained within such period.
- (12) Standards for Exterior Alteration or Construction. The Landmarks Commission shall approve a Certificate of Appropriateness for exterior alteration of a landmark or a structure within an historic district, or for construction on a landmark site or in an historic district, only if:
 - which proposes to erect a new primary building, an accessory building over 100 square feet in size or an addition over 100 square feet in size to the footprint of an existing building, not including decks and open porches, the Landmarks Commission shall hold a public hearing. The Commission may establish rules and procedures for the conduct of such hearings and shall see to it that a record of the proceedings is made and preserved. Notice of the time, place and purpose of such hearing shall be given by publication as a Class 2 Notice under the Wisconsin Statutes in the official City paper. Notice of the time, place and purpose of such public hearing shall also be sent by the City Clerk to the applicant, the Director of the Planning Division, the alderperson of the district in which the property affected is located, and the owners of record, as listed in the office of the City Assessor, of property in whole or in part situated within two hundred (200) feet of the boundaries of the properties affected, said notice to be sent at least ten (10) days prior to the date of such public hearing. The applicant shall immediately post a copy of such notice in a conspicuous manner in a common or central location of each rental building where all residents/occupants are likely to see the notice or mail a copy of the notice to each rental unit within the area entitled to notice. The applicant has the option of making the required mailing and may use labels purchased from the City or the applicant may pay the City to do the mailing. Failure to post the notice at least forty-eight (48) hours before the scheduled hearing or to mail a copy of the notice to each rental unit at least five (5) days before the scheduled hearing shall subject the applicant to a forfeiture of not less than fifty dollars (\$50) nor more than one hundred dollars (\$100). Failure to post or mail such notices shall not affect the validity of the action taken on the application. (Cr. by Ord.

In 3. Whenever, under Paragraph 2. above, the Landmarks Commission receives an application for a project in the University Heights Historic District

Comment [ATJWS7]: Or historic district?

Rev. 3/15/14 33 - 28

11,070, 12-6-94)

. Upon filing of any application with the Landmarks Commission, the Landmarks Commission shall determine:

a. Whether, in the case of a designated landmark or landmark site, the proposed work would notdetrimentally change, destroy or adversely affect any significant exterior architectural feature of the improvement upon which said work is to be done, or significantly degrade the historic fabric of the landmark; and

(b) In: Whether, in the case of the construction of a new <u>structureimprovement</u> upon a landmark site, the exterior of such improvement would <u>not</u> adversely affect or <u>fail tonet</u> harmonize with the external appearance of other neighboring improvements on such site, <u>evaluated using the standards in subsection (9)(c) of this ordinance</u>; and

c) In. Whether, in the case of any property located in an historic district Historic District designated pursuant to the terms of subsection (9) of this ordinance Subsection (6)(d) hereunder, the proposed new structureconstruction, reconstruction or exterior alteration conforms does not conform to the objectives and design criteria of the historic preservation plan for said district as duly adopted standards for review for said district by the Common Council.

(13) Standards for Demolition or Removal. In determining whether to approveSec. 33.01(4)(b)3. Renumbered to 4. by Ord. 11,070, 12-6-94)

- 5. If the commission determines Subparagraphs a., b. and c. of Paragraph 4. above in the negative, it shall issue the Certificate of Appropriateness for. Upon the issuance of such certificate, the building permit shall then be issued by the Director of the Building Inspection Division. The commission shall make this decision within sixty (60) days of the filing of the application. Should the commission fail to issue a Certificate of Appropriateness due to the failure of the proposal to conform to the above guidelines, the applicant may appeal such decision to the Common Council. In addition, if the commission fails to issue a Certificate of Appropriateness, the commission shall, at the request of the applicant, cooperate and work with the applicant in an attempt to obtain a Certificate of Appropriateness within the guidelines of this ordinance. (Am. by Ord. 11,648, 8-20 & 8-26-96; ORD-08-00109, 10-7-08)
- 6. In addition to any <u>demolition or removal of any</u> other penalty provided in this section, should an owner or person in charge of a landmark, landmark site or structure within an <u>historic</u>Historic District reconstruct or alter all or any part of the exterior of such property or construct any improvement upon such designated property or properties within an Historic District or cause or permit any such work to be performed upon such property without first obtaining a Certificate of Appropriateness from the Landmarks Commission or its designee or should such reconstruction, alteration or other work be performed in violation of the conditions of a lawfully granted Certificate of Appropriateness, the Landmarks Commission, after reviewing such reconstruction, alteration or other work, may order it removed if it does not comply with the requirements of Section 33.19(5)(b)4. above or may order such renovation as is necessary to make it comply with Section 33.19(5)(b)4. (Am. by Ord. 11,648, 8-20 & 8-26-96)
- (c) Regulation of Demolition. No permit to demolish all or part of a landmark, or improvement in an Historic District, shall be granted by the Director of the Building Inspection Division except as follows: (Am. by Ord. 8081, 7-29-83; ORD-08-00109, 10-7-08)

1. Scope.

Any application for a permit to demolish or remove all or part of a landmark or improvement in an Historic District shall be filed with the Landmarks Commission. Such application shall be made in all cases, both when demolition or removal is planned as an isolated event and when said demolition or removal is considered in conjunction with a special development plan, a rezoning plan or

Formatted: Indent: Left: 1"

Sec. 33.19(5)(b)4.

33 - 29 Rev. 12/15/12

a conditional use plan. No owner or operator of a landmark, or improvement in an Historic district, shall be granted a permit to demolish or remove such property unless a Certificate of Appropriateness therefor has been granted by the Landmarks Commission. (Am. by Ord. 8117, 10-3-83)

2. Procedure.

The Landmarks Commission shall hold a public hearing on each application for a wrecking or removal permit and shall follow the procedures required for other hearings by Madison General Ordinance Section 28.183. Thereafter, the Landmarks Commission may decide to grant a Certificate of Appropriateness, refuse to grant such Certificate or suspend action on same for a period not to exceed one (1) year from the date of application for said permit. Failure to issue a Certificate of Appropriateness or to issue a written determination to suspend action on the application within thirty (30) days of the application date shall be deemed a refusal to grant a Certificate of Appropriateness for the demolition or removal, provided that the determination period may be extended an additional thirty (30) days by written stipulation of the applicant and the Landmarks Commission. If the Landmarks Commission determines to suspend action on the application, the Commission and the applicant shall undertake serious and continuing discussions for the purpose of finding a mutually agreeable method of saving the subject property. Furthermore, during this time the owner shall take whatever steps are necessary to prevent further deterioration of the building. At the end of the one-year period the Landmarks Commission shall act on the suspended application by either granting or refusing to grant a Certificate of Appropriateness for the proposed demolition or removal. (Am. by Ord. 9085, 1-29-87; ORD-12-00134, 1-2-13)

Standards.

In determining whether to issue a Certificate of Appropriateness for any demolition, the Landmarks Commission shall consider and may give decisive weight to any or all of the following:

- (a). Whether the <u>building or structure</u> is of such architectural or historic significance that its demolition <u>or removal</u> would be detrimental to the public interest and contrary to the general welfare of the people of the City and the State;
- (b). Whether the building or structure, although not itself a landmark structurebuilding, contributes to the distinctive architectural or historic character of the historic districtDistrict as a whole and therefore should be preserved for the benefit of the people of the City and the State;
- (c)- Whether demolition or removal of the subject property would be contrary to the purpose and intent of this chapter as set forth in Sec. 33.19 and/or to the objectives of the historic preservation plan for the applicable historic district as duly adopted by the Common Council:
- (d)- Whether the building or structure is of such old and unusual or uncommon design, texture and/or material that it could not be reproduced or be reproduced only with great difficulty and/or expense;
- (e). Whether retention of the building or structure would promote the general welfare of the people of the City and the State by encouraging study of American history, architecture and design or by developing an understanding of American culture and heritage;

(

Formatted: Indent: Left: 0.5", Hanging: 0.5"

Formatted: Indent: Left: 1"

Rev. 12/15/12 33 - 30

provided that any deterioration of hardship or difficulty claimed by the property more which is self-created or which is the result of any failure to maintain the property more which is self-created or which is the result of any failure to maintain the property in good (epair cannot qualify as a basis for the issuance of a Certificate of Appropriateness; Whether any new structure proposed to be constructed or change in use proposed to be made is compatible with the studies with the structures buildings and environment of the historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (h) Documentation of demolished structures. Prior 4-(Rby Ord. 11.070, 12-6-94) (sec. 33.01(4)(c) Am. by Ord. 7027-6-27-80) (d) Regulation of Painten Sinson on Brick Buildings. No permit to approving paint a sign-on a brick building shall be granted by the Director of the Building inspection Division-except as follower. (Am. by ORD-96-00109, 10-7-08) 1.— A Certificate of Appropriateness for demolition, the must be issued by Landmarks. Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation Signs. The Landmarks Commission shall approve. Certificate of Appropriateness for an identification sign only if all of the following area must. The structure is a sub-iding must be been publit in whole or in part for commercial or industrial use. The structure is a sub-iding must have been publit in whole or in part for commercial or industrial use. The structure is a sub-iding must be performed and not find the following area must. The structure is a sub-iding must be performed and not find the following and the following area must. The structure was be the building must have been publit in whole or in part for commercial or industrial use. The structure was be the building shall group and the provisions of Chapter 31. Medical proposed sign in smust be g		Formatted		
provided that any deterioration ofhardship or difficulty claimed by the propertywners which is self-oreated or which is the result of any failure to maintain the property in good repair cannot qualify as a basis for the issuance of a Certificate of Appropriateness; which is self-oreated or which is the result of any failure to maintain the property in good repair cannot qualify as a basis for the issuance of a Certificate of Appropriateness; which is self-oreated in which the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (h) Documentation of demolished structures. Prior4. (R-by-Ord-11,070,126-94) (Sec33.014(sec3		Formatted		
provided that any detendration ofhardship or difficulty claimach by the property-wwere which is self-created or which is the result of any failure to maintain the property in good repair cannot qualify as a basis for the issuance of a Certificate of Appropriateness; where any new structure proposed to be constructed or change in use proposed to be made is compatible with the structures perioded to be constructed or change in use proposed to be made is compatible with the structures perioded to be constructed or change in use proposed to be made is compatible with the structures perioded or the structure of the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, and any compatible to the subject property is located, or if outside a historic district, (see. 3.0.415)(4) m. by Ord. 2027. 6-22-60) (d) Regulation of Painting Signs, on Brick Buildings. No permit to approving apaint a sign on a brick building shall be granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for demollion, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. 1. In estincture is a the building must be designated a landmark or jabe in a docally-designated historic district. 2. They the prick surface wage. the building must have been painted previously. 3. The structure is a the building must have been painted previously. 4. They the proposed sign is jimust be of a size, style, and location that blends with the historic character of the structure-building, and/or historic district. 7. They be not proposed sign is jimust be of a size, style, and location that blends with the historic character of the structure-building, and/or historic district. 8. They be not proposed si	: Create section for	Comment [ATJWS8]: Crea		f <u>)</u>
which is self-created or which is the result of any failure to maintain the property in good repair cannot qualify as a basis for the issuance of a Certificate of Appropriateness; (g) Whether any new structure proposed to be constructed or change in use proposed to be made is compatible with the structures buildings and environment of the issuince district in which the subject property is located, or if outside a historic district in which the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site, and, (h) Documentation of demolished structures. Prior 4 (R- by Ord. 11,070,12.6.94) (See. 39.01(6)(4) Am. by Ord. 7027.6.27.6.27.60) (d) Regulation of Painting Signs on Brick Buildings. No permit to approxing apaint a sign on a brick building shall be prainted by the Oirector of the Building inspection Division except as follows: (Am. by ORD-08.00109, 10-7.08) 4. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission, may require the spollicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. Certificate of Appropriateness for an identification sign only if all of the following are true; 1. The structure is a. the building must have been painted previously. 3. The structure was been demonstrated by the Director of the Structure building. 5. The beautification of the structure building must have been painted previously. 6. The beautification of the structure building must have been painted by the Director of the formatted by the Director of the Structure building and/or historic district. 7. The structure was been been building must have been buildings. No permit to restore a painted sign of a brick building shall approve a be granted by the Director of the formatted by the Building hall approve a begranted by the Director of the formatted promatted by the building and		Formatted		
(g). Whether any new structure proposed to be constructed or change in use proposed to be made is compatible with the structures buildings and environment of the historic district in which the subject property is located a historic district, compatible with the grown of the historic district in which the subject property is located a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (n). Documentation of demolished structures, Prior4. (R. by Ord. 14,070,12-6-04) (See. 33.01(5)(6), Am. by Ord. 1207, 6-22-80) (See. 33.01(5)(6), Am. by Ord. 1207, 6-24-80) (See. 33.01(5)(6), Am. by Ord. 1207, 6-22-80) (See. 33.01(6), Am. by Ord. 1207, 6-22				
(g): Whether any new structure proposed to be constructed or change in use proposed to be made is compatible with the structures behaldings and environment of the historic (stirct in which the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (h): Documentation of demolished structures. Prior4. (R. by Ord. 11,070, 12-6-94) (Sec. 33.01(5)(c) Am. by Ord. 7027-6-27-80) (d): Regulation of Painting Signs on Brick Buildings. No permit to approving apaint a sign on a broke building shall be granted by the Director of the Building hippection Division except as follows: (Am. by ORD. 98-00109, 10-7-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs (a): Identification Signs. The Landmarks Commission shall approve. To qualify Forg. 2. The Structure is a the building must be designated a landmark or igbe, in a locally-designated historic district. 2. The building shall perification signs only if all of the following are true. In the structure wase. The building must have been built in whole or in part for commercial or industrial use. 3. The structure wase. The building must have been built in whole or in part for commercial or industrial use. 4. The durage building in the following and or historic district. 5. The structure is a the building must be of a size, style, and location that blends with the historic character of the structure suilding and/or historic district. 6. The structure is a the building must be able of a size, style, and location that blends with the historic district. 7. The permittee complies must comply, with the provisions of Chapter 31, formatted formatted designated historic district. 8. The structure is a the building must be able to document the existing an	(
made is compatible with the structures buildings and environment of the historic district in which the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (h) Documentation of demolished structures. Prior4. (R. by Ord. 11,070, 12-6-94) (Sec. 33.01(5)(c) Am. by Ord. 7027-6-27-80) (3) Regulation of Paintina Signe on Brick Buildings. Ne permit to approxing apaint a sign-on a brick building shall be granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 107-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To quality Forg. The brick surface was must have been painted previously. 3. The structure is 2. — the building must have been painted previously. 3. The structure wase. — the building must have been painted previously. 4. The d. the sign simust be an identification sign for a tenant of the structure pounding. The brick building and/or historic district. 7. 2. The permittee complex with the provisions of Chapter 31, MICO Madison General Ordinances. (b) Heritage Fr. by Ord -12,313, -21-90. Restoration of Painter's Sinns. The Landmarks Commission on Brick Buildings. Ne permit orestore a painted sign of a brick building shall approve abe granted by the Director of the Building inspection Division except as follows: (Am. by ORD-08-00109, 107-09). 4. Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To quality for a Certificate of Appropriateness. 5. The — the justification signs must hee able to document the existence and appearance of the sign to be restored. 5. The — the		Formatted		(a)
which the subject property is located, or if outside a historic district, compatible with the mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site; and, (n). Documentation of demolished structures, Prior4, (R. by Ord, 11,070,12-6-94) (See, 33,01(5)(6)-Am. by Ord, 7027, 6-27-80) (See, 33,01(5)(6)-Am. by Ord, 7027,	(Formatted		79 7-
mass and scale of buildings within two hundred (200) feet of the boundary of the landmark site: and c. (h) Documentation of demolished structures, Prior4. (R. by Ord. 11,070, 12-6-04) (See. 33.01(5)(e) Am. by Ord. 7027, 6-27-80) (Regulation of Painting Signs on Brick Buildings. No permit to approving apaint a sign-on a brick building shall be granted by the Director of the Building-Inspection Division except as follows: (Am. by ORD-08-00109-10-7-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To qualify Forg. Certificate of Appropriateness for an identification sign only it all of the following are true; 1. The structure is a. — the building must have been painted previously. 3. The structure was. — the building must have been painted previously. 3. The structure was. — the building must have been painted previously. 4. The — the sign smust be, an identification sign for a tenant of the structure was. — the building must have been painted previously. 5. The — the sign smust be, of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply with the provisions of Chapter 31. (e) Hentange Cr. by Ord. 12,313, 2-1-99. (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a pealared sign of a brick building shall prove abe granted by the Director of the Building inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only it all of the following and the provision of the provision of the painted of the provision	(Formatted		
Information				
(n) Documentation of demolished structures. Prior4. (R. by Ord. 11,070, 12-6-94) (Sec. 33-01(5)(e) Am. by Ord. 7027, 6-27-80) (d) Regulation of Painting Signe on Brick Buildings. No-permit to approving apaint a sign-on as brick building shall be granted by the Director of the Building-Inspection Division except as Follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To qualify For a locally-designated historic district. 2. The structure is a be building must be designated a landmark or jbe; in a locally-designated historic district. 3. The structure wase. the building must have been painted previously. 3. The structure wase. the building must have been painted previously. 4. The district by Ord. The structure building and/or historic district. 5. The thick granted by the commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00199, 10-7-08). 4. A Certificate of Appropriateness of a heritage or restored sign only if all of the following appropriateness; 4. The structure is a the building must be able to document, the existence and appopriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriateness of a heritage or restored sign only if all of the following appropriatenes	[Formatted	Tidilated (200) feet of the boundary of the	
(d) Regulation of Painting Signs on Brick Buildings. No permit to approving apaint a eign on a brick building shall be granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109,-10-7-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To quality Forja. Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is a the building must be designated a landmark or isbe, in a locally-designated historic district. 2. The the brick surface wafermet have been painted previously. 3. The structure waso. The building must have been built in whole or in part for commercial or industrial use. 4. The structure building. 5. The a the sign signs be an identification sign for a tenant of the structure building. 6. The permittee complies must comply with the provisions of Chapter 31. MEQUAcideon General Ordinances; (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building and/or historic district. 2. The permittee complies must comply with the provisions of Chapter 31. MEQUAcideon General Ordinances; (b) Heritical of Appropriateness of an heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness of an heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness of an heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness of an heritage or restored sign only if all of the following are true must	(Formatted	structures Prior4 (R by Ord 11 070 12-6-94)	
(d) Requisition of Paintina Signs-on Brick Buildings. No permit to approving apaint a sign-on a brick building shall be granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To qualify For, a Certificate of Appropriateness for an identification sign only if all of the following are true. 1. The structure is a the building must be designated a landmark or jobe in a locally-designated historic district. 2. The brick surface wagsmust have been painted previously. 3. The structure wase. the building must have been built in whole or in part for commercial or industrial use. 4. Thed. the sign smust be jan identification sign for a tenant of the structure building. Structure building structure building and/or historic district. 7. The permittee complies must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. (b) HeritageCr. by Ord. 12,313, 2-1-99) (c) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be assued by the Landmarks Commission. To qualify for a Certificate of Appropriateness in a heritage or restored sign only if all of the following are true must be assued by the Landmarks Commission. To qualify for a Certificate of Formatted Engagement of the sign to be restored. 9. The permitted complete must be given by the Landmarks Commission or permit by	(Formatted		
a brick building shall be granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs! (a) Identification Signs. The Landmarks Commission shall approve. To qualify For, a. the building must be designated a landmark or jabe, in a docally-designated historic district. 2. The structure is a. the building must have been built in whole or in part for commercial or industrial use. 4. The d.—the, sign is must be be an identification sign for a tenant of the structure building. 5. Thee.—the, sign is must be be an identification sign for a tenant of the structure building and/or historic district. 7. 2. The permittee complies must comply with the provisions of Chapter 31, MGOMadison-General Ordinances. (b) Hentanger-to-by-Ord-12,343, 2-1-99) (e) Restoration of Painted Signs The Landmarks Commission on Brick Buildings. No permit to rectore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-09-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be be sueed by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure wasb.— the building must have been built in whole or in part for commercial or industrial use. 3. The—the, owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. Thed—the, original sign predates must be gia landmark or is be, in a locally-commercial or industrial use. 5. The tructure wasb.— the building must have been built in whole or in part for commercial or industrial use. 6. The tructure dispersion of the sign to be restored. 7. The permi	(Formatted	Buildings. No permit to approving apaint a sign on	(d)
4. A Certificate of Appropriateness for demolition, the must be issued by Landmarks Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Isigns. (a) Identification Signs. The Landmarks Commission shall approve. To qualify Forja. Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is 3. the building must be designated a landmark or is be in a locally-designated historic district. 2. Theb. the brick surface was must have been painted previously. 3. The structure was c. the building must have been painted previously. 4. Thed. the sign is must be an identification sign for a tenant of the structure building. 5. The the sign is must be an identification sign for a tenant of the structure building. 6. The the proposed sign is must be of a size, style, and location that blends with the historic character of the structurebuilding and/or historic district. 7. 2. The permittee complies must comply with the provisions of Chapter 31. MCOMadison-General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-199. Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No-permit to rectore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08). 4. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be its search by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure was b. the building must have been built in whole or in part for commercial or industrial use. 3. The the presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. The the presents documentation of must be able to document the existence and appearance of the sign to be restored. 5. The the presents documentation of must b			Director of the Building Inspection Division except	
Commission may require the applicant to provide documentation of the structure. Documentation shall be in the form required by the Commission. Regulation of Signs! (a) Identification Signs. The Landmarks Commission shall approve. To qualify For a Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is a the building must be designated a landmark or isbe in a locally-designated historic district. 2. Theb the prok surface was must have been painted previously. 3. The structure wase. the building must have been built in whole or in part for commercial or industrial use. 4. Thed the sign is must be an identification sign for a tenant of the structure building. 5. The the proposed sign is must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGOMadison-General Ordinances [(b) Heritage Cr. by Ord. 1,2,313, 2,1,99) (c) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No-permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by CRD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following designated historic district. 2. The structure isa. the building must be able to document the existence and appearance of the sign to be restored. 4. The d. the original sign predates must percentate 1950. 5. The the restored sign is must be, in the same size and in the same location as the original sign. 6. The the restored sign is must be, in the same size and in the same location as the original lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however				
Regulation of Signs. (a) Identification Signs. The Landmarks Commission shall approve. To qualify Fer, a Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is a. the building must be designated a landmark or jsbe, in a locally-designated historic district. 2. Theb.—the brick surface wais-must have been built in whole or in part for commercial or industrial use. 4. Thed.—the sign ismust be an identification sign for a tenant of the structure building. 5. Thef.—the sign ismust be an identification sign for a tenant of the structure building. 6. Thef.—the proposed sign ismust be of a size, style, and location that blends with the historic character of the structure-building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGO Madison General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-1-99) (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted eign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. The structure is a. the building must be, a landmark or jsbe, in a locally-designated historic district. 2. The structure was b.— the building must be, a landmark or jsbe, in a locally-designated historic district. 3. The best of the proportial eness of the sign to be restored. 4. The d.— the original sign predates must predate, 1950. 5. The best of the restored sign is must be, in the same colors, if known, as the original sign. 6. The lettering style of the restored sign matches hall match, as closely as possible the original lettering style of the restored sign is matches shall match, as closely as possible the original lettering style of the restored sign, however, new words may be used. 9. 2-1 The permittee comples must comply, with the provisions of Chapter 31,	(Formatted		1.
(a) Identification Signs. The Landmarks Commission shall approve. To qualify Fer, a Certificate of Appropriateness for an identification sign only if all of the following are true. 1. The structure is a. the building must be designated a landmark or isbelin a locally-designated historic district. 2. The b. the brick surface was must have been painted previously. 3. The structure wasc. the building must he possible the original sign. 4. The d. the sign is must be, an identification sign for a tenant of the structure-building. 5. The e. the sign is must be an identification sign for a tenant of the structure-building. 5. The e. the proposed sign is must be of a size, style, and location that blends with the historic character of the structure-building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31. McGMadison General Ordinances, 10 to the Building shall approve abe granted by the Director of the Building inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness of a heritage or restored sign only if all of the following designated historic district. 2. The structure is a. the building must be all andmark or is be, in a locally designated historic district. 7. The d. the original sign predates must predate 1950. 8. The the restored sign is must be, the same colors, if known, as the original formatted formatted. 8. The restored sign is smust be, in the same colors, if known, as the original formatted possible the original lettering style of the restored sign matches shall match as closely as possible the original lettering style of the restored sign matches shall match as closely as possible the original lettering style of the restored sign matches shall match as closely as possible the original lettering style of the restored sign matches sh	(Formatted		
(a) Identification Signs. The Landmarks Commission shall approve. To qualify For a Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is a.— the building must be designated a landmark or is be, in a locally-designated historic district. 2. Theb.— the brick surface was must have been build in whole or in part for commercial or industrial use. 4. Thed.— the sign is must be an identification sign for a tenant of the structure qualching. 5. The e.— the sign is must be an identification sign for a tenant of the structure use is a sign is must be of a size, style, and location that blends with the historic character of the structurebuilding and/or historic district. 7. 2.— The permittee complies must comply, with the provisions of Chapter 31, MGCMadison General Ordinances. (b) Heritage Cr. by Ord. 12,313,21-99. (e) Restoration of Painted, Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08). 4. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa: the building must be a landmark or is be, in a locally-designated historic district. 2. The structure wasb.— the building must have been built in whole or in part for commercial or industrial use. 3. Theo.— the, owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. The tructure wasb.— the building must be, in the same location as the original sign. 5. The extremely provide the complies must be, in the same colors, if known, as the original formatted. Formatted For	(Formatted	uired by the Commission.	
Certificate of Appropriateness for an identification sign only if all of the following are true: 1. The structure is a. the building must be designated a landmark or isbe in a locally-designated historic district. 2. Theb. the brick surface wasmust have been painted previously. 3. The structure wase. the building must have been built in whole or in part for commercial or industrial use. 4. Thed. the sign ismust be an identification sign for a tenant of the structure building. 5. The the begins ismust be an identification sign for a tenant of the structure building. 6. The the sign will shall not be illuminated. 7. 2. The permittee complies must comply, with the provisions of Chapter 31. MGQ Madison General Ordinances; (b) Heritagefr. by Ord. 12, 313, 2-1.99) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness; 1. The structure isa. the building must be alandmark or isbe in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. The the original sign predates must predate; 1950. 5. The the original sign predates must predate; 1950. 5. The the restored sign ismust be, in the same colors, if known, as the original sign. 6. The the restored sign will-shall, not be illuminated. 8. The the the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2 The permittee comples must comply, with the provisions of Chapter 31.				
1. The structure is a. the building must be designated a landmark or isbe, in a locally-designated historic district. 2. Theb. the brick surface wasmust have been painted previously. 3. The structure wasc. the building must have been built in whole or in part for commercial or industrial use. 4. Thed. the sign ismust be an identification sign for a tenant of the structure building. 5. Thee the sign will shall not be illuminated. 6. Thef. the proposed sign ismust be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee comples must comply with the provisions of Chapter 31. MGQMadison General Ordinances. (b) Heritage Cr. by Ord. 12, 313, 2+1.99. (c) Resteration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be allandmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been build in whole or in part for commercial or industrial use. 3. Thec. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. The d. the original sign predates must predate, 1950. 5. The d. the restored sign ismust be, the same size and in the same location as the original sign. 6. The f. the restored sign will-shall not be illuminated. 8. The h. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee comples must-comply, with the provisions of Chapter 31.	(<u>(a)</u>
locally-designated historic district. 2. Theb. the brick surface wagsmust have been painted previously. 3. The structure wags. 4. Thed. the sign ismust be, an identification sign for a tenant of the structure building. 5. Thee. the sign ismust be, an identification sign for a tenant of the structure building. 5. Thee. the proposed sign ismust be, of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31. MGONAdison General Ordinances. (b) HeritageCr. by Ord. 12,313, 2.1-99) Restoration of Painted Signs. The Landmarks Commission on Brick-Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness; 1. The structure isa. the building must be, a landmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thec. the owner presents documentation ofmust be able to document, the existence and appearance of the sign to be restored. 4. Thed. the, original sign predates must predete, 1950. 5. Thee. the festored sign ismust be, in the same colors, if known, as the original sign. 6. Thef. the, testored sign will-half, not be illuminated. 8. Theh. the lettering style of the restored sign matches shall-match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complex must-comply, with the provisions of Chapter 31.	(Formatted		
2. The bitch brick surface was must have been bainted previously. 3. The structure wasc. the building must have been built in whole or in part for commercial or industrial use. 4. Thed. the sign is must be an identification sign for a tenant of the structure building. 5. Thee. the sign willshall not be illuminated. 6. Thef. the proposed sign is must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply with the provisions of Chapter 31, MGQMadison General Ordinances. (b) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by QRD-08-00109, 10-7-08) 4. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are truemust be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness of a heritage or restored sign only if all of the following designated historic district. 2. The structure wasb. the building must be a landmark or isbe, in a locally designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the original sign predatesmust predate, 1950. 5. Thee. the personed sign is must be, in the same colors, if known, as the original sign. 6. Thele, the restored sign is must be, in the same colors, if known, as the original sign. 7. They true tries of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,	(Formatted		
3. The structure wasc. the building must have been built in whole or in part for commercial or industrial use. 4. Thed. the sign is immust be, an identification sign for a tenant of the structure building. 5. Thee. the sign willshall, not be illuminated. 6. Their. the proposed sign is must be, of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGOMAdison General Ordinances, (b) Heritage Cr. by Ord. 12,313, 2-1-99) (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 4. Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be a landmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must be able to document, the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. The the restored sign is must be, in the same colors, if known, as the original sign. 6. Their, the restored sign ismust be, in the same colors, if known, as the original sign. 7. They the lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,	(Formatted		
commercial or industrial use. 4. Thed. the sign ismust be an identification sign for a tenant of the structure building. 5. Thee. the sign will shall not be illuminated. 6. Thef. the proposed sign ismust be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGOMadison General Ordinances. (b) Heritage Cr. by Ord. 42,313, 21-99) (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to rectore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD 0-8-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be, a landmark or isbe, in a locally designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thec. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original formatted sign. 7. Theg. the testored sign is must be, in the same colors, if known, as the original formatted possible the original lettering style of the original sign, however, new words may be used. 9. The permittee complies must comply with the provisions of Chapter 31,				
4. The d. the sign is must be, an identification sign for a tenant of the structure outliding. 5. Thee. the sign willshall not be illuminated. 6. The f. the proposed sign is must be, of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGQMadison General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-1-99) (e) Restoration of Painted Signs of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness? 1. The structure isa. the building must be, a landmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been, built in whole or in part for commercial or industrial use. 3. The, the, owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. The, the, original sign predates must predate, 1950. 5. The, the, restored sign is must be, in the same colors, if known, as the original sign. 6. The, the, restored sign is must be, in the same colors, if known, as the original sign. 7. Theg, the, restored sign will-shall, not be illuminated. 8. The, the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,	(built in whole of in part for	
structure building. 5. The the sign will shall, not be illuminated. 6. The the proposed sign is must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGQ Madison General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-1-99) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be alandmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. The c. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. The owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 5. The the prestored sign is must be, the same size and in the same location as the original sign. 6. The restored sign is must be, in the same colors, if known, as the original formatted. 7. The restored sign will shall, not be illuminated. 8. The hall the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9.2 The permittee complies must comply, with the provisions of Chapter 31.		Formatted	dentification sign for a tenant of the	
6. Thef. the proposed sign is must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGO Madison General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-1-99) (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be, a landmark or is be, in a locally designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thec. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed the original sign predates must predate, 1950. 5. Thee the restored sign is must be, the same size and in the same location as the original sign. 6. Thef, the restored sign is must be, the same size and in the same location as the original sign. 7. Theg, the restored sign is must be, the same size and in the same location as possible the original lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2-1 The permittee complies must comply, with the provisions of Chapter 31,	(Formatted		
6. Thef. the proposed sign is must be of a size, style, and location that blends with the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGO Madison General Ordinances. (b) Heritage Cr. by Ord. 12,313, 2-1-99) (e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be a landmark or is be, in a locally designated historic district. 2. The structure was b. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, the same size and in the same location as the original sign. 7. Theg. the restored sign is must be, the same size and in the same location as possible the original lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2-1 The permittee complies must comply, with the provisions of Chapter 31,	(Formatted	e illuminated.	
the historic character of the structure building and/or historic district. 7. 2. The permittee complies must comply, with the provisions of Chapter 31, MGOMadison General Ordinances, (b) HeritageCr. by Ord. 12,313, 2-1-99) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building, shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00409, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be a landmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, in the same colors, if known, as the original sign. 6. Thef, the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign is must be, in the same colors, if known, as the original sign. 8. Theh, the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9.2 The permittee complies must comply, with the provisions of Chapter 31,			ust be of a size, style, and location that blends with	
Formatted Form	(ucturebuilding and/or historic district.	
(e) Heritage Cr. by Ord. 12,313, 2-1-99) Restoration of Painted, Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness; 1. The structure isa. the building must be a landmark or is be in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the, owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. The d. the, original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. The g. the restored sign will shall, not be illuminated. 8. The h. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	smust comply with the provisions of Chapter 31,	
(e) Restoration of Painted Signs. The Landmarks Commission on Brick Buildings. No permit to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure is a. the building must be a landmark or is be in a locally-designated historic district. 2. The structure was b. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. The d. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. The f. the restored sign is must be, in the same colors, if known, as the original sign. 7. The g. the restored sign will shall, not be illuminated. 8. The h. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9.2 The permittee complies must comply, with the provisions of Chapter 31,	(Formatted		
to restore a painted sign of a brick building shall approve abe granted by the Director of the Building Inspection Division except as follows: (Am. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure is a. the building must be a landmark or is be, in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. The c. the owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. The d. the original sign predates must predate, 1950. 5. The e. the restored sign is must be, the same size and in the same location as the original sign. 6. The f. the restored sign is must be, in the same colors, if known, as the original sign. 7. The g. the restored sign will shall, not be illuminated. 8. The h. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,	(Formatted		
the Building Inspection Division except as follows: (Arm. by ORD-08-00109, 10-7-08) 1. A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness; 1. The structure isa. the building must be a landmark or isbe, in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall, not be illuminated. 8. The h. the lettering style of the restored sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted		(e)
A Certificate of Appropriateness for a heritage or restored sign only if all of the following are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure isa. the building must be a landmark or isbe in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall not be illuminated. 8. Theh. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,				
are true must be issued by the Landmarks Commission. To qualify for a Certificate of Appropriateness. 1. The structure is a. the building must be a landmark or is be in a locally designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. The c. the owner presents documentation of must be able to document, the existence and appearance of the sign to be restored. 4. The d. the original sign predates must predate, 1950. 5. The e. the restored sign is must be, the same size and in the same location as the original sign. 6. The f. the restored sign is must be, in the same colors, if known, as the original sign. 7. The g. the restored sign will shalf not be illuminated. 8. The h. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply; with the provisions of Chapter 31,	l			1
Appropriateness: 1. The structure isa. the building must be a landmark or isbe in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate, 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shalf not be illuminated. 8. Theh. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted		1.
1. The structure is a. the building must be a landmark or is be in a locally-designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall not be illuminated. 8. The h. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,	(Formatted	// Commission: To quality for a octanicate of	
designated historic district. 2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Thed. the original sign predates must predate 1950. 5. Thee. the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall not be illuminated. 8. The h. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	ilding must be a landmark or isbe in a locally-	
2. The structure wasb. the building must have been built in whole or in part for commercial or industrial use. 3. Thee. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. Theel the original sign predates must predate 1950. 5. Thee. the restored sign is must be the same size and in the same location as the original sign. 6. Thef the restored sign is must be in the same colors, if known, as the original sign. 7. Theg the restored sign will shall not be illuminated. 8. Theh the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply; with the provisions of Chapter 31,			5 3.51 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
commercial or industrial use. 3. The c. the owner presents documentation of must be able to document the existence and appearance of the sign to be restored. 4. The d. the original sign predates must predate 1950. 5. The e. the restored sign is must be, the same size and in the same location as the original sign. 6. The f. the restored sign is must be, in the same colors, if known, as the original sign. 7. The g. the restored sign will shall not be illuminated. 8. The h. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,			ilding must have been built in whole or in part for	
existence and appearance of the sign to be restored. 4. Thed.—the original sign predates must predate, 1950. 5. Thee.—the restored sign is must be, the same size and in the same location as the original sign. 6. Thef.—the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg.—the restored sign will shall not be illuminated. 8. The h.—the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted		
existence and appearance of the sign to be restored. 4. Thed.—the original sign predates must predate, 1950. 5. Thee.—the restored sign is must be, the same size and in the same location as the original sign. 6. Thef.—the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg.—the restored sign will shall not be illuminated. 8. The h.—the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	cumentation of must be able to document the	
4. Thed. the original sign predates must predate, 1950. 5. The the restored sign is must be, the same size and in the same location as the original sign. 6. Thef. the restored sign is must be, in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall not be illuminated. 8. Theh. the lettering style of the restored sign matches shall match, as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	he sign to be restored.	
the original sign. Thef.—the restored sign is must be, in the same colors, if known, as the original sign. Thef.—the restored sign is must be, in the same colors, if known, as the original sign. Theg.—the restored sign will shall not be illuminated. The h.—the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. The permittee complies must comply, with the provisions of Chapter 31,				
6. Thef. the restored sign is must be in the same colors, if known, as the original sign. 7. Theg. the restored sign will shall not be illuminated. 8. The h. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,			st be the same size and in the same location as	
sign. 7. Theg. the restored sign will shall not be illuminated. 8. Theh. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted		
7. Theg. the restored sign will shall not be illuminated. 8. Theh. the lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9.2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	st be in the same colors, if known, as the original	
8. The hather lettering style of the restored sign matches shall match as closely as possible the original lettering style of the original sign, however, new words may be used. 9.2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted		
possible the original lettering style of the original sign, however, new words may be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,				
be used. 9. 2. The permittee complies must comply, with the provisions of Chapter 31,				
9_2. The permittee complies must comply, with the provisions of Chapter 31,		Formatted	tyle of the original sign, however, new words may	
		Formatted	emply with the provisions of Chapter 31	
MGO Madison General Ordinances,		Formatted		
(15(Cr. by Ord. 12,364, 3-30-99)				
Tornation				
Formatted		Formatted		

Sec. 33.19(5)(c)3.f.

33 - 31 Rev. 12/15/08 Sec. 33.19(5)(f)

(f) Appeal, (a) An appeal from the decision of the Landmarks Commission to approvegrant or deny a Certificate of Appropriateness under Subsection (5)(b) and (c) may be taken to the Common Council by the applicant for the Certificate, permit. In addition, an appeal from the decision of the Landmarks Commission to grant or deny a Certificate of Appropriateness for any building or demolition project requiring a public hearing, whether this determination is made upon receipt of the application for a demolition permit or at the end of the one-year period in a case where action on the application has been suspended, or to suspend action on a demolition application, may also be taken to the Common Council by the Alderperson of the district in which the subject property is located, or by the owners of twenty percent (20%)% of the parcels of property ewners within two hundred (200) feet of the subject property.

(b) Such appeal shall be initiated by filing a petition to appeal, specifying the grounds

Formatted: Indent: Left: 0.5"
Formatted: Font: Bold

Formatted: Font: Bold

therefore, with the City Clerk within ten (10) days of the date the final decision of the Landmarks Commission is made. The City Clerk shall file the petition to appeal with the Common Council. The Council shall hold a public hearing with Class 1 public notice. After a public hearing, the Council may, by favorable vote of two-thirds (2/3) of its members, based on the standards contained in this ordinance, reverse or modify the decision of the Landmarks Commission if, after balancing the interest of the public in preserving the subject property and the interest of the owner in using it for his or her own purposes, the Council finds that, owing to special conditions pertaining to the specific piece of property. failure to grant the Certificate of Appropriateness will

in using it for his or her own purposes, the Council finds that, owing to special conditions pertaining to the specific piece of property, failure to grant the Certificate of Appropriateness will preclude any and all reasonable use of the property and/or will cause serious hardship for the owner, provided that any self-created hardship shall not be a basis for reversal or modification of the Landmark Commission's decision.

(Am. by Ord. 11,983, 12-12-97)

(g) Recognition Of Landmarks And Landmark Sites. At such time as a landmark or landmark site has been properly designated in accordance with subsections (4) and (6) hereof, the commission shall cause to be prepared and erected on such property at City expense, a suitable plaque declaring that such property is a landmark or landmark site. Such plaque shall be so placed as to be easily visible to passing pedestrians. In the case of a landmark, the plaque shall state the accepted name of the landmark, the date of its construction, and other information deemed proper by the commission. In the case of a landmark site which is not the site of a landmark building, such plaque shall state the common name of the site, and such other information deemed appropriate by the commission. (Renumbered by Ord. 11,070, 12-6-94)

- (h) <u>Sale Of Landmarks And Landmark Sites</u>. Any party who is listed as the owner of record of a landmark site at the time of its designation, who can demonstrate to the Common Council that by virtue of such designation he is unable to find a buyer willing to preserve such landmark or landmark site, even though he has made reasonable attempts in good faith to find and attract such a buyer, may petition the commission for a rescission of its designation. Following the filling of such petition with the secretary of the commission:
 - The owner and the commission shall work together in good faith to locate a buyer for the subject property who is willing to abide by its designation.
 - If, at the end of a period not exceeding six (6) months from the date of such
 petition, no such buyer can be found, and if the owner still desires to obtain such
 rescission, the Common Council shall rescind its designation of the subject
 property.
 - 3. In the event of such rescission, the City Clerk shall notify the Director of the Building Inspection Division and the City Assessor of same, and shall cause the same to be recorded in the office of the Dane County Register of Deeds. (Am. by ORD-08-00109, 10-7-08)
 - Following any such rescission, the Common Council may not redesignate the subject property a landmark or landmark site for a period of not less than five (5) years following the date of rescission.

(Am. by Ord. 11,983, 12-12-97)

Rev. 12/15/08 33 - 32

- Sec. 33.19(5)(i)
- (i) Other Duties. In addition to those duties already specified in this section, the commission shall:
 - Review proposed land divisions and subdivision plats of landmark sites and properties in Historic Districts to determine whether the proposed lot sizes negatively impact the historic character or significance of a landmark or landmark site and whether the proposed lot sizes are compatible with adjacent lot sizes and maintain the general lot size pattern of the Historic District. The Landmarks Commission review shall be advisory to the Plan Commission.

(Cr. by ORD-11-00123, 9-12-11)

- Actively work for the passage of enabling legislation which would permit the granting of full or partial tax exemptions to properties it has designated under the provisions of this section in order to encourage landmark owners to assist in carrying out the intent of this ordinance.
- 3. Work closely with the State of Wisconsin liaison officer and the Governor's liaison committee for the National Register of Historic Places of the United States National Park Service in attempting to include such properties hereunder designated as landmarks or landmark sites on the Federal Register.
- Work for the continuing education of the citizens of Madison about the historic heritage of this City and the landmarks and landmark sites designated under the provisions of this section.
- As it deems advisable, receive and solicit funds for the purpose of landmarks preservation in the City of Madison. Such funds shall be placed in a special City account for such purpose.

(Renumbered by Ord. 11,070, 12-6-94; ORD-11-00123, 9-12-11)

(6) <u>Procedures</u>

Designation Of Landmarks and Landmark Sites. The Landmarks Commission and the Common Council may consider nominations for landmark status. An individual or group may nominate a property for consideration. If a complete, accurate application is submitted and the Commission decides to consider the nomination, a public hearing shall be scheduled At least ten (10) days prior to such hearing, the commission shall notify the owners of record, as listed in the office of the City Assessor, who are owners of property in whole or in part situated within two hundred (200) feet of the boundaries of the property affected. Notice of such hearing shall also be published as a Class 1 Notice, under the Wisconsin Statutes. The commission shall also notify the following: Department of Public Works, Parks Division, Fire and Police Departments, Health Division, Department of Planning and Community and Economic Development and Plan Commission. Each such department shall respond to the commission within thirty (30) days of notification with its comments on the proposed designation or rescission. The commission shall then conduct such public hearing and, in addition to the notified persons, may hear expert witnesses, and shall have the power to subpoena such witnesses and records as it deems necessary. The commission may conduct an independent investigation into the proposed designation or rescission. Within ten (10) days after the close of the public hearing, and after application of the criteria in Subsection (4), above, the commission may recommend the designation of the property as either a landmark or a landmark site or recommend the rescission of such designation. After such recommendation has been made, notification shall be sent to the property owner or owners. The commission shall report its recommendation, along with the reasons for it, to the Common Council. After considering the commission's report, and considering the standards contained in this ordinance, the Common Council may designate the property as either a landmark or a landmark site or rescind such designation. The City Clerk shall notify the Director of the Building Inspection Division and the City Assessor. The City

Formatted: Indent: Left: 1"

33 - 33 Rev. 3/15/14

Clerk shall cause such designation or rescission to be recorded, at City expense, in the Dane County Register of Deeds office.

If the Commission decides not to consider a nomination, the property owner or alderperson may request that the Common Council consider the nomination. The Common Council shall then refer the nomination to the Landmarks Commission for a recommendation.


(Am. by Ord. 11,983, 12-12-97; Ord. 12,302, 1-15-99; ORD-08-00109, 10-7-08)

- (b) For those properties listed on pages 50 and 51 of the Downtown Historic Preservation Plan, the procedure to designate a property as a landmark cannot be initiated once a completed application for a conditional use, demolition permit or zoning map amendment has been submitted. (Cr. by Ord. 12,302, 1-15-99)
- (c) Voluntary Restrictive Covenants. The owner of any landmark or landmark site may, at any time following such designation of her or his property, enter into a restrictive covenant on the subject property after negotiation with the commission. The commission may assist the owner in preparing such covenant in the interest of preserving the landmark or landmark site and the owner shall record such covenant in the Dane County Register of Deeds office, and shall notify the City Assessor of such covenant and the conditions thereof. (Subdiv. (b) R. and (c) Renumbered to (b) by Ord. 11,070, 12-6-94; Am. by ORD-14-00012, 1-14-14)
- (d) <u>Creation of Historic Districts</u>.
 - 4. For preservation purposes, the Landmarks Commission shall select geographically defined areas within the City of Madison to be designated as Historic Districts and shall, with the assistance of the City Department of Planning and Community and Economic Development, prepare an historic preservation plan in ordinance form for each area. An Historic District may be designated for any geographic area of particular historic, architectural, or cultural significance to the City of Madison which:
 - a. Exemplifies or reflects the broad cultural, political, economic or social history of the nation, state or community; or
 - Is identified with historic personages or with important events in national, state or local history; or
 - Embodies the distinguishing characteristics of architectural type specimens inherently valuable for the study of a period or periods, styles, methods or construction, indigenous materials or craftsmanship; or
 d. Is representative of the notable works of master builders, designers, or
 - architects who influenced their age.

 Each historic preservation plan prepared for or by the Landmarks Commission shall include a cultural and architectural analysis supporting the historic significance of the area, the specific guidelines for development and a statement
 - of preservation objectives.

 2. Guideline criteria to be considered in the development of Historic District plans are as follows:
 - All new structures shall be constructed to a height visually compatible with the buildings and environment with which they are visually related.
 - b. The gross volume of any new structure shall be visually compatible with the buildings and environment with which it is visually related.
 - e. In the street elevation(s) of a building, the proportion between the width and height in the facade(s) should be visually compatible with the buildings and environment with which it is visually related.
 - d. The proportions and relationships between doors and windows in the street facade(s) should be visually compatible with the buildings and environment with which it is visually related.

Rev. 3/15/14 33 - 34



- The guideline criteria for construction of and alterations and additions to buildings and structures in historic districts are designed to provide an understandable set of standards to ensure that alterations to the exterior of existing buildings and the creation of new buildings will be done in a manner sensitive to the character of each historic district. It is not the intent of this ordinance to discourage contemporary architectural expression that is visually compatible with its environment and otherwise meets the standards in the ordinance, to encourage the rote emulation of existing building styles or to prevent the prior lawful conforming use of buildings that are reconstructed following destruction by fire or other natural disaster. A sensitively designed building in a contemporary style may better preserve and enhance the inherent characteristics of a historic district than a mediocre adaptation of a more traditional style. (Cr. by Ord. 8690, 10-10-85 & 11-14-85; Am. by Ord. 13,001, 2-8-02)
- 4. Review and Adoption Procedure.
 - a. <u>Landmarks Commission</u>. The Landmarks Commission shall hold a public hearing when considering the plan for an Historic District. Notice of the time, place and purpose of such hearing shall be given by publication as a Class 2 Notice under the Wisconsin Statutes in the official City paper. Notice of the time, place and purpose of such public hearing shall also be sent by the City Clerk to the Alder of the Aldermanic District or Districts in which the Historic District is located, and the owners of record, as listed in the office of the City Assessor, who are owners of property situated in whole or in part within the Historic

33 - 35 Rev. 9/15/11

District, or situated in whole or in part within two hundred (200) feet of the boundaries of the Historic District. Said notice is to be sent at least ten (10) days prior to the date of such public hearing. Following the public hearing, the Landmarks Commission shall vote to recommend, reject or withhold action on the plan. This recommendation shall be forwarded to the City Plan Commission and the Common Council. (Am. by ORD-09-00147, 11-6-09)

- b. <u>The City Plan Commission</u>. The Plan Commission shall review the Historic District plan and make a recommendation to the Common Council. The Plan Commission shall make its recommendation on the Historic District plan within thirty (30) days.
- c. The Common Council. The Common Council, upon receipt of the recommendations from the Landmarks Commission and Plan Commission, shall hold a public hearing, notice to be given as noted in Subparagraph a. above, and shall following said public hearing either designate or reject the Historic District. Designation of the Historic District shall constitute adoption of the plan in ordinance form prepared for that district and direct the implementation of said plan.

(33.01(6)(d) Renumbered to (c) by Ord. 11,070, 12-6-94)

- (7) <u>Conformance With Regulations.</u> Every person in charge of any landmark, landmark site or improvement in an Historic District shall maintain same or cause or permit it to be maintained in a condition consistent with the provisions of this section.
- (8) Maintenance of Landmarks, Landmark Sites and Historic Districts.
 - (a) Every person in charge of an improvement on a landmark site or in an Historic District shall keep in good repair all of the exterior portions of such improvement and all interior portions thereof which, if not so maintained, may cause or tend to cause the exterior portions of such improvement to fall into a state of disrepair. This provision shall be in addition to all other provisions of law requiring such improvement to be kept in good repair.
 - (b) Insofar as they are applicable to a landmark, landmark site or improvement in an Historic District, designated under this section, any provision of Chapters 18 (Plumbing Code), 27 (Minimum Housing and Property Maintenance Code), 29 (Building Code), 30 (Heating, Ventilating and Air Conditioning Code) and 31 (Outdoor Signs and Outdoor Advertising Structures) of the Madison General Ordinances may be varied or waived, on application, by the appropriate board having such jurisdiction over such chapter or, in the absence of such board, by the Director of the Building Inspection Division, provided such variance or waiver does not endanger public health or safety. (Am. by Ord. 8081, 7-29-83; ORD-08-00109, 10-7-08)
 - (c) Notwithstanding subdivision (a) above, sandblasting of any exterior surface of an improvement on a landmark site or in an historic district is prohibited.—(c) The Council may, by favorable vote of two-thirds (2/3) of its members, reverse or modify the decision of the Landmarks Commission, with or without conditions, or neither reverse nor modify, but refer the matter back to the Commission with or without instructions. In making its determination, the Council shall:
 - 1. Consider the review standards specified in this ordinance, and the application of those standards by the Commission; and,
 - 2. Balance the public interest in preserving the subject property with the public interest in approving or denying the Certificate of Appropriateness. In balancing the public interests, the Council may consider whether the owner or applicant has failed to meet requirements to maintain the property in accordance with this ordinance.
 - (16Other types of abrasive exterior cleaning, including but not limited to waterblasting with a sand additive, or corrosive cleaning, including but not limited to muriatic acid wash, are also prohibited unless specifically approved prior to work by the Landmarks Commission. The Landmarks Commission shall approve exterior surface cleaning projects using abrasive or corrosive cleaning methods only if the project will not adversely affect the exterior fabric of the building. (Cr. by Ord. 7923, 1-27-83)
- (9) Conditions Dangerous to Life, Health or Property. Nothing contained in this section shall prohibit the making of necessary construction, reconstruction, alteration or demolition of any improvement on a landmark site or in an historic district Historic District pursuant to order of any governmental agency or pursuant to any court judgment, for the purpose of remedying emergency conditions

Rev. 9/15/11 33 - 36

Formatted: Font: Bold

determined to be dangerous to life, health or property. In such case, no approval from the Commissioncommission shall be required.

(17) Waivers

- (a) Authority. The Landmarks Commission may waive the standards for review of new structures, exterior alterations, or repairs for designated landmarks, landmark sites and improvements in an historic district, for one or more of the following reasons:
 - To permit re-siding with a material or in a manner not permitted under this
 chapter.
 - To allow use of materials for new structures that would be otherwise prohibited under this chapter.
 - To allow alterations visible from the street or alterations to street facades which are not compatible with the existing structure in design, scale, color, texture, proportion of solids to voids or proportion of widths to heights of doors and windows.
 - To allow materials and/or architectural details used in an alteration to differ in texture, appearance and design from those used in the original construction of the existing structure.
 - 5. To permit the alteration of a roof shape otherwise prohibited under this chapter.6. To permit the use of roofing materials otherwise prohibited under this chapter.
- (b) Application for Waiver and Notice of Hearing. An application for a waiver shall be filed with the Landmarks Commission. The Commission shall hold a public hearing on the application. Notice shall be given according to subsection (6).
- (c) Standards. The Landmarks Commission shall not waive the regulations of this ordinance unless it finds, based upon the evidence presented to it in each specific case, that one of the following conditions is present:
 - 1. The proposed alteration would incorporate materials, details, or other elements not permitted by the ordinance but which can be documented by photographs, architectural or archaeological research or other suitable evidence to have been used on other structures of a similar vintage and style in the historic district in which the structure is located, provided that the project will not destroy significant architectural features on the structure.
 - 2. In the case of new structures, the proposed design incorporates materials, details, or other elements that are not permitted by the ordinance but which would enhance the quality of the design for the new structure, provided that said new structure otherwise complies with the standards for new construction in the historic district in which the structure is proposed to be located and provided further that it would also have a beneficial effect on the historic character of the visually related area.
- (18) Compliance With Regulations. Every person in charge of any landmark, landmark site or improvement in an historic district shall maintain same or cause or permit it to be maintained in a condition consistent with the provisions of this section. Failure to to comply with the regulations and provisions of this section will result in enforcement by Director of the Building Inspection Division of the Department of Planning and Community and Economic Development or designee.
- (19) Penalties for Violations, Any person violating any provision of this section shall be subject to a minimum forfeiture of two hundred fifty dollars (\$250) and a maximum forfeiture of five hundred dollars (\$500) for each separate violation. A second offense within thirty-six (36) months shall be subject to a minimum forfeiture of five hundred dollars (\$500) for each separate violation. A third violation within thirty-six (36) months shall be subject to a minimum forfeiture of one thousand dollars (\$100) for each separate violation. Each and every day during which a violation continues shall be deemed to be a separate offense.
- (20) Separability. If any provision of this chapter or the application thereof to any person or circumstances is held invalid, the remainder of this chapter and the application of such provisions to other persons or circumstances shall not be affected thereby.

(21

Rev. 9/15/11 33 - 36

(10) Mansion Hill Historic District.

(a) Purpose and Intent.

It is hereby declared a matter of public policy that a specific area of the City be identified, designated, and protected because of its special character and historical interest. This area, to be called the Mansion Hill Historic District, shall be described in general by the map and specifically by the legal description on file in the City Clerk's office. The purpose and intent of this ordinance shall be to designate this area in accordance with Sec. according to the creation and review and adoption procedures in Sections 33.19(9), entitled "Creation of Historic Districts" 6)(d)1. through 4., Landmarks Commission, of the Madison General Ordinances. (Am. by Ord. 8690, 10-10-85 & 11-14-85)

(b) Standards(R. by Ord. 6470, 1-9-79)

- (e) Criteria for Creation of Mansion Hill Historic District. In that the Mansion Hill Historic District reflects a pattern in the broad social history of Madison and in the State and the Nation, and in that elements within the District meet the other three designation standardscriteria, namely that many of the structuresbuildings in the District:
 - Are identified with historic personages or with important events in national, state or local history:
 - Embody the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction, or of indigenous materials or craftsmanship;
 - Are representative of the notable work of a master builder, designer or architect whose individual genius influences her or his age; (Am. by ORD-14-00012, 1-14-14)

The area described by the map and legal description shall be designated an historic district.

(c) Standards for Review of(d) Regulation of Construction, Reconstruction, Exterior Alteration and Demolition.

The Commission shall act in these matters specifically as they regard the Mansion Hill Historic District in the manner specified by Madison General Ordinance, Sections 33.19(5)(b) and (c).

(e) Guideline Criteria for new Development in the Mansion Hill Historic District.

- The gross volume of any new structure shall be visually compatible with the structuresbuildings and environment with which it is visually related (visually related area)

 **The gross volume of any new structure shall be visually compatible with the structuresbuildings and environment with which it is visually related area.

 **The gross volume of any new structure shall be visually compatible with the structure shall be visually related (visually related area).

 **The gross volume of any new structure shall be visually compatible with the structuresbuildings.

 **The gross volume of any new structure shall be visually related (visually related area).

 **The gross volume of any new structure shall be visually related (visually related area).

 **The gross volume of any new structure shall be visually related (visually related area).

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related area.

 **The gross volume of any new structure shall be visually related shall be visually related area.

 **The gross volume of any new structure shall be visually related s
- In the street elevation(s) of a <u>structurenew building</u>, the proportion between the width and the height in the facade(s) shall be visually compatible with the <u>structuresbuildings</u> and the environment with which it is visually related (visually related area).
- The proportions and relationships between width and height of the doors and windows in new-street facade(s) shall be visually compatible with the <u>structuresbuildings</u> and environment with which it is visually related (visually related area).
- The rhythm of solids to voids created by openings in the facade shallof the new structure should be visually compatible with the structures buildings and environment with which it is visually related (visually related area).
- All new-street facades shallshould blend with other structuresbuildings via directional expression. When adjacent structuresbuildings have a dominant vertical or horizontal expression, this expression should be carried over and reflected.
- (df) Conformance With Regulations; Maintenance of the District; Conditions Dangerous to Life, Health and Property; Penalties for Violations; Separability.

The Mansion Hill Historic District shall be subject to the public policy guidelines established in Sections 33.19(7) through (9), and (15) and (16) of the Madison General Ordinances in all of these matters. (Am. by Ord. 10,871, Adopted 3-15-94)

(g) Reference to Plan.

The requirements public policy guidelines in this section derive from a plan entitled "The Mansion Hill

Formatted: Indent: Hanging: 0.5"

Sec. 33.19(10)

Historic Preservation Plan and Development Handbook", City Planning Department, 1975.

(22Sec. 33.01(10) Cr. by Ord. 5527, 8-4-76) (11) Third Lake Ridge Historic District.

(b)

(a) It is hereby declared a matter of public policy that a specific area of the City be identified, designated, and protected because of its special character and historical interest and significance. This area, to be called the Third Lake Ridge Historic District, shall be described in general by the map and specifically by the legal description on file in the City Clerk's Office. The purpose and intent of this ordinance shall be to designate this area in accordance with according to the creation and review and adoption procedures in Sec. 33.19(9), entitled "Creation of Historic Districts" (6)(d) 1. through 4., Landmarks

33.19(9), entitled Creation of Historic Districts (9)(4) 1. through 4., Landmarks Commission, of the Madison General Ordinances. (Am. by Ord. 8690, 10-10-85-& 11-14-85)

StandardsCriteria for the Creation of the Third Lake Ridge Historic District.

In that the Third Lake Ridge Historic District area reflects a broad pattern of social history of Madison and the State and the Upper Midwest, and in that elements within the District meet other designation standardseriteria in subsections (4) and (6), namely that many of the <a href="mailto:structures buildings and sites in the District:

 Are identified with historic personages or with important events in state or local history; and

 Embody the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction, or of indigenous materials or craftsmanship;

The area described by the map and legal description shall be designated an historic district.

(c) <u>StandardsRegulation of Construction, Reconstruction, Exterior Alteration and Demolition.</u> The Commission shall act in these matters as they regard the Third Lake Ridge Historic District in the manner specified by Sec. 33.19(5)(b) and (c), Madison General Ordinances

(d) <u>Guideline Criteria</u> for New <u>StructuresDevelopment</u> in the Third <u>Lake Ridge Historic</u> <u>District</u> - Parcels Zoned for <u>EmploymentManufacturing</u> Use.

- The gross volume of any new structure shall be visually compatible with the structuresbuildings and environment within its visually related area.
- The height of any new structure shall be visually compatible with the structures buildings and environment within its visually related area.
- (d) Standards(e) Guideline Criteria for Exterior Alterations Alteration in the Third Lake
 Ridge Historic District Parcels Zoned for EmploymentManufacturing Use.
 Alterations of the height of any existing structure shall be visually compatible with the structuresbuildings and environment within its visually related area.
- (e) Standards(f) Guideline Criteria for New Structures Development in the Third Lake
 Ridge Historic District Parcels Zoned for Mixed-Use and Commercial Use.
 - Any new structures shall be evaluated according to both of the <u>standardseriterial</u> listed in Sec. 33.19(<u>22)(c11)(d</u>); that is, compatibility of gross volume and height.
 - The rhythm of solids and voids in the street facade(s) of any new structure shall be compatible with the structuresbuildings within its visually related area.
 - The materials used in the street facade(s) of any new structure shall be compatible with those used in the structures buildings and environment within its visually related area.
 - The design of the roof of any new structure shall be compatible with those of the structures buildings and environment within its visually related area.
 - The rhythm of <u>structure</u> building masses and spaces <u>created by the construction</u> of a new structure shall be compatible with the existing rhythm of masses and spaces for those sites within its visually related area.

(f) Standards

Formatted: Font: Bold

Rev. 3/15/14 33 - 38

(g) <u>Guideline Criteria</u> for Exterior <u>Alterations Alteration</u> in the Third <u>Lake Ridge Historic District - Parcels Zoned for Mixed-Use and Commercial Use.</u>

- Alterations of the height of any existing structure shall be visually compatible with the structuresbuildings and environment within its visually related area.
- Alterations of the street facade(s) of any existing structure shall retain the original
 or existing historical rhythm of solids and voids.
- Alterations of the-street facade(s) of any existing structure shall retain the original
 or existing historical materials.
- Alterations of <u>roofthe roof of any existing structure</u> shall retain its existing historical appearance.
- (g) Standardsh) Guideline Criteria for New StructuresDevelopment in the Third Lake Ridge Historic District - Parcels Zoned for Residential Use.
 - Any new <u>structuresstructure</u> shall be evaluated according to all <u>standardscriteria</u> listed in Sec._33.19(<u>22)(e11)(f</u>).
 - The directional expression of any new structure shall be compatible with those of the structuresbuildings and environment within its visually related area.
 - The materials, patterns and textures of any new structure shall be compatible
 with those of the structures buildings and environment within its visually related
 area.
 - The landscape plan of any new structure shall be compatible with that of the structures buildings and environment within its visually related area.
- (h) Standardsi) Guideline Criteria for Exterior Alterations Alteration in the Third Lake
 Ridge Historic District Parcels Zoned for Residential Use.
 - Alterations Alteration of any existing structure shall be evaluated according to all standardscriteria listed in Sec. 33.19(2211)(g).
 - Alterations Alteration of the surface material, pattern and texture in the facade(s) of any existing structures shall be compatible with the original or existing bistorical finishes.
 - Alterations3. Alteration of any existing structure shall retain or be compatible with the original or existing historical rhythm of masses and spaces.
 - 4. Alterations 4. Alteration of any existing structure shall retain the existing historical landscape plan or shall develop a new plan which is compatible with the plans of the <u>structuresbuildings</u> and environment within its visually related area.
 - Alterations Alteration of the street facade(s) of any existing structure shall retain the original or existing historical proportional relationships of door sizes to window sizes.
- (i(j) Conformance With Regulations: Maintenance of the District; Conditions Dangerous to Life, Health and Property; Penalties for Violations; Separability.

 The Third Lake Ridge Historic District shall be subject to the public policy guidelines established in Sec. 33.19(7) through (9) and (15) and (16) of the Madison General Ordinances, in all of these matters. (Am. by Ord. 10,871, Adopted 3-15-94)
- (k) Reference to Plan.

The public policy guidelines in this subsection derive from a plan entitled "Third Lake Ridge Historic District," City Planning Department, January, 1978.

(23(Sec. 33.01(11) Cr. by Ord. 6470, 1-9-79)

Formatted: Highlight

Sec. 33.19(11)(g)

Formatted: Highlight

33 - 39 Rev. 12/15/12

Sec. 33.19(12)

(12) University Heights Historic District.

- (a) Purpose and Intent. It is hereby declared a matter of public policy that a specific area of the City be identified, designated and protected because of its special character of historic interest and significance. This area, to be called University Heights Historic District, shall be described generally by the map and specifically by the legal description on file in the City Clerk's Office. The purpose and intent of this ordinance shall be to designate this area in accordance with Sec_Section 33.19(96)(d) entitled "Creation of Historic Districts" of the Madison General Ordinances.
- (b) StandardsCriteria for the Creation of the University Heights Historic District. In that the University Heights Historic District reflects a pattern in the broad social history of Madison and in the state and the nation and in that elements within the district meet the other three designation standardscriteria in Sec. Sections 33.19(94) and (6) of the Madison General Ordinances, namely that many of the structuresbuildings in the district:
 - are identified with historic personages or with important events in national, state, or local history;
 - embody the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction, or of indigenous materials or craftsmanship; and,
 - are representative of the notable work of a master builder, designer, or architect
 whose individual genius influenced her/his age, the area described by the map
 and legal description shall be designated an historic district.
- (c) Standards for the ReviewRegulation of New Structures in the TR-V1, TR-V2, TR-U1, TR-U2, TR-C2, TR-C3, TR-C4, MNX, TSS, Construction, Reconstruction, Exterior Alteration and LMX Zoning Districts.

Principal Structures.

- a. HeightDemolition. The maximum height in the TR-C2, TR-C3, TR-C4, TR-V1, and TR-V2 Zoning DistrictsCommission shall be thirty-five (35) feet and shall not exceed two and a half (2-1/2) stories exceptact in these matters specifically as provided in the height regulations for the district.
 - The maximum height in the TR-U1, NMX, TSS, and LMX Zoning Districts shall be forty (40) feet.

The maximum height in the TR-U2 Zoning District shall be fifty (50) feet. All new structures in all zoning districts within University Heights shall be no less than fifteen (15) feet high.

- b. Materials. Materials for the exterior walls shall be the same as or similar to materials prevalent in they regard the University Heights Historic District. Permitted materials include brick, narrow gauge horizontal clapboards four or less inches in exposed width, stone, stucco, smooth shingles or combinations of the above provided the combinations occur in a -in the manner and location similar to the materials on existing structures in University Heights (e.g., brick on first floor with clapboard on second floor). Other materials, such as aluminum or vinyl must be visually compatible with structures in the visually related area. The following materials are prohibited: concrete block, asbestos, wide clapboards over four inches in exposed width, diagonal boards, vertical boards, rough sawn wood, rough split shingles, shakes.
- c. Visual Size. The gross area of the front facade, i.e., all walls facing the street, of a single-family, two-unit or commercial structure shall be no greater than one hundred twenty-five percent (125%) of the average gross area of the front facades of structures in the visually related area. The gross area of the front facade of a multiple family dwelling shall be no more than one hundred twenty-five percent (125%) of the average gross area of the front facades of all structures within the visually related area or variations in the setback shall be designed in the front facade of the structure to repeat the rhythm and proportions of structures to space between them within the visually related area.

Rev. 12/15/12 33 - 40

- d. Roof Shape. The shapes and pitches of roofs on shall be similar to the roof shapes and pitches on existing structures within the visually related area.
- e. Roof Materials. Roofing materials shall be similar in appearance to roofing materials used on structures within the visually related area.specified by Modern-style shingles, such as thick wood shakes, dutch lap, french method and interlock shingles, that are incompatible with the historic character of the district are prohibited. Rolled roofing, tar and gravel and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs which are not visible from the ground.
- Parking Lots. No new parking lots will be approved unless they are accessory to and on the same zoning lot as a commercial structure or multiple family dwelling.
- Accessory Structures. Accessory structures, as defined in Section 28.211 of the
 Madison General Ordinances, shall be compatible with the design of the existing
 structures on the zoning lot, shall not exceed fifteen (15) feet in height and shall
 be as unobtrusive as possible. No accessory structure shall be erected in any
 yard except a rear yard. Exterior wall materials shall be the same as those for
 construction of new principal structures as set forth in Sec. Sections
 33.19(23)(c)1.b.-5\(\theta\)b) and (c).

(e) Standardsd) Criteria for the Review of Additions, Exterior Alterations and Repairs in TR-C2TRC2, TR-C3, and TR-C4, Zoning Districts. (Am. by ORD-12-00134, 1-2-13)

- Height. No alterations All additions shall be no higher than the existing structurebuilding; however, if the existing structurebuilding is already a nonconforming one, alterationno addition shall be made thereto except in accordance with Section 28.192 of the Madison General Ordinances. Roof alterationsadditions resulting in an increased structurebuilding volume are prohibited unless they meet the requirementsstandards in Section 33.19(23)(e12)(d)6. and are permitted under Chapter 28 of the Madison General Ordinances, or approved as a variance pursuant to Section 28.184 or approved as a conditional use or as part of a planned residential development. Sections 28.184. (Am. by ORD-12-00134. 1-2-13).
- 28.184. (Am. by ORD 12-00134, 1-2-13)
 Second Exit Platforms and Fire Escapes. Second exit platforms and fire escapes shall be invisible from the street, wherever possible, and shall be of a plain and unobtrusive design in all cases. In instances where an automatic combustion products detection and alarm system is permitted as an alternative to second exits, use of such a system shall be mandatory. (Am. by ORD 12-00134, 1-2-13)
- Repairs. Materials used in exterior repairs shall duplicate the original building materials in texture and appearance, unless the Landmarks Commission approves duplication of the existing building materials where the existing building materials differ from the original. Repairs using materials that exactly duplicate the original in composition are encouraged. (Renum. by ORD-08-00122, 11-22-08)
- Restoration. Projects that will restore the appearance of a-building or structure to its original appearance are encouraged and will be approved by the Landmarks Commission if such projects are documented by photographs, architectural or archeological research or other suitable evidence. (Renum. by ORD-08-00122, 11-22-08)

Formatted: Indent: Left: 1.5"

Formatted: Font: Italia

- 5. Re-Siding. Re-siding with aluminum or vinyl that replaces or covers clapboards or nonoriginal siding on structuresbuildings originally sided with clapboards will be approved by the Landmarks Commission provided that the new siding imitates the width of the original clapboard siding to within one (1) inch and provided further that all architectural details including, but not limited to, window trim, wood cornices and ornament either remain uncovered or are duplicated exactly in appearance. Where more than one layer of siding exists on the structurebuilding, all layers except the first must be removed before new siding is applied. If insulation is applied under the new siding, all trim must be built up so that it projects from the new siding to the same extent it did with the original siding. (Renum. by ORD-08-00122, 11-22-08)
- Alterations Additions Visible from the Street and Alterations to Street Facades. Alterations Additions visible from the street, including alterations additions to the top of buildings or structures, and alterations to street facades shall be compatible with the existing structure building in architectural design, scale, color, texture, proportion of solids to voids and proportion of widths to heights of doors and windows. Materials used in such alterations and additions shall duplicate in texture and appearance, and architectural details used therein shall duplicate in design, the materials and details used in the original construction of the existing structure building or of other structures buildings in University Heights of similar materials, age and architectural style, unless the Landmarks Commission approves duplication of the texture and appearance of materials and the design of architectural details used in the existing structurebuilding where the existing building materials and architectural details differ from the original. Alterations Additions and exterior alterations that exactly duplicate the original materials in composition are encouraged. Alterations Additions or exterior alterations that destroy significant architectural features are prohibited. Side alterationsadditions shall not detract from the design composition of the original facade. (Renum. by
- 7. Additions and Exterior Alterations Not Visible from the Street. Additions and exterior alterations that are not visible from any streets contiguous to the lot lines upon which the building or structure is located will be approved by the Landmarks Commission if their design is compatible with the scale of the existing structurebuilding and, further, if the materials used are compatible with the existing materials in texture, color and architectural details. Additions and alterations shall harmonize with the architectural design of the structurebuilding rather than contrast with it. (Renum. by ORD-08-00122, 11-22-08)
- 8. Roof Shape. The roof shape of the front of a building or structure shall not be altered except to restore it to the original documentable appearance or to add a dormer or dormers in a location and shape compatible with the architectural design of the structurebuilding and similar in location and shape to original dormers on structuresbuildings of the same vintage and style within the district. Alterations of the roof shape of the sides or back of a building or structure shall be visually compatible with the architectural design of the existing structure. building. (Renum. by ORD-08-00122, 11-22-08)

33 - 41 Rev. 6/15/13

Sec. 33.19(12)(d)9.

- Roof Material
 - a. If the existing roof of a building or structure is tile, slate or other material that is original to the building or structure and/or contributes to its historic character, all repairs thereto shall be made using the same materials. In addition, in all cases any such roof must be repaired rather than replaced, unless the documented cost of repair exceeds the documented cost of re-roofing with a substitute material that approximates the appearance of the original roofing material as closely as possible, in which case re-roofing with a material that approximates the appearance of the original roofing material as closely as possible will be approved by the Landmarks Commission.
 - b. If the existing roofing material is asphalt shingles, sawn wood shingles or a nonhistoric material such as fiberglass, all repairs shall match in appearance the existing roof material; however, if any such roof is covered or replaced, re-roofing must be done using rectangular sawn wood shingles or rectangular shingles that are similar in width, thickness and apparent length to sawn wood shingles, for example, 3-in-1 tab asphalt shingles. Modern style shingles, such as thick wood shakes, dutch lap, french method and interlock shingles, that are incompatible with the historic character of the district are prohibited.
 - c. Rolled roofing, tar and gravel and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs which are not visible from the ground.

(Renum. by ORD-08-00122, 11-22-08)

- Parking Lots. No new parking lots will be approved unless they are accessory to and on the same zoning lot as a commercial <u>structure</u> or multiple family dwelling. (Renum. by ORD-08-00122, 11-22-08)
- (f) Standardse) Criteria for the Review of Additions, Exterior Alterations and Repairs in the TR-VIC2, TR-C3, TR-C4, TR-V1, TR-V2, TR-U1, TR-U2, NMX, TSS₇ and LMX Zoning Districts. (Title Am. by ORD-13-00087, 5-29-13)
 - Height. No alterations All additions shall be no higher than the existing structurebuilding; however, if the existing structurebuilding is already a nonconforming, one no alterationaddition shall be made thereto except in accordance with Section 28.192 of the Madison General Ordinances. In addition, all alterationsadditions, including alterationsadditions to the top of a building or structure, shall conform to the height restrictions for the zoning district in which the building or structure is located. (Am. by ORD-12-00134, 1-2-13)
 - Additions and Alterations. Alterations and additions shall be compatible in scale, materials and texture with the existing building or structure.
 - Repairs. Materials used in repairs shall harmonize with the existing materials in texture, color and architectural detail.
 - Re-Siding. The standardscriteria for the review of re-siding are the same as the standardscriteria for review of re-siding in the TR-V1, TR-V2, TR-C2, TR-C3 and TR-C4 Zoning Districtszoning districts set forth in Sec. Section 33.19(23)(e12)(d)5. of the Madison General Ordinances. (Am. by ORD-13-00087, 5-29-13)
 - 5. Roof Shape. Roof alterations to provide additional windows, headroom or area are prohibited unless permitted under Chapter 28 of the Madison General Ordinances or otherwise approved pursuant thereto as a variance or as part of a conditional use. In addition, all roof alterations shall be visually compatible with the architectural design of the building or structure.

Rev. 6/15/13 33 - 42

- Sec. 33.19(12)(e)6.
- 6. Roof Materials. All repairs shall match in appearance the existing roofing materials; however, when a roof is covered or replaced, roofing materials shall duplicate as closely as practicable the appearance of the original materials. Thick wood shakes, Frenchfrench method, interlock and Dutchdutch lap shingles are prohibited. Rolled roofing, tar and gravel and other similar roof materials are also prohibited except on flat or slightly sloped roofs which are not visible from the street.
- Parking Lots. No new parking lots will be approved unless they are accessory to and on the same zoning lot as a commercial <u>structure</u> or multiple family dwelling.
- (f) Criteria for the Review of New Construction in the TR-V1, TR-V2, TR-U1, TR-U2, TR-C2, TR-C3, TR-C4, MNX, TSS, and LMX Zoning Districts. (Title Am. by ORD-13-00087, 5-29-42)
 - Principal Buildings
 - a. Height. The maximum height for new buildings and structures in the TR-C2, TR-C3, TR-C4, TR-V1, and TR-V2 Zoning Districts shall be thirty-five (35) feet and shall not exceed two and a half (2-1/2) stories except as provided in the height regulations for the district.
 - The maximum height for new buildings and structures in the TR-U1, NMX, TSS, and LMX Zoning Districts shall be forty (40) feet.
 - The maximum height in the TR-U2 Zoning District for new buildings and structures shall be fifty (50) feet. All new buildings and structures in all zoning districts within University Heights shall be no less than fifteen (15) feet high.
 - (Am. by ORD-12-00134, 1-2-13; ORD-13-00087, 5-29-13)
 - b. Materials. Materials for the exterior walls of new buildings and structures shall be the same as or similar to materials prevalent in the University Heights Historic District. Permitted materials include brick, narrow gauge horizontal clapboards four or less inches in exposed width, stone, stucco, smooth shingles or combinations of the above provided the combinations occur in a manner and location similar to the materials on existing buildings in University Heights (e.g., brick on first floor with clapboard on second floor). Other materials, such as aluminum or vinyl must be visually compatible with buildings in the visually related area. The following materials are prohibited: concrete block, asbestos, wide clapboards over four inches in exposed width, diagonal boards, vertical boards, rough sawn wood, rough split shingles, shakes.
 - c. <u>Visual Size</u>. The gross area of the front facade, i.e., all walls facing the street, of a single-family, two-unit or commercial building shall be no greater than 125% of the average gross area of the front facades of buildings in the visually related area. The gross area of the front facade of a multiple family dwelling shall be no more than 125% of the average gross area of the front facades of all buildings within the visually related area or variations in the setback shall be designed in the front facade of the building to repeat the rhythm and proportions of buildings to space between them within the visually related area.

33 - 43 Rev. 6/15/13

- Sec. 33.19(12)(f)1.d.
- d. Roof Shape. The shapes and pitches of roofs on new buildings and structures shall be similar to the roof shapes and pitches on existing buildings within the visually related area.
- e. Roof Materials. Roofing materials on new buildings or structures shall be similar in appearance to roofing materials used on buildings within the visually related area. Modern-style shingles, such as thick wood shakes, dutch lap, french method and interlock shingles, that are incompatible with the historic character of the district are prohibited. Rolled roofing, tar and gravel and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs which are not visible from the ground.
- f. Parking Lots.24 No new parking lots will be approved unless they are accessory to and on the same zoning lot as a commercial building or multiple family dwelling. (Renum. by ORD-08-00122, 11-22-08)
- Accessory Buildings. Accessory buildings, as defined in Section 28.211 of the Madison General Ordinances, shall be compatible with the design of the existing buildings on the zoning lot, shall not exceed fifteen (15) feet in height and shall be as unobtrusive as possible. No accessory building shall be erected in any yard except a rear yard. Exterior wall materials shall be the same as those for construction of new principal buildings as set forth in Section 33.19(12)(f)1.c. (Am. by ORD-12-00134. 1-2-13)
- (g) Conformance with Regulations, Maintenance of the District, Conditions Dangerous to Life, Health and Property; Penalties for Violations; Separability. The University Heights Historic District shall be subject to the public policy guidelines established in Section 33.19(7) through (9) and (15) and (16) Madison General Ordinances, in all of these matters. (Am. by Ord. 10,871, Adopted 3-15-94) (Sec. 33.01(12) Cr. by Ord. 8690, 10-10-85 & 11-14-85)
- (13) Marquette Bungalows Historic District.
 - (a) Purpose and Intent. It is hereby declared a matter of public policy that a specific area of the city be identified, designated and protected because of its special character of historic interest and significance. This area, to be called the Marquette Bungalows Historic District, shall be described generally by the map and specifically by the legal description on file in the City Clerk's office. The purpose and intent of this ordinance shall be to designate this area in accordance with Sec. Section 33.19(96)(d) entitled "Creation and Amendment of Historic Districts" of the Madison General Ordinances.
 - (b) StandardsCriteria for the Creation of the Marquette Bungalows Historic District. In that the Marquette Bungalows Historic District reflects a pattern in the broad social history of Madison and in the state and the nation and in that elements within the district meet designation standardscriteria in Sec.Section 33.19(7)01(6)(a)1. of these ordinances, specifically that many of the structuresbuildings in the district embody the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction, or of indigenous materials or craftsmanship, the area described by the map and legal description shall be designated an historic district.
 - (c) Standards for the Review of New Construction and Fences.

 1. Accessory Structures. Accessory structures shall be compatible with the design
 - Accessory structures. Accessory structures shall be compatible with the design of the existing structure on the zoning lot, shall not exceed fifteen (15) feet in height and shall be as unobtrusive as possible. Accessory structures shall be erected in the rear yard. If the structure on the lot is sided in wood or stucco, the siding on the accessory structure shall match the appearance of the siding on the structure. Imitation siding materials that approximate the look of the siding on the structure, such as vinyl, aluminum or applied stucco-like surfaces, may be approved. If the siding on the structure is brick, the garage may be sided in brick to match, clapboard, stucco, narrow-gauge vinyl or aluminum or applied stucco-like surfaces. Garage doors shall blend with the historic appearance of the neighborhood. Horizontally paneled doors and flat paneled doors are prohibited. Windows shall be either casements or double-hung units of a similar proportion to the windows on the structure. Alteration of existing accessory structures shall comply with this subdivision (e) and with subdivision (d) above. The roof shape may be a hip or gable of any pitch; single slope roofs are prohibited. The roof

- Sec. 33.19(12)(f)1.d.
- material shall match as closely as possible the color and appearance of the roof material on the structure.
- New Principal Structures. New principal structures shall match the design of other structures in the district in materials, roof shape, architectural details, the proportion of solids to voids, the proportion of widths to heights of doors and windows, the scale, height, setbacks, side yards and other visual features. The intention is to have new structures virtually duplicate the design of other structures in the neighborhood, since all parcels in the district are currently developed and any new construction would be replacing an existing structure.
- Fences. Chain link, metal mesh and other rustic style fences, such as rough sawn wood or split-rails, are prohibited in the front yard. Fences in the front yard shall not exceed three (3) feet in height.
- (c) Regulation of Construction, Reconstruction, Exterior Alteration and Demolition. The Commission shall act in these matters specifically as they regard the Marquette Bungalows Historic District in the manner specified by the Madison General Ordinances, Section 33.19(5)(b) and (c).

Rev. 6/15/13 33 - 44

- (d) StandardsCriteria for the Review of Additions, Exterior Alterations and Repairs. All additions, exterior alterations and repairs must be compatible with the historic character of the structurehouse and the Marquette Bungalows Historic District.
 - 4. Re-Siding-1. Re-Siding. Re-siding with aluminum or vinyl that replaces or covers clapboards or non-original siding on structuresbuildings originally sided with clapboards will be approved by the Landmarks Commission provided that the new siding imitates the width of the original clapboard siding to within one inch and provided further that all architectural details including, but not limited to, window trim, wood cornices and other ornament either remain uncovered or are duplicated exactly in appearance. All trim must continue to project out beyond the plane of the siding. Brick, stucco, and half-timber detailing shall match the original in appearance. Original wood shingle siding should be repaired or replaced to match the original in appearance, whenever possible; however, covering wood shingles with double-four vinyl or aluminum may be approved.

Sec. 33.19(13)(d)

- 2. Roof Materials. Reroofing shall be done with asphalt shingles, fiberglass shingles or other rectangular composition shingle similar in appearance to 3-in-1 tab asphalt shingles. Sawn wood shingles may also be approved. Modern style shingles, such as thick wood shakes, dutch lap, french method and interlock shingles are incompatible with the historic character of the district and are prohibited. Vents shall be located as inconspicuously as possible and shall be similar in color to the color of the roof. Rolled roofing, tar and gravel and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs which are not visible from the ground.
- 3. Skylights. Skylights on street-facing roof slopes are prohibited. Skylights may be permitted on side roof slopes provided the front edge of the skylight is at least ten (10) feet back from the front edge of the main roof. Skylights on any roof area not visible from the street may be permitted. The design should be as simple as possible, of the flat type (not bubble) and painted to blend with the color of the roof.
- 4. <u>Dormers and Other Roof Alterations</u>. New dormers shall be greater than three (3) feet from the front edge of the roof. New dormers shall match original dormers on the <u>structure</u>house (or original dormers on similar <u>structure</u>shouses in the district) in roof shape and material, width of overhang, siding, window design and trim details. The ridge line of a new dormer shall not extend above the ridge line of the main roof of the <u>structure</u>house. The dormer walls shall not extend beyond the line of the main <u>structure</u>house wall below. Shed dormers behind existing dormers or gables on non-street sides of the <u>structure</u>house may be approved provided that the roof material, siding, window design and trim details match the original features of the <u>structure</u>house. Other roof alterations shall be compatible with the roof shape and other features of the <u>structure</u>house, such as siding and trim details, and shall not extend above the ridge line of the <u>structure</u>house.
- 5. Chimneys. The exterior appearance of chimneys visible from the street shall be maintained in good repair. The removal of the exterior portions of such chimneys is prohibited. Chimneys not visible from the street may be removed. New chimneys shall be constructed of brick to match as closely as possible the brick on the structurehouse, or if there is no brick on the structurehouse, chimneys may be made of brick similar in dimensions and color to brick on other houses-in the neighborhood. New chimneys not visible from the street may also be constructed of metal or other non-historic material.

33 - 45 Rev. 12/15/08

Sec. 33.19(13)(d)6.

- Windows and Doors
 - a. <u>General StandardsCriteria</u>. The original appearance of leaded glass and other non-rectangular decorative windows (e.g., curved top windows) on any facade of the <u>structurehouse</u> shall be retained. Replacement of such windows shall duplicate the original in size, configuration and appearance. Picture windows are prohibited. Trim on new or remodeled windows shall match the original window trim on the <u>structurehouse</u>.
 - b. <u>Street Facades</u>. Windows and doors on the front or street facade of the <u>structure</u>house and on side faces within <u>ten (10)</u> feet of the front facade of the <u>structure</u>house shall retain their original or existing appearance, including true muntins where they exist. Replacement windows and doors may be approved if they match the original appearance.
 - c. Non-Street Side Facades. Retention of the original appearance of windows and doors on the sides of the structurehouse is encouraged. However, if replacement or new windows are proposed, the muntin design of the original windows on the structurehouse may either be replicated with true-divided lights or with exterior or interior applied grids or with grids applied between the panes of glass. New windows shall either be casement windows or double-hung windows. Sash on new windows over four (4) feet square shall be divided by muntins or mullions. Bay windows may be approved if they have sides perpendicular to the wall and if they do not extend beyond the eaves of the roof.
 - Rear Facade. Replacement, remodeling or installation of new doors and windows on the rear facade will not be restricted except as discussed under "General <u>StandardsCriteria</u>" above.
- 7. Porches. Porches and stairway railings shall match the original railings in appearance wherever possible. Wrought iron railings with vertical balusters at least one-half (1/2) inch in width, wood railings with vertical square balusters spaced no more than three (3) inches apart, and solid wall railings covered in siding to match the structurehouse will be approved. Other designs may be permitted if they blend with the character of the structurehouse and the district. Porches may be enclosed with windows or screens provided that new windows be casements or double-hung units similar in proportion to other windows on the structurehouse. Steps may be constructed of wood, concrete or brick. If wood is used, steps shall have risers and be enclosed on the sides by lattice or a wing wall. Rear yard decks shall have a railing as described above, shall have the underside screened by lattice or evergreen shrubs, and all parts of the deck, except the flooring and steps, shall be painted or opaque-stained in a color to blend with the colors on the structurehouse.
- 8. Second Exits. Second exit platforms and stairways shall be as unobtrusive as possible. No second exit platforms or stairways shall be permitted on the front facade of a structurehouse. When possible, second exit stairways shall be provided on the interior of the building. When this is not possible, they shall be added onto the rear section of the structurehouse. Railings and design shall follow the railing and deck standardscriteria listed under "Porches" above. (Renum. by ORD-08-00122, 11-22-08)

Rev. 12/15/08 33 - 46

- Sec. 33.19(13)(d)9.
- 9. Additions and Other Alterations. New additions on the front of the <u>structurehouse</u> are prohibited. Additions on the sides or rear shall be permitted if they are compatible with the <u>structurehouse</u> in architectural design, scale, color, texture, proportion of solids to voids and proportion of widths to heights of doors and windows. Materials and architectural details used in additions and alterations shall duplicate in texture, appearance, and design, the materials and details used in the original construction of the <u>structurehouse</u> or of other <u>structureshouses</u> in the district. The Landmarks Commission may approve an exception to this policy where the existing <u>structurebuilding</u> materials and architectural details differ from the original. Additions and exterior alterations that exactly duplicate the original materials in composition are encouraged. Additions or exterior alterations that destroy significant architectural features are prohibited. Side additions shall not detract from the design composition of the original facade. (Renum. by ORD-08-00122, 11-22-08)
- 10. Foundations. The original or existing finish on the foundation shall be retained. Brick or stone shall not be covered with a cementitious or other surface. Foundation insulation shall be applied only to the interior. Basement windows may be removed provided that the space is filled with a material to match as closely as possible the appearance of the surrounding foundation and provided that the new material is inset at least one inch from the plane of the wall.
 (Popular by ORD 8, 00123, 11, 23, 08)
- Tuckpointing and Brick Repair. Mortar and other materials used in brick repair shall match the original in color, hardness and appearance. Brick shall not be painted. (Renum. by ORD-08-00122, 11-22-08)
- 12. Storm Windows and Doors. Storm windows and doors shall be enameled, painted or otherwise coated with a colored surface; raw aluminum is prohibited. Storm door designs of wood and glass to match the original design on the structurehouse or on similar structureshouses in the district is encouraged. Storm doors of simple design with no stylistic references (e.g., colonial cross-bars) may also be used. Storm doors with metal grilles may be approved provided that they blend with the style of the structure. house. (Renum. by ORD-08-00122, 11-22-08)
- (e) <u>Criteria for the Review of New Construction and Fences.</u>
 - Accessory Buildings. Accessory buildings, as defined in Section 28.211 of these ordinances, shall be compatible with the design of the existing building on the zoning lot, shall not exceed fifteen (15) feet in height and shall be as unobtrusive as possible. Accessory buildings shall be erected in the rear yard. If the house on the lot is sided in wood or stucco, the siding on the accessory building shall match the appearance of the siding on the house. Imitation siding materials that approximate the look of the siding on the house, such as vinyl, aluminum or applied stucco-like surfaces, may be approved. If the siding on the house is brick, the garage may be sided in brick to match, clapboard, stucco, narrow-gauge vinyl or aluminum or applied stucco-like surfaces. Garage doors shall blend with the historic appearance of the neighborhood. Horizontally paneled doors and flat paneled doors are prohibited. Windows shall be either casements or double-hung units of a similar proportion to the windows on the house. Alteration of existing accessory buildings shall comply with this Subdivision (e) and with Subdivision (d) above. The roof shape may be a hip or gable of any pitch; single slope roofs are prohibited. The roof material shall match as closely as possible the color and appearance of the roof material on the house. (Am. by ORD-12-00134, 1-2-13)

- Sec. 33.19(13)(e)2.
- 2. New Primary Buildings. New primary buildings shall match the design of other houses in the district in materials, roof shape, architectural details, the proportion of solids to voids, the proportion of widths to heights of doors and windows, the scale, height, setbacks, side yards and other visual features. The intention is to have new buildings virtually duplicate the design of other buildings in the neighborhood, since all parcels in the district are currently developed and any new construction would be replacing an existing building.
- Fences. Chain link, metal mesh and other rustic style fences, such as rough sawn wood or split-rails, are prohibited in the front yard. Fences in the front yard shall not exceed three (3) feet in height.
- 25(f) <u>Conformance with Regulations; Maintenance of the District; Conditions Dangerous to Life, Health and Property; Penalties for Violations; Separability.</u> The Marquette Bungalows Historic District shall be subject to the public policy guidelines established in Section 33.19(7) through (9) and (15) and (16) of the Madison General Ordinances in all of these matters."

(Sec. 33.01(13) Cr. by Ord. 10,871, Adopted 3-15-94)

- (14) First Settlement Historic District.
 - (a) Purpose and Intent, It is hereby declared a matter of public policy that a specific area of the city be identified, designated and protected because of its special character of historic interest and significance. This area, to be called the First Settlement Historic District, shall be described generally by the map and specifically by the legal description on file in the City Clerk's Office. The purpose and intent of this ordinance shall be to designate this area in accordance with Section 33.19(96)(4) entitled "Creation and Amendment of Historic Districts" of the Madison General Ordinances.
 - (b) StandardsCriteria for the Creation of the First Settlement Historic District. In that the First Settlement Historic District reflects the broad cultural, political, economic and social history of Madison, the state and the nation and in that elements within the district meet designation standardscriteria in Section 33.19(7)6)(d)1. of these ordinances, specifically that they are identified with historic personages or with important local historical events and/or that they embody the distinguishing characteristics of an architectural type specimen, inherently valuable for a study of a period, style, method of construction or of indigenous material or craftsmanship, the area described by the map and legal description shall be designated an historic district.
 - (c) Standards for the Review of New Principal Structures.
 - Structure Height, Scale, Proportion and Rhythm. New principal structures shall be similar in height to the structures directly adjacent to each side. If the structures directly adjacent to each side are different in height, the new structure shall be of a height compatible with the structures within the visually related area of the proposed structure. New principal structures shall be compatible with the scale, proportion, and rhythm of masses and spaces of structures within the visually related area of the proposed structure.
 - Siding Materials. Narrow gauge clapboards made of wood, composite wood material, or concrete, and/or brick and stone may be permitted. Stucco and split-faced concrete block may be permitted only as trim, rather than the primary siding material. Stucco panels and pebble dash are prohibited. If the first two floors(e) Regulation, of a proposed structure are masonry, the Construction, Reconstruction, Exterior Alteration and Demolition. The Landmarks Commission may permit the use of artificial siding (i.e. vinyl or aluminum) on the upper floor or floors. In such circumstances, the artificial siding must conform to the following requirements:
 - a. The material shall be of the highest grade offeredact in these matters
 specifically as they regard the First Settlement Historic District in the
 manner specified by the manufacturer.
 - b. The material shall have a minimum gauge of .042.
 - c. The color and sheen of the siding shall be consistent with those used in the era in which adjacent structures were constructed.
 - d. The siding shall not have a false wood grain.
 - e. The width of each apparent clapboard shall not exceed four (4) inches.

Formatted: No underline

Formatted: No underline

Formatted: No underline

Formatted: No underline

Rev. 12/15/12

33 - 48

Sec. 33.19(13)(e)2.

. The use of visible j-channel trimMadison General Ordinances, Sections 33.19(5)(b) and other prefabricated elements that differ in appearance from those used on historic structures in the neighborhood is prohibited.(c).

Formatted: Indent: Left: 2"

- 3. Roof Materials. Roofing materials shall be asphalt shingles; fiberglass or other composition shingles similar in appearance to multi-layered architectural shingles or 3-in-1 tab; or Dutch lap, French method or interlock shingles. Sawn wood shingles may also be approved. Thick wood shakes are prohibited. Vents shall be located as inconspicuously as possible and shall be similar in color to the color of the roof. Rolled roofing, tar-and-gravel, rubberized membranes and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs that are not visible from the ground.
- Roof Shape. If a principal structure does not have a flat roof, the pitch of the new roof shall be no less than 4-in-12.
- Façade Design. Street facades shall be modulated with setbacks incorporated into the design at the first floor level. The entrance shall either be inset or projecting from the plane of the main facade. Porches on main entrances are encouraged. Street facades shall reflect the rhythm and directional expression of pre-1930 structures within the visually related area.
- 6. Windows and Doors. The proportion of width to height of doors and windows and the proportion of solids to voids in the front and side facade designs shall be similar to pre-1930 structures within the visually related area. Windows trimmed with bead molds similar in design to other pre-1930 window trim in the district and windows and doors shall be inset at least one (1) inch from the exterior trim. The main entrance to the structure shall be on the front facade. Garage doors shall be located on the side or rear facades whenever feasible. If it is not feasible to locate the garage door on the sides or rear facades, one-car garage doors will be permitted on the front facade.

(d) StandardsCriteria for the Review of Additions, Exterior Alterations and Repairs, All additions, exterior alterations and repairs must be compatible with the historic character of the structurebuilding and the First Settlement Historic District. The standardscriteria listed below are intended to maintain an historically accurate appearance. Modern materials that do not meet the exact requirements of the standardscriteria but which duplicate the historic appearance may be considered on an individual basis in the waivervariance procedure listed in Section 33.19(17) above 15) below.

1. Porches, Porches that are original to the structurebuilding, or that pre-date 1930 and blend with the historic character of the structurebuilding, shall be retained, rehabilitated or rebuilt to match the original in all details. Porches on street facades may be enclosed with wood-framed screens, on the condition that the railing must be retained or restored in a design compatible with the historic character of the structurebuilding. Porches on street facades shall not be enclosed as a heated space. If a porch is on a street facade and the owner can demonstrate to the Landmarks Commission that it is beyond repair, then a new porch must be constructed in its place. Construction of new porches to approximate the dimensions of original porches is encouraged.

Formatted: No underline

Formatted: No underline

Rev. 12/15/12 33 - 48

All porches shall present a finished appearance, e.g., all floor joists shall be hidden from view and all porches shall be finished with ceilings and frieze boards. Porch ceilings shall have the appearance of narrow beaded boards, unless another original material is approved by the Landmarks Commission. First floor porch flooring shall be tongue-in-groove boards; carpeting and two-by-four (2 x 4) decking are prohibited. All wood on exterior porches, except flooring and stair treads, shall be painted or opaque stained.

All railings on porches shall be constructed of wood, or another material that duplicates the appearance of wood, with top and bottom rails. Bottom rails shall be raised above the floor level and shall be no higher than three and one-half (3 1/2) inches from the floor. All balusters on porch railings shall be square posts, unless the owner can demonstrate to the Landmarks Commission that a different design is original to the <u>structure</u>building. If the building code requires a forty-two (42) inch high railing, the lower portion of the railing may be solid framed panels. Railings on stairways may be either wood to match the railings on the porch or wrought iron with one-by-one (1 x 1) plain vertical balusters. Twisted or other decorative wrought iron is prohibited. All balusters shall be constructed such that a four (4) inch ball may not pass through the railing at any point. All balusters shall be located in between the top and bottom rail and shall not extend across the face of either. Siding on porch rails is prohibited unless the existing rail is sided. Porch posts shall be trimmed with decorative molding at the top and bottom of the posts.

All porches and stairways shall be enclosed between the frieze under the first floor and the ground with a framed lattice of <u>crisscrosseries cross</u> design, narrow vertical boards or other openwork design. The lattice shall be designed such that a three_(-{3}) inch ball could not pass through any portion of the lattice. All stairways shall have solid wood risers.

Porches on street facades may be enclosed by storm windows. Storm windows on porches shall have the appearance of double-hung windows, with or without a transom, and shall fill the space between the top of the railing and the upper frieze board. When porches are enclosed, the railing area underneath may be filled in with solid framed panels. Porches on street facades shall not be enclosed as a four-season heated space.

- Decks. Decks in rear yards will be approved by the Landmarks Commission
 provided that the design complies with parPar. 1., except that tongue-in-groove
 flooring is not required. Decks in front and side yards may be permitted if they
 are not replacing an entrance porch, do not detract from the historic character of
 the structurebuilding and neighborhood, and if they comply with parPar. 1.
- Accessibility Ramps, It is the intent of this section to permit accessibility ramps
 wherever possible, especially when required by ADA provisions guidelines.
 Accessibility ramps shall be as inconspicuous as possible. Landscape screening
 shall be provided where possible. The details of such ramps shall conform to the
 requirements guidelines for porches in parPar. 1.

Formatted: No underline

Formatted: No underline

33 - 49 Rev. 6/15/07

Sec. 33.19(14)(d)4.

4. Windows. On the front facade and on side facades within ten (10) feet of the front facade, all original windows or pre-1930 windows that are compatible with the historic character of the structure building shall retain their existing historic size, appearance, and trim detail. If any of the original windows or pre-1930 windows that are compatible with the historic character of the structure building have true divided lights (i.e., with small panes of glass between muntin bars), replacement sash shall duplicate the existing appearance and have true divided lights. If windows have been altered in the past, restoration to the original appearance is encouraged. On side facades not within ten (10) feet of the front facade and on rear facades of the structure building, the sills of original windows or pre-1930 windows that are compatible with the historic character of the structure building may be raised to serve bathrooms and kitchens. In other respects, the design shall duplicate the original appearance of the existing window. On side facades more than ten (10) feet from the front facade and on rear facades, new windows in locations where no window previously existed may be approved, provided they retain a similar ratio of height to width as original windows on the structure building, are the same type of window as others on the structure building (e.g., double-hung or casement), and are trimmed and finished to match the appearance of the other windows.

Formatted: No underline

Formatted: No underline

5. Entrance Doors, If the entrance door is original or is pre-1930 and blends with the historic character of the <u>structurebuilding</u>, it should be retained unless the owner can demonstrate to the Landmarks Commission that it is beyond repair. Metal doors may be approved, provided they blend with the historic appearance of the <u>structurebuilding</u>. Unpaneled, modern-style doors, and doors with a fake wood grain are prohibited. All doors shall be painted or varnished.

Formatted: No underline

6. <u>Double or Multiple Doors. Double or multiple doors, such as doors leading onto</u> patios or decks, may be permitted, provided they have frames similar to full view doors. Raw aluminum or other metallic finishes are prohibited. Patio doors shall be painted or finished with a material that resembles a painted finish. Such doors on street facades shall be hinged doors, rather than sliding doors.

Formatted: No underline

7. Storm Windows and Doors. Storm windows and doors shall be enameled, painted or otherwise coated with a colored surface to resemble a painted surface. Raw aluminum or other metallic finishes on storm windows and doors are prohibited. Painted or varnished storm doors of wood and glass to match the original design on the structurebuilding or on similar structuresbuildings in the district are encouraged. Storm doors of simple design with no stylistic references may be used. Full view storm doors will be permitted. Storm doors with metal grills are prohibited.

Formatted: No underline

8. Skylights, Skylights on the roof slope over the main street facade are prohibited unless not visible from the street. Skylights may be permitted on rear roof slopes and on side roof slopes, provided the front edge of the skylight is at least ten (10) feet back from the front edge of the main roof and provided that the skylight is not so obtrusive as to detract from the general appearance of the structurebuilding. Skylights on any roof area not visible from the ground will be permitted. The design of new skylights shall be as simple as possible, of the flat (not bubble) type, and finished to blend with the color of the roof.

Formatted: No underline

9. Roof Materials, Reroofing shall be done with asphalt. Fiberglassfiberglass or other rectangular composition shingles similar in appearance to 3-in-1- tab asphalt shingles. Sawn wood shingles also may be approved. Modern style shingles such as thick wood shakes, Dutch lap, French method, and interlock shingles are prohibited. Vents shall be located as inconspicuously as possible and shall be similar in color to the color of the roof. Rolled roofing, tar-and-gravel, rubberized membranes, and other similar roofing materials are prohibited, except that such materials may be used on flat or slightly sloped roofs that are not visible from the ground.

Rev. 6/15/07 33 - 50

10. Dormers and Other Roof Alterations. New dormers shall match the appearance of original dormers on the structure building in roof shape and material, width of overhang, siding, window design, and trim details whenever feasible. If the original roof shape is not practical, another shape may be approved, provided that it does not detract from the historic character of the structure building or the neighborhood. New dormers shall be no less than twelve (12) feet from the front edge of the roof. The ridge line of a new dormer shall not extend above the ridge line of the main roof of the structure building unless such higher roof line is not visible from the ground. Shed dormers behind existing dormers or gables on non-street sides of the structure building may be approved, provided that the roof material, siding, window design and trim details match the original features of the structure building. Other roof alterations shall be compatible with the roof shape and other historic features of the structure building, such as siding and trim details, and shall not extend above the ridge line of the structure building unless such extension is not visible from the ground.

11. Chimneys, The exterior appearance of original or pre-1930 chimneys visible from the street shall be maintained in good repair. The removal of the exterior portions of such chimneys is prohibited. Chimneys not visible from the street may be removed. New chimneys shall be constructed of brick, stone, stucco, or other compatible material. Metal chimneys are prohibited.

12. Siding Original wood siding or pre-1930 siding that blends with the historic character of the structure building shall be retained and restored as necessary, except that if the owner can demonstrate to the Landmarks Commission that the original siding is beyond repair, it may be replaced with wood, composite wood, or concrete clapboard siding to match the original or existing pre-1930 appearance. Restoration of original wood decorative details is encouraged. Soffits may be replaced or sided with wood or artificial materials, provided the appearance of the proposed material matches as closely as possible the original appearance.

Original brick, stone and stucco siding shall be retained. Installation of artificial siding on such structuresbuildings is prohibited. Painting of unpainted brick is prohibited. Mortar and other materials used in brick repair shall match the original in color, hardness, and appearance.

13. Foundations, All original foundation masonry, such as brick, stone, or rusticated concrete block, shall be retained unless the owner can demonstrate to the Commission that significant repairs are required, in which case replacement with materials to duplicate the original appearance is encouraged. If duplicating the original appearance is not practical, other materials may be approxy, provided they blend with the historic character of the structure building and the district.
14. Additions. Additions New additions on the front of the structure building are

14. Additions, AdditionsNew additions on the front of the structurebuilding are prohibited, except for open porches. Additions on the sides or rear shall be permitted if they are compatible with the structurebuilding in architectural design, scale, color, texture, proportion of solids to voids, and proportion of widths to heights of doors and windows. Additions and exterior alterations that exactly duplicate the original materials in composition are encouraged. Additions or exterior alterations that destroy significant architectural features are prohibited. Side additions shall not detract from the design composition of the main facade. Siding on new additions shall be the same as the structurebuilding, unless the structurebuilding is masonry, in which case narrow-gauge clapboards will be permitted. Foundation material on-new additions shall duplicate the original foundation material whenever practical. Other foundation materials may also be permitted, provided they do not detract from the historic character of the structure. building.

Formatted: No underline

Sec. 33.19(14)(d)10.

Formatted: No underline

Formatted: No underline

Formatted: No underline

Formatted: No underline

33 - 51 Rev. 6/15/07

	15.	Fire Escapes and Rescue Platforms. Fire escapes and rescue platforms shall be	Formatted: No underline
		located such that they are as unobtrusive from the street as possible. No fire	Torridated. No diderime
		escapes or rescue platforms shall be permitted on the front facade of a	
		structurebuilding unless the owner can demonstrate to the Landmarks	
		Commission that no other location is practical. The design of fire escapes and	
		rescue platforms shall comply with the requirements of parPar. 1., except that	
		balusters on fire escapes and second exit platforms may be metal with one-by-	
		one plain vertical balusters, painted to blend with the colors of the	
		structurehouse. Twisted or other decorative wrought iron is prohibited.	
	16.	Lighting Fixtures. Lighting fixtures that are visible from the street shall be of a	Formatted: No underline
		design that is compatible with the historic appearance of the structure. building.	. ormattear no anasimo
	17.	Permanently Installed Air Conditioners. Permanently installed air conditioners	Formatted: No underline
		shall be as inconspicuous as possible. Ground air conditioners shall be screened	(
		with landscaping where possible.	
	18.	Shutters. The installation of new shutters requires approval of the Landmarks	Formatted: No underline
		Commission. Shutters will be permitted, provided they are compatible with the	(
		historic character of the structure building and are of a size that, if the shutters	
		were workable, would cover the window opening.	
	19.	Repairs. Repairs to structures buildings shall either match the existing or the	Formatted: No underline
		original appearance. Restoration to the original appearance is encouraged.	
	20.	Alterations to Post-1930 Structures. Buildings. Alterations to structures of	
		buildings that post-date 1930 shall be compatible with the original character of	
		the structure building and shall not detract from the historic character of older	
		structuresbuildings in the district. Alterations that bring the structurebuilding into	
		compliance with the regulations of this section regarding siding, decks,	
		foundations, porches, the proportion of windows and doors, and the proportion of	
		solids to voids of the street facades of such structures buildings are encouraged.	
		It is not the intent of this ordinance to create fake historic structures buildings, but	
		to allow modern style <u>structures</u> buildings to retain their essential style while still	
		blending with the appearance of historic <u>structures</u> buildings in the district.	
(e)		a for the Review of New Primary Buildings.	
	1	Building Height, Scale, Proportion and Rhythm. New primary buildings shall be	
		similar in height to the buildings directly adjacent to each side. If the buildings	
		directly adjacent to each side are different in height, the new building shall be of	
		a height compatible with the buildings within the visually related area of the	
		proposed building. New primary buildings shall be compatible with the scale,	
		proportion, and rhythm of masses and spaces of buildings within the visually	
	_	related area of the proposed building.	
	2.	Siding Materials. Narrow gauge clapboards made of wood, composite wood	
		material, or concrete, and/or brick and stone may be permitted. Stucco and split-	
		faced concrete block may be permitted only as trim, rather than the primary	
		siding material. Stucco panels and pebble dash are prohibited. If the first two	
		floors of a proposed building are masonry, the Landmarks Commission may	
		permit the use of artificial siding (i.e. vinyl or aluminum) on the upper floor or	
		floors. In such circumstances, the artificial siding must conform to the following	
		requirements:	
		a. The material shall be of the highest grade offered by the manufacturer.	
		b. The material shall have a minimum gauge of .042.	
		c. The color and sheen of the siding shall be consistent with those used in	
		the era in which adjacent buildings were constructed. d. The siding shall not have a false wood grain.	
		d. The siding shall not have a false wood grain. The width of each apparent dephased shall not exceed four (4) inches	

The width of each apparent clapboard shall not exceed four (4) inches. The use of visible j channel trim and other prefabricated elements that

differ in appearance from those used on historic buildings in the neighborhood is prohibited.

Rev. 6/15/07 33 - 52

- Sec. 33.19(14)(e)3.
- 3. Roof Materials. Roofing materials shall be asphalt shingles; fiberglass or other composition shingles similar in appearance to multi-layered architectural shingles or 3-in-1 tab; or Dutch lap, French method or interlock shingles. Sawn wood shingles may also be approved. Thick wood shakes are prohibited. Vents shall be located as inconspicuously as possible and shall be similar in color to the color of the roof. Rolled roofing, tar-and-gravel, rubberized membranes and other similar roofing materials are prohibited except that such materials may be used on flat or slightly sloped roofs that are not visible from the ground.
- Roof Shape. If a primary building does not have a flat roof, the pitch of the new roof shall be no less than 4-in-12.
- 5. <u>Façade Design</u>. Street facades shall be modulated with setbacks incorporated into the design at the first floor level. The entrance shall either be inset or projecting from the plane of the main facade. Porches on main entrances are encouraged. Street facades shall reflect the rhythm and directional expression of pre-1930 buildings within the visually related area.
- 6. Windows and Doors. The proportion of width to height of doors and windows and the proportion of solids to voids in the front and side facade designs shall be similar to pre-1930 buildings within the visually related area. Windows trimmed with bead molds similar in design to other pre-1930 window trim in the district and windows and doors shall be inset at least one (1) inch from the exterior trim. The main entrance to the building shall be on the front facade. Garage doors shall be located on the side or rear facades whenever feasible.) Standards If it is not feasible to locate the garage door on the sides or rear facades, one-car garage doors will be permitted on the front facade.
- (f) Criteria for the Review of Accessory Structures Buildings, Fences and Retaining Walls.
 - 1. Accessory Structures Buildings. Accessory structures buildings, as defined in Section 28.211 of these ordinances, shall be compatible with the design of the existing structure building on the zoning lot, shall not exceed fifteen (15) feet in height and shall be as unobtrusive as possible. Garage doors shall either be entirely flat or shall have approximately square panels. Horizontally paneled doors are prohibited. Windows shall be either double or single-hung units of a similar proportion to the windows on the structure building or shall be six-paned (three panes across and two panes high) units similar to those seen on 1920s era garages. Siding may either match the siding on the structure building or be narrow-gauge clapboard, vertical board-and batten, or a smooth stucco or stucco-like applied material. The roof shape shall have a pitch and style similar to the roof shape on the structure building. The roof material shall match as closely as possible the material on the structure building. Alteration of existing accessory structures buildings shall comply with this subdivision Subdivision and with subdivision Subdivision (d). (Am. by ORD-12-00134, 1-2-13)
 - Fences Chain link and rustic style fences, such as rough sawn wood or split rails, are prohibited in the front yard.
 - 3. <u>Retaining Walls in Front Yards</u>. -For retaining walls in front yards, railroad ties, landscape timbers, boulders, and concrete blocks are prohibited. Poured concrete walls with a smooth rubbed finish and under twenty-four (24) inches in height, flagstone and stone ashlar are permitted. Proposals to construct front yard retaining walls of other materials must be submitted to Landmarks Commission for approval prior to installation.

(g-

Formatted: Indent: Left: 1", Hanging: 0.5"

33 - 53 Rev. 12/15/12

Sec. 33.19(14)(g)

- (g) <u>Conformance With Regulations; Maintenance of the District; Conditions Dangerous to Life, Health and Property; Penalties for Violations; Separability.</u> The First Settlement Hill Historic District shall be subject to the provisions established in Sections 33.19(7) through (9), and (15) through (17) of the Madison General Ordinances.
- (h) Reference to Plan. The history of the First Settlement Historic District is derived from the Downtown Historic Preservation Plan, City of Madison Department of Planning and Community and Economic Development, 1998."-

(Sec. 33.01(14) Cr. by Ord. 13,001, 2. __-8-02)

(15) <u>Variances</u>.

(a) Authority. The City Attorney is directed to make corresponding changes to other City ordinances to reflect these changes related to the Landmarks Commission may vary the criteria for review of additions, exterior alterations or repairs for designated landmarks, landmark sites and improvements in any Historic District and the criteria for new construction in any Historic District in harmony with the general purpose and intent to preserve the historic character of landmarks, landmark sites and of each Historic District only in the specific instances hereinafter set forth and only if the proposed project will be visually compatible with the historic character of all buildings directly affected by the project and of all buildings within the visually related area.

The variance procedure and standards are designed to prevent undue hardships caused by application of the strict letter of the regulations of this chapter and to encourage and promote improved aesthetic design by allowing for greater freedom, imagination and flexibility in the alteration of existing buildings and the construction of new buildings within an Historic District while ensuring substantial compliance with the basic intent of the ordinance.

Formatted: Font: Times New Roman

Formatted: Indent: Left: 0"

- (b) Application for Variance and Notice of Hearing. An application for a variance shall be filed with the Landmarks Commission. After the filing of such application, a public hearing shall be held thereon. Notice of such hearing shall be published as a Class 1 notice under the Wisconsin Statutes. At least ten (10) days prior to the hearing, the Commission shall notify the owners of record, as listed in the office of the City Assessor, who are owners of property in whole or in part situated within two hundred (200) feet of the boundaries of the property affected. Notice of the time, place and purpose of the hearing shall also be sent to the alderperson of the ward in which the property affected is located.
- (c) <u>Standards</u>. The Landmarks Commission shall not vary the regulations of this ordinance unless it makes findings of fact based upon the evidence presented to it in each specific case that one or more of the following conditions is present:
 - The particular physical characteristics of the specific building or site involved would result in a substantial hardship upon the owner as distinguished from a mere inconvenience, if the strict letter of the regulations were to be carried out, provided that the alleged difficulty or hardship is created by this ordinance and has not been created by any person presently having an interest in the property.
 In the case of the alteration of an existing building, the proposed design would incorporate materials details or other elements not permitted by the ordinance.
 - 2. In the case of the alteration of an existing building, the proposed design would incorporate materials, details, or other elements not permitted by the ordinance but which can be documented by photographs, architectural or archaeological research or other suitable evidence to have been used on other buildings of a similar vintage and style in the Historic District in which the building is located, provided that the project will not destroy significant architectural features on the building.

In the case of new construction, the proposed design incorporates materials, Formatted: Left: 1", Right: 0.75", Top: 0.7", details, setbacks, massing or other elements that are not permitted by the Bottom: 0.7", Different first page header ordinance but which would enhance the quality of the design for the new building or structure, provided that said new building or structure otherwise complies with the criteria for new construction in the Historic District in which the building or structure is proposed to be located and provided further that it would also have a beneficial effect on the historic character of the visually Authorized Variances. Variances shall be granted by the Landmarks Commission only in accordance with the standards set forth in (13)(c) above, and may be granted only in the following instances: To permit residing with a material or in a manner not permitted under this chapter. To allow additions visible from the street or alterations to street facades which are not compatible with the existing building in design, scale, color, texture, proportion of solids to voids or proportion of widths to heights of doors and windows. To allow materials and/or architectural details used in an alteration or addition to differ in texture, appearance and design from those used in the original construction of the existing building. To permit the alteration of a roof shape otherwise prohibited under this chapter. To permit the use of roofing materials otherwise prohibited under this chapter. To allow use of materials for new construction which use would be otherwise prohibited under Sec. 33.19(12)(f)1.b. (Sec. 33.01(13) Renumbered by Ord. 10,871, Adopted 3-15-94) Penalties for Violations, Any person violating any provision of this section shall be subject to Formatted: Font: Bold a minimum forfeiture of two hundred fifty dollars (\$250) and a maximum forfeiture of five hundred dollars (\$500) for each separate violation. A second offense within thirty-six (36) months shall be subject to a minimum forfeiture of five hundred dollars (\$500) for each separate violation. A third violation within thirty-six (36) months shall be subject to a minimum forfeiture of one thousand dollars (\$1000) for each separate violation. Each and every day during which a violation continues shall be deemed to be a separate offense.

Formatted: Indent: Left: 0", First line: 0"

(Renumbered by Ord. 10.871, 3-15-94; Am. by ORD-09-00119, 8-11-09)

is held invalid, the remainder of this chapter and the application of such provisions to other persons or circumstances shall not be affected thereby. (Renumbered by Ord. 10,871, Adopted 3-15-94

Separability. If any provision of this chapter or the application thereof to any person or circumstances