







SITE DESIGN | SITE PERSPECTIVE












BUILDING DESIGNS | ELEVATIONS





BUILDING DESIGNS | ELEVATIONS





THE PRODUCTIVE ROOF









GENERAL SHEET NOTES

- IMPROVEMENTS DEPICTED IN THE RIGHT-OF-WAY ARE FOR INFORMATION ONLY. THE RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANY TIME PER THE RECOMMENDATION / PLAN OF TRAFFIC ENGINEERING AND CITY ENGINEERING DEPARTMENTS.
- NO VISUAL OBSTRUCTIONS ARE ALLOWED BETWEEN THE HEIGHTS OF 30 INCHES AND 10 FEET WITHIN DRIVEWAY & INTERSECTION VISION TRIANGLES.
- DISTURBED AREAS SHALL BE GRADED, SEEDED, AND PLANTED TO MINIMIZE EROSION.
- ALL PLANTING AREAS TO RECEIVE 12" PLANTING SOIL. ALL SEED AREAS TO RECEIVE 6" PLANTING SOIL. FRACTURE & DEEP-TILL SUBGRADE IN PLANTING AREAS PRIOR TO FINAL GRADING AND PLANTING SOIL MIX SHALL INCLUDE 50% COMPOST-50% TOPSOIL.
- ALL PLANTING BEDS TO RECEIVE DOUBLE SHREDDED HARDWOOD BARK MULCH (2.3" THICK) UNLESS NOTEO OTHERWISE. VOIDS IN PLANTINGS AROUND BUILDING FOUNDATIONS SHALL RECEIVE 3" MIN. DEPTH MULCH.

Issued For	Revision	Date

PROJECT TEAM
THEBRICAD BULLOS
WYSER DISONEERING
SERPHIJA DELICH

BRANDU

design + landscape architecture
301 sant CUAR 31
IAMBOR VILSTI1
Inversus design com

right © 2025 Threshold Builds, LLC

ROOF TERRACE LANDSCAPE PLAN

THRESHOLD BUILDS

L101



ARTISTIC ECOLOGY: A QUIET PLACE FOR PLANTS, POLLINATORS, & PEOPLE













ANGULAR PATH CREATES MYSTERY



GENERAL SHEET NOTES

- IMPROVEMENTS DEPICTED IN THE RIGHT-OF-WAY
 ARE FOR INFORMATION ONLY. THE RIGHT-OF-WAY
 IS THE SOLE JURISDICTION OF THE CITY OF
 MADISON AND IS SUBJECT TO CHANGE AT ANY TIME
 PER THE RECOMMEDATION / PLAN OF TRAFFIC
 ENGINEERING AND CITY ENGINEERING
 DEPARTMENTS.
- NO VISUAL OBSTRUCTIONS ARE ALLOWED BETWEEN THE HEIGHTS OF 30 INCHES AND 10 FEET WITHIN DRIVEWAY & INTERSECTION VISION TRIANGLES.
- DISTURBED AREAS SHALL BE GRADED, SEEDED, AND PLANTED TO MINIMIZE EROSION.
- 4. ALL PLANTING AREAS TO RECEIVE 12" PLANTING SOIL. ALL SEED AREAS TO RECEIVE 6" PLANTING SOIL. FRACTURE & DEEP-TILL SUBGRADE IN PLANTING AREAS PRIOR TO FINAL GRADING AND PLANTING. PLANTING SOIL MIX SHALL INCLUDE 50% COMPOST-50% TOPSOIL.
- ALL PLANTING BEDS TO RECEIVE DOUBLE SHREDDED HARDWOOD BARK MULCH (2-3" THICK) UNLESS NOTED OTHERWISE. VOIDS IN PLANTINGS AROUND BUILDING FOUNDATIONS SHALL RECEIVE 3" MIN. DEPTH MULCH.







L100




LEVEL 01 FLOOR PLAN



LEVEL 02 FLOOR PLAN





LEVEL 03 FLOOR PLAN

LEVEL 04 FLOOR PLAN

BUILDING DESIGNS | FLOOR PLANS