



SHEET NOTES

- A. CONTRACTOR SHALL EXCAVATE EXISTING ASPHALT SURFACE AND AGGREGATE BASE TO ALLOW FOR 3.5 INCHES OF NEW ASPHALT AND 9 INCHES OF NEW AGGREGATE BASE
- B. CURB AND GUTTER SHALL BE REMOVED AND REPLACED AT LOCATIONS SHOWN ON PLANS AND MARKED BY ENGINEER ONLY
- C. PROTECT TREES WITHIN CONSTRUCTION LIMITS. SEE SPECIFICATIONS
- D. CONTRACTOR SHALL SCHEDULE ALL WORK SUCH THAT ALL EXCAVATED AREAS ARE COVERED IN AGGREGATE BASE COURSE AT THE END OF EACH WORKING DAY PRIOR TO ANY RAINFALL EVENT.
- E. THE CONTRACTOR SHALL INSTALL DOT TYPE D INLET PROTECTION IN ALL EXISTING INLETS AND ALL NEW INLETS DURING CONSTRUCTION WITHIN THE PROJECT LIMITS AND AS REQUIRED BY THE ENGINEER.
- F. CONTRACTOR TO VERIFY EXISTING STORM SEWER INLETS AT PROPOSED STORM SEWER CONNECTIONS TO ENSURE POSITIVE DRAINAGE.
- G. CONTRACTOR TO RE-GRADE AREAS ADJACENT TO THE PROPOSED INLET AND OUTLETS WITH A MAXIMUM SIDE SLOPE OF 3:1.
- H. CONTRACTOR TO POTHOLE EXISTING UTILITIES AT PROPOSED STORM SEWER CROSSINGS TO ENSURE CONFLICTS ARE MITIGATED. WHEREIN INSTANCES OF SERVICE DISRUPTIONS ARE ANTICIPATED, CONTRACTORS TO NOTIFY THE APPROPRIATE UTILITIES BEFORE CONSTRUCTION.

KEYED NOTES

- 1 STONE CHECK DAM
- 2 FULL DEPTH PAVEMENT REMOVAL

SCIENCE DRIVE SEWER IMPROVEMENTS
MADISON, WISCONSIN

Owner:
UNIVERSITY RESEARCH PARK

SMITHGROUP JJR

44 EAST MIFFLIN STREET
SUITE 500
MADISON, WI 53703
608.251.1177
www.smithgroupjjr.com

ISSUED FOR	REV	DATE

SEALS AND SIGNATURES

NOT FOR CONSTRUCTION

KEY PLAN

DRAWING TITLE
Storm Sewer Plan & Profile

SCALE:

SCALE 24428.013

PROJECT NUMBER
C202

DRAWING NUMBER

FILE P: \24428.013\CAD\C\Sheet\24428-C-202.dwg USER: chareley DATE: Jul, 06 2017 TIME: 04:57 pm

ALTERNATIVE A