



March 27, 2008

Mr. Tom Starkweather
Planning Design Build
901 Deming Way
Madison, Wisconsin 53717

RE: 1209 Deming Way SW Office Addition

This letter will acknowledge that the Old Sauk Trails Park Architectural Review Board has received and approved the drawings received March 14, 2008 from Planning Design Build on behalf of TomoTherapy, Inc. for 1209 Deming Way as follows:

1. 20070880-A100 Site Plan;
2. 20070880-A201 Partial First Floor Plan;
3. 20070880-A202 Second Floor Plan;
4. 20070880-A301 Building Elevations;
5. 20070880-L100 Landscape Plan;
6. Civil Drawings C104 Site Details;
7. Civil Drawings C102 Site Grading & Erosion Control Plan;
8. Civil Drawings C103 Site Utility Plan.

In addition, the Old Sauk Trails Park Architectural Review Board also reaffirms the approval of the additional northern parking lot at the northwest corner of 1209 Deming Way This is outlined on the attached site plan dated March 14, 2008.

Very truly yours,

Old Sauk Trails Park Architectural Review Board


Mary Fritsch
Office Manager

Cc: Andy Van Haren


Developed By

The Gialamas Company, Inc.


□ 8020 Excelsior Drive □ Madison, WI 53717 □ PHONE: 608/836-8000
□ FAX: 608/836-7863 □ e-mail: george@gialamas.com □ <http://www.gialamas.com>



PARTIAL FIRST FLOOR PLAN




DRAINAGE FLUME PLAN VIEW




DRAINAGE FLUME LONGITUDINAL SECTION


- NOTES:**
1. A MINIMUM OF 2 SIDEWALK SECTIONS SHALL BE REMOVED AND RECONSTRUCTED TO ACCOMMODATE THE INSTALLATION OF THE FLUME COVER.
 2. ALL REINFORCING BARS SHALL BE EPOXY COATED.
 3. ALL REINFORCING BARS SHALL BE EPOXY COATED.
 4. SIDEWALK AND SIDEWALK CURBING TO BE POURED MONOLITHIC.



TERRACE CONCRETE FLUME COVER PLAN VIEW



DRAINAGE FLUME AT TERRACE CROSS SECTION



DRAINAGE FLUME AT SIDEWALK CROSS SECTION


ON GRADE IMPERVIOUS AREA IN SQUARE FEET

COVER SIZE (FT)	COVER AREA (SQ FT)	REBAR AREA (SQ FT)	CONCRETE AREA (SQ FT)	GRADE (FEET)	GRADE PER FOOT OF PIPE & FLUME
12"x12"	144	144	144	1.50	1.50
18"x18"	324	324	324	1.50	1.50
24"x24"	576	576	576	1.50	1.50
30"x30"	900	900	900	1.50	1.50
36"x36"	1296	1296	1296	1.50	1.50
42"x42"	1764	1764	1764	1.50	1.50
48"x48"	2304	2304	2304	1.50	1.50
54"x54"	2916	2916	2916	1.50	1.50
60"x60"	3600	3600	3600	1.50	1.50
66"x66"	4356	4356	4356	1.50	1.50
72"x72"	5184	5184	5184	1.50	1.50
78"x78"	6084	6084	6084	1.50	1.50
84"x84"	7056	7056	7056	1.50	1.50
90"x90"	8100	8100	8100	1.50	1.50
96"x96"	9216	9216	9216	1.50	1.50
102"x102"	10404	10404	10404	1.50	1.50


NOTE: INCREASE ROOF AREAS BY 25% PRIOR TO USING CHART

DRAINAGE FLUME DETAIL


SITE DETAILS



BIORETENTION PLAN VIEW



BIORETENTION PROFILE



BIORETENTION CROSS SECTION

