

This is an aerial map of a residential neighborhood in Madison, WI. The map shows property lines, lot numbers, and street names. A red rectangle highlights a specific block of properties, labeled "BLOCK 6". The streets shown are Center St, Fisher St, Baird St, and Dane St. The map includes various lot numbers and dimensions, as well as utility lines and easements. The highlighted block contains lots 1 through 14, with dimensions ranging from 44.0' to 132.0'. The map also shows other blocks and lots in the surrounding area, with dimensions and lot numbers visible. The map is overlaid with a grid of pink lines, likely representing property boundaries or easements. The text "BLOCK 6" is written in green in the center of the highlighted area. The text "Dane St" is written in white at the bottom of the map. The text "Center St" is written in white at the top of the map. The text "Fisher St" is written in white on the left side of the map. The text "Baird St" is written in white on the right side of the map. The text "Dane St" is written in white at the bottom of the map. The text "BLOCK 6" is written in green in the center of the highlighted area. The text "Dane St" is written in white at the bottom of the map. The text "Center St" is written in white at the top of the map. The text "Fisher St" is written in white on the left side of the map. The text "Baird St" is written in white on the right side of the map. The text "Dane St" is written in white at the bottom of the map. The text "BLOCK 6" is written in green in the center of the highlighted area.

- Developer to complete the Certified Survey Map (CSM) required for the redevelopment. Provide a public storm sewer easement on the face of the CSM to replace the existing easement that is being rerouted with the development.
- Developer to reroute existing storm sewer pipe to a location reviewed and approved by Engineering Stormwater staff. Provide Engineering Stormwater staff the proposed sizing, slope for review and approval.
- Developer to maintain pedestrian access and obtain a Street Occupancy permit as needed and submit a Traffic Control Plan for any improvements in the right-of-way to a plan approved by the City Traffic Engineer.

- Developer to construct private sanitary, storm, and water service laterals as needed to serve the redevelopment.
- Developer to coordinate with City Forestry to provide plans for two (2) public street terrace trees adjacent to the project on Fisher Street and Baird Street to a plan approved by City Forestry.
- Developer to obtain all necessary street tree removal permits from City Forestry. Currently there are two (2) planned street tree removals associated with this project; one (1) on Fisher Street to be removed by the Developer and one (1) on Baird Street to be removed by City Forestry due to its condition.
- Developer to repair or replace existing public sidewalk, curb and gutter, street terrace, and street pavement as necessary to accommodate the private redevelopment project.



LEGEND (PROPOSED)


- PROPOSED PROPERTY BOUNDARY
- EASEMENT
- BUILDING FOOTPRINT
- 18" CURB AND GUTTER
- ASPHALT PAVEMENT
- CONCRETE PAVEMENT
- PROPOSED WATER MAIN
- PROPOSED SANITARY SEWER
- PROPOSED STORM SEWER
- PROPOSED GAS SERVICE (DESIGN BY OTHERS)
- PROPOSED ELECTRIC SERVICE (DESIGN BY OTHERS)
- STORMWATER TREATMENT FACILITY

NORTH



0' 10' 20' 30'

1" = 20' on 30"x42"

NTS on 11"x17"



LEGEND (PROPOSED)



GENERAL NOTES

1. UNDERLYING SITE CONTOURS AND INFORMATION BASED ON TOPOGRAPHIC & UTILITY DATA AS SURVEYED BY WYSER ENGINEERING ON THE WEEK OF FEBRUARY 15, 2026. WYSER ENGINEERING SHALL NOT BE HELD RESPONSIBLE FOR ANY ERRORS OR OMISSIONS THAT MAY ARISE AS A RESULT OF ERRONEOUS OR INCOMPLETE INFORMATION PROVIDED BY OTHERS. CONTRACTOR TO CONFIRM ALL ELEVATIONS, GENERAL DRAINAGE AND EARTHWORK REQUIREMENTS PRIOR TO CONSTRUCTION.
2. THE BENCHMARK LOCATIONS ARE SHOWN FOR REFERENCE ONLY ON THIS PLAN. THE BENCHMARKS SHALL BE VALIDATED BY LICENSED LAND SURVEYOR PRIOR TO CONSTRUCTION. CONTRACTOR ASSUMES RISK ASSOCIATED WITH BENCHMARK ELEVATIONS UNTIL CONFIRMED.
3. CONTRACTOR TO OBTAIN APPROPRIATE PERMITS FOR STREET OPENINGS & TO WORK WITHIN THE CITY'S LAND IF REQUIRED.
4. WYSER ENGINEERING SHALL BE HELD HARMLESS AND DOES NOT WARRANT ANY DEVIATIONS BY THE OWNER OR CONTRACTOR FROM THE APPROVED CONSTRUCTION PLANS THAT MAY RESULT IN DISCIPLINARY ACTIONS BY REGULATORY AGENCIES.
5. IF ANY ERRORS, DISCREPANCIES, OR OMISSIONS WITHIN THE PLAN BECOME APPARENT, IT SHALL BE BROUGHT TO THE ATTENTION OF THE ENGINEER PRIOR TO CONSTRUCTION SO THAT CLARIFICATION OR REDESIGN MAY OCCUR.
6. ALL MUNICIPAL UTILITY CONNECTIONS, WORK IN ROW, PUBLIC OUTLOTS AND PUBLIC EASEMENTS SHALL BE IN ACCORDANCE WITH CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
7. CONTRACTOR SHALL TAKE PRECAUTIONS DURING CONSTRUCTION TO NOT DISFIGURE, SCAR, OR IMPAIR THE HEALTH OF ANY STREET TREE. CONTRACTOR SHALL OPERATE EQUIPMENT IN A MANNER AS TO NOT DAMAGE THE BRANCHES OF THE STREET TREES. THIS MAY REQUIRE USING SMALLER EQUIPMENT AND LOADING AND UNLOADING MATERIALS IN A DESIGNATED SPACE AWAY FROM TREES ON THE CONSTRUCTION SITE. ANY DAMAGE OR INJURY TO EXISTING STREET TREES (EITHER ABOVE OR BELOW GROUND) SHALL BE REPORTED IMMEDIATELY TO CITY FORESTRY AT (608) 266-4816. PENALTIES AND REMEDIATION SHALL BE REQUIRED.
8. AS DEFINED BY THE SECTION 107.13 OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION, NO EXCAVATION IS PERMITTED WITHIN 1 FOOT PER TREE DBH OF THE TRUNK OF THE STREET TREE OR WHEN CUTTING ROOTS OVER 3 INCHES IN DIAMETER. IF EXCAVATION IS NECESSARY, THE CONTRACTOR SHALL CONTACT MADISON CITY FORESTRY AT (608) 266-4816 PRIOR TO EXCAVATION. CITY OF MADISON FORESTRY PERSONNEL SHALL ASSESS THE IMPACT TO THE TREE AND TO ITS ROOT SYSTEM PRIOR TO WORK COMMENCING. TREE PROTECTION SPECIFICATIONS CAN BE FOUND ON THE FOLLOWING WEBSITE: <https://www.cityofmadison.com/business/pw/specs.htm>
9. SECTION 107.13(G) OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION (WEBSITE: [HTTPS://WWW.CITYOFMADISON.COM/BUSINESS/PW/SPECS.CTM](https://www.cityofmadison.com/business/pw/specs.htm)) ADDRESSES SOIL COMPACTION NEAR STREET TREES AND SHALL BE FOLLOWED BY CONTRACTOR. THE STORAGE OF PARKED VEHICLES, CONSTRUCTION EQUIPMENT, BUILDING MATERIALS, REFUSE, EXCAVATED SPOILS OR DUMPING OF POISONOUS MATERIALS ON OR AROUND TREES AND ROOTS WITHIN 1 FOOT PER TREE DBH OF THE TREE OR WITHIN THE PROTECTION ZONE IS PROHIBITED.
10. ON THIS PROJECT, STREET TREE PROTECTION ZONE FENCING IS REQUIRED. THE FENCING SHALL BE ERECTED BEFORE THE DEMOLITION, GRADING OR CONSTRUCTION BEGINS. THE FENCING SHALL INCLUDE THE ENTIRE WIDTH OF TERRACE AND EXTEND AT LEAST 1 FOOT PER TREE DBH ON BOTH SIDES OF THE OUTSIDE EDGE OF THE TREE TRUNK. DO NOT REMOVE THE FENCING TO ALLOW FOR DELIVERIES OR EQUIPMENT ACCESS THROUGH THE TREE PROTECTION ZONE.
11. STREET TREE PRUNING SHALL BE COORDINATED WITH CITY FORESTRY AT A MINIMUM OF TWO WEEKS PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT. CONTACT CITY FORESTRY AT (608) 266-4816. ALL PRUNING SHALL FOLLOW THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) A300 - PART 1 STANDARDS FOR PRUNING.

PROPOSED STREET TREE TABLE					EXISTING STREET TREE TABLE (SEE STREET TREE REPORT)			
STREET TREE NUMBER	SIZE	STOCK TYPE	COMMON NAME	BOTANICAL NAME	STREET TREE NUMBER	TREE SPECIES (COMMON NAME)	TRUNK DIAMETER (DBH)	REMOVAL (R) REQUESTED BY APPLICANT?
1	1.5'	POT	Streetkeeper Honeylocust	<i>Gleditsia triacanthos 'Draves'</i>	1	NORWAY MAPLE	21	NO
2	1.5'	POT	Tupelo 'Afterburner' or 'Majestic'	<i>Nyssa sylvatica 'David Odum'</i> or <i>Nyssa sylvatica 'MONNZ'</i>	2	NORWAY MAPLE	18	NO
3	1.5'	POT	Hackberry	<i>Celtis occidentalis</i>	3	NORWAY MAPLE	15	NO
4	1.5'	POT	Tupelo 'Afterburner' or 'Majestic'	<i>Nyssa sylvatica 'David Odum'</i> or <i>Nyssa sylvatica 'MONNZ'</i>	4	MUSCLEWOOD 'FIRESPIRE'	5	NO
5	1.5'	POT	Espresso Kentucky Coffeetree	<i>Gymnocladus dioica 'Espresso'</i>	5	KENTUCKY COFFEETREE	6	YES
6	1.5'	POT	Streetkeeper Honeylocust	<i>Gleditsia triacanthos 'Draves'</i>	6	NORWAY MAPLE	17	NO*
7	1.5'	POT	Kentucky coffee tree 'Skinny Latte'	<i>Gymnocladus dioica 'Skinny Latte'</i>	* FORESTRY WILL REMOVE DUE TO POOR CONDITION. STREETS WILL GRIND STUMP.			
8	1.5'	POT	Princeton Sentry Ginkgo	<i>Ginkgo biloba 'Princeton Sentry'</i>				

Note: Developer to provide Terrace excavation for tree planting, per SDD 2.18. Contractor shall have utilities marked and contact City Forestry (608) 266-4816 at least one week prior to excavation to approve nursery tree stock and determine final location of future planting sites.

