PLANNING UNIT REPORT DEPARTMENT OF PLANNING AND DEVELOPMENT November 7, 2005

RE: I.D. #01702, Zoning Map Amendment I.D. 3117, to rezone 1433 Monroe Street from M1 to C3 and I.D. # 01866, Conditional Use Application for the same

- 1. Requested Action: Approval of a request to rezone a 1.48-acre parcel located at 1433 Monroe Street from M1 (Limited Manufacturing District) and C3 (Highway Commercial District) to M1 and approval of a conditional use to allow construction of a new credit union with drive-thru windows.
- 2. Applicable Regulations: Section 28.12 (9) provides the process for zoning map amendments. Section 28.12 (11) provides the guidelines and regulations for the approval of conditional uses.
- 3. Report Drafted By: Timothy M. Parks, Planner

GENERAL INFORMATION

1. Applicant: Lisa Aumann, PLANNING Design Build, Inc.; 901 Deming Way, Suite 102; Madison, Wisconsin 53717.

Agent: Jeremy Frommelt, PLANNING Design Build, Inc.

Property Owner: University of Wisconsin Credit Union; 3500 University Avenue; Madison, Wisconsin 53705; Brad McClain, representative.

- 2. Development Schedule: The applicant wishes to begin construction as soon as all necessary land use approvals have been granted, with completion anticipated circa June 1, 2006.
- 3. Location: Approximately 1.48 acres located on the south side of Monroe Street between Regent Street and N. Randall Avenue; Aldermanic District 5; Madison Metropolitan School District.
- 4. Existing Conditions: Existing two-story UW Credit Union facility and surface parking lot, zoned C3 (Highway Commercial District) and M1 (Limited Manufacturing District).
- 5. Proposed Land Use: The existing credit union building will be sold to the University of Wisconsin for expansion of its campus police department facilities while a new credit union with three drive-thru windows will be constructed on the western portion of the site.
- Surrounding Land Use and Zoning:
 North: Camp Randall Stadium and University of Wisconsin Fieldhouse, zoned R5/ PUD-SIP;

South: The Regent Apartments, zoned R6 (General Residence District); Wisconsin Southern Railroad right of way;

East: University of Wisconsin police Department, zoned C3 (Highway Commercial District) and M1 (Limited Manufacturing District);

West: Madison Fire Department Station #4, zoned C3; Monroe-Regent Street intersection.

- 7. Adopted Land Use Plan: This area is identified as "Residential, Medium Density Mixed Unit District" according to the 1988 Land Use Plan. The Draft Comprehensive Plan tentatively recommends a "Neighborhood Mixed-Use District" for the south side of Monroe Street opposite Camp Randall Stadium, including this site.
- 8. Environmental Corridor Status: The subject site is not located in a mapped environmental corridor.
- 9. Public Utilities & Services: A full range of urban services serves the property.

STANDARDS FOR REVIEW

This application is subject to the standards for zoning map amendments and the standards for conditional use permits.

PREVIOUS HEARING

The Plan Commission referred this matter at its September 19, 2005 meeting to the Pedestrian/Bicycle/ Motor Vehicle Commission and the Urban Design Commission, citing concerns about the location of the proposed credit union and the amount of off-street parking proposed. The applicant revised their plans on October 12 and received recommendations of approval from the Urban Design Commission on October 19 and Pedestrian/ Bicycle/ Motor Vehicle Commission on October 25, 2005. The report of the Urban Design Commission is attached.

PLAN REVIEW

The applicant is requesting approval to rezone the subject property from M1 and C3 to C3 to facilitate development of a 3,774 square-foot, one-story credit union building with three drive-thru lanes. The site is comprised of 1.48 acres of land located on the south side of Monroe Street, approximately midway between Regent Street and N. Randall Avenue. The site includes a 0.03-acre strip of property located in the southwestern corner of the property that the property owner has purchased from the Wisconsin Department of Transportation, who controls the railroad right of way that extends along the southern boundary of the site.

819

The property is currently developed with a 12,500 square-foot, two story credit union building located on the eastern half of the parcel. The existing credit union includes approximately 3,600 square feet of office space leased to the University of Wisconsin Police Department, whose offices are located on the next parcel east of the site on Monroe Street. The existing credit union includes three drive-thru lanes located along the south wall. Parking for approximately 75 spaces is located generally west of the building, including 25 spaces organized around a center landscaped island that also includes the site's bicycle parking. Access to the site is provided by two-way driveway located in the northwestern corner of the property and a common driveway located along the eastern property line that is shared with the adjacent UW police facility. Egress from the drive-thru lanes serving the existing credit union use the eastern shared driveway.

The site currently has split zoning, with approximately the northern 60 percent of the property zoned C3. The remaining 40 percent of the property is zoned M1. The C3 zoning line is drawn approximately 180 feet south of and parallel to the centerline of Monroe Street and extends the length of the Monroe Street blockface between Regent Street and N. Randall Avenue. The M1 zoning present in the Monroe-Randall-Regent block is a remnant dating back to the interior of the block's historical use as home to a number of railroad-oriented land uses that included a lumberyard, fuel storage tanks and two coal distributors.

The new credit union with drive-thru will be constructed on the western 0.64-acres of the subject property. The property owner proposes to divide the 1.48-acre parcel via a Certified Survey Map, which has been approved administratively. The existing credit union/office building will remain on a separate 0.84-acre parcel, which the University has an option to purchase. The UW intends to convert the building into additional space for the UW Police Department in the interim pending a future redevelopment of the two parcels. No plans for redevelopment of the police facility have been presented.

The proposed credit union will now be located along the Monroe Street sidewalk near the eastern property line. It had previously been proposed near the center of the western lot in the approximate location of the existing landscaped island. Parking for 21 automobiles will be provided along the western and southern property lines, with 13 bicycle parking stalls to be provided adjacent to the entrance to the credit union. The existing driveway located in the northwestern corner of the site will continue to provide the sole vehicular access to the site.

The drive-thru windows for the new credit union have been shifted from the eastern, side wall to the southern, rear wall of the building. Thirteen of the 21 parking stalls will be located along the western wall and will be accessed from a two-way drive aisle extending from Monroe Street; the spaces are intended for customer parking. The three-lane drive-thru service for the new credit union includes two teller lanes (a reduction from the three teller lanes originally proposed) with a third lane that will serve both as access to a drive-up automated teller machine (ATM) and as a bypass to allow vehicles wishing to avoid the teller lanes to exit the property. Vehicles exiting

8.9

the drive-up service area will loop clockwise around a landscaped island past the remaining eight parking stalls, which have been reserved for employee parking. A six-foot tall wood paneled dumpster enclosure will be located in the southeastern corner of the property.

The existing credit union will remain open during construction of the new facility next door. However, because the new facility will be constructed over most of the parking that serves the existing facility, a parking reduction was required. The existing credit union requires 42 parking stalls per the Zoning Ordinance. The developer has entered into an agreement with the UW to lease parking stalls in the University's Lot 19 facility across Monroe Street from the site to supplement the parking lost across the street, resulting with a parking reduction request that will be processed by the Zoning Administrator.

The new credit union building will be of a modern design and will be constructed primarily of two-toned EIFS panels accented with a brick wainscot and vertical metal panels and topped with an angled metal-panel canopy over the drive-thru lanes. The public entrance to the building will be located along the western half of the northern elevation facing Monroe Street and will be sheltered by a smaller metal canopy similar to the one over the drive-thru. Walk-up ATMs are proposed on the northwestern and northeastern corners of the building. Signs identifying the credit union will be placed on the north and south elevations.

Landscaping for the new credit union site features a row of ash and maple trees to be installed along the western and southern property lines and in the landscaped island between the employee parking area and drive-thru. A mix of deciduous shrubs and ornamental trees will be planted along the eastern property line adjacent to a bike path spur that will be extended between the Southwest Bike Path and Monroe Street between the new and existing credit union buildings. An existing row of shrubs that extend along the northern property line will be removed in favor of new low-laying shrubs and perennials that will accent plazas that will connect the building to the Monroe Street sidewalk.

EVALUATION AND CONCLUSION

The Planning Unit supports the rezoning of the 1.48-acre property entirely to C3 zoning and is very supportive of the development of the new credit union facility with drive-thru on the western 0.64 acres of the overall property based on the revised site plans that place the building adjacent to the Monroe Street sidewalk. The new building should provide the block opposite Camp Randall Stadium and the UW Fieldhouse with a much-needed visual enhancement of the block by developing what is now large surface parking lot and improve the street wall on the south side of Monroe Street. The relocation of the building was made possible by a variance granted by the City Traffic Engineer to reduce the amount of queuing required for each of the drive-up lanes by approximately half.

The Planning Unit, however, continues to recommend that the building materials utilized with the new credit union be amended to reduce the amount of EIFS that will be used. Staff believes that more durable materials should be used while maintaining the aesthetic character of the building intended by the developer. The applicant has indicated that the building architecture and materials chosen are done so in an effort to obtain LEED (Leadership in Energy and Environmental Design) certification for the new building. There was considerable discussion at the Urban Design Commission (UDC) about the use of EIFS around the base of the building. The UDC did not include any formal comments on the building materials in their recommendation because they felt the referral from the Plan Commission was germane only to the location of the proposed building and that commenting on building materials would be inappropriate. Fiber cement boards or textured concrete panels should strongly be considered in lieu of the EIFS while still maintaining the intended LEED certification.

RECOMMENDATION

The Planning Unit recommends that the Plan Commission forward Zoning Map Amendment I.D. 3117, rezoning 1433 Monroe Street from C3 and M1 to C3, to the Common Council with a recommendation of approval, and that the Commission find the conditional use standards met and approve a planned residential development, subject to input at the public hearing, approval of the rezoning, and the following conditions:

- 1. Comments from reviewing agencies.
- 2. That the building elevations be revised per Planning Unit approval to incorporate additional brick veneer on the elevations where brick is currently proposed, and for the amount of EIFS to be significantly reduced and replaced with a more durable building materials, which may include fiber cement panels, textured concrete panels or additional masonry.
- 3. That the curb cut [onto Monroe Street] be provided at the best possible location as determined by the Alder and/or Traffic Engineering per the recommendation of the Pedestrian/ Bicycle/ Motor Vehicle Commission.



Traffic Engineering Division

David C. Dryer, City Traffic Engineer

Madison Municipal Building 215 Martin Luther King, Jr. Boulevard P.O. Box 2986 Madison, Wisconsin 53701-2986 PH 608/266-4761 TTY 608/267-9623 FAX 608/267-1158

September 8, 2005 Rev: November 1, 2005

TO:

Plan Commission

FROM:

David C. Dryer, P.E., City Traffic Engineer

SUBJECT:

1433 Monroe Street - Rezoning / Conditional Use M1 to C3 - New Credit

Union w/Drive-Up

The City Traffic Engineering Division has reviewed the subject development and has the following comments.

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

- 1. If the parking spaces are to be accessory parking on special event for the University of Wisconsin. The subject conditional use is conditionally approved provided the subject accessory parking is used, managed and operated in accordance with the Cityapproved Stadium / Kohl Center Transportation Management Plan (TMP). The applicant should contact the UW Athletic Dept. The applicant should provide a letter of approval from the UW Athletic Dept. about management and operating the accessory parking.
- 2. The applicant should submit revised site plans for existing 1433 Monroe St. credit union site according to M.G.O.

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

- 3. When the applicant submits final plans for approval, the applicant shall show the following: items in the terrace as existing (e.g., signs and street light poles), type of surfaces, existing property lines, one contiguous plan (showing all easements, all pavement markings, building placement, and stalls), adjacent driveway approaches to lots on either side, signage, percent of slope, vehicle routes, dimensions of radii, aisles, driveways, stalls including the two (2) feet overhang, and a scaled drawing at 1" = 20'.
- 4. The applicant will need to show service points and ATM machine. The drive-thru shall be clearly identified with pavement markings and signage and the service point shall be

8.9

shown. The Applicant shall provide to Traffic Engineering for approval, a Queuing Model showing provision for adequate queue storage of vehicles per service point that prevents queue interference with pedestrian or other vehicular movements.

- 5. The applicant should show the dimensions for proposed and existing parking stalls' items A, B, C, D, E, F, and O for degree of angle parking width and backing up, according to Figures II "Medium and Large Vehicles" parking design standards in Section 10.08(6)(b) 2. The applicant shall note the 2 ft. vehicle overhang to exclude trees, bushes & signs.
- 6. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
- 7. The Developer shall post a deposit or reimburse the City for all costs associated with any modifications to Street Lighting, Signing and Pavement Marking including labor and materials for both temporary and permanent installations.
- 8. Public signing and marking related to the development may be required by the City Traffic Engineer for which the developer shall be financially responsible.

Please contact John Leach, City Traffic Engineering at 267-8755 if you have questions regarding the above items:

Contact Person: Jeremy Frommelt

Fax: 608-836-5818

Email: ifrommelt@planningdesignbuild.com

DCD:DJM:dm



Deparment of Public Works **City Engineering Division**

608 266 4751

Larry D. Nelson, P.E. City Engineer

City-County Building, Room 115 210 Martin Luther King, Jr. Boulevard Madison, Wisconsin 53703 608 264 9275 FAX 608 267 8677 TDD

DATE:

September 13, 2005

TO:

Plan Commission

FROM:

Larry D. Nelson, P.E., City Engineer

SUBJECT:

1433 Monroe Street Conditional Use

Deputy City Engineer Robert F. Phillips, P.E.

Principal Engineers

Michael R. Dalley, P.E. Christina M. Bachmann, P.E. John S. Fahrney, P.E. David L. Benzschawel, P.E. Gregory T. Fries, P.E.

Operations Supervisor Kathleen M. Cryan

Hydrogeologist Joseph L. DeMorett, P.G.

GIS Manager

David A. Davis, R.L.S.

The City Engineering Division has reviewed the subject development and has the following comments.

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

Aller

- The new credit union building will need an address assigned. Contact City Engineering for the new 1. address.
- Redevelopment of this site shall require storm water management to capture 40% of sediment, oil 2. and grease capture, and a maintenance agreement.
- 3. Proposed CSM shall be recorded prior to building permits being issued.
- Each lot shall have a separate sanitary sewer lateral. 4.

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

Engineering Division Review of Planned Community Developments, Planned Unit Developments and Conditional Use Applications.

Name: 1433 Monroe Street Conditional Use

General

]	1.1	The construction of this building will require removal and replacement of sidewalk, curb and gutter and possibly other parts of the City's infrastructure. The applicant shall enter into a City / Developer agreement for the
		improvements required for this development. The applicant shall be required to provide deposits to cover City
		labor and materials and surety to cover the cost of construction. The applicant shall meet with the City Engineer
		to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project
		without the agreement executed by the developer. The developer shall sign the Developer's Acknowledgement
		prior to the City Engineer signing off on this project.
		ment of the state

The site plan shall identify lot and block numbers of recorded Certified Survey Map or Plat. 1.2

1.3	The site plan shall include all lot/ownership lines, existing building locations, proposed building additions,
	demolitions, parking stalls, driveways, sidewalks (public and/or private), existing and proposed signage, existing
	and proposed utility locations and landscaping.

The site plan shall identify the difference between existing and proposed impervious areas.

1

	1.5	The site plan shall read a proper street address of the property as reflected! Icial City of Madison Assessor's and Engineering Division records.						
	1.6	The site plan shall include a full and complete legal description of the site or property being subjected to this application.						
Right	of Way / E	Easements						
	2.1	The Applicant shall Dedicate a foot wide strip of Right of Way along						
	2.2	The Applicant shall Dedicate a foot wide strip of Right of Way along						
	2.3	The Applicant shall Dedicate a Permanent Limited Easement for grading and sloping feet wide along						
	2.4	The City Engineer has reviewed the need for pedestrian and bicycle connections through the development and finds that no connections are required.						
	2.5	The Applicant shall Dedicate a Permanent Limited Easement for a pedestrian / bicycle easement feet wide from to						
	2.6	The Developer shall provide a private easement for public pedestrian and bicycle use through the property running from to						
	2.7	and the control of th						
Streets	and Sic	lewalks						
	3.1	The Applicant shall execute a waiver of notice and hearing on the assessments for the improvement of [roadway] in accordance with Section 66.0703(7)(b) Wisconsin						
		Statutes and Section 4.09 of the MGO.						
	3.2	Value of sidewalk installation over \$5000. The Applicant shall Construct Sidewalk to a plan approved by the City Engineer along						
	3.3	Value of sidewalk installation under \$5000. The Applicant shall install public sidewalk along The Applicant shall obtain a Street Excavation Permit for the sidewalk work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. All work must be completed within six months or the succeeding June 1, whichever is later.						
	3.4	The Applicant shall execute a waiver of their right to notice and hearings on the assessments for the installation of sidewalk along [roadway] in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.						
	3.5	The Applicant shall grade the property line along to a grade established by the City Engineer. The grading shall be suitable to allow the installation of sidewalk in the future without the need to grade beyond the property line. The Applicant shall obtain a Street Excavation permit prior to the City Engineer signing off on this development.						
	3.6	The Applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.						
	3.7	Value of the restoration work less than \$5,000. When computing the value, do not include a cost for driveways. Do not include the restoration required to facilitate a utility lateral installation. The Applicant's project requires the minor restoration of the street and sidewalk. The Applicant shall obtain a Street Excavation Permit for the street restoration work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees.						
	3.8 ··	The Applicant shall make improvements to in order to facilitate ingress and egress to the development. The improvement shall include a (Describe what the work involves or strike this part of the comment.)						
	3.9	The Applicant shall make improvements to The improvements shall consist of						
	3.10	The approval of this Conditional Use does not include the approval of the changes to roadways, sidewalks or utilities. The applicant shall obtain separate approval by the Board of Public Works and the Common Council for the restoration of the public right of way including any changes requested by developer. The City Engineer shall complete the final plans for the restoration with input from the developer. The curb location, grades, tree locations, tree species, lighting modifications and other items required to facilitate the development or restore the right of way shall be reviewed by the City Engineer, City Traffic Engineer, and City Forester.						
· 🗂	3 11							

		The Applicant shall higher the Professional Engineer to set the grade of the building entrances adjacent to the public right of way. The Applicant shall provide the City Engineer the proposed grad in the building entrances. The City Engineer shall approve the grade of the entrances prior to signing off on this development.
. 🗆	3.12	The Applicant shall replace all sidewalk and curb and gutter which abuts the property which is damaged by the construction or any sidewalk and curb and gutter which the City Engineer determines needs to be replaced because it is not at a desirable grade regardless of whether the condition existed prior to beginning construction.
	3.13	The Applicant shall obtain a privilege in streets agreement for any encroachments inside the public right of way. The approval of this development does not constitute or guarantee approval of the encroachments.
	3.14	The Applicant shall provide the City Engineer with the proposed soil retention system to accommodate the restoration. The soil retention system must be stamped by a Professional Engineer. The City Engineer may reject or require modifications to the retention system.
	3.15	The Applicant shall complete work on exposed aggregate sidewalk in accordance with specifications provided by the city. The stone used for the exposed aggregate shall be approved by the City. The Construction Engineer shall be notified prior to beginning construction. Any work that does not match the adjacent work or which the City Construction Engineer finds is unacceptable shall be removed and replaced.
	3.16	All work in the public right-of-way shall be performed by a City licensed contractor.
Storm	Water Ma	anagement
	4.1	The site plans shall be revised to show the location of all rain gutter down spout discharges.
	4.2	Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.
	4.3	The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.
	4.5	The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.
	4.6	The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
	4.7	This site is greater than one (1) acre and the applicant is required by State Statute to obtain a Notice of Intent Permit (NOI) from the Wisconsin Department of Natural Resources. Contact Jim Bertolacini of the WDNR at 275-3201 to discuss this requirement.
	4.8	This development includes multiple building permits within a single lot. The City Engineer and/or the Director of the Inspection Unit may require individual control plans and measures for each building.
	4.9	If the lots within this site plan are inter-dependent upon one another for stormwater runoff conveyance, and/or a private drainage system exists for the entire site an agreement shall be provided for the rights and responsibilities of all lot owners. Said agreement shall be reviewed and placed on file by the City Engineer, referenced on the site plan and recorded at the Dane Co Register of Deeds.
×	4.10	Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Please contact Greg Fries at 267-1199 to discuss this requirement.
	4.11	The plan set shall be revised to show more information on proposed drainage for the site. This shall be accomplished by using spot elevations and drainage arrows or through the use of proposed contours. It is necessary to show the location of drainage leaving the site to the public right-of-way. It may be necessary to provide information off the site to fully meet this requirement.
. 🗆	4.12	A portion of this project comes under the jurisdiction of the US Army Corp of Engineers and WDNR for wetland or flood plain issues. A permit for those matters shall be required prior to construction on any of the lots currently within the jurisdictional flood plain.
Ø	4.13	The Applicant shall submit, prior to plan sign-off, digital CAD files to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital copies shall be to scale and represent final construction.
		CAD submittals can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) formats and contain the following data, each on a separate layer name/level number:
		 a) Building Footprints b) Internal Walkway Areas c) Internal Site Parking Areas d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
	·	NOTE: Email file transmissions preferred lzenchenko@cityofmadison.com . Include the site address in this transmittal.

		4.14	NR-151 of the Wiscorain Administrative Code will be effective on October 1, 2004. Future phases of this project shall comply with NF in effect when work commences. Specifically, any es not covered by a Notice of Intent (NOI) received from the WDNR under NR-216 prior to October 1, 2004 small be responsible for compliance with all requirements of NR-151 Subchapter III. As most of the requirements of NR-151 are currently implemented in Chapter 37 of the Madison General Ordinances, the most significant additional requirement shall be that of infiltration.
			NR-151 requires infiltration in accord with the following criteria. For the type of development, the site shall comply with one of the three (3) options provided below:
			Residential developments shall infiltrate 90% of the predevelopment infiltration amount, 25% of the runoff from the 2-year post development storm or dedicated a maximum of 1% of the site area to active infiltration practices.
			Commercial development shall infiltrate 60% of the predevelopment infiltration amount, 10% of the runoff from the 2-year post development storm or dedicate a maximum of 2% of the site area to active infiltration practices.
	Utilities (General	
E]	5.1	The Applicant shall obtain a Street Excavation permit for the installation of utilities required to serve this project. The Applicant shall pay the permit fee, inspection fee and street degradation fee as applicable and shall comply with all the conditions of the permit.
		5.2	The applicant shall obtain all necessary sewer connection permits and sewer plugging permits prior to any utility work.
		5.3	All proposed and existing utilities including gas, electric, phone, steam, chilled water, etc shall be shown on the plan.
		5.4	The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction.
		5.5	The site plans shall be revised to show the location of existing utilities, including depth, type, and size in the adjacent right-of-way.
		5.6	The developer shall provide information on how the Department of Commerce's requirements regarding treatment of storm water runoff, from parking structures, shall satisfied prior to discharge to the public sewer system. Additionally, information shall be provided on which system (storm or sanitary) the pipe shall be connected to.
	Sanitary	Sewer	
		6.1	Prior to approval of the conditional use application, the owner shall obtain a permit to plug each existing sanitary sewer lateral that serves a building that is proposed for demolition. For each lateral to be plugged the owner shall deposit \$1,000 with the City Engineer in two separate checks in the following amounts: (1). \$100 non-refundable deposit for the cost of inspection of the plugging by City staff; and (2). \$900 for the cost of City crews to perform the plugging. If the owner elects to complete the plugging of a lateral by private contractor and the plugging is inspected and approved by the City Engineer, the \$900 fee shall be refunded to the owner.
	\boxtimes	6.2	All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior to connection to the public sewerage system.
		6.3	Each unit of a duplex building shall be served by a separate and independent sanitary sewer lateral.
	\boxtimes	6.4	The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size and alignment of the proposed service.

CITY OF MADISON INTERDEPARTMENTAL CORRESPONDENCE

Date: September 11, 2005

To:

Plan Commission

From:

Kathy Voeck, Assistant Zoning Administrator

Subject:

1433 Monroe St., CSM, Rezoning and Conditional Use

Present Zoning District:

M-1 and C3

Proposed Use: Divide current UW credit union lot into two lots, Lot 1 existing building

and Lot 2 proposed new credit union building

Requested Zoning District: C3

Conditional Use: 28.09(2)(d)23 drive up facilities for a bank are a condtionaluse

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project). **NONE.**

GENERAL OR STANDARD REVIEW COMMENTS

- 1. The final full sized plans submitted for sign off shall include both lots 1 and 2.
- 2. On Lot 1, provide four bike parking stalls in a safe and convenient location on an impervious surface to be shown on the final plan. The lockable enclosed lockers or racks or equivalent structures in or upon which the bicycle may be locked by the user shall be securely anchored to the ground or building to prevent the lockers or racks from being removed from the location. NOTE: A bike-parking stall is two feet by six feet with a five-foot access area. Structures that require a user-supplied locking device shall be designed to accommodate U-shaped locking devices.
 - On Lot 2, show the proposed bike stalls on the plans that meet the above criteria.
- 3. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 of the Madison General Ordinances. Permits must be issued by the Zoning Section of the Department of Planning and Development.
- 4. Lighting is not required. However, if it is provided, it must comply with City of Madison outdoor lighting standards. (See parking lot packet). Lighting will be limited to .08 watts per square foot.

1433 Monroe St. September 11, 2005 Page 2

5. Parking lot plans with greater than twenty (20) stalls, landscape plans must be stamped by a registered landscape architect. Provide a landscape worksheet with the final plans that shows that the landscaping provided meets the point and required tree ordinances. In order to count toward required points, the landscaping shall be within 15' and 20' of the parking lot depending on the type of landscape element. (Note: The required trees do not count toward the landscape point total.) Planting islands shall consist of at least 75% vegetative cover, including trees, shrubs, ground cover, and/or grass. Up to 25% of the island surface may be brick pavers, mulch or other non-vegatative cover. All plant materials in islands shall be protected from vehicles by concrete curbs.

ZONING CRITERIA

Bulk Requirements	Required	Proposed
Lot Area	6,000 sq. ft.	Lot 1 36,488 sq. ft.
		Lot 2 27,959 sq. ft.
Lot width	50'	Lot 1 140'
		Lot 2. 162.17'
Usable open space	n/a	n/a
Front yard	0,	Lot $1-7.5$ ' existing
	·	Lot 2 – 26' proposed
Side yards	0,	Lot 1, 22' & 8' approx.
Rear yard	Lot 1 30'	Lot 1, exising
`	Lot 2·10'	Lot 2, 75' irregular lot
Floor area ratio	3.0	Less than 1.0 (each lot)
Building height		Lot 1 two stories
		Lot 2 one story

Site Design	Required	Proposed
Number parking stalls	Lot 1, 42	Lot 1, 23 on site, 10 at UW lot
		across the street and 9 stall
·	·	parking reduction.
	Lot 2, 13	Lot 2, 24
Accessible stalls	Lot 1, 1	Lot 1, 2
	Lot 2, 1	Lot 2, 2
Loading	Lot 1	Lot 1, existing
	Lot 2 n/a	Lot 2, 1 stall provided
Number bike parking stalls	Lot 1, 4	Lot 1 (2)
	Lot 2, 2 minimum	Lot 2 (2)
Landscaping	as shown	adequate (5)
Lighting	no	(4)

1433 Monroe St September 11, 2005 Page 3

Other Critical Zoning Items	
Urban Design	No
Historic District	No
Landmark building	No
Flood plain	No di la
Utility easements	No en la
Water front development	No
Adjacent to park	No
Barrier free (ILHR 69)	Yes

With the above conditions, the proposed project does comply with all of the above requirements.



CITY OF MADISON FIRE DEPARTMENT

Fire Prevention Division

325 W. Johnson St., Madison, WI 53703-2295 Phone: 608-266-4484 • FAX: 608-267-1153

	٨	7	_	_	
LJ.	м			⊏	

9/8/05

TO:

Plan Commission

FROM:

Edwin J. Ruckriegel, Fire Marshal

SUBJECT:

1433 Monroe St.

The City of Madison Fire Department (MFD) has reviewed the subject development and has the following comments:

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. None.		,		
·	·			
		·1 · · · ·		

GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

- 2. Provide fire apparatus access as required by Comm 62.0509 and MGO 34.19, as follows:
 - a. The site plans shall clearly identify the location of all fire lanes.

Please contact John Lippitt, MFD Fire Protection Engineer, at 608-261-9658 if you have questions regarding the above items.

CC:

John Lippitt

