



# City of Madison

City of Madison  
Madison, WI 53703  
[www.cityofmadison.com](http://www.cityofmadison.com)

## Agenda - Approved

### BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD

---

Tuesday, May 19, 2015

12:15 PM

215 Martin Luther King, Jr. Blvd.  
Room LL-110 (Madison Municipal Building)

---

If you need an interpreter, translator, materials in alternate formats or other accommodations to access this service, activity or program, please call the phone number below immediately.

Si necesita un intérprete, un traductor, materiales en formatos alternativos u otros arreglos para acceder a este servicio, actividad o programa, comuníquese inmediatamente al número de teléfono que figura a continuación.

Yog tias koj xav tau ib tug neeg txhais lus, ib tug neeg txhais ntawv, cov ntaub ntawv ua lwm yam los sis lwm cov kev pab kom siv tau qhov kev pab, kev ua num los sis kev pab cuam no, thov hu rau tus xov tooj hauv qab no tam sim no.

Building Inspection Division, (608)266-4551

#### CALL TO ORDER / ROLL CALL

#### APPROVAL OF MINUTES

April 21, 2015: <http://madison.legistar.com/Calendar.aspx>

#### PUBLIC COMMENT

Three minutes allotted per individual.

#### DISCLOSURES AND RECUSALS

Members of the body should make any required disclosures or recusals under the City's Ethics Code.

#### PETITION FOR VARIANCE

1. [38470](#) 619 N. Segoe Road (C-05-30-2015)  
Knothe Bruce Architects LLC, appealing 2009 IBC 1024.1; Approved luminous egress path markings delineating the exit path shall be provided in buildings of Groups A, B, E, I, M and R-1 having floors located more than 75 feet above the lowest level of Fire Department access. The Variance requested is to not require the markings for a R-2 where there are assembly spaces on the roof deck for tenant use only. The Madison Fire Department supports the Variance with conditions.

**Attachments:** [619 N Segoe Rd.pdf](#)

**MADISON GENERAL ORDINANCES**

2. [37972](#) Amending Section 10.085(3)(a)3. of the Madison General Ordinances to permit LED lighting or other new lighting technology that meet or exceed current lighting standards.
  
3. [37973](#) Amending Section 1.08(4) of the Madison General Ordinances to provide enforcement authority to the Director of Building Inspection to enforce noise-related violations of Section 24.04(7), operation of refuse collection vehicles and related equipment.  
**Attachments:** [Body](#)
  
4. [38029](#) Authorizing the adoption of the 2015 International Fire Code® as the most current edition of the International Fire Code® as mandated by the Madison General Ordinance Section 34.01(14)(a).  
**Attachments:** [38029.ATTACHMENT.4-21-15.docx](#)

**ADJOURNMENT**