APPLICATION FOR URBAN DESIGN COMMISSION REVIEW AND APPROVAL	AGENDA ITEM # 3 Project # 3-20-/1 Legistar # 21523	
DATE SUBMITTED: 2-23-1/ UDC MEETING DATE: 5-3-7 3-16-11	Action Requested Informational Presentation Initial Approval and/or Recommendation Final Approval and/or Recommendation	
PROJECT ADDRESS: 5339 WAYNE TALDERMANIC DISTRICT: 17 OWNER/DEVELOPER (Partners and/or Principals) Down MILLER SUBMU 5339 GLAYNE TENA NADISON, G., 53718 CONTACT PERSON: JIM EMBEN Address: 2442 Musropane Comanison, w, 5377 Phone: 668-222-6363 E-mail address: Jenden Obds 2 TYPE OF PROJECT:	ARCHITECT/DESIGNER/OR AGENT:	PLEASE PRINT!
well as a fee) School, Public Building or Space (Fee may be red	Urban Design District * (A public hearing is requiquired) of a Retail, Hotel or Motel Building Exceeding 40	
(See Section B for:) New Construction or Exterior Remodeling in C4 (See Section C for:) R.P.S.M. Parking Variance (Fee required)	District (Fee required)	
(See Section D for:) Comprehensive Design Review* (Fee required) Street Graphics Variance* (Fee required) Other		
*Public Hearing Required (Submission Deadline 3 Weeks	s in Advance of Meeting Data)	
Where fees are required (as noted above) they apply with a project.		al of



February 23, 2011

Comprehensive Design Review Don Miller Subaru 5339 Wayne Terrace

Proposed Signage

The overall signage design requested is the same concept as the Don Miller Subaru on Madison's West side. It's finishes and colors integrate well with the architecture of the building.

Ground Signs

Two (2) existing pylon signs will be removed and replaced with one (1) double face pylon sign that will be 22' high and with an area of 132 sq. ft. / Madison Ordinance Chapter 31 allows 22' high & 144 sq. ft.

Building Signage

Requesting signage on three (3) sides of the building. All three (3) elevations are eligible for signage under Madison Ordinance Chapter 31.

North Elevation (Front that faces State Highway 151)

Building width is 130° , $2 \times 130 = 260$ sq. ft. of signage allowed.

Requesting one (1) additional signable area. 1^{st} signable area is on aluminum front to the right of the tower structure. Copy will be – SUBARU Don Miller (2' X 35' 8" =71 sq. ft. on a signable area of 5' 4" X 62' = 331 sq. ft.) and one Accessory Sign. Copy will be – Service (1' 6" X 9' 10" = 15 sq. ft.) 2^{nd} signable area is on tower structure. Copy will be Oval Subaru logo graphic. (3' X 5' 2" = 15.5 sq. ft. on a signable area of 24' X 8' = 192 sq. ft.)

East Elevation

Building width is 127° , $2 \times 127 = 254$ sq. ft. of signage allowed.

Requesting signage on aluminum front at the Northeast corner running to the South. Copy will be Don Miller (Oval Subaru Logo Graphic) Subaru. (3' \times 49' 8" = 148 sq. ft. on a signable area of 5' 4" \times 96' = 513 sq. ft.) and one Accessory Sign on the new addition's upper South corner. Copy will be - Parts (1' 6" \times 7'8" = 11.5 sq. ft. on a signable area of 4' \times 30' = 120 sq. ft.) Note: The entrance to the parts department is on this wall that is used by deliveries and customers picking up parts.

South Elevation

Building width is 130° , $2 \times 130 = 260$ sq. ft. of signage allowed.


Requesting one (1) additional signable area. 1st signable area is on aluminum front at the Southeast corner of the building running to the West. Copy will be (Oval Subaru Logo Graphic) Subaru. (3' X 23' = 69 sq. ft. on a signable area of 5' 4" x 47' = 251 sq. ft.) 2nd signable area is on new addition's upper West corner. Copy will be (Oval Subaru Logo Graphic) Subaru. (3' X 23' = 69 sq. ft. on a signable area of 4'2" X 59' = 246 sq. ft.)

2242 Mustang Way, Madison, WI., 53718 Ph: 608-222-5353 Fax: 608-222-6363

Note: Reason for requesting the second signable area is cars approaching location on Benjamin Dr. have the view of the 1st signable area blocked by trees. This dealership is small and surrounded by much larger ones making it hard for customers to find them from this direction.

PERWITS ONLY





SIGN#	D/F or S/F	ILL or N-ILL	DESCRIPTION	DIMENSIONS
E01	D/F	ILL	P120 PYLON	8' 8" H X 15' 2" W X (120SQ. FT.)
N02	S/F	ILL	SUB.LOGO.36	36" H X 5' 2-1/2" W (15.5 SQ. FT.)
N03	S/F	ILL	CLB.24 ILLUM. LETTERS	24" H X 17' 1-1/4" W (34 SQ. FT.)
N04	S/F	ILL	DEALER NAME LETTERS	18" H X 9' 7" W X (14.5 SQ. FT.)
N05	S/F	ILL	SERVICE LETTERS	18" H X 7' 1" W X (10.5 SQ. FT.)
N06	S/F	ILL	DEALER NAME LETTERS	18" H X 9' 7" W X (14.5 SQ. FT.)
N07	S/F	ILL	SUB.LOGO.36	36" H X 5' 2-1/2" W (15.5 SQ. FT.)
N08	S/F	ILL	CLB.24 ILLUM. LETTERS	24" H X 17' 1-1/4" W (34 SQ. FT.)
N09	S/F	ILL	SUB.LOGO.36	36" H X 5' 2-1/2" W (15.5 SQ. FT.)
N10	S/F	ILL	CLB.24 ILLUM. LETTERS	24" H X 17' 1-1/4" W (34 SQ. FT.)
N11	S/F	ILL	SUB.LOGO.36	36" H X 5' 2-1/2" W (15.5 SQ. FT.)
N12	S/F	ILL	CLB.24 ILLUM. LETTERS	24" H X 17' 1-1/4" W (34 SQ. FT.)
N13	S/F	ILL	PARTS LETTERS	18" H X 7' 7-1/2" W X (11.5 SQ. FT.)

SUB07261 CLIENT: SUBARU07261 DON MILLER SUBARU 5339 WAYNE TERRACE, MADISON WISCONSIN 53718



707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS	•	
Date	Description	Ву:
1		
3		
5		
6		
7	×	
8		

DRAWING TYPE:

PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.17.11

DRAWN BY:

NSI

SHEET: 1 OF 11

. . .

DWG NUMBER:

B39920



















CONSTRUCTION PHOTOS



707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS		
Date	Description	Ву:
1		
2		
3		
4		
5		
6		
7		
8		
9		
DRAWING TY	YDE.	

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.17.11

PERMIT

SIGN TYPE: VARIOUS

DRAWN BY:

NSL

SHEET:

1B OF 11

DWG NUMBER:

B39920







NEW / RENOVATED DEALER PHOTOS



Philadelphia Sign

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



*	
REVISIONS	
Date Description B	y:
1,	
2	_
3	
4	
5	_
6	_
7	_
8	_
9	_
DRAWING TYPE:	
PERMIT	
SIGN TYPE:	
VARIOUS	
LOCATION: SUB07261 5339 WAYNE TERRACE	
MADISON, WI 53718	
DATE:	
2.17.11	
DRAWN BY:	
NSL	
SHEET:	
1C OF 11	
DWG NUMBER:	
B39920	

PROPOSED



Pylon Elevation

NOT TO SCALE

EXISTING



PERWITS ONLY



707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS	
Date D	escription By:
	90 Pylon Sign NSL
2. 2.28.11 Revise	e as Noted NSL
3	
4	
5	
6	
7	
8	

DRAWING TYPE:

PERMIT

SIGN TYPE:

PYLON

LOCATION: SUB03271 9018-9020 LIBERIA AVE MANASSAS, VA

DATE:

12.10.10

DRAWN BY:

NSL

SHEET:

2 OF 11

DWG NUMBER:


B38253

N02 SUB.LOGO.36 ILLUM LOGO 36" H X 5' 2-1/2" W (15.5 Sq. Ft.)

N03 CLB.24 ILLUM. CHANNEL LETTERS 24" CAP HT. / 17' 1 1/4" (34 Sq. Ft.)

N04 ILLUM. DEALER NAME LETTERS 18" CAP HT. / 14' 8-1/2" OAW (22.5 Sq. Ft.) BLUE DAY / WHITE NIGHT FACES

N05 ILLUM. SERVICE LETTERS 18" CAP HT. / 9' 10" OAW (14.75 Sq. Ft.) BLUE DAY / WHITE NIGHT FACES



SIGN SQUARE FOOTA	GE I NORTH
N02 = LOGO 15.5 Sq. Ft.	
N03 = SUBARU	ENVELOPED SIGN AREA

1103 - 30DANO	ENVELOPED SIGI
N04 = DON MILLER	71 SQ. FT.

N05 = SERVICE 15 Sq. Ft.

Logo Specifications

WHITE LED LIT

1/8" ROUTED CLEAR POLYCARBONATE WITH 3635-70 DIFFUSER FILM ON BACK HELD BY 1" WIDE CHROME SILVATRIM.

CHROME SILVER DAY / ILLUM. WHITE NIGHT 3" DEEP EMBOSSED OVAL FACE TO SLIDE UNDER SILVATRIM AND TRAPPED 1/8" CLEAR POLYCARBONATE DIFFUSER.

Day Channel Letter Specifications

281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE

VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS

RETURN IS BRUSHED ALUMINUM PAINTED MAP SVOC-1905 SILVER(SATIN FINISH).

15/16" DEEP CHROME EMBOSSED RING.

3/4" DEEP CHROME EMBOSSED STARS.

3" DEEP EMBOSSED OVAL. TRANSLUCENT PMS 662

SIGN IS MANUFACTURED TO U.L. SPECIFICATIONS

PERWITS ONLY

Pl	hila	ade	lpł	nia	Sig	gn
C	O	IVI	P	A	N	Y

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



Description	Ву:

DRAWING	TYPE:

PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.15.10

DRAWN BY:

NSL

SHEET:

3 OF 11

DWG NUMBER:


B39920

N09 SUB.LOGO.36 ILLUM LOGO 36" H X 5' 2-1/2" W (15.5 Sq. Ft.)

N10 CLB.24 ILLUM. CHANNEL LETTERS 24" CAP HT. / 17' 1 1/4" (34 Sq. Ft.)

N11 SUB.LOGO.36 ILLUM LOGO 36" H X 5' 2-1/2" W (15.5 Sq. Ft.)

N12 CLB.24 ILLUM. CHANNEL LETTERS 24" CAP HT. / 17' 1 1/4" (34 Sq. Ft.)



Scale: 3/32" = 1'

SIGN SQUARE FOOTAGE EAST		
N09 = LOGO	ENVELOPED SIGN AREA	
N10 = SUBARU	69 SQ. FT.	
N11 = LOGO	ENVELOPED SIGN AREA	
N12 = SUBARU	69 SQ. FT.	
	CICAL COLLARS SOCTAGE TOTAL OR	

Day Channel Letter Specifications

#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS 281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

WHITE LED LIT

Logo Specifications

1/8" ROUTED CLEAR POLYCARBONATE WITH 3635-70 DIFFUSER FILM ON BACK HELD BY 1" WIDE CHROME SILVATRIM.

CHROME SILVER DAY / ILLUM. WHITE NIGHT 3" DEEP EMBOSSED OVAL FACE TO SLIDE UNDER SILVATRIM AND TRAPPED 1/8" CLEAR POLYCARBONATE DIFFUSER.

RETURN IS BRUSHED ALUMINUM PAINTED MAP SVOC-1905 SILVER(SATIN FINISH).

15/16" DEEP CHROME EMBOSSED RING.

3/4" DEEP CHROME EMBOSSED STARS.

3" DEEP EMBOSSED OVAL. TRANSLUCENT PMS 662

SIGN IS MANUFACTURED TO U.L. SPECIFICATIONS





707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



	REVISIONS	S	
	Date	Description	Ву:
	1		
	2		
	3		
	4		
	5		
	7		
	8		
-	9.		

DRAWING TYPE: PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.15.10

DRAWN BY:

NSL

SHEET:

5 OF 11

DWG NUMBER:

B39877


Pylon Specifications

FORMED CHROME SILVER DAY / ILLUM. WHITE NIGHT LOGO W/ BLUE ARLON VINYL #2500-3101 BACKED UP W/ WHITE VINYL #3630-20 ON FIRST SURFACE.


ROUTED ALUMINUM FACE PAINTED SUBARU BLUE SVOC-1975.

"SUBARU" IS WHITE FORMED PUSH THRU COPY.

ALUMINUM CLADDING PAINTED SUBARU SILVER SVOC-1905.



4'-0" 6"[©] 35" X 22" X 16" CLADDING BASE COVER TO BE REMOVABLE FOR ANCHOR BOLT & 1'-2" **ELECTRICAL ACCESS** 1-1/2" DIA ANCHOR BOLTS 72" LONG W/ 8" THREAD & 6" HOOK 1-1/2" X 18" X 18" STEEL BASE PLATE ģ 2" X 4" WATER PROOF JUNCTION BOX 3/4" DIA RIGID PIPE OR PVC PIPE FOR ELECTRIC TO SIGN LOCATED OFF CENTER 1/4" X 10" X 10" STEEL COLUMN R-BAR MAT FRONT & REAR REQUIRED #5 VERTICAL R-BAR - (5) - 10" O.C. #5 HORIZONTAL R-BAR - (7) - 12" O.C. **FOOTING PLAN VIEW** SCALE: 1/2" = 1'-0"



BASE PLATE DETAIL SCALE: 1" = 1'-0"

Rated for Standard Wind Load

30 lbs./ft²

ELECTRICAL LOAD (10.8) Amps @ 120 Volts **ELECTRICAL REQ'MTS** (1) 20 Amp/120 Volt Circuit

STANDARD PYLON NOTES:

- 1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Soil Assumed To Be Medium Clay, Or Better, With Minimum Soil Bearing Capacity Of 2,500 PSF.
- 5. Concrete 3,000 PSI @ 28 Days.
- 6. Reinforcing Steel Shall Be ASTM A615 GR-40.
- 7. Structural Steel Shall Be ASTM A36.
- 8. All Welds Shall Conform To A.W.S Standards.

Note: This sign is intended to be installed in accordance with the requirements of Article 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and bonding of the sign.



707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS	
Date Descrip	tion By:
1	
2	
3	
4	
5	
6	
7	
8	
9	
DRAWING TYPE:	
PERMIT	
SIGN TYPE:	
CHANNEL LET	TERS
LOCATION: SUBC	RRACE
MADISON, WI 53	718
DATE:	
2.15.10	
DRAWN BY:	
NSL	
SHEET:	

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY P.S.C.O. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONJUNCTION WITH A PROJECT BEING PLANNED FOR YOU BY P.S.C.O. IT IS NOT TO BE SHOWN TO ANYONE OUTSIDE YOUR ORGANIZATION NOR IS IT TO BE USED, COPIED, REPRODUCED, OR EXHIBITED IN ANY FASHION.

6 OF 11

DWG NUMBER:

B39877






- 5-2-1/2"

LOGO WALL SIGN

Scale: 3/8'' = 1'0''

NOTE: NO2 MOUNTED TO TOWER



STANDARD WALL SIGN NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Final Primary Hook-Up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.

ELECTRICAL LOAD

2.0 Amps @ 120 Volts

ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuit


Mounting Hardware By Sign Installer.

SUBARU

BLUE DAY / WHITE NIGHT LETTERS

Scale: 3/8" = 1' 0"

NOTE: N03 MOUNTED TO RIGHT OF TOWER



PERMITS ONLY

.050" x 5.3 COIL RETURNS PRECOAT BRUSHED ALUM/ WHITE 1" WIDE CHROME JEWELITE 3/8"DIA.-16 PLTD ALL-THREAD 3/8"DIA.-16 RIVET-NUT ½" DIA CHASE NIPPLE & COUPLING PERMLITE - WHITE NITRO LED MODULES 3/16" #22447 WHITE ACRYLIC WITH PERFORATED 3M VINYL DN00053 LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT) .040" PRECOAT WHT/WHT ALUMINUM BACKS #10 x 1/2" PAN HD SCREWS 1/2"-5/8" PLYWOOD COMPOSITE METAL PANEL PERMLITE 250 12VDC POWER SUPPLY MFTAL STUDS

CROSS SECTION Scale: 3/4" = 1'0"

STANDARD LETTER NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- Letter To Letter Wiring And Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.

ELECTRICAL LOAD 4.0 Amps @ 120 Volts

ELECTRICAL REQ'MTS
(1) 20 Amp/120 Volt Circuit

Philadelphia Sign

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS		
Date	Description	Ву:
1		
5		
6		
7	18:	
8		

DRAWING TYPE:

PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.18.11

DRAWN BY:

NSL

SHEET:

7 OF 11

DWG NUMBER:

B39920



BLUE DAY / WHITE NIGHT LETTERS

Scale: 3/8'' = 1'0''

.050" x 5.3 COIL RETURNS

PRECOAT BRUSHED ALUM/

1" WIDE CHROME JEWELITE

3/8"DIA.-16 PLTD ALL-THREAD-

1/2" DIA CHASE NIPPLE & COUPLING

3/8"DIA.-16 RIVET-NUT-

PERMLITE - WHITE

NITRO LED MODULES

3/16" #2447 WHITE ACRYLIC -

.040" PRECOAT WHT/WHT

#10 x 1/2" PAN HD SCREWS

ALUMINUM BACKS

1/2"-5/8" PLYWOOD

PERMLITE 250 12VDC

COMPOSITE METAL PANEL

POWER SUPPLY

METAL STUDS-

WITH PERFORATED 3M VINYL

DN00053 LAMINATED TO FACE


(BLUE BY DAY, WHITE BY NIGHT)

NOTE: TYPICAL OF 3 SETS

LOGO WALL SIGN

Scale: 3/8'' = 1'0''

| SET1 EAST FACADE: N07 & N08 | SET 2 SOUTH FACADE: N09 & N10 | SET 3 SOUTH FACADE: N11 & N12 |



Day Channel Letter Specifications

#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS 281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

WHITE LED LIT

Logo Specifications

1/8" ROUTED CLEAR POLYCARBONATE WITH 3635-70 DIFFUSER FILM ON BACK HELD BY 1" WIDE CHROME SILVATRIM.

CHROME SILVER DAY / ILLUM. WHITE NIGHT 3" DEEP EMBOSSED OVAL FACE TO SLIDE UNDER SILVATRIM AND TRAPPED 1/8" CLEAR POLYCARBONATE DIFFUSER.

RETURN IS BRUSHED ALUMINUM PAINTED MAP SVOC-1905 SILVER(SATIN FINISH).

15/16" DEEP CHROME EMBOSSED RING.

3/4" DEEP CHROME EMBOSSED STARS.

 3° DEEP EMBOSSED OVAL. TRANSLUCENT PMS 662

SIGN IS MANUFACTURED TO U.L. SPECIFICATIONS

PERWITS ONLY

STANDARD LETTER NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring And Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.

ELECTRICAL LOAD 4.0 Amps @ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuit

711111

000000

00000

000000

111111

111111

H1000

CROSS SECTION

Scale: 3/4" = 1'0"

Philadelphia Sign

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



	REVISIONS		
	Date	Description	Ву:
	1		
	2		
	7		
	8		
_	9		
	DRAWING T'	YPE:	

PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.18.11

DRAWN BY:

NSL

SHEET:

8 OF 11

DWG NUMBER:

B39920

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY P.S.C.O. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONJUNCTION WITH A PROJECT BEING PLANNED FOR YOU BY P.S.C.O. IT IS NOT TO BE SHOWN TO ANYONE OUTSIDE YOUR ORGANIZATION NOR IS IT TO BE USED, COPIED, REPRODUCED, OR EXHIBITED IN ANY FASHION.

STANDARD WALL SIGN NOTES:

 Sufficient Primary Circuit In Vicinity Of Sign By Others.

2. Final Primary Hook-Up By Sign Installer, Where Allowed By Local Codes.

3. Sign Shall Be U.L. Listed.

ELECTRICAL LOAD

2.0 Amps @ 120 Volts

ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuit

Mounting Hardware By Sign Installer.

NO5 ILLUM. SERVICE LETTERS 18" CAP HT. / 9' 10" OAW (14.75 Sq. Ft.) BLUE DAY / WHITE NIGHT FACES

— 9′ 10″ —

SERVICE

DEALER NAME LETTER ELEVATION BLUE DAY/WHITE NIGHT

SCALE: 1/2"= 1'

Day Channel Letter Specifications


#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS 281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

WHITE LED LIT





CROSS SECTION SCALE: 3" = 1'0"

STANDARD LETTER NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring And Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.

ELECTRICAL LOAD

5 .0 Amps @ 120 Volts

ELECTRICAL REQ'MTS
(1) 20 Amp/120 Volt Circuit

Philadelphia Sign

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



REVISIONS		
Date	Description	Ву:
1		
2		
3		
4		
5		
6		
7		- 1
8		
9.		

DRAWING TYPE:
PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.15.10

DRAWN BY:

NSL

SHEET:

9 OF 11

DWG NUMBER:

B39920

N04 & N06 ILLUM. DEALER NAME LETTERS 18" CAP HT. / 14' 8-1/2" OAW (22.5 Sq. Ft.) BLUE DAY / WHITE NIGHT FACES

14' 8- 1/2" —

18" DON MILLER

DEALER NAME LETTER ELEVATION BLUE DAY/WHITE NIGHT

SCALE: 1/2"= 1'

Day Channel Letter Specifications


#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS 281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

WHITE LED LIT





CROSS SECTION SCALE: 3" = 1'0"

STANDARD LETTER NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring And Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.

5. Full Size Drilling Template Furnished With Sign.

ELECTRICAL LOAD

5 .0 Amps @ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuit

Philadelphia Sign

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



	REVISIONS		
	Date	Description	Ву:
	1		
	2		
	3		
	4		
	5		
	6		
	7		- 5
	8		
1	9		_
-			

DRAWING TYPE:
PERMIT

SIGN TYPE:

CHANNEL LETTERS

LOCATION: SUB07261 5339 WAYNE TERRACE MADISON, WI 53718

DATE:

2.15.10

DRAWN BY:

NSL


SHEET:

10 OF 11

DWG NUMBER:

B39920

N13 ILLUM. PARTS LETTERS 18" CAP HT. / 7' 7-1/2" OAW (11.5 Sq. Ft.) BLUE DAY / WHITE NIGHT FACES



18" PARTS

DEALER NAME LETTER ELEVATION BLUE DAY/WHITE NIGHT

SCALE: 1/2"= 1'

Day Channel Letter Specifications


#2447 WHITE ACRYLIC W/PERFORATED 3M VINYL VDN-10968 3630-137 EUROPEAN BLUE/210 WHITE VINYL DUAL COLOR FILM LAMINATED TO FACE (BLUE BY DAY, WHITE BY NIGHT)

WHITE PRECOAT RETURNS PAINTED MATTHEWS 281342SP BRUSHED ALUMINUM

1" WIDE CHROME JEWELITE

WHITE LED LIT





CROSS SECTION SCALE: 3" = 1'0"

STANDARD LETTER NOTES:

- Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring And Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnished With Sign.

ELECTRICAL LOAD

5 .0 Amps @ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuit

Philadelphia S	igr

707 West Spring Garden Street Palmyra, New Jersey 08065

Phone: 856 829 1460 Fax: 856 829 8549 E-mail: mail@philadelphiasign.com



	JUDANL	
Γ	REVISIONS	
ı	Date Description E	By:
١	1	_
ı	2	_
ı	3	_
ı	4 5	_
ı	6	
ı	7	
ı	8	_
T	9	_
T	DRAWING TYPE:	
	PERMIT	
	SIGN TYPE:	
	CHANNEL LETTERS	
	LOCATION: SUB07261	
	5339 WAYNE TERRACE MADISON, WI 53718	
	DATE:	
	2.15.10	
	DRAWN BY:	
	NSL	
1	SHEET:	

THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED BY P.S.C.O. IT IS SUBMITTED FOR YOUR PERSONAL USE IN CONJUNCTION WITH A PROJECT BEING PLANNED FOR YOU BY P.S.C.O. IT IS NOT TO BE SHOWN TO ANYONE OUTSIDE YOUR ORGANIZATION NOR IS IT TO BE USED, COPIED, REPRODUCED, OR EXHIBITED IN ANY FASHION.

11 OF 11

DWG NUMBER: B39920

