Assured Wetland Delineation Report

Reston Heights

City of Madison, Dane County, Wisconsin

December 15, 2022

Project Number: 20220853

Reston Heights

City of Madison, Dane County, Wisconsin

December 15, 2022

Prepared for:

Mr. Dan Schmidt

Forward Management, Inc.

826 North Star Dr.

Madison, WI 53718

Prepared by:

Heartland Ecological Group, Inc.

506 Springdale Street

Mount Horeb, WI 53572

608-490-2450

www.heartlandecological.com

_____

Keith Phelps, Environmental Technician

_____

Jeff Kraemer, Principal

Solutions for people, projects, and ecological resources.

Table of Contents

Appendix A | Figures

Appendix B | APT Analysis

Appendix C | Wetland Determination Data Sheets

Appendix D | Site Photographs

Appendix E | Delineator Qualifications

Appendix F | NAIP Imagery

Solutions for people, projects, and ecological resources.

1.0   Introduction

Heartland Ecological Group, Inc. ("**Heartland**") completed an assured wetland determination and delineation on the Reston Heights site on October 7, 2022 at the request of Forward Management, Inc. Fieldwork was completed by Jeff Kraemer, an assured delineator qualified via the Wisconsin Department of Natural Resources' (WDNR's) Wetland Delineation Assurance Program (Appendix E, Qualifications). The 3.55-acre site (the "Study Area") is east of the intersection of Summertown Drive and Wyaulsing Drive, in the southwest ¼ of Section 1, T7N, R10E, City of Madison, Dane County, WI (Figure 1, Appendix A). The purpose of the wetland delineation was to determine the location and extent of wetlands within the Study Area.

Three (3) wetland areas totaling approximately 0.19 acres were delineated and mapped within the Study Area (Figure 6, Appendix A). No waterways or waterbodies were observed within the Study Area. Wetlands, waterways, and water bodies discussed in this report may be subject to federal regulation under the jurisdiction of the U.S. Army Corps of Engineers (USACE), state regulation under the jurisdiction of the WDNR, and local zoning authorities. Heartland recommends this report be submitted to local authorities, the WDNR, and USACE for final jurisdictional review and concurrence.

2.0 Methods

2.1 Wetlands

Wetlands were determined and delineated using the criteria and methods described in the USACE Wetlands Delineation Manual, T.R. Y-87-1 ("1987 Corps Manual") and the applicable *Regional Supplement to the Corps of Engineers Wetland Delineation Manual*. In addition, the *Guidance for Submittal of Delineation Reports to the St. Paul District USACE and the WDNR* (WDNR, 2015) was followed in completing the wetland delineation and report.

Determinations and delineations utilized available resources including the U.S. Geological Survey's (USGS) *WI 7.5 Minute Series (Topographic) Map* (Figure 2, Appendix A), the **Natural Resource Conservation Service's (NRCS)** Soil Survey Geographic Database (SSURGO), **U.S. Department of Agriculture's (USDA)** *Web Soil Survey* (Figure 3, Appendix A), the **WDNR's** *Wetland Indicator* GIS data **layer (Figure 4, Appendix A), the WDNR's** *Wisconsin Wetland Inventory* GIS data layer (Figure 5, Appendix A), and aerial imagery available through the **USDA Farm Service Agency's (FSA)** National Agriculture Imagery Program (NAIP). The USGS *National Hydrography Dataset* is included on Figures 2 and 5, Appendix A.

Wetland determinations were completed on-site at sample points, often along transects, using the three (3) criteria (vegetation, soil, and hydrology) approach per the 1987 Corps Manual and the Regional Supplement. Procedures in these sources were followed to demonstrate that, under normal circumstances, wetlands were present or not present based on a predominance of hydrophytic vegetation, hydric soils, and wetland hydrology.

Recent weather conditions influence the visibility or presence of certain wetland hydrology indicators. An assessment of recent precipitation patterns helps to determine if climatic/hydrologic conditions were typical when the field investigation was completed. Therefore, a review of antecedent precipitation in the 90 days leading up to the field investigation was completed. Using an Antecedent Precipitation Tool (APT) analysis developed by the USACE (Deters & Gutenson 2021), the amount of precipitation over these 90 days was compared to averages and standard deviation thresholds observed over the past 30 years to generally represent if conditions encountered during the investigation were normal, wet, or dry. Recent precipitation events in the weeks prior to the investigation were

also considered while interpreting wetland hydrology indicators. Additionally, the Palmer Drought Severity Index was checked for long-term drought or moist conditions (NOAA, 2018).

The uppermost wetland boundary and sample points were identified and marked with wetland flagging and located with a Global Navigation Satellite System (GNSS) receiver capable of sub-meter accuracy. In some cases, wetland flagging was not utilized to mark the boundary and the location was only recorded with a GNSS receiver, particularly in active agricultural areas. The GNSS data was then used to map the wetlands using ESRI ArcGIS Pro™ 2.9.3 software.

3.0   Results and Discussion

3.1   Desktop Review

<u>Climatic Conditions</u>

According to the APT analysis using the previous 90 days of precipitation data, conditions encountered at the time of the fieldwork were expected to be normal for the time of year (Appendix B). The Palmer Drought Severity Index was checked as part of the APT analysis, and the long-term conditions at the time of the fieldwork were in the mild wetness range. Fieldwork was completed outside the dry-season based on long-term regional hydrology data utilized in the WebWIMP Climatic Water Balance and computed as part of the APT analysis.

<u>General Topography and Land Use</u>

The topography within the Study Area is marked by a broad swale, subtle depressions, stormwater management basins, and embankments. A topographic high of approximately 932 feet above mean sea level (msl) occurs near the northeast corner, and a topographic low of approximately 920 feet above msl occurs in the south-central portion of the Study Area (Figures 2 and 6, Appendix A). Land uses within the Study Area consist of a parking lot, residential structures, an old field which is periodically mowed, and sediment basins. The surrounding areas are primarily devoted to residential area and greenspaces. General drainage is to the south but is inhibited by an embankment at the southern Study Area limits.

Soil Mapping

Soils mapped by the NRCS Soil Survey within the Study Area and their hydric status are summarized in Table 1. Wetlands identified during the field investigation are located primarily within areas mapped as hydric or partially hydric soils including wetland indicator soils (Figures 3 and 4, Appendix A).

Table 1. Summary of NRCS Mapped Soils within the Study Area

Soil Symbol: Soil Unit Name	Soil Unit Component	Soil Unit Component Percentage	Landform	Hydric status
EfB: Elburn silt loam, 0 to 3 percent slopes	Elburn	85-95	Stream terraces, outwash plains, drainageways	No
	Pella	2-5	Drainageways	Yes
	Mahalasville	1-4	Drainageways	Yes
	Sable	1-4	Drainageways	Yes
	Plano	1-2	Till plains	No
KdC2: Kidder loam, 6 to 12 percent slopes, eroded	Kidder-Eroded	90-100	Drumlins	No
	Fox	0-6	Drumlins	No
	McHenry-Eroded	0-5	Drumlins	No
ScB: St. Charles silt loam, 2 to 6 percent slopes	St. Charles	80-90	Till plains	No
	St. Charles-Moderately well drained	5-10	Till plains	No
	Virgil	3-5	Till plains	No
	Pella	2-5	Drainageways	Yes

Wetland Mapping

The Wisconsin Wetlands Inventory (WWI) mapping (Figure 5, Appendix A) depicts one (1) wetland area within the Study Area. One (1) emergent/ wet meadow (E1K) wetland is depicted in the central portion of the Study Area. Offsite to the south of the Study Area, one (1) WWI point symbol is also depicted.

Waterway Mapping

The National Hydrography Dataset 24k (NHD) mapping (Figure 5, Appendix A) depicts no (0) waterbodies and no (0) waterways within the Study Area. One (1) waterway is depicted offsite to the south of the Study Area.

Aerial Photography

Available NAIP imagery of the Study Area from the period of 2004-2020 (Appendix F) was **reviewed for evidence of wetland signatures and to gain insight into the site's recent** history. From 2004-2006, the Study Area is surrounded by roads but is devoid of residential properties and land uses consist of a vacant lot/old field with an isolated patch of woods in the north-central portions of the Study Area. In 2008, a residence appears in the southwest corner. In 2013, grading/excavation activities are evident in the eastern portion of the Study Area. In 2015, a parking lot and more residences appear in the eastern portion of the Study Area. From 2015-2020, all major land disturbance activities have ceased.

3.2   Field Review

Three (3) wetlands were identified and delineated within the Study Area. Wetland determination data sheets (Appendix C) were completed at 8 sample points that were representative of the wetland and upland conditions near the boundary and where potential wetlands may be present based on the desktop review and field reconnaissance. Appendix D provides photographs, typically at the sample point locations of the wetlands and adjacent uplands. The wetland boundary and sample point locations are shown on Figure 6 (Appendix A) and the wetlands are summarized in Table 2 and detailed in the following sections.

Table 2. Summary of Wetlands Identified within the Study Area

Wetland ID	Wetland Description	*Surface Water Connections	*NR151 Protective Area	Acreage (on-site)
W-1	Emergent Marsh within Sediment Basin	Potentially Isolated	Less susceptible, 10-30 feet	0.02
W-2	Ruderal Wet Meadow	Potentially Isolated	Less susceptible, 10-30 feet	0.14
W-3	Emergent Marsh within Sediment Basin	Potentially Isolated	Less susceptible, 10-30 feet	0.04

Forward Management
Reston Heights
Project #: 20220853
December 15, 2022

Wetland ID	Wetland Description	*Surface Water Connections	*NR151 Protective Area	Acreage (on-site)
Classification based on Heartland's professional opinion. *Jurisdictional authority of wetland and waterway protective areas under NR 151 lies with the WDNR. Local zoning authorities may have additional restrictions. USACE has authority for determining federal jurisdiction of wetlands and waterways.*				0.19

Wetlands 1 and 3 (W-1, W-3)

Wetlands W-1 and W-3 are depressional emergent marshes that are positioned in constructed stormwater management basins and may be considered artificial wetlands. It appears these sediment basins were constructed to service the parking lot present in the eastern portion of the Study Area and runoff generated from adjacent roadways.

Dominant vegetation observed in W-1 included river bulrush (*Bolboschoenus fluviatilis*, OBL) whereas dominant vegetation in W-3 included narrow-leaved cattail (*Typha angustifolia*, OBL). Therefore, the wetland hydrophytic parameter was met.

The Redox Dark Surface (F6) hydric soil indicator was noted in W-3 but the soils were also disturbed and did not reflect NRCS mapped soil types. In W-1, a hydric soil indicator was not observed but were also highly disturbed. However, given the nature of W-1's position within a sediment basin, sediment deposition and the contructed nature of the basin was presumed to be influencing and/or obscuring hydric soil indicators. Based on the observed dominance of obligate hydrophytic vegetation and landform, the hydric soil parameter was assumed based on definition.

No primary wetland hydrology indicators were noted in W-1 and W-3, however the secondary indicators of Geomorphic Position (D2) and a positive FAC-Neutral Test (D5) were noted. Therefore, the wetland hydrology parameter was met.

The boundaries of W-1 and W-3 corresponded to sediment basins observed in the field. No surface water connections were evident for the sediment basins but W-1 was observed to have a culvert feeding into it presumably discharging from roadway gutters.

Wetland 2 (W-2)

Wetland 2 (W-2) is a 0.14-acre ruderal wet meadow in the east-central portion of the Study Area.

Dominant vegetation observed in W-2 included reed canary grass (*Phalaris arundinacea*, FACW), and cottonwood (*Populus deltoides*, FAC). Therefore the wetland vegetation parameter was met.

The Redox Dark Surface (F6) and Redox Depressions (F8) hydric soil indicators were noted in W-2, which is consistent with drainageways of the NRCS mapped Elburn silt loam soil type. Thus, the hydric soil parameter was met.

No primary wetland hydrology indicators were noted within W-2, but secondary indicators included Geomorphic Position (D2) and a positive FAC-Neutral Test (D5). Therefore the wetland hydrology parameter was met.

The boundary of W-2 generally followed a moderately-defined topographic break and appeared to be isolated within the landscape.

3.3   Other Considerations

This report is limited to the identification and delineation of wetlands within the Study Area. Other regulated environmental resources that result in land use restrictions may be present within the Study Area that were not evaluated by Heartland (e.g. navigable waterways, floodplains, cultural resources, and threatened or endangered species).

Wisconsin Act 183 provides exemptions to permitting requirements for certain nonfederal wetlands. Nonfederal wetlands are wetlands that are not subject to federal jurisdiction. Exemptions apply to projects in urban areas with wetland impacts up to 1-acre per parcel. An urban area is defined as an incorporated area; an area within ½ mile of an incorporated area; or an area served by a sewerage system. Exemptions for nonfederal wetlands also apply to projects in rural areas with wetland impacts up to three (3) acres per parcel. Exemptions in rural areas only apply to structures with an agricultural purpose such as buildings, roads, and driveways. The determination of federal and nonfederal wetlands MUST be made by the USACE through an Approved Jurisdictional Determination (AJD). This report may be submitted to the USACE to assist with their determination.

Wis. Adm. Code NR 151 **("NR 151") requires that a "protective area"** (buffer) be determined from the Ordinary High-Water Mark (OHWM) of lakes, streams and rivers, or at the delineated boundary of wetlands. Per NR 151.12, the protective area width for **"**less susceptible**"** wetlands is determined by using 10% of the average wetland width, no less than 10 feet or more than 30 feet. "Moderately susceptible" wetlands, lakes, and perennial and intermittent streams identified on recent mapping require a protective area width of 50 feet; while "highly susceptible wetlands**" are associated with** outstanding or exceptional resource waters in areas of special natural resource interest and require protective area width of 75 feet. Table 2 above lists the potential wetland buffers per NR 151 for each wetland identified based on Heartland**'**s professional opinion. Please note that jurisdictional authority on wetland and waterway protective areas under NR 151 lies with the WDNR. Local zoning authorities and regional planning organizations may have additional land use restrictions within or adjacent to wetlands.

4.0 Conclusion

Heartland completed an assured wetland determination and delineation within the Reston Heights site on October 7, 2022 at the request of Forward Management. Fieldwork was completed by Jeff Kraemer, an assured delineator qualified via the WDNR Wetland Delineation Assurance Program (Appendix E). The Study Area lies in Section 1, T7N, R10E, City of Madison, Dane County, WI (Figure 1, Appendix A).

Three (3) wetland areas were delineated and mapped within the 3.55-acre Study Area (Figure 6, Appendix A). The wetlands, which may be classified as emergent marsh and ruderal wet meadow, total approximately 0.19 acres within the Study Area. Wetlands W-1 and W-3 are constructed stormwater management features and may be subject to artificial wetland exemptions. W-2 appears isolated on the landscape and may be subject to nonfederal wetland exemptions. No waterways were observed within the Study Area.

Wetlands, waterways, and water bodies discussed in this report may be subject to federal regulation under the jurisdiction of the USACE, state regulation under the jurisdiction of the WDNR, and the local zoning authority. Heartland recommends this report be submitted to the USACE and WDNR for final jurisdictional review and concurrence. Review by local authorities may be necessary for determination of any applicable zoning and setback restrictions.

Heartland recommends that all applicable regulatory agency reviews and permits are obtained prior to beginning work within the Study Area or within or adjacent to wetlands or waterways. Heartland can assist with evaluating the need for additional environmental reviews, surveys, or regulatory agency coordination in consideration of the proposed activity and land use as requested but is outside of the scope of the wetland delineation.

Experienced and qualified professionals completed the wetland determination and delineation using standard practices and professional judgment. Wetland boundaries may be affected by conditions present within the Study Area at the time of the fieldwork. All final decisions on wetlands and their boundaries are made by the USACE, the WDNR, and/or sometimes a local unit of government. Wetland determination and boundary reviews by regulatory agencies may result in modifications to the findings presented to the Client. These modifications may result from varying conditions between the time the wetland delineation was completed and the time of the review. Factors that may influence the

findings may include but not limited to precipitation patterns, drainage modifications, changes or modification to vegetation, and the time of year.

5.0   References

Deters, J. & Gutenson, J. (2021). Antecedent Precipitation Tool (APT) [Electronic Source: python source code]. See: GitHub - jDeters-USACE/Antecedent-Precipitation-Tool:

Eggers, S. D., & D. M. Reed. (2014). *Wetland Plants and Plant Communities of Minnesota and Wisconsin* (V. 3.1). U.S. Army Corps of Engineers, Regulatory Branch, St. Paul, MN District. See: http://www.mvp.usace.army.mil/.

Environmental Laboratory (1987). *Corps of Engineers Wetlands Delineation Manual*, Tech. Report Y-87-1, U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

Lichvar, R.W., D. L. Banks, W. N. Kirchner, and N.C. Melvin. (2016). *The National Wetland Plant List:* 2016 wetland ratings. Phytoneuron 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X. See: http://www.phytoneuron.net/.

Midwestern Regional Climate Center. (2014). *cli-MATE* [climate data access tool]. See: http://mrcc.isws.illinois.edu/CLIMATE/.

National Oceanic and Atmospheric Administration (NOAA). (2015) Regional Climate Centers Applied Climate Information System. *WETS table.* See: http://agacis.rcc-acis.org.

NOAA National Center for Environmental Information. (2018) *Historic Palmer Drought Indices.* See: https://www.ncdc.noaa.gov/temp-and-precip/drought/historical-palmers/psi/201512-201601.

Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture (USDA). (2018). *Soil Survey Geographic (SSURGO) Database.* See: http://websoilsurvey.nrcs.usda.gov/ or http://datagateway.nrcs.usda.gov/.

Soil Survey Staff, Natural Resources Conservation Service, USDA. (2018). *Web Soil Survey.* See: http://websoilsurvey.nrcs.usda.gov/.

U.S. Army Corps of Engineers (USACE) and Wisconsin Department of Natural Resources (WDNR). (March 2015). **"Guidance for Submittal of Delineation Reports to the St. Paul**

District Army Corps of Engineers and the Wisconsin Department of Natural Resources". See:
http://dnr.wi.gov/topic/wetlands/documents/FinalWisconsinDelineationGuidance.pdf.

USACE. *Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Northcentral and Northeast Region (Version 2.0*). (2011). ed. J.S. Wakely, R.W. Lichvar, C.V. Nobel, and J. F. Berkowitz. ERDC/EL TR-12-1. Vicksburg, MS: U.S. Army Engineer Research and Development Center.

USACE St. Paul District & Minnesota Board of Water & Soil Resources. (July 2016). *Guidance for Offsite Hydrology/Wetland Determinations.* See:
http://www.mvp.usace.army.mil/Missions/Regulatory/Delineation/.

United States Department of Agriculture (USDA), Farm Service Agency (FSA). (2004, 2005, 2006, 2008, 2010, 2013, 2015, 2017, 2018, 2020) [Dane County, Wisconsin aerial photographs]. National Agriculture Imagery Program (NAIP). Salt Lake City, UT: Aerial Photography Field Office.

USDA, Natural Resource Conservation Service (NRCS). (2010). *Field Indicators of Hydric Soils in the United States*, Version 8.2. L.M. Vasilas, G.W. Hurt, and C.V. Noble (eds.). USDA, NRCS in cooperation with the National Technical Committee for Hydric Soils.

United States Department of the Interior (USDI), U.S. Geological Survey (USGS). *Wisconsin 7.5 Minute Series (Topographic) Maps.* 1:24,000. Reston, VA.

USDI, USGS. National Hydrography Dataset (NHD) 24K scale data. See:
https://nhd.usgs.gov/.

Wetland Training Institute, Inc (WTI). (2010*). Pocket guide to hydric soil field indicators.* (Robert J. Pierce, Ed.). (7[th] ed.). Glenwood, NM: Wetland Training Institute, Inc.

Willmott, C.J. and K. Matsuura. (2016). *Web-Based Water-Budget Interactive Modeling Program (WebWIMP).* University of Delaware Department of Geography. Newark, DE. See: climate.geog.udel.edu/~wimp/.

WDNR, Surface Water Data Viewer Interactive Web-mapping Tool. (2018). See: https://dnr.wi.gov/topic/surfacewater/swdv/.

WDNR, Division of Water. (2010). [24k hydrography geospatial data layer]. See: ftp://dnrftp01.wi.gov/geodata/hydro_24k/.

WDNR, WiDNR Open Data. (2019). [Wisconsin Wetland Inventory Geodatabase]. See: https://www.arcgis.com/home/item.html?id=16119ac2100c4286ab8219bf03377ebf.

Woodward, D.E. ed. (1997). *Hydrology Tools for Wetland Determination*, WETS Analysis, Chapter 19. Engineering Field Handbook. USDA, NRCS, Fort Worth, TX.

Appendix A | Figures

Label	Section
Section 34	Section 35	8N 10E	Section 36	Section 31	8N 11E

Section 34

Section 35   8N 10E

Section 36

Section 31   8N 11E

Section 3

Section 2

Section 1

Section 6

Sprecher East

Blooming Grove Drumlins Natural Resource Area- North Unit

7N 10E

7N 11E

Highland Memorial Gardens

Section 10

Section 11

Section 12

Section 7

Door Creek Golf Course

Section 15

Section 14

Blooming Grove Drumlins Natural Resource Area- South

Section 13

Section 18

N

US 12
US 18

☐ Study Area (3.55 ac)

☐ Township

┆ Section

0   1,000   2,000
Ft

Heartland
ECOLOGICAL GROUP INC

Figure 1. Project Location

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

OpenStreetMap
ESRI   LRR: NCNE

Figure 2. USGS Topography

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

Study Area (3.55 ac)
Township
Section

Heartland
ECOLOGICAL GROUP INC

USGSTopo
USGS   LRR: NCNE

Study Area (3.55 ac)

NRCS Soil Survey Data

Hydric (100%)

Predominantly Hydric (85-99%)

Partially Hydric (16-84%)

Predominantly Non-Hydric (1-15%)

Non-Hydric (0%)

Heartland
ECOLOGICAL GROUP INC

Figure 3. NRCS
Hydric Soils

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2020 Dane Co.
NRCS   LRR: NCNE

Labels on map: PnB, ScB, Littlemore Dr, Summertown Dr, Wyausing Dr, KdC2, EfB, E Hill Pkwy, Broad Creek Blvd, PnB, Broad Creek Blvd, E Hill Pkwy, KdC2

Inset map labels: County Highway, I 94, 240, Sprecher Road, Sprecher East, McClellan Park

Scale: 0 — 100 Ft

Legend:
- Study Area (3.55 ac)
- SWDV Wetland Indicators

Scale: 0 — 100 Ft

Heartland
ECOLOGICAL GROUP INC

Figure 4. SWDV
Wetland Indicators

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2020 Dane Co.
WDNR   LRR: NCNE

Map labels: Summertown Dr, Wyaulsing Dr, Littlemore Dr, ScB, E Hill Pkwy, Broad Creek Blvd, Broad Creek Blvd, E Hill Pkwy

Inset map labels: County Highway, I 94, 240, Sprecher Road, Sprecher East, McClellan Park, N

Figure 5. Wisconsin Wetland Inventory

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2020 Dane Co.
WDNR, USGS   LRR: NCNE

Legend:
- Study Area (3.55 ac)
- WWI Wetland Polygons
- WWI Wetland Points
- NHD Waterway
- NHD Waterbody (None in Map Extent)

Heartland
ECOLOGICAL GROUP INC

Map labels: Summertown Dr, Wyaulsing Dr, Littlemore Dr, Broad Creek Blvd, E Hill Pkwy, E1K

Inset map labels: County Highway, I 94, 240, Sprecher Road, Sprecher East, McClellan Park

Figure 6. Field Delineated Wetlands

Study Area (3.55 ac)
Dane Co 1' Contours
Field Delineated Wetlands (0.19 ac)

Sample Points
Upland
Wetland

Heartland
ECOLOGICAL GROUP INC

Figure 6. Field
Delineated Wetlands

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2020 Dane Co.
Dane Co, HEG   LRR: NCNE

Appendix B | APT Analysis

Antecedent Precipitation vs Normal Range based on NOAA's Daily Global Historical Climatology Network

Coordinates	43.096577, -89.261366
Observation Date	2022-10-07
Elevation (ft)	919.63
Drought Index (PDSI)	Mild wetness
WebWIMP H₂O Balance	Wet Season

30 Days Ending	30th %ile (in)	70th %ile (in)	Observed (in)	Wetness Condition	Condition Value	Month Weight	Product
2022-10-07	2.217323	4.32874	3.759843	Normal	2	3	6
2022-09-07	1.844095	3.95748	3.011811	Normal	2	2	4
2022-08-08	3.182677	4.640945	5.716536	Wet	3	1	3
Result							Normal Conditions - 13

Figure and tables made by the
Antecedent Precipitation Tool
Version 1.0

Written by Jason Deters
U.S. Army Corps of Engineers

Weather Station Name	Coordinates	Elevation (ft)	Distance (mi)	Elevation Δ	Weighted Δ	Days Normal	Days Antecedent
MADISON DANE RGNL AP	43.1406, -89.3453	866.142	5.213	53.488	2.624	11353	90

Appendix C | Wetland Determination Data Sheets

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights City/County: Madison/Dane Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc State: WI Sampling Point: P1

Investigator(s): Jeff Kraemer, Heartland Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.): level plain Local relief (concave, convex, none): none Slope %: 0-2

Subregion (LRR or MLRA): LRR K Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB) NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ___ (If no, explain in Remarks.)

Are Vegetation ___ , Soil x , or Hydrology ___ significantly disturbed? Are "Normal Circumstances" present? Yes X No ___

Are Vegetation ___ , Soil ___ , or Hydrology ___ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes ___ No X	**Is the Sampled Area**	
Hydric Soil Present?	Yes ___ No X	**within a Wetland?**	**Yes** ___ **No** X
Wetland Hydrology Present?	Yes ___ No X	If yes, optional Wetland Site ID:	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was Normal. Study Area consists of unmanaged outlot, possibly rough mowed periodically. Swale present on eastern edge of site, has no outlot or direct connection to south detention basin. Teasel is widespread in low lying uplands and most of upland areas have been historically filled (approx. 4-6ft). Filled areas are mantaned as turf. Plot was in upland turf area (roughly mowed) between W-2 and offsite detension basin, no surface water connection noted. Normal circumstances intepreted due to rough mowing which appears to happen periodically onsite.

HYDROLOGY

Wetland Hydrology Indicators:		Secondary Indicators (minimum of two required)
Primary Indicators (minimum of one is required; check all that apply)		___ Surface Soil Cracks (B6)
___ Surface Water (A1)	___ Water-Stained Leaves (B9)	___ Drainage Patterns (B10)
___ High Water Table (A2)	___ Aquatic Fauna (B13)	___ Moss Trim Lines (B16)
___ Saturation (A3)	___ Marl Deposits (B15)	___ Dry-Season Water Table (C2)
___ Water Marks (B1)	___ Hydrogen Sulfide Odor (C1)	___ Crayfish Burrows (C8)
___ Sediment Deposits (B2)	___ Oxidized Rhizospheres on Living Roots (C3)	___ Saturation Visible on Aerial Imagery (C9)
___ Drift Deposits (B3)	___ Presence of Reduced Iron (C4)	___ Stunted or Stressed Plants (D1)
___ Algal Mat or Crust (B4)	___ Recent Iron Reduction in Tilled Soils (C6)	___ Geomorphic Position (D2)
___ Iron Deposits (B5)	___ Thin Muck Surface (C7)	___ Shallow Aquitard (D3)
___ Inundation Visible on Aerial Imagery (B7)	___ Other (Explain in Remarks)	___ Microtopographic Relief (D4)
___ Sparsely Vegetated Concave Surface (B8)		___ FAC-Neutral Test (D5)

Field Observations:						
Surface Water Present?	Yes ___	No X	Depth (inches): ___			
Water Table Present?	Yes ___	No X	Depth (inches): ___			
Saturation Present?	Yes ___	No X	Depth (inches): ___	**Wetland Hydrology Present?**	**Yes** ___ **No** X
(includes capillary fringe)						

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.　　　　　　　　　　Sampling Point: ___P1___

Tree Stratum　(Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____	=Total Cover	

Sapling/Shrub Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____	=Total Cover	

Herb Stratum　(Plot size: _____)			
1. *Poa pratensis*	70	Yes	FACU
2. *Phalaris arundinacea*	10	No	FACW
3. *Cirsium arvense*	10	No	FACU
4. *Dipsacus fullonum*	5	No	FACU
5. *Taraxacum officinale*	3	No	FACU
6. *Trifolium repens*	3	No	FACU
7. *Daucus carota*	2	No	UPL
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	103	=Total Cover	

Woody Vine Stratum　(Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____	=Total Cover	

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___0___ (A)

Total Number of Dominant
Species Across All Strata: ___1___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___0.0%___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	10	x 2 =	20
FAC species	0	x 3 =	0
FACU species	91	x 4 =	364
UPL species	2	x 5 =	10
Column Totals:	103 (A)		394 (B)

Prevalence Index = B/A = ___3.83___

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

____ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?　　Yes _____　　No __X__

Remarks: (Include photo numbers here or on a separate sheet.)
Plot was roughly mowed, interpretated to be normal circumstances.

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-7	10YR 3/2	100					Loamy/Clayey	SiL
7-20	10YR 4/4	70					Loamy/Clayey	SiCL, contains 10% gravel
	10YR 3/2	30						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

Indicators for Problematic Hydric Soils[3]:

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   **Yes** _____   **No** __X__

Remarks:
Soils likely filled/graded

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights   City/County: Madison/Dane   Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc   State: WI   Sampling Point: P2

Investigator(s): Jeff Kraemer, Heartland   Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.):   depression   Local relief (concave, convex, none): concave   Slope %: 0-2

Subregion (LRR or MLRA): LRR K   Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB)   NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes X   No ____   (If no, explain in Remarks.)

Are Vegetation _____ , Soil _____ , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes X No ____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes X No ____	**Is the Sampled Area**
Hydric Soil Present?	Yes X No ____	**within a Wetland? Yes** X **No** ____
Wetland Hydrology Present?	Yes X No ____	If yes, optional Wetland Site ID: ____

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was within a meadow roughly mowed and adjacent to 5-8ft. Wide swale and 1-2ft. Below adjacent surface. No defined bed and bank observed. Based on area being roughly mowed periodically, normal circumstances were interpretated.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

____ Surface Water (A1)	____ Water-Stained Leaves (B9)
____ High Water Table (A2)	____ Aquatic Fauna (B13)
____ Saturation (A3)	____ Marl Deposits (B15)
____ Water Marks (B1)	____ Hydrogen Sulfide Odor (C1)
____ Sediment Deposits (B2)	____ Oxidized Rhizospheres on Living Roots (C3)
____ Drift Deposits (B3)	____ Presence of Reduced Iron (C4)
____ Algal Mat or Crust (B4)	____ Recent Iron Reduction in Tilled Soils (C6)
____ Iron Deposits (B5)	____ Thin Muck Surface (C7)
____ Inundation Visible on Aerial Imagery (B7)	____ Other (Explain in Remarks)
____ Sparsely Vegetated Concave Surface (B8)	

Secondary Indicators (minimum of two required)

____ Surface Soil Cracks (B6)
____ Drainage Patterns (B10)
____ Moss Trim Lines (B16)
____ Dry-Season Water Table (C2)
____ Crayfish Burrows (C8)
____ Saturation Visible on Aerial Imagery (C9)
____ Stunted or Stressed Plants (D1)
X Geomorphic Position (D2)
____ Shallow Aquitard (D3)
____ Microtopographic Relief (D4)
X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____
Water Table Present?	Yes ____	No X	Depth (inches): ____
Saturation Present?	Yes ____	No X	Depth (inches): ____
(includes capillary fringe)			

Wetland Hydrology Present?   Yes X **No** ____

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Populus deltoides*	8	Yes	FAC
2.			
3.			
4.			
5.			
6.			
7.			
	8	=Total Cover	

Sapling/Shrub Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
5.			
6.			
7.			
		=Total Cover	

Herb Stratum (Plot size: _____)			
1. *Phalaris arundinacea*	100	Yes	FACW
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	100	=Total Cover	

Woody Vine Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
		=Total Cover	

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___2___ (A)

Total Number of Dominant
Species Across All Strata: ___2___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: __100.0%__ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	100	x 2 =	200
FAC species	8	x 3 =	24
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	108 (A)		224 (B)

Prevalence Index = B/A = ___2.07___

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

_X_ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting
       data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must
be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in
diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH
and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless
of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in
height.

**Hydrophytic
Vegetation
Present?**   Yes _X_   No ____

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-14	10YR 2/2	88	10YR 5/8	12	C	M	Loamy/Clayey	SiCL, prominent redox concentrations
14-24	10YR 3/1	92	10YR 5/8	8	C	M	Loamy/Clayey	SiC, prominent redox concentrations
24-28	10YR 5/1	92	10YR 5/8	8	C	M	Loamy/Clayey	SiC, prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

_____ Histosol (A1)
_____ Histic Epipedon (A2)
_____ Black Histic (A3)
_____ Hydrogen Sulfide (A4)
_____ Stratified Layers (A5)
_____ Depleted Below Dark Surface (A11)
_____ Thick Dark Surface (A12)
_____ Sandy Mucky Mineral (S1)
_____ Sandy Gleyed Matrix (S4)
_____ Sandy Redox (S5)
_____ Stripped Matrix (S6)
_____ Dark Surface (S7)

_____ Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
_____ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
_____ High Chroma Sands (S11) (**LRR K, L**)
_____ Loamy Mucky Mineral (F1) (**LRR K, L**)
_____ Loamy Gleyed Matrix (F2)
_____ Depleted Matrix (F3)
__X_ Redox Dark Surface (F6)
_____ Depleted Dark Surface (F7)
__X_ Redox Depressions (F8)
_____ Marl (F10) (**LRR K, L**)

Indicators for Problematic Hydric Soils[3]:

_____ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
_____ Coast Prairie Redox (A16) (**LRR K, L, R**)
_____ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
_____ Polyvalue Below Surface (S8) (**LRR K, L**)
_____ Thin Dark Surface (S9) (**LRR K, L**)
_____ Iron-Manganese Masses (F12) (**LRR K, L, R**)
_____ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
_____ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
_____ Red Parent Material (F21)
_____ Very Shallow Dark Surface (F22)
_____ Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   **Yes** __X__   **No** _____

Remarks:

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights   City/County: Madison/Dane   Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc   State: WI   Sampling Point: P3

Investigator(s): Jeff Kraemer, Heartland   Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.): Rise/embankment   Local relief (concave, convex, none): none   Slope %: 0-2

Subregion (LRR or MLRA): LRR K   Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB)   NWI classification: None (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes X   No _____   (If no, explain in Remarks.)

Are Vegetation _____ , Soil X , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present? Yes X No _____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No X	**Is the Sampled Area**	
Hydric Soil Present?	Yes _____ No X	**within a Wetland?** **Yes** _____ **No** X	
Wetland Hydrology Present?	Yes _____ No X	If yes, optional Wetland Site ID: _____	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was located on an upland embankment near parking lot. Due to area being roughly mowed only periodically, normal circumstances were interpreted.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)   Secondary Indicators (minimum of two required)

_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Surface Soil Cracks (B6)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Drainage Patterns (B10)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Moss Trim Lines (B16)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Dry-Season Water Table (C2)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Crayfish Burrows (C8)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Stunted or Stressed Plants (D1)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Geomorphic Position (D2)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Shallow Aquitard (D3)
_____ Sparsely Vegetated Concave Surface (B8)		_____ Microtopographic Relief (D4)
		_____ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____	
Water Table Present?	Yes _____	No X	Depth (inches): _____	
Saturation Present?	Yes _____	No X	Depth (inches): _____	**Wetland Hydrology Present?** **Yes** _____ **No** X
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION– Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Sapling/Shrub Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Herb Stratum (Plot size: _____)			
1. *Poa pratensis*	65	Yes	FACU
2. *Phalaris arundinacea*	10	No	FACW
3. *Cirsium arvense*	8	No	FACU
4. *Verbascum thapsus*	2	No	UPL
5. *Taraxacum officinale*	2	No	FACU
6. *Daucus carota*	2	No	UPL
7. *Solidago canadensis*	2	No	FACU
8. *Setaria pumila*	5	No	FAC
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	96 =Total Cover		

Woody Vine Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____ =Total Cover		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 0   (A)

Total Number of Dominant
Species Across All Strata: 1   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 0.0%   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:
OBL species	0	x 1 = 0
FACW species	10	x 2 = 20
FAC species	5	x 3 = 15
FACU species	77	x 4 = 308
UPL species	4	x 5 = 20
Column Totals:	96 (A)	363 (B)
Prevalence Index = B/A =		3.78

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

____ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No   X

Remarks: (Include photo numbers here or on a separate sheet.)
Vegetation was observed to be roughly mowed at the time of sampling.

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-6	10YR 3/3	100					Loamy/Clayey	SiL, contains 10% gravel
6-18	10YR 5/4	85					Loamy/Clayey	SiCL, contains 15% gravel, mixed profile
	10YR 3/2	15						

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

Indicators for Problematic Hydric Soils[3]:

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No __X__

Remarks:

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights   City/County: Madison/Dane   Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc   State: WI   Sampling Point: P4

Investigator(s): Jeff Kraemer, Heartland   Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.): depression   Local relief (concave, convex, none): concave   Slope %: 0-2

Subregion (LRR or MLRA): LRR K   Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB)   NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes X   No _____   (If no, explain in Remarks.)

Are Vegetation _____ , Soil X , or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes X No _____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes X No _____	**Is the Sampled Area**
Hydric Soil Present? Yes X No _____	**within a Wetland? Yes X No _____**
Wetland Hydrology Present? Yes X No _____	If yes, optional Wetland Site ID: _____

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was located within a sediment basin that collects runoff from adjacent parking lot. No surface water connections were present. Feature appears to be an artificial excavated stormwater management feature that has developed wetland characteristics.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)
_____ Saturation (A3)	_____ Marl Deposits (B15)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)
_____ Sparsely Vegetated Concave Surface (B8)	

Secondary Indicators (minimum of two required)

_____ Surface Soil Cracks (B6)
_____ Drainage Patterns (B10)
_____ Moss Trim Lines (B16)
_____ Dry-Season Water Table (C2)
_____ Crayfish Burrows (C8)
_____ Saturation Visible on Aerial Imagery (C9)
_____ Stunted or Stressed Plants (D1)
 X Geomorphic Position (D2)
_____ Shallow Aquitard (D3)
_____ Microtopographic Relief (D4)
 X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____	
Water Table Present?	Yes _____	No X	Depth (inches): _____	
Saturation Present?	Yes X	No _____	Depth (inches): 20	**Wetland Hydrology Present? Yes X No _____**
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Sapling/Shrub Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Herb Stratum (Plot size: _____)			
1. *Typha angustifolia*	90	Yes	OBL
2. *Phalaris arundinacea*	10	No	FACW
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	100 =Total Cover		

Woody Vine Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____ =Total Cover		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: 1   (A)

Total Number of Dominant
Species Across All Strata: 1   (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: 100.0%   (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	90	x 1 =	90
FACW species	10	x 2 =	20
FAC species	0	x 3 =	0
FACU species	0	x 4 =	0
UPL species	0	x 5 =	0
Column Totals:	100 (A)		110 (B)

Prevalence Index = B/A =   1.10

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

_X_ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _X_   No _____

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-2	10YR 3/2	100					Loamy/Clayey	SiL
2-4	10YR 3/1	100					Loamy/Clayey	SiL
4-8	10YR 5/4	100					Loamy/Clayey	SL
8-20	10YR 3/2	75	10YR 4/6	5	C	M	Loamy/Clayey	SiCL, prominent redox concentrations
	10YR 3/1	20						Mixed profile, 5% gravel

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

Histosol (A1)	Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)	2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
Histic Epipedon (A2)		Coast Prairie Redox (A16) (**LRR K, L, R**)
Black Histic (A3)	Thin Dark Surface (S9) (**LRR R, MLRA 149B**)	5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
Hydrogen Sulfide (A4)	High Chroma Sands (S11) (**LRR K, L**)	Polyvalue Below Surface (S8) (**LRR K, L**)
Stratified Layers (A5)	Loamy Mucky Mineral (F1) (**LRR K, L**)	Thin Dark Surface (S9) (**LRR K, L**)
Depleted Below Dark Surface (A11)	Loamy Gleyed Matrix (F2)	Iron-Manganese Masses (F12) (**LRR K, L, R**)
Thick Dark Surface (A12)	Depleted Matrix (F3)	Piedmont Floodplain Soils (F19) (**MLRA 149B**)
Sandy Mucky Mineral (S1)	X Redox Dark Surface (F6)	Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
Sandy Gleyed Matrix (S4)	Depleted Dark Surface (F7)	Red Parent Material (F21)
Sandy Redox (S5)	Redox Depressions (F8)	Very Shallow Dark Surface (F22)
Stripped Matrix (S6)	Marl (F10) (**LRR K, L**)	Other (Explain in Remarks)
Dark Surface (S7)		

Indicators for Problematic Hydric Soils[3]:

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____   **Hydric Soil Present?   Yes** __X__ **No** _____

Remarks:
Soils appear to have historically been excavated/filled to create sediment basin feature.

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights City/County: Madison/Dane Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc State: WI Sampling Point: P5

Investigator(s): Jeff Kraemer, Heartland Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.): upland low terrace Local relief (concave, convex, none): none Slope %: 0-2

Subregion (LRR or MLRA): LRR K Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB) NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year? Yes X No ____ (If no, explain in Remarks.)

Are Vegetation _____ , Soil _____ , or Hydrology _____ significantly disturbed? Are "Normal Circumstances" present? Yes X No ____

Are Vegetation _____ , Soil _____ , or Hydrology _____ naturally problematic? (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes ____ No X	**Is the Sampled Area**	
Hydric Soil Present? Yes ____ No X	**within a Wetland?** **Yes** ____ **No** X	
Wetland Hydrology Present? Yes ____ No X	If yes, optional Wetland Site ID:	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was located in an upland low terrace that exhibited historic evidence of rough mowing (but not at time of sampling). Normal circumstances interpreted.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

____ Surface Water (A1)	____ Water-Stained Leaves (B9)
____ High Water Table (A2)	____ Aquatic Fauna (B13)
____ Saturation (A3)	____ Marl Deposits (B15)
____ Water Marks (B1)	____ Hydrogen Sulfide Odor (C1)
____ Sediment Deposits (B2)	____ Oxidized Rhizospheres on Living Roots (C3)
____ Drift Deposits (B3)	____ Presence of Reduced Iron (C4)
____ Algal Mat or Crust (B4)	____ Recent Iron Reduction in Tilled Soils (C6)
____ Iron Deposits (B5)	____ Thin Muck Surface (C7)
____ Inundation Visible on Aerial Imagery (B7)	____ Other (Explain in Remarks)
____ Sparsely Vegetated Concave Surface (B8)	

Secondary Indicators (minimum of two required)
- ____ Surface Soil Cracks (B6)
- ____ Drainage Patterns (B10)
- ____ Moss Trim Lines (B16)
- ____ Dry-Season Water Table (C2)
- ____ Crayfish Burrows (C8)
- ____ Saturation Visible on Aerial Imagery (C9)
- ____ Stunted or Stressed Plants (D1)
- ____ Geomorphic Position (D2)
- ____ Shallow Aquitard (D3)
- ____ Microtopographic Relief (D4)
- ____ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present? Yes ____ No X Depth (inches): ____				
Water Table Present? Yes ____ No X Depth (inches): ____				
Saturation Present? Yes ____ No X Depth (inches): ____	**Wetland Hydrology Present?** **Yes** ____ **No** X			
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Sapling/Shrub Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Herb Stratum (Plot size: _____)			
1. *Poa pratensis*	50	Yes	FACU
2. *Dipsacus fullonum*	60	Yes	FACU
3. *Phalaris arundinacea*	3	No	FACW
4. *Solidago canadensis*	1	No	FACU
5. *Erigeron strigosus*	1	No	FACU
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	115 =Total Cover		

Woody Vine Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____ =Total Cover		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: _____0_____ (A)

Total Number of Dominant
Species Across All Strata: _____2_____ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: _____0.0%_____ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	3	x 2 =	6
FAC species	0	x 3 =	0
FACU species	112	x 4 =	448
UPL species	0	x 5 =	0
Column Totals:	115 (A)		454 (B)

Prevalence Index = B/A = _____3.95_____

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

____ 2 - Dominance Test is >50%

____ 3 - Prevalence Index is ≤3.0[1]

____ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _____   No __X__

Remarks: (Include photo numbers here or on a separate sheet.)
Teasel is 5ft. Tall and is seeded out.

SOIL   Sampling Point   P5

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-13	10YR 3/2	97	10YR 5/6	3	C	M	Loamy/Clayey	SiCL, prominent redox concentrations
13-24	10YR 4/2	92	10YR 5/6	8	C	M	Loamy/Clayey	SiC, prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

Histosol (A1)	Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)	**Indicators for Problematic Hydric Soils[3]:**
Histic Epipedon (A2)		2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
Black Histic (A3)	Thin Dark Surface (S9) (**LRR R, MLRA 149B**)	Coast Prairie Redox (A16) (**LRR K, L, R**)
Hydrogen Sulfide (A4)	High Chroma Sands (S11) (**LRR K, L**)	5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
Stratified Layers (A5)	Loamy Mucky Mineral (F1) (**LRR K, L**)	Polyvalue Below Surface (S8) (**LRR K, L**)
Depleted Below Dark Surface (A11)	Loamy Gleyed Matrix (F2)	Thin Dark Surface (S9) (**LRR K, L**)
Thick Dark Surface (A12)	Depleted Matrix (F3)	Iron-Manganese Masses (F12) (**LRR K, L, R**)
Sandy Mucky Mineral (S1)	Redox Dark Surface (F6)	Piedmont Floodplain Soils (F19) (**MLRA 149B**)
Sandy Gleyed Matrix (S4)	Depleted Dark Surface (F7)	Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
Sandy Redox (S5)	Redox Depressions (F8)	Red Parent Material (F21)
Stripped Matrix (S6)	Marl (F10) (**LRR K, L**)	Very Shallow Dark Surface (F22)
Dark Surface (S7)		Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No _X_

Remarks:

Soils are marginally non-hydric, however a non-hydric determination supports the non-hydrophytic vegetation determination and lack of wetland hydrology indicators.

US Army Corps of Engineers   Northcentral and Northeast Region – Version 2.0

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights　　　　City/County: Madison/Dane　　　　Sampling Date: 10/7/22

Applicant/Owner:　Forward Management, Inc　　　　State:　WI　　Sampling Point:　P6

Investigator(s): Jeff Kraemer, Heartland　　　　Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.):　upland swale　　　Local relief (concave, convex, none): none　　　Slope %: 0-2

Subregion (LRR or MLRA):　LRR K　　　　Lat:　　　　Long:　　　　Datum:

Soil Map Unit Name:　Elburn silt loam, 0-3 percent slopes (EfB)　　　　NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?　Yes　X　　No　　　(If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?　Are "Normal Circumstances" present?　Yes　X　No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?　(If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____	No _X_	**Is the Sampled Area**	
Hydric Soil Present?	Yes _X_	No _____	**within a Wetland?**　　**Yes** _____　**No** _X_	
Wetland Hydrology Present?	Yes _____	No _X_	If yes, optional Wetland Site ID: _____	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was located in upper reach of swale that was poorly defined. No stormwater inputs were observed at head of swale and no offsite surface water connections were evident. Hydric soil observed but no dominance of hydric vegetation or hydrology was observed. Historic surface water drainage has been significantly altered through past development and stormwater management practices.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	
_____ Saturation (A3)	_____ Marl Deposits (B15)	
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	
_____ Sparsely Vegetated Concave Surface (B8)		

Secondary Indicators (minimum of two required)

_____ Surface Soil Cracks (B6)
_____ Drainage Patterns (B10)
_____ Moss Trim Lines (B16)
_____ Dry-Season Water Table (C2)
_____ Crayfish Burrows (C8)
_____ Saturation Visible on Aerial Imagery (C9)
_____ Stunted or Stressed Plants (D1)
_____ Geomorphic Position (D2)
_____ Shallow Aquitard (D3)
_____ Microtopographic Relief (D4)
_____ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes _____	No _X_	Depth (inches): _____	
Water Table Present?	Yes _____	No _X_	Depth (inches): _____	
Saturation Present?	Yes _____	No _X_	Depth (inches): _____	**Wetland Hydrology Present?**　**Yes** _____　**No** _X_
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:
No recent drainage patterns or scoring evident.

VEGETATION– Use scientific names of plants.　　　　　　　　　　　　Sampling Point: ___P6___

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Populus tremuloides*	20	Yes	FAC
2. *Quercus macrocarpa*	20	Yes	FACU
3.			
4.			
5.			
6.			
7.			
	40	=Total Cover	

Sapling/Shrub Stratum (Plot size: _____)			
1. *Rhamnus cathartica*	30	Yes	FAC
2. *Lonicera X bella*	20	Yes	FACU
3. *Cornus alba*	5	No	FACW
4. *Viburnum acerifolium*	5	No	UPL
5. *Fraxinus pennsylvanica*	1	No	FACW
6.			
7.			
	61	=Total Cover	

Herb Stratum (Plot size: _____)			
1. *Dipsacus fullonum*	5	Yes	FACU
2. *Cirsium arvense*	1	No	FACU
3. *Parthenocissus quinquefolia*	3	No	FACU
4. *Rhamnus cathartica*	10	Yes	FAC
5.			
6.			
7.			
8.			
9.			
10.			
11.			
12.			
	19	=Total Cover	

Woody Vine Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
		=Total Cover	

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___3___ (A)

Total Number of Dominant
Species Across All Strata: ___6___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___50.0%___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	6	x 2 =	12
FAC species	60	x 3 =	180
FACU species	49	x 4 =	196
UPL species	5	x 5 =	25
Column Totals:	120 (A)		413 (B)

Prevalence Index = B/A = ___3.44___

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?　　Yes _____　　No __X__

Remarks: (Include photo numbers here or on a separate sheet.)
Buckthorn seedlings evident.

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-9	10YR 3/2	95	10YR 5/6	5	C	M	Loamy/Clayey	SiCL, prominent redox concentrations
9-24	2.5Y 5/2	75	2.5Y 5/6	15	C	M	Loamy/Clayey	SiCL, prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

___ Histosol (A1)	___ Polyvalue Below Surface (S8) (**LRR R,**	___ 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
___ Histic Epipedon (A2)	**MLRA 149B**)	___ Coast Prairie Redox (A16) (**LRR K, L, R**)
___ Black Histic (A3)	___ Thin Dark Surface (S9) (**LRR R, MLRA 149B**)	___ 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
___ Hydrogen Sulfide (A4)	___ High Chroma Sands (S11) (**LRR K, L**)	___ Polyvalue Below Surface (S8) (**LRR K, L**)
___ Stratified Layers (A5)	___ Loamy Mucky Mineral (F1) (**LRR K, L**)	___ Thin Dark Surface (S9) (**LRR K, L**)
X Depleted Below Dark Surface (A11)	___ Loamy Gleyed Matrix (F2)	___ Iron-Manganese Masses (F12) (**LRR K, L, R**)
___ Thick Dark Surface (A12)	X Depleted Matrix (F3)	___ Piedmont Floodplain Soils (F19) (**MLRA 149B**)
___ Sandy Mucky Mineral (S1)	X Redox Dark Surface (F6)	___ Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
___ Sandy Gleyed Matrix (S4)	___ Depleted Dark Surface (F7)	___ Red Parent Material (F21)
___ Sandy Redox (S5)	___ Redox Depressions (F8)	___ Very Shallow Dark Surface (F22)
___ Stripped Matrix (S6)	___ Marl (F10) (**LRR K, L**)	___ Other (Explain in Remarks)
___ Dark Surface (S7)		

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Indicators for Problematic Hydric Soils[3]:

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   **Yes** __X__   **No** _____

Remarks:

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights   City/County: Madison/Dane   Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc   State: WI   Sampling Point: P7

Investigator(s): Jeff Kraemer, Heartland   Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.): upland swale   Local relief (concave, convex, none): none   Slope %: 0-2

Subregion (LRR or MLRA): LRR K   Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB)   NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes X   No _____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes X   No _____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present?	Yes _____ No X	**Is the Sampled Area**	
Hydric Soil Present?	Yes _____ No X	**within a Wetland?**	**Yes** _____ **No** X
Wetland Hydrology Present?	Yes _____ No X	If yes, optional Wetland Site ID:	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was in upland young woody margin of swale feature.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)   Secondary Indicators (minimum of two required)

Primary Indicators		Secondary Indicators
_____ Surface Water (A1)	_____ Water-Stained Leaves (B9)	_____ Surface Soil Cracks (B6)
_____ High Water Table (A2)	_____ Aquatic Fauna (B13)	_____ Drainage Patterns (B10)
_____ Saturation (A3)	_____ Marl Deposits (B15)	_____ Moss Trim Lines (B16)
_____ Water Marks (B1)	_____ Hydrogen Sulfide Odor (C1)	_____ Dry-Season Water Table (C2)
_____ Sediment Deposits (B2)	_____ Oxidized Rhizospheres on Living Roots (C3)	_____ Crayfish Burrows (C8)
_____ Drift Deposits (B3)	_____ Presence of Reduced Iron (C4)	_____ Saturation Visible on Aerial Imagery (C9)
_____ Algal Mat or Crust (B4)	_____ Recent Iron Reduction in Tilled Soils (C6)	_____ Stunted or Stressed Plants (D1)
_____ Iron Deposits (B5)	_____ Thin Muck Surface (C7)	_____ Geomorphic Position (D2)
_____ Inundation Visible on Aerial Imagery (B7)	_____ Other (Explain in Remarks)	_____ Shallow Aquitard (D3)
_____ Sparsely Vegetated Concave Surface (B8)		_____ Microtopographic Relief (D4)
		_____ FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes _____	No X	Depth (inches): _____	
Water Table Present?	Yes _____	No X	Depth (inches): _____	
Saturation Present?	Yes _____	No X	Depth (inches): _____	**Wetland Hydrology Present?** Yes _____ No X
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. *Populus tremuloides*	20	Yes	FAC
2. *Quercus macrocarpa*	20	Yes	FACU
3. *Prunus serotina*	10	Yes	FACU
4.			
5.			
6.			
7.			
	50	=Total Cover	

Sapling/Shrub Stratum (Plot size: _____)			
1. *Lonicera X bella*	10	Yes	FACU
2. *Populus tremuloides*	10	Yes	FAC
3. *Quercus macrocarpa*	1	No	FACU
4. *Rhamnus cathartica*	1	No	FAC
5.			
6.			
7.			
	22	=Total Cover	

Herb Stratum (Plot size: _____)			
1. *Poa pratensis*	20	Yes	FACU
2. *Dipsacus fullonum*	20	Yes	FACU
3. *Solidago canadensis*	10	No	FACU
4. *Geum canadense*	3	No	FAC
5. *Pastinaca sativa*	2	No	UPL
6. *Daucus carota*	1	No	UPL
7.			
8.			
9.			
10.			
11.			
12.			
	56	=Total Cover	

Woody Vine Stratum (Plot size: _____)			
1.			
2.			
3.			
4.			
		=Total Cover	

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ___2___ (A)

Total Number of Dominant
Species Across All Strata: ___7___ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: ___28.6%___ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	0	x 1 =	0
FACW species	0	x 2 =	0
FAC species	34	x 3 =	102
FACU species	91	x 4 =	364
UPL species	3	x 5 =	15
Column Totals:	128 (A)		481 (B)

Prevalence Index = B/A = ___3.76___

Hydrophytic Vegetation Indicators:

___ 1 - Rapid Test for Hydrophytic Vegetation

___ 2 - Dominance Test is >50%

___ 3 - Prevalence Index is ≤3.0[1]

___ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

___ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present? Yes _____ No __X__

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-16	10YR 3/2	100					Loamy/Clayey	SiCL
16-24	10YR 5/2	92	10YR 5/8	8	C	M	Loamy/Clayey	SiCL, prominent redox concentrations

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

- Histosol (A1)
- Histic Epipedon (A2)
- Black Histic (A3)
- Hydrogen Sulfide (A4)
- Stratified Layers (A5)
- Depleted Below Dark Surface (A11)
- Thick Dark Surface (A12)
- Sandy Mucky Mineral (S1)
- Sandy Gleyed Matrix (S4)
- Sandy Redox (S5)
- Stripped Matrix (S6)
- Dark Surface (S7)

- Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)
- Thin Dark Surface (S9) (**LRR R, MLRA 149B**)
- High Chroma Sands (S11) (**LRR K, L**)
- Loamy Mucky Mineral (F1) (**LRR K, L**)
- Loamy Gleyed Matrix (F2)
- Depleted Matrix (F3)
- Redox Dark Surface (F6)
- Depleted Dark Surface (F7)
- Redox Depressions (F8)
- Marl (F10) (**LRR K, L**)

Indicators for Problematic Hydric Soils[3]:

- 2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
- Coast Prairie Redox (A16) (**LRR K, L, R**)
- 5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
- Polyvalue Below Surface (S8) (**LRR K, L**)
- Thin Dark Surface (S9) (**LRR K, L**)
- Iron-Manganese Masses (F12) (**LRR K, L, R**)
- Piedmont Floodplain Soils (F19) (**MLRA 149B**)
- Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
- Red Parent Material (F21)
- Very Shallow Dark Surface (F22)
- Other (Explain in Remarks)

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____

Hydric Soil Present?   Yes _____   No __X__

Remarks:

WETLAND DETERMINATION DATA FORM – Northcentral and Northeast Region

Project/Site: Reston Heights   City/County: Madison/Dane   Sampling Date: 10/7/22

Applicant/Owner: Forward Management, Inc   State: WI   Sampling Point: P8

Investigator(s): Jeff Kraemer, Heartland   Section, Township, Range: S01, T7N, R10E

Landform (hillside, terrace, etc.):   depression   Local relief (concave, convex, none): concave   Slope %: 0-2

Subregion (LRR or MLRA): LRR K   Lat: Long: Datum:

Soil Map Unit Name: Elburn silt loam, 0-3 percent slopes (EfB)   NWI classification: E1K (WWI)

Are climatic / hydrologic conditions on the site typical for this time of year?   Yes X   No ____ (If no, explain in Remarks.)

Are Vegetation _____, Soil _____, or Hydrology _____ significantly disturbed?   Are "Normal Circumstances" present?   Yes X No ____

Are Vegetation _____, Soil _____, or Hydrology _____ naturally problematic?   (If needed, explain any answers in Remarks.)

SUMMARY OF FINDINGS – Attach site map showing sampling point locations, transects, important features, etc.

Hydrophytic Vegetation Present? Yes X No ____	**Is the Sampled Area**	
Hydric Soil Present? Yes X No ____	**within a Wetland? Yes** X **No** ____	
Wetland Hydrology Present? Yes X No ____	If yes, optional Wetland Site ID:	

Remarks: (Explain alternative procedures here or in a separate report.)
Based on the USACE APT analysis, antecedant precipitation conditions at the time of sampling was normal. Plot was located in a constructed sediment basin surrounded by a shallow embankment. Culvert was observed to be discharging into basin from road shoulder. No defined surface water outlet could be observed. Hydric soil indicators technically not observed. However due to sediment basin nature, hydrology, and hydrophytic vegetation, hydric soil was determined by definition. Lack of hydric soil indicators is most likely associated with sediment deposition from roadside and relatively recent construction.

HYDROLOGY

Wetland Hydrology Indicators:

Primary Indicators (minimum of one is required; check all that apply)

____ Surface Water (A1)	____ Water-Stained Leaves (B9)
____ High Water Table (A2)	____ Aquatic Fauna (B13)
____ Saturation (A3)	____ Marl Deposits (B15)
____ Water Marks (B1)	____ Hydrogen Sulfide Odor (C1)
____ Sediment Deposits (B2)	____ Oxidized Rhizospheres on Living Roots (C3)
____ Drift Deposits (B3)	____ Presence of Reduced Iron (C4)
____ Algal Mat or Crust (B4)	____ Recent Iron Reduction in Tilled Soils (C6)
____ Iron Deposits (B5)	____ Thin Muck Surface (C7)
____ Inundation Visible on Aerial Imagery (B7)	____ Other (Explain in Remarks)
____ Sparsely Vegetated Concave Surface (B8)	

Secondary Indicators (minimum of two required)

____ Surface Soil Cracks (B6)
____ Drainage Patterns (B10)
____ Moss Trim Lines (B16)
____ Dry-Season Water Table (C2)
____ Crayfish Burrows (C8)
____ Saturation Visible on Aerial Imagery (C9)
____ Stunted or Stressed Plants (D1)
X Geomorphic Position (D2)
____ Shallow Aquitard (D3)
____ Microtopographic Relief (D4)
X FAC-Neutral Test (D5)

Field Observations:

Surface Water Present?	Yes ____	No X	Depth (inches): ____	
Water Table Present?	Yes ____	No X	Depth (inches): ____	
Saturation Present?	Yes X	No ____	Depth (inches): 24	**Wetland Hydrology Present? Yes** X **No** ____
(includes capillary fringe)				

Describe Recorded Data (stream gauge, monitoring well, aerial photos, previous inspections), if available:

Remarks:

VEGETATION – Use scientific names of plants.

Tree Stratum (Plot size: _____)	Absolute % Cover	Dominant Species?	Indicator Status
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Sapling/Shrub Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
	_____ =Total Cover		

Herb Stratum (Plot size: _____)			
1. *Schoenoplectus fluviatilis*	90	Yes	OBL
2. *Persicaria pensylvanica*	3	No	FACW
3. *Cirsium arvense*	1	No	FACU
4. _____	_____	_____	_____
5. _____	_____	_____	_____
6. _____	_____	_____	_____
7. _____	_____	_____	_____
8. _____	_____	_____	_____
9. _____	_____	_____	_____
10. _____	_____	_____	_____
11. _____	_____	_____	_____
12. _____	_____	_____	_____
	94 =Total Cover		

Woody Vine Stratum (Plot size: _____)			
1. _____	_____	_____	_____
2. _____	_____	_____	_____
3. _____	_____	_____	_____
4. _____	_____	_____	_____
	_____ =Total Cover		

Dominance Test worksheet:

Number of Dominant Species
That Are OBL, FACW, or FAC: ____1____ (A)

Total Number of Dominant
Species Across All Strata: ____1____ (B)

Percent of Dominant Species
That Are OBL, FACW, or FAC: __100.0%__ (A/B)

Prevalence Index worksheet:

Total % Cover of:		Multiply by:	
OBL species	90	x 1 =	90
FACW species	3	x 2 =	6
FAC species	0	x 3 =	0
FACU species	1	x 4 =	4
UPL species	0	x 5 =	0
Column Totals:	94 (A)		100 (B)

Prevalence Index = B/A = ____1.06____

Hydrophytic Vegetation Indicators:

____ 1 - Rapid Test for Hydrophytic Vegetation

_X_ 2 - Dominance Test is >50%

_X_ 3 - Prevalence Index is ≤3.0[1]

____ 4 - Morphological Adaptations[1] (Provide supporting data in Remarks or on a separate sheet)

____ Problematic Hydrophytic Vegetation[1] (Explain)

[1]Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.

Definitions of Vegetation Strata:

Tree – Woody plants 3 in. (7.6 cm) or more in diameter at breast height (DBH), regardless of height.

Sapling/shrub – Woody plants less than 3 in. DBH and greater than or equal to 3.28 ft (1 m) tall.

Herb – All herbaceous (non-woody) plants, regardless of size, and woody plants less than 3.28 ft tall.

Woody vines – All woody vines greater than 3.28 ft in height.

Hydrophytic Vegetation Present?   Yes _X_   No _____

Remarks: (Include photo numbers here or on a separate sheet.)

SOIL

Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators.)

Depth (inches)	Matrix Color (moist)	%	Redox Features Color (moist)	%	Type[1]	Loc[2]	Texture	Remarks
0-4	10YR 2/2	100					Loamy/Clayey	SiL
4-8	10YR 4/3	100					Sandy	SiL
8-24	10YR 4/3	57					Sandy	S
	10YR 3/1	30						SiL texture
	10YR 3/2	10	10YR 4/6	3	C	M		SiL texture, prominet redox

[1]Type: C=Concentration, D=Depletion, RM=Reduced Matrix, MS=Masked Sand Grains.   [2]Location: PL=Pore Lining, M=Matrix.

Hydric Soil Indicators:

Histosol (A1)	Polyvalue Below Surface (S8) (**LRR R, MLRA 149B**)	2 cm Muck (A10) (**LRR K, L, MLRA 149B**)
Histic Epipedon (A2)		Coast Prairie Redox (A16) (**LRR K, L, R**)
Black Histic (A3)	Thin Dark Surface (S9) (**LRR R, MLRA 149B**)	5 cm Mucky Peat or Peat (S3) (**LRR K, L, R**)
Hydrogen Sulfide (A4)	High Chroma Sands (S11) (**LRR K, L**)	Polyvalue Below Surface (S8) (**LRR K, L**)
Stratified Layers (A5)	Loamy Mucky Mineral (F1) (**LRR K, L**)	Thin Dark Surface (S9) (**LRR K, L**)
Depleted Below Dark Surface (A11)	Loamy Gleyed Matrix (F2)	Iron-Manganese Masses (F12) (**LRR K, L, R**)
Thick Dark Surface (A12)	Depleted Matrix (F3)	Piedmont Floodplain Soils (F19) (**MLRA 149B**)
Sandy Mucky Mineral (S1)	Redox Dark Surface (F6)	Mesic Spodic (TA6) (**MLRA 144A, 145, 149B**)
Sandy Gleyed Matrix (S4)	Depleted Dark Surface (F7)	Red Parent Material (F21)
Sandy Redox (S5)	Redox Depressions (F8)	Very Shallow Dark Surface (F22)
Stripped Matrix (S6)	Marl (F10) (**LRR K, L**)	Other (Explain in Remarks)
Dark Surface (S7)		

Indicators for Problematic Hydric Soils[3]:

[3]Indicators of hydrophytic vegetation and wetland hydrology must be present, unless disturbed or problematic.

Restrictive Layer (if observed):

Type: _____

Depth (inches): _____   **Hydric Soil Present?   Yes __X__   No _____**

Remarks:
Hydric soil indicators not observed. Due to sediment basin nature, and dominance of OBL hydrophytic vegetation, hydric soil was determined present by definition. Lack of hydric soil indicators is most likely associated with sediment deposition from roadside and recent construction of basin..

Appendix D | Site Photographs

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #1   Sample point P1

Photo #2   Sample point P1

Photo #3   Sample point P1

Photo #4   Sample point P1

Photo #5   Sample point P2

Photo #6   Sample point P2

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #7   Sample point P2

Photo #8   Sample point P2

Photo #9   Sample point P3

Photo #10   Sample point P3

Photo #11   Sample point P3

Photo #12   Sample point P3

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #13   Sample point P4

Photo #14   Sample point P4

Photo #15   Sample point P4

Photo #16   Sample point P4

Photo #17   Sample point P5

Photo #18   Sample point P5

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #19   Sample point P5

Photo #20   Sample point P5

Photo #21   Sample point P6

Photo #22   Sample point P6

Photo #23   Sample point P6

Photo #24   Sample point P6

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #25   Sample point P7

Photo #26   Sample point P7

Photo #27   Sample point P7

Photo #28   Sample point P7

Photo #29   Sample point P8

Photo #30   Sample point P8

Reston Heights
Forward Management, Inc.
Date Photos Taken: 10/7/22

Assured Wetland Delineation
Dane County, Wisconsin
Heartland Project #: 20220853

Photo #31   Sample point P8

Photo #32   Sample point P8

Photo #33   Photo of culvert discharging into W-1

Photo #34   Photo of curb and gutter at head of swale (1 of 2)

Photo #35   Photo of curb and gutter at head of swale (2 of 2)

Appendix E | Delineator Qualifications

April 3, 2023

Jeff Kraemer
Heartland Ecological Group, Inc.
506 Springdale Street
Mt. Horeb, WI 53572

Subject: 2023 Assured Wetland Delineator Confirmation

Dear Mr. Kraemer:

This letter provides Wisconsin Department of Natural Resources (WDNR) confirmation for the wetland delineations you conduct during the 2023 growing season. You and your clients will not need to wait for the WDNR to review your wetland delineations before moving forward with project planning. This will help expedite the review process for WDNR's wetland regulatory program. Your name and contact information will continue to be listed on our website at: http://dnr.wi.gov/topic/wetlands/assurance.html.

In the instance where a municipality may require a letter of confirmation for your work prior to moving forward in the local regulatory process, this letter shall serve as that confirmation. Although your wetland delineations do not require WDNR field review, inclusion of a Wetland Delineation Report is required for projects needing State authorized wetland, waterway and/or storm water permit approvals.

To comply with Chapter 23.321, State Statutes, please supply the department with a polygon shapefile of the wetland boundaries delineated within the project area. Please do not include data such as parcel boundaries, project limits, wetland graphic representation symbols, etc. If internal upland polygons are found within a wetland polygon, then please label as UPLAND. The shapefile should utilize a State Plane Projection and be overlain onto recent aerial photography. If a different projection system is used, please indicate in which system the data are projected. In the correspondence sent with the shapefile, please supply a brief description of each wetland's plant community (eg: wet meadow, floodplain forest, etc.). Please send these data to Calvin Lawrence (608-266-0756 or email at calvin.lawrence@wisconsin.gov).

If you or any client has a question regarding your status in the Wetland Delineation Professional Assurance Program, contact me by email at kara.brooks@wisconsin.gov or phone at 414-308-6780. Thank you for all your hard work and best wishes for the upcoming field season.

Sincerely,

Kara Brooks
Wetland Identification Coordinator
Bureau of Watershed Management

Appendix F | NAIP Imagery

Study Area (3.55 ac)

0   100
        Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2004-06-22
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2004 NAIP
USDA

Study Area (3.55 ac)

0   100
         Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2005-06-20
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2005 NAIP
USDA

Study Area (3.55 ac)

0 — 100 Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2006-07-31
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2006 NAIP
USDA

Study Area (3.55 ac)

0   100
Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2008-08-10
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2008 NAIP
USDA

Study Area (3.55 ac)

0   100
Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2010-07-02
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2010 NAIP
USDA

Study Area (3.55 ac)

0   100
━━━━━━━━━━━ Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2013-06-19
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2013 NAIP
USDA

Study Area (3.55 ac)

0   100 Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2015-10-07
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2015 NAIP
USDA

Study Area (3.55 ac)

0   100
Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2017-07-30
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2017 NAIP
USDA

Study Area (3.55 ac)

0   100
▬▬▬▬ Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2018-10-04
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2018 NAIP
USDA

Study Area (3.55 ac)

0   100
━━━━━━━ Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2019-04-26
Maxar Sat. Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2019 Sat. Imagery
Maxar

Study Area (3.55 ac)

0   100 Ft

Heartland
ECOLOGICAL GROUP INC

Appendix: 2020-08-30
NAIP Aerial Imagery

Reston Heights
Project #20220853
T7N, R10E, S01
C Madison, Dane Co

2020 NAIP
USDA