



# City of Madison

City of Madison  
Madison, WI 53703  
www.cityofmadison.com

## Agenda - Approved

### BUILDING CODE, FIRE CODE, CONVEYANCE CODE AND LICENSING APPEALS BOARD

---

Tuesday, July 21, 2015

12:15 PM

215 Martin Luther King, Jr. Blvd.  
Room LL-110 (Madison Municipal Building)

---

If you need an interpreter, translator, materials in alternate formats or other accommodations to access this service, activity or program, please call the phone number below immediately.

Si necesita un intérprete, un traductor, materiales en formatos alternativos u otros arreglos para acceder a este servicio, actividad o programa, comuníquese inmediatamente al número de teléfono que figura a continuación.

Yog tias koj xav tau ib tug neeg txhais lus, ib tug neeg txhais ntawv, cov ntaub ntawv ua lwm yam los sis lwm cov kev pab kom siv tau qhov kev pab, kev ua num los sis kev pab cuam no, thov hu rau tus xov tooj hauv qab no tam sim no.

Building Inspection Division, (608) 266-4551

#### CALL TO ORDER / ROLL CALL

#### APPROVAL OF MINUTES

June 16, 2015: <http://madison.legistar.com/Calendar.aspx>

#### PUBLIC COMMENT

#### DISCLOSURES AND RECUSALS

Members of the body should make any required disclosures or recusals under the City's Ethics Code.

#### PETITION FOR VARIANCE

1. [39295](#) 1719 Monroe Street (C-07-31-2015)  
Jeremy Cynkar of Destree Design Architects appealing IBC1208.2. The rule requires that occupiable spaces have a ceiling height of 7'-6". The ceiling in the basement is 6'-11". The project consists of adding a single bathroom. The basement is used by employees only and there will be two exits. The Madison Fire Department supports the Variance.  
**Attachments:** [1719 Monroe St.pdf](#)

#### ADJOURNMENT

