



PREPARED FOR THE PLAN COMMISSION

Project Address: 602-1202 and 601-1103 Boyer Street and 8825 Nelson Crossing
Application Type: Zoning Map Amendment, Final Plat, and Vacations
Legistar File ID # [80092](#), [79952](#), and [80073](#)
Prepared By: Timothy M. Parks, Planning Division
Report includes comments from other City agencies, as noted

Summary

Applicant & Property Owner: University of Wisconsin Board of Regents; 1860 Van Hise Hall, 1120 Linden Drive; Madison; David Cleary, representative.

Surveyor: Wade Wyse, Wyser Engineering, Inc.; 300 E Front Street; Mount Horeb.

Requested Actions:

- ID [80092](#) – Consideration of a request to rezone 602-1202 and 601-1103 Boyer Street and 8825 Nelson Crossing from EC (Employment Campus District) and CN (Conservancy District) to SE (Suburban Employment District) and CN;
- ID [79952](#) – Re-approval of the final plat of *University Research Park–Pioneer 1st Addition Replat* at 602-1202 and 601-1103 Boyer Street and 8825 Nelson Crossing to replat Boyer Street and 14 lots for future employment and four outlots for private stormwater management and open space into 9 lots for future employment and re-create 3 outlots for private open space and 2 outlots for stormwater management; and
- ID [80073](#) -- Vacating and discontinuing multiple unimproved public street right-of-ways within the plat of University Research Park - Pioneer 1st Addition to allow the replatting of a portion the development. Being located in the Northeast 1/4 of the Northwest 1/4, Southwest 1/4 of the Northwest 1/4, Northeast 1/4 of the Southwest 1/4, of Section 34, T7N, R8E, City of Madison, Dane County, Wisconsin.

Proposal Summary: The applicant is requesting to rezone the 9 lots proposed for future employment uses in the *University Research Park–Pioneer 1st Addition Replat* subdivision to SE zoning and adjusts the boundaries of the CN zoning for 3 outlots for private open space. The applicant is also seeking re-approval of the final plat of the subdivision first approved on November 1, 2022, and of the vacation of most of Boyer Street as originally platted in 2016. Boyer Street will be replatted in a new location, as discussed in the staff report.

The subdivision will be developed in multiple phases based on demand for new employment-focused lots, with initial site grading and infrastructure construction is expected to begin in 2024 and construction on the new lots to occur over the subsequent 5 to 10 years.

Applicable Regulations & Standards: Section 28.182 of the Zoning Code provides the process for zoning map amendments. The subdivision process is outlined in Section 16.23(5)(b) of the Subdivision Regulations.

Review Required By: Plan Commission and Common Council.

Summary Recommendation: The Planning Division recommends that the Plan Commission can find the applicable standards are met and recommend the following:

- That the Plan Commission forward Zoning Map Amendment ID 28.022–00644 and 28.022–00645, rezoning 602-1202 Boyer Street, 601-1103 Boyer Street, and 8825 Nelson Crossing from EC and CN to SE and CN, to the Common Council with a recommendation of **approval**;
- The Planning Division recommends that the Plan Commission forward re-approval of the final plat of the *University Research Park–Pioneer 1st Addition Replat* to the Common Council with a recommendation of **approval**, subject to input at the public hearing and the conditions on page 6 of this report; and
- That the Plan Commission recommend **approval** of the vacation of most of Boyer Street to the Board of Public Works and Common Council.

Background Information

Parcel Location: An approximately 102.9 acres of land generally extending a half-mile along the west side of S Pleasant View Road (CTH M) from Valley View Road south; Alder District 1 (Duncan); Madison Metropolitan School Dist. and Middleton–Cross Plains Area School Dist.

Existing Conditions and Land Use: Undeveloped land, zoned EC (Employment Campus District).

Surrounding Land Uses and Zoning:

North: University Research Park–Pioneer subdivision across Valley View Road, zoned EC (Employment Campus District), and undeveloped land, zoned A (Agriculture District);

South: Single-family residences and golf course in the Hawks Landing Golf Club subdivision, zoned SR-C1 (Suburban Residential-Consistent 1 District);

East: Across S Pleasant View Road, single- and two-family residences in the Westview Hills subdivision, zoned SR-C1 and SR-C3 (Suburban Residential-Consistent 3 District); single-family residences and undeveloped land in the Town of Middleton;

West: Single-family residences and golf course in the Hawks Landing Golf Club subdivision, zoned SR-C1; Bentley Green Condominiums and Greenside Park, zoned SR-V2 (Suburban Residential-Varied 2); single-family residences and a stormwater management outlot in the Linden Park subdivision, SR-C1 and TR-C3 (Traditional Residential-Consistent 3)].

Adopted Land Use Plan: The Mid-Town Neighborhood Development Plan as amended in 2011, generally recommends the eastern portion of the subject property for future research and development/ employment uses and the westernmost 24.8 acres and various corridors throughout the site for open space and stormwater management pursuant.

The 2018 Comprehensive Plan identifies the easterly portions of the property for Employment, with the 24.8 acres in the southwesternmost corner and land along the southern property line recommended for Park and Open Space.

Environmental Corridor Status: A mapped environmental corridor follows the City’s drainage and sanitary sewer corridor, which extends north-south through the eastern approximately 78.8 acres of the site. The wooded area

that comprises the southwestern panhandle of the property is also located in a mapped corridor, as are two small drainage corridors that drain across the southern portion of the site toward a low point on the adjacent Hawks Landing Golf Course.

Public Utilities and Services: The site is served by a full range of urban services with the exception of Metro Transit, which does not serve this portion of the S Pleasant View Road/CTH M corridor. The nearest transit stop is nearly three-quarters of a mile south of the site on Mid Town Road west of S Pleasant View Road on peak period Route 55.

Zoning Summary: The applicant is requesting that property to be platted be zoned SE (Suburban Employment District):

Requirements	Required	Proposed
Lot Area	20,000 square feet	All lots will exceed
Lot Width	65'	All lots will comply
Front Yard	0' or 5', ensuring there is a 15' setback between curb and property line	Compliance with these requirements will be determined at the time of future construction
Street Side Yards		
Other Side Yards	15' or 20% building height	
Rear Yard	30'	
Maximum Lot Coverage	75%	
Other Critical Zoning Items		
Yes:	Barrier Free, Utility Easements	
No:	Urban Design, Wellhead Protection, Floodplain, Landmarks, Waterfront Development	
<i>Prepared by: Jenny Kirchgatter, Assistant Zoning Administrator</i>		

Previous Approvals

On January 8, 2013, the Common Council approved a request to assign RDC (Research and Development Center District) and C (Conservancy District) zoning [1966 Zoning Code] to approximately 103.7 acres of land located at 1004-1504 S. Pleasant View Road with a master plan to guide future development, and; approved the preliminary plat and final plat of *University Research Park–Pioneer 1st Addition*, creating 14 lots for research park and office development and four outlots for private stormwater management and open space. The final plat was recorded on March 14, 2016 following a series of plat re-approvals [final plats not recorded within 12 months of final approval expire and need to be re-approved].

On February 1, 2022, the Common Council approved the preliminary plat of *University Research Park–Pioneer 1st Addition Replat* to replat Boyer Street and 14 lots for future employment and four outlots for private stormwater management and open space into 9 lots for future employment and re-create 3 outlots for private open space and 2 outlots for stormwater management

On November 1, 2022, the Common Council approved the final plat of *University Research Park–Pioneer 1st Addition Replat*. The final plat has not been recorded within one year of the Council action and is required to be reapproved before it may be recorded.

Project Description

The University of Wisconsin Board of Regents is requesting re-approval of the final plat of *University Research Park–Pioneer 1st Addition Replat* for approximately 102.9 acres of land generally located in the southwestern quadrant of S Pleasant View Road (CTH M) and Valley View Road (ID 79952).

The replat calls for portions of platted but unbuilt Boyer Street, 14 lots created for the development of employment-focused uses, and four outlots created for private stormwater management and open space to be reconfigured into nine lots for future development, three outlots for private open space, and two outlots for stormwater management. The alignment of Boyer Street will be reconfigured as well, with the northern terminus of the street at Valley View Road to be shifted approximately 100 feet to the east, and the southerly terminus at S Pleasant View Road (CTH M) to be moved approximately 500 feet north of its current location. Ancient Oak Lane will remain in its current platted location through the subdivision.

In addition to re-approval of the final plat, the applicant is also seeking approval of the vacation of most of Boyer Street as originally platted, with the exception of the section located on either side of the intersection of Ancient Oak Lane, which will remain. Vacation of the former alignment of Boyer Street is a condition of approval of the replat and is required before the final plat may be recorded. See the [map](#) attached to ID 80073 for more information on the portions of Boyer Street to be vacated and the section to remain.

The letter of intent indicates that approximately 663,000 square feet of employment development is envisioned for the nine lots. Previously, the applicant planned to develop the nine lots in the master planned EC zoning district. However, they have submitted a request to rezone the employment lots to SE zoning to provide more flexibility for their future development. As noted in the letter of intent, the “flexibility is important given the unique site constraints”, which includes double-fronted lots on the east side of Boyer Street and “significant topography and landscape resources.” In addition to rezoning the nine lots to SE, the requested rezoning will also adjust the boundaries of the CN zoning.

The five outlots proposed with the replat include two outlots to be created for stormwater management (Outlots 12 and 14), while Outlot 15 at the southeastern corner of Valley View and Boyer will be used for signage and landscaping. Outlots 11 comprises the southwestern panhandle of the overall site, while Outlot 13 encompasses a wooded ridge on the western property line, both of which will be maintained as open space. The area comprising Outlots 11 and 12 will be zoned CN following the proposed zoning map amendment. The remaining outlots will be zoned SE. All five outlots will be maintained by University Research Park or its designee; a note on the final plat indicates that easements will be granted for public use across all of the outlots.

Analysis and Conclusion

In addition to re-approval of the final plat to allow it to be recorded later than one year of the Common Council’s original approval on November 1, 2022, the Board of Regents and University Research Park are requesting vacation of the sections of Boyer Street originally platted and dedicated to the City in 2016 as well as a zoning map amendment to develop the new employment-focused subdivision in SE zoning instead of the EC zoning district.

The EC zoning district is the successor of the former Research and Development Center zoning district in the 1966 Zoning Code, which the proposed lots were originally zoned in 2013. Both the EC and former RDC districts are master planned zoning districts, with the EC district intended to “provide an aesthetically attractive urban working environment intended to promote desirable economic development activities, including high-technology, research and development, testing, and specialized manufacturing establishments, as well as professional offices and business incubators.” The district is also intended to encourage compact development, primarily with multi-story buildings, encourage mixed-use development in appropriate locations, improve pedestrian, bicycle and transit connections to and through employment campuses, and maintain and improve the quality of the natural landscape within employment campuses, among other objectives.

Meanwhile, the SE district is established to “encourage a broad range of employment activities, including limited industrial uses conducted within enclosed buildings, while also encouraging shared access, improved landscaping and site design, and bicycle and pedestrian facilities.” The district is also intended to “encourage the integration of complementary employment and related uses in an attractive and pedestrian-oriented environment,” “discourage proliferation of highway-oriented commercial uses that reduce the land area available for development or expansion of employment uses,” and encourage development or redevelopment consistent with the adopted goals, objectives, policies, and recommendations of the Comprehensive Plan and adopted neighborhood, corridor or special area plans.

The use lists in the EC and SE districts are very similar. However, the EC district has a more robust and stringent set of bulk and site design requirements compared to the SE district.

The subject site is located within the limits of the Mid-Town Neighborhood Development Plan, which recommends that most of the subject site be developed with employment uses, particularly research and development, including offices, business incubators, testing facilities, and certain specialized non-nuisance manufacturing activities as an extension of University Research Park–Pioneer already planned north of Valley View Road. The remainder of the property is recommended for open space consistent with the applicant’s intent to preserve the wooded area in the southwestern corner of the property as a natural wooded area, which would include some level of public access to this area. The neighborhood development plan recommends a substantial landscaped buffer area along the western edge of the development to provide visual screening between the planned employment uses and the residential uses to the west and to preserve existing high-quality trees along that edge of the site. The minimum recommended width of the western landscaped buffer area is 100 feet.

The Planning Division does not oppose the proposed change in zoning for the proposed subdivision from EC to SE. Staff believes that the goals and objectives in the Mid-Town Neighborhood Development Plan can be achieved by developing the nine lots in the SE district in a manner similar to how they would be developed in the more restrictive EC district. Staff does not oppose the applicant’s desire for more flexibility in developing the lots given the site constraints noted in the letter of intent and looks forward to the subdivision moving forward with the planned employment uses.

Finally, the Planning Division continues to believe that the final plat conforms substantially to the approved preliminary plat and recommends that it be re-approved subject to the conditions in the following section, most of which are carried forward from the November 2022 approval. However, the applicant and City staff have worked with the Capital Area Regional Planning Commission to revise the environmental corridor map to reflect the changes proposed by the replat as previously stipulated in the 2022 conditions.

Recommendation

Planning Division Recommendation (Contact Timothy M. Parks, (608) 261-9632)

The Planning Division recommends that the Plan Commission can find the applicable standards are met and recommend the following:

- That the Plan Commission forward Zoning Map Amendment ID 28.022–00644 and 28.022–00645, rezoning 602-1202 Boyer Street, 601-1103 Boyer Street, and 8825 Nelson Crossing from EC and CN to SE and CN, to the Common Council with a recommendation of **approval**;
- The Planning Division recommends that the Plan Commission forward re-approval of the final plat of the *University Research Park–Pioneer 1st Addition Replat* to the Common Council with a recommendation of **approval**, subject to input at the public hearing and the following conditions; and
- That the Plan Commission recommend **approval** of the vacation of most of Boyer Street to the Board of Public Works and Common Council.

Recommended Conditions of Approval Major/Non-Standard Conditions are Shaded

Planning Division

1. That the use note for Outlot 11 be revised to say ‘Outlot 11’ instead of Outlot 7 (from the original plat).
2. Include a reserved for/use note for Outlot 13 on the final plat.
3. That the tree preservation and management plan for the subdivision approved with the *University Research Park–Pioneer 1st Addition* be revised to reflect the proposed replat per Planning Division approval prior to commencement of any grading activities on the site. The tree preservation and management plan shall include a general inventory of the trees located across the site and shall identify opportunities for mature tree cover to be preserved within and adjacent to the proposed easement areas during the implementation and build-out of the development. Disturbance within these easements should be limited, and the final location of subdivision utilities may be varied to allow areas of mature tree cover to be avoided. Where necessary to augment the existing tree cover in these easements, a buffer landscaping plan shall be approved by the Planning Division, including the creation of a full landscaped buffer along S Pleasant View Road.
4. That the applicant work with staff from the Planning Division, Traffic Engineering Division, and City Engineering Division prior to recording of the final plat to develop detailed plans for the construction of the private path network located throughout the development, including details on the proposed width of the paths and the materials that will be used. The applicant shall also work with staff on easement/ plat language to address the future maintenance and right of use of non-City paths throughout the development.

The following conditions of approval have been submitted by reviewing agencies:

City Engineering Division (Contact Tim Troester, (608) 267-1995)

5. The construction of this project will require that the applicant shall enter into a City/ Developer agreement for the required infrastructure improvements. The applicant shall contact City Engineering to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the

agreement executed by the developer. Note: Obtaining a developer's agreement generally takes approximately 4-6 weeks, minimum.

6. The developer shall construct Madison standard street, multi-use path, and sidewalk improvements for all streets within the plat.
7. Make improvements to Valley View Road in order to facilitate ingress and egress to the development as required by the City Engineer.
8. The developer shall construct public sanitary sewer, storm sewer, and drainage improvements as necessary to serve the lots within the plat.
9. This development is subject to impact fees for the Valley View Road Sewer and Drainage Improvement Impact Fee District. All impact fees are due and payable at the time building permits are issued (MGO Chapter 20). Add the following note on the face of the plat: "Lots / buildings within this development are subject to impact fees that are due and payable at the time building permit(s) are issued."
10. This development is subject to impact fees for the Upper Badger Mill Creek Storm and Sanitary Impact Fee District. All impact fees are due and payable at the time building permits are issued (MGO Chapter 20). Add the following note on the face of the plat: "Lots / buildings within this development are subject to impact fees that are due and payable at the time building permit(s) are issued."
11. Madison Metropolitan Sewerage District (MMSD) sanitary sewer connection charges are due and payable prior to City Engineering Division sign-off, unless otherwise collected with a Developer's/ Subdivision Contract. Contact Mark Moder ((608) 261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff.
12. A minimum of two (2) working days prior to requesting City Engineering signoff on the plat/csm contact either Tim Troester (West) at (608) 261-1995 (ttroester@cityofmadison.com) or Brenda Stanley (East) at (608) 261-9127 (bstanley@cityofmadison.com) to obtain the final stormwater utility charges that are due and payable prior to sub-division of the properties. The stormwater utility charges (as all utility charges) are due for the previous months of service and must be cleared prior to the land division (and subsequent obsolesces of the existing parcel).
13. An Erosion Control Permit is required for this project.
14. A Storm Water Management Report and Storm Water Management Permit is required for this project.
15. Submit a soil boring report that has been prepared by a Professional Engineer to the City Engineering Division two weeks prior to recording the final plat, which indicates the ground water table and rock conditions in the area. If the report indicates a ground water table or rock condition less than nine (9) feet below proposed street grades, a restriction shall be added to the final plat, as determined necessary by the City Engineer.
16. Confirm that adequate sight distance exists where streets intersect per AASHTO design standards for intersection sight distance. If adequate sight distance does not exist, change the location of the street

intersection or agree to make improvements to the roadways such that the sight distance is achieved or make mitigating improvements as required by the City. Note that the improvements indicated may require right of way outside of the plat limits.

17. The applicant shall construct multi-use path from southeast corner of plat to Valley View Road. This will include converting a portion of existing sidewalk on S Pleasant View Road.
18. The applicant shall construct multi-use path from Boyer Street to Greenside Park, and from Boyer Street to Outlot 11 and from S Pleasant View Road to Outlot 11. Note: City Engineering is open to adjusting the existing easements for these facilities depending on building and lot layout and grading/tree protection issues.
19. This project will disturb 20,000 square feet or more of land area and require an Erosion Control Plan. Please submit an 11" x 17" copy of an erosion control plan (pdf electronic copy preferred) to Megan Eberhardt (west) at meberhardt@cityofmadison.com, or Daniel Olivares (east) at daolivares@cityofmadison.com, for approval.
20. Demonstrate compliance with MGO Section 37.07 and 37.08 regarding permissible soil loss rates. Include Universal Soil Loss Equation (USLE) computations for the construction period with the erosion control plan. Measures shall be implemented in order to maintain a soil loss rate below 5.0 tons per acre per year.
21. Complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website as required by MGO Chapter 37.
22. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to submit a Storm Water Management Permit application, associated permit fee, Stormwater Management Plan, and Storm Water Management Report to City Engineering. The Stormwater Management Permit application can be found on City Engineering's website. The Storm Water Management Plan & Report shall include compliance with the following:
 - Submit prior to plan sign-off, a stormwater management report stamped by a P.E. registered in the State of Wisconsin.
 - Provide electronic copies of any stormwater management modeling or data files including SLAMM, RECARGA, TR-55, HYDROCAD, Sediment loading calculations, or any other electronic modeling or data files. If calculations are done by hand or are not available electronically, the hand copies or printed output shall be scanned to a PDF file and provided to City Engineering. (POLICY and MGO 37.09(2))
 - Detain the 2-, 5-, 10-, 100-, and 200-year storm events, matching post development rates to predevelopment rates and using the design storms identified in MGO Chapter 37.
 - Provide infiltration of 90% of the pre-development infiltration volume.
 - Reduce TSS by 80% (control the 5-micron particle) off of newly developed areas compared to no controls.
 - Provide substantial thermal control to reduce runoff temperature in cold water community or trout stream watersheds.

The applicant shall demonstrate that water can leave the site and reach the public right of way without impacting structures during a 100-year event storm. This analysis shall include reviewing overflow elevations and unintended storage occurring on site when the storm system has reached capacity.

Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any best management practices used to meet stormwater management requirements on this project.

City Engineering Division – Mapping Section (Contact Julius Smith, (608) 264-9276)

23. Any portion(s) of a public easement that is intended to be released shall be released by separate document prepared by City Office of Real Estate Services. Contact Jule Smith of Engineering Mapping (jsmith4@cityofmadison.com, (608) 264-9276) to coordinate the Real Estate project, and associated information and fees required. If any release is required prior to recording of the plat, acknowledgement of the release and document number shall be noted on the face of the plat. there are multiple locations of public utility easements along two sections of Boyer Street, S Pleasant View Road and Valley View Road that need to be released, Along with a portion of blanket public sidewalk and bike path and easement being replatted over in Outlot 10, release blanket public sidewalk and bike path easement and also public stormwater drainage easement over Outlot 9, release the portion of Outlot 8 being replatted from the blanket tree preservation note and release of the 125-foot public sidewalk and bike path easement also public storm water drainage easement.

24. In accordance with Chapter 236, Wisconsin Statutes, the applicant shall show the type, location and width of any and all easements on a plat or CSM. Clearly identify the difference between existing easements (cite recording data) and easements which are being conveyed by the land division. Identify the owner and/or benefiting interest of all easements. Include any and all language required to properly and legally create any easement by this land division.

25. Grant a new 125-foot wide easement for public sidewalk and bike path and public storm water drainage easement to be replaced in kind on the Replat with the proposed re-alignment of Boyer Street as have been show but the final location to be determined by City Engineering and Traffic Engineering staff prior to recording.

26. The applicant shall coordinate and request from the utility companies serving this area the easements required to serve this development. Those easements shall be properly shown, dimensioned and labeled on the final plat.

27. Insert standard language pre MGO Section 16.23(9)(d)2.a. verbatim. When done, all of the previous non-exclusive easements for drainage easements are released and new drainage easements defined by the current proposed plat.

28. Add "See note 10" for all call outs to the existing 75-foot landscape buffer.

29. All existing and proposed easements shall be fully dimensioned on the final plat. Note that multiple existing outlots have easements over them, and cite the plat and document number.

30. The existing 30-foot wide utility easement along the southerly most portion of S Pleasant View Road is not shown.
31. Note that the portion of the Public Sanitary Sewer and Storm Sewer Easement that is just north of Ancient Oak Lane at the west edge of the plat located within the limits of the woodland/ landscape buffer is not subject to the buffer per the note on University Research Park-Pioneer 1st Addition, Document No. 5220401.
32. Show bearing and distances on public sanitary and storm sewer easement Document No. 3308632.
33. Revise the plat limits and legal descriptions for the plat. The plat shall be divided into two halves at Ancient Oak Lane is not part of the plat. A link to between the halves shall be shown
34. Call out any new easements notably the portions of utility easements along shown over vacated Boyer Street at Valley View, and S Pleasant View Road.
35. List the purpose of all the outlots on the face of the plat.
36. Do not show the existing Hawks Landing lots around Nelson Crossing in a solid line.
37. Remove the random section line running down S Pleasant View Road.
38. Label Lot 48 and Outlot 14 on Sheet 2 of 3 and add continued on sheet 1 at the top of the sheet.
39. Remove the language for public street easements.
40. Label Lots 51 and 52 on Sheet 1 of 3 and place a note continues on sheet 2 of 3 of bottom of sheet.
41. List all pertinent notes from University Research Park–Pioneer 1st Addition plat.
42. Wisconsin Administrative Code A-E 7.08 identifies when Public Land System (PLS) tie sheets must be filed with the Dane County Surveyor's office. The developer's surveyor and/or applicant must submit copies of required tie sheets or monument condition reports for all monuments, including center of sections of record, used in this survey, to Jule Smith, City Engineering (jsmith4@cityofmadison.com). If a new tie sheet is not required under A-E 7.08, Engineering requests a copy of the latest tie sheet on record with Dane County Surveyor's office and shall be attached to a signed and sealed monument condition report. The applicant shall identify monument types on all PLS corners included on the plat.
43. In accordance with Section s. 236.18(8), Wisconsin Statutes, the applicant shall reference City of Madison WCCS Dane Zone, 1997 Coordinates on all PLS corners on the plat in areas where this control exists. The surveyor shall identify any deviation from City Master Control with recorded and measured designations. Visit the Dane County Surveyor's Office for current tie sheets and control data that has been provided by the City of Madison.
44. Prior to City Engineering Division final sign-off by the main office for plats, the final plat must be submitted to Engineering Division Surveyor/ Land Records Coordinator for final technical review and approval. This

submittal must occur a minimum of two working days prior to final Engineering Division sign-off. Electronic mail submittal of the **final** version of the plat in PDF form is preferred. Transmit the final plat to jsmith4@cityofmadison.com.

45. Submit to Jule Smith, prior to Engineering sign-off of the subject plat, one (1) digital CADD drawing in a format compatible with AutoCAD. The digital CADD file(s) shall be referenced to the Dane County Coordinate System and shall contain, at minimum, the list of items stated below, each on a separate layer/level name. The line work, preferably closed polylines for lot lines, shall be void of gaps and overlaps and match the final recorded plat: right of way lines (public and private); lot lines; lot numbers; lot/plat dimensions; street names, and; easement lines (i.e. all shown on the plat, including wetland and floodplain boundaries).

*This transmittal is a separate requirement from the required Engineering Streets Section for design purposes. The developer/surveyor shall submit new updated final plat, electronic data for any changes subsequent to any submittal.

Zoning Administrator (Contact Jenny Kirchgatter, (608) 266-4429)

This agency has reviewed this request and recommends no conditions of approval if the proposed SE zoning is approved.

Traffic Engineering Division (Contact Sean Malloy, (608) 266-5987)

46. The applicant shall work with Traffic Engineering and City Engineering staff to determine the cross section of Boyer Street prior to final approval of the plat for recording.

47. The applicant shall work with Traffic Engineering and City Engineering staff to determine the location of multi-use paths.

Fire Department (Contact Bill Sullivan, (608) 261-9658)

This agency has reviewed this request and recommended no conditions of approval.

Water Utility (Contact Jeff Belshaw, (608) 261-9835)

48. The developer shall construct the public water distribution system and services required to serve the proposed subdivision plat per MGO 16.23(9)(d)(3).

49. All public water mains and water service laterals shall be installed by a standard City of Madison Subdivision Contract. The applicant shall contact City Engineering Division to schedule the development of plans and the agreement. See Engineering Division comments for additional information.

50. The Madison Water Utility will be required to sign off as part of the approval review associated with this Land Use Application/Site Plan Review prior to the issuance of building permits for the proposed development.

Metro Transit (Contact Tim Sobota, (608) 261-4289)

This agency has reviewed this request and recommended no conditions of approval.

Landmarks Commission (Contact Rebecca Cnare, (608) 266-4957)

This agency has reviewed this request and recommended no conditions of approval.

Parks Division (Contact Ann Freiwald, (608) 243-2848)

This agency did not submit comments for this request.

Forestry Section (Contact Brad Hofmann, (608) 267-4908)

This agency did not submit comments for this request.

Office of Real Estate Services (Andy Miller, (608) 261-9983)

51. Prior to approval sign-off by the Office of Real Estate Services (“ORES”), all parties having an interest in the property, pursuant to Wis. Stats 236.21(2)(a), shall execute the Owner’s Certificate on the plat. Certificates shall be prepared with the ownership interests consistent with the most recent title report. Signatories shall provide documentation that proves legal authority to sign the Owner’s Certificate. When possible, the executed original hard stock recordable plat shall be presented at the time of ORES approval sign-off. If not, the City and the Register of Deeds are now accepting electronic signatures. A PDF of the plat containing electronic signatures shall be provided to ORES to obtain approval sign-off.
52. Prior to plat approval sign-off, an executed and notarized or authenticated certificate of consent for all mortgagees/vendors shall be included following the Owner’s Certificate(s). If a mortgage or other financial instrument is reported in record title, but has been satisfied or no longer encumbers the lands or ownership within the plat boundary, a copy of a recorded satisfaction or release document for said instrument shall be provided prior to plat approval sign-off.
53. A Consent of Lessee certificate shall be included on the plat for any tenancy in excess of one year, recorded or unrecorded, and executed by said tenant prior to agency plat approval sign-off.
54. If any portion of the lands within the plat boundary are subject to an Option to Purchase or other Option interest please include a Certificate of Consent for the option holder and executed prior to approval sign-off.
55. The tax status for the subject lands is currently exempt. Should the tax status change and taxes become due prior to the recording of the final plat, under 236.21(3) Wis. Stats. and 16.23(5)(g)(1) Madison General Ordinances, the property owner shall pay all real estate taxes that are accrued or delinquent for the subject property prior to plat recording. Receipts are to be provided on or before sign-off.
56. As of October 14, 2022, there are special assessments reported for a portion of the parcels within the plat boundary. Pursuant to Madison City Ordinance Section 16.23(5)(e)1 and Wis. Stats. 236.21(3), all special assessments, including accrued interest in the case of delinquencies, shall be paid by the owner prior to plat approval sign off. Receipts for payment shall be provided to the City’s Office of Real Estate Services in advance of plat approval sign-off.
57. Pursuant to MGO Section 16.23(5)(g)(4), the owner shall furnish to Andy Miller (acmiller@cityofmadison.com) in the City’s Office of Real Estate Services (ORES), as well as the surveyor preparing the plat, an updated title report covering the period between the date of the initial title report (August 25, 2022) and the date when

sign-off approval is requested. A title commitment may be provided, but will be considered only as supplementary information to the title report. Surveyor shall update the plat with the most recent information reported in the title update. ORES reserves the right to impose additional conditions of approval in the event the title update contains changes that warrant revisions to the plat.

58. The following revisions shall be made on the final plat prior to final approval and recording:

- a) Depict, dimension, name, note and/or identify by document number all relevant easements, declarations, plans, conditions, agreements, and other documents cited in record title and the updated title report, and include relevant notes from plats or CSMs of record.
- b) For properties not connected to municipal utility services, consider whether or not well abandonment ref. NR-141 needs to be addressed.
- c) Create and record, or show as being dedicated in the proposed plat, easements for utility and drainage rights of way when the utility or drainage physically exists, but no document for it exists in record title.
- d) Record satisfactions or releases for all recorded instruments that encumber or benefit the subject lands, if all interested parties agree that the purpose for such instrument is no longer necessary or relevant for the purposes of the land division.
- e) Provide proof of satisfaction or release for all liens and/or judgments of record prior to plat approval sign-off.
- f) Initiate requests to all applicable utilities to record releases of their interests in utility easements in underlying plats or CSMs, if this proposed plat is a re-division of existing plats or CSMs with utility easements that will no longer be applicable; and, prior to requesting sign-off, place a note in the proposed plat citing the recording data for the City's recorded release of same.
- g) Create notes that define the purpose of and the ownership of (whether public or private) all outlots. The note for an outlot dedicated to the public shall say: "Dedicated to the public for _____ purposes."