



ASSA ABLOY

1-3/4" Trio-E DOOR

VERTICALLY STEEL STIFFENED LAMINATED CORE WITH POLYURETHANE FOAMED IN PLACE

BEVELED LOCK EDGE, HANDED SQUARE LOCK EDGE, NON-HANDED



Full Flush or Seamless Style ...

Vertically steel stiffened core with foamed in place polyurethane fills entire door cavity. Core is chemically bonded to all interior surfaces. High impact resistance. Excellent insulation characteristics. 22 gage steel stiffeners are placed 6" apart and welded every 5" along their length.

Suggested Use:


Interior or Exterior ... Motels/Hotels Office Buildings Urban Renewal Health Care Institutional Data Processing Mercantile Food Processing

Schools/Training Centers Institutional Facilities **Public Utility Stations** Government Buildings Warehouses/Factories Manufacturing Plants Transportation Terminals Vehicle Service Facilities

DESIGN PATENT PENDING

N_

DESIGNS DDT DDB F G G2 FG ٧ N_ **DUTCH**



Industrial Guard Sconce




Industrial Guard Sconce, 400-Barn Red | TGG-Heavy Duty Cast Guard, RIB-Ribbed Glass Click to enlarge









Finish Chart / Features

Powdercoat Finishes:	Durable finish colors to fit any style from traditional to retro to modern	Click to View
PTM Porcelain:	Paint-To-Match-Porcelain finish chart for the same great look on a Powdercoat fixture	Click to View
Cast Guard Options :	Preview the Standard Cast Guard and the Heavy Duty Cast Guard	Click to View
Dusk-to-Dawn Photocell for Sconce:	Turns your fixture on at dusk and off at dawn!	Click to View
Glass Options:	Protect your bulb and add vintage style	Click to View

Product Details

Jump on the industrial bandwagon with this maritime light that combines a protective guard-and-glass body with a mini flared shade for plenty of rustic flair. This heavy duty wall mount light weathers all elements but is perfectly suited for indoor applications as well. Customize with finish color and glass options and choose between a standard cast guard or the chunkier, heavy duty cast guard for the uber industrial touch!

Dimensions:

Fixture: 5 %"W x 10"H

Projection: 10"

Product Details:

- Finish: Multiple (See Finish Chart)
- Wall Canopy: 4 3/4"
- Cast Guard Option: Available in Standard Cast Guard OR Heavy Duty Cast Guard
- Max Wattage Per Socket: 100W Standard Incandescent (Bulb Not Included)
- Number Of Sockets: 1
- Use: Listed for Wet Locations (Only When Mounted Vertically)
- Manufactured in the U.S.A.