


TITLE SHEET

PLAN SET

Page	Document
T-1	Title Sheet
A-1.01	Architect Plans – Ground Floor Plan
A-1.02	Architect Plans – Basement Floor Plan
C-1	Site Plan: Title Page
C-2	Site Plan: Site Plan
C-3	Site Plan: Site Grading, Erosion Control and Utility Plan
C-4	Site Plan: Site Detail
C-5	Site Plan: Landscape Plan
C-6	Site Plan: Building Footprint
C-7	Site Plan: Terrace Level Floor Plan
C-8	Site Plan: Main Level Floor Plan
C-9	Site Plan: Roof Plan
C-10	Site Plan: North and East Elevation
C-11	Site Plan: West and South Elevation
C-12	Site Plan: Wall Section, Colum Detail, Chimney Detail, Bulkhead Detail, Masonry Detail, Planter Wall Detail



GROUND FLOOR PLAN

1/8" = 1'-0"

PROJECT INFO

WELLBROOK
RECOVERY
842 Juniper
Maddison, WI

PROJECT CODE

WELL1

REVISIONS

NO:	DATE:
1	4/23/25

DRAWN BY

ISSUE DATE


4/25/25

DRAWING NAME

GROUND LEVEL
FURNITURE PLAN

DRAWING NO

A1.01



BASEMENT FLOOR PLAN

1/8" = 1'-0"

WELLBROOK
RECOVERY
842 Juniper
Maddison, WI

PROJECT CODE

WELL1

REVISIONS

NO: DATE:
1 4/23/25

DRAWN BY

ISSUE DATE

4/25/25

DRAWING NAME

LOWER LEVEL
FURNITURE PLAN

DRAWING NO

A1.02

Part of Lot 459, Grandview Commons, recorded in Volume 58-005A of plats on pages 19-33 as Document No. 3583911, Dane County Registry, located in the SE1/4 of the NW1/4 of Section 11, T7N, R10E, City of Madison, Dane County, Wisconsin, to wit: commencing at the northwest corner of said lot 459; thence N77°20'02"E, 12.26 feet to the point of beginning; thence N77°20'02"E, 152.16 feet; thence S00°57'42"E, 250.84 feet; thence S88°12'55"W, 149.02 feet; thence N00°57'42"W, 122.11 feet to the point of beginning. Containing 35,235 square feet (0.809 acres).



FOR
CHAMOMILE ASSISTED LIVING, LTD.

22 MILO LANE
MADISON, WI 53714
CONTACT: JEFF SHIELDS

PHONE: 608-284-0206
FAX: 608-294-0207
CONTACT: PETER ROTT, AIA
rottels-arch.com

PHONE: 808-518-4121
FAX: 808-233-4943
CONTACT: CONOR F. NELAN, P.E.
conor@choyuanet

PHONE: 808-833-7530
FAX: 608-833-1089
CONTACT: DANIEL DAY, P.E.
ddayedonofrio.co

- A1.1 TERRACE LEVEL FLOOR PLAN
- A1.2 MAIN LEVEL FLOOR PLAN
- A1.3 ROOF PLAN
- A2.1 BUILDING SECTIONS
- A2.2 BUILDING SECTIONS
- A2.3 BUILDING SECTIONS
- A3.1 EXTERIOR ELEVATIONS
- A3.2 EXTERIOR ELEVATIONS
- A3.3 DETAILS
- A4.1 WALL TYPES, DETAILS
- A4.1 INTERIOR ELEVATIONS
- A7.1 DOOR AND FRAME SCHEDULE
- A7.2 ROOM, WINDOW SCHEDULE
- A7.3 DOOR DETAILS
- A8.1 ARCHITECTURAL DETAILS
- S1.0 STRUCTURAL NOTES
- G1.1 FOUNDATION PLAN
- S1.2 MAIN LEVEL FRAMING PLAN
- S1.3 ROOF FRAMING PLAN
- S1.4 STRUCTURAL DETAILS
- S1.5 STRUCTURAL DETAILS

PUD/SIP

TITLE SHEET

Sheet Title

Scale:	NONE
Drawn By:	PRR
Date:	10.06.03

[illegible]

The map shows a street layout with the following labels:

- Project Site**: A rectangular area at the intersection of Jupiter Drive and Cottage Grove Road.
- JUPITER DRIVE**: A horizontal street running across the top of the map.
- COTTAGE GROVE ROAD**: A vertical street running down the center of the map.
- NORTH OCEAN DRIVE**: A vertical street running along the right edge of the map.
- 480**: A location marker on Cottage Grove Road, south of the Project Site.
- 459**: A location marker on Jupiter Drive, east of the Project Site.
- 458**: A location marker on Jupiter Drive, east of 459.
- 440**: A location marker on North Ocean Drive, south of the intersection with Jupiter Drive.
- 439**: A location marker on North Ocean Drive, south of 440.

Parking Provided		Building Area		Unit Mix:	
Surface Parking	15 STALLS	Terrace (lower) Level:	12,468 SQ. FT.	Unit Type A : 580 SF	45%
Surface HC Parking	1 STALL	Main Level:	12,526 SQ. FT.	Unit Type B: 378 SF	10%
		Canopy:	1,651 SQ. FT.	Unit Type C: 702 SF	15%
Total	16 STALLS	Total Building Area:	26,645 SQ. FT.	Unit Type D: 805 SF	5%
				Unit Type E: 742 SF	15%
				Unit Type F: 627 SF	5%
				Unit Type G: 550 SF	5%
Site Area		Building Footprint:		1019' (finished floor) = 0'-0"	
Impervious Area:	23,967 SQ. FT.	Paved Areas:	9,784 SQ. FT.	Roof Ridge = 25'-11 1/2" Two Storied	
Non-paved Area:	11,688 SQ. FT.	Green Areas:	11,688 SQ. FT.		
Total Lot Area:	35,236 SQ. FT.	Total Lot Area:	35,235 SQ. FT.		
Lot Area Provided		Floor Area Ratio: .70		Construction Classification TYPE IIA Two Storied	
				Fire Protection System: Per NFPA 43 - FULLY SPRINKLERED	
				Jurisdiction Code: Wisconsin Administrative Code	
				Occupancy Type: TYPE II INSTITUTIONAL	

Plan/Parking Facility Approval
 Date: 10/10/2012 By: 10/10/2012[illegible]

Sheet No.
C-1



SCALE: 1" = 20'


03-05-123

846 JUPITER DRIVE
CHAMOMILE ASSISTED LIVING

Located in the SE1, the NW1/4 of Section 11, T7N, R10E, City of Madison, view comments, recorded in Vol. 30 Book 31, Page 31.

D'ONOFRIO, KOTKE
AND ASSOCIATES, INC.
7530 WESTWARD WAY
MADISON, WISCONSIN 53717
TEL: 608-833-7530
FAX: 608-833-1069

Sheet No.
C-2



SITE PLAN
SCALE : 1" = 20'-0"



DATE: 06-10-03
REV: 10-21-03

SCALE: 1" = 20'

FN: 03-02-123

SITE GRADING, EROSION CONTROL AND UTILITY PLAN
846 JUPITER DRIVE
CHAMOMILE ASSISTED LIVING
Part of Lot 139, Grandview Commons, Recorded in Vol. 58-005A of Plats on Page 1 through 33,
1/4 of the NW1/4 of Section 11, T7N, R10E, City of Madison, Wis.

D'ONOFRIO, KOTKIE
AND ASSOCIATES, INC.
2530 WESTMONT AVENUE
MADISON, WISCONSIN 53717
TEL: 608-833-7530
FAX: 608-833-1089

UTILITY CONSTRUCTION NOTES




- 1) All site utilities shall conform with the "City of Madison Standard Specifications" and all addendums issued prior to the contract bid date.
- 2) Sanitary sewer & water laterals shall be marked with a 4" x 4" hardwood post.
- 3) Erosion control measures must be installed as shown on the grading and erosion control plan prior to any construction.
- 4) Water service shall be installed with a minimum of 6.5 feet of cover from finish grade.
- 5) Site Utility Contractor shall notify the City of Madison a minimum of 24 hours in prior to making connections to the water main, and storm sewer.
- 6) Contractor shall remove and replace any curb and gutter and patch pavement in full accordance with the City of Madison Standard Specifications.
- 7) The Contractor shall make himself familiar with existing utilities in the area and be responsible for their protection during construction.
- 8) Structures S-2 and S-3 shall include an inlet filter system. This inlet filter system shall be the Catch-All (IR) with overflow as furnished by Mar-Mac Manufacturing Co. or approved equal. After installation, the Contractor shall inspect each inlet bag every 2 weeks or after a rainfall of 1 inch or more and clean bags as necessary. At the completion of construction, the contractor shall inspect each bag and either clean or replace the bags as necessary.

EROSION CONTROL NOTES

- 1) All site grading and erosion control shall conform with the "City of Madison Standard Specifications" and all addendums issued prior to the contract bid date.
- 2) Stone tracking pad shall be installed at the commencement of construction. Stone tracking pad shall be a minimum of 30 feet wide, 50 feet long and 1 foot thick, constructed with a minimum of 3" clear stone. Entrance shall be maintained in a condition which will prevent tracking of mud onto public right-of-way.
- 3) Silt fence shall be installed at the start of site grading and maintained until the site has been stabilized.
- 4) Hay bale inlet filters shall be installed as soon as storm structures are set and maintained until bituminous pavement is installed.
- 5) Area disturbed within any street right-of-way shall be restored with seed, fertilizer, mulch or in accordance with an approved landscape plan.
- 6) Disturbed areas outside the street right-of-way shall be restored with seed, fertilizer, mulch or in accordance with an approved landscape plan.
- 7) Public streets shall be cleaned daily as necessary.
- 8) Erosion control shall be the responsibility of the Contractor until the site has been stabilized. Erosion measures as listed shall be the minimum measures that will be acceptable.
- 9) The Contractor shall install additional erosion measures as requested in writing by the project superintendent or the City of Madison within 24 hours of notification.
- 10) All slopes 4:1 or greater shall have North American Green S75 Erosion Matting or approved equal.

LEGEND

- BARTLEY MEER
- WATER MAIN
- GAS MAIN
- UNDERGROUND ELECTRIC
- STORM SEWER
- TELEPHONE PEDestal
- PILE
- CATCH BASIN
- POWER POLE
- HYDRANT
- VALVE
- BOX
- EXISTING CONC. CURB
- PROPOSED 18" WELDED CURB & GUTTER
- PROPOSED 6" STANDARD CURB & GUTTER
- PROPOSED STORM SEWER
- PROPOSED 6" DI WATER SERVICE
- SILT FENCE



PIPE SCHEDULE


PIPE NO.	DESCRIPTION	COMMENTS
P-1	57"-15" RCP STORM SEWER @ 4.02%	
P-2	120"-15" RCP STORM SEWER @ 1.50%	
P-3	40"-15" RCP STORM SEWER @ 4.0%	STUB & PLUG

STRUCTURE SCHEDULE

STRUCT. NO.	R/W OR	INVERT	TYPE	NEARBY
S-1	1017.30	1010.40 SW	2'x1'	R-2007-1
S-2	1016.30	1012.45 S	3'x3'	R-1878-100
S-3		1012.55 N		


GRADING / UTILITY / EROSION PLAN

SCALE: 1" = 20'-0"





COTTAGE GROVE ROAD


JUPITER DRIVE




1 SITE PLAN
1"=20'-0"




10 TRASH ENCLOSURE DETAILS
NO SCALE




2 PARKING SIGN DETAIL
NO SCALE




3 BUSINESS SIGN DETAIL
NO SCALE




4 SITE DETAIL
NO SCALE




5 SITE DETAIL
NO SCALE




7 SITE DETAIL
NO SCALE



8 SITE DETAIL
NO SCALE



6 CURB DETAIL
NO SCALE



9 SITE DETAIL
NO SCALE

This sheet was prepared by the use of a computer and electronic data processing. It is the responsibility of the user to verify the accuracy of the data and the results of the calculations. The user is advised to consult the manufacturer's literature for the proper use of the equipment and the proper interpretation of the results. The user is also advised to consult the manufacturer's literature for the proper use of the equipment and the proper interpretation of the results.

CHAMOMILE
ASSITED
LIVING
PUD/SIP

Project	
Proj. No.	C
SITE PLAN	
Sheet Title	
Scale:	NOTED
Drawn By:	PFR
Date:	10.06.03
Rev. Date:	
Rev. Date:	
Rev. Date:	
Rev. Date:	
Rev. Date:	
Sheet No:	



the
bruce
company

OF WISCONSIN, INC.

LANDSCAPE ARCHITECTS
LANDSCAPE CONTRACTORS

2830 W. BELTLINE HWY
P.O. BOX 620330
MIDDLETON, WI 53662-0330

TEL (608) 836-7041
FAX (608) 831-4238



DATE: 07-03-03
 07-29-03
 08-25-03


SCALE: 1"= 20'


LANDSCAPE PLAN
 846 JUPITER DRIVE
 CHAMOMILE ASSISTED LIVING

view Commons, Recorded in Vol. 58-005A of Plats on
 Port of Lot 459,
 the NW 1/4 of Section 11, T7N, R10E, City of Madison, WI
 Located in the SE1/4

D'ONOFRIO, KOTKE
 AND ASSOCIATES, INC.
 7630 WESTWARD WAY
 MADISON, WISCONSIN 53717
 TEL: 608-433-7530
 FAX: 608-533-0599

Sheet No.
 C-5



POINTS SCHEDULE

LANDSCAPE POINTS REQUIREMENTS	
NUMBER OF PARKING STALLS	13
NUMBER OF 2" MIN. CAL. TREES REQUIRED	1
NUMBER OF LANDSCAPE POINTS REQUIRED	84

SOLUTION	
2 CANOPY TREES (2"-2 1/2") @ 75 PTS.	150
CANOPY TREES OR SMALL ORNAMENTAL TREES (1 1/2"-2") @ 30 PTS.	50
20 DECIDUOUS SHRUBS @ 3 PTS.	60
5 EVERGREEN SHRUBS @ 3 PTS.	15
3 EVERGREEN TREES (3" H1) @ 30 PTS.	90
DECORATIVE WALL OR FENCE @ 10 PTS. (PER 10 L.F.)	10
EARTH BERM (PER 10 L.F.)	10
AVERAGE HEIGHT - 30" @ 10 PTS.	10
AVERAGE HEIGHT - 15" @ 5 PTS.	5
TOTAL POINTS	300

GENERAL NOTES


- Individual trees (and shrub groupings) found along perimeter of property as well as those found within lawn areas to receive bark chips (and bark beds) consisting of a mixture of hardwood shredded bark mulch spread to a minimum 3" depth (3" wide beds for shrub groupings).
- "Plastic Edging" to be Valley View Black Diamond Edging or equivalent.
- Areas labeled "Gravel Mulch" to receive 1-1/2" washed gravel spread to a 3" depth over fabric weed barrier.
- "Seed" areas shall be finish-graded and seeded at a rate of 4 lbs. per 1,000 sq. ft.
- Areas labeled "Seed" shall receive a mixture of the following types:
 40% Palmer Ryegrass
 20% Baron Bluegrass
 20% Nourse Bluegrass
 20% Pennwalt Creeping Red Fescue

Plant Material List

Quantity	Code Name	Common Name	Planting Size	Quantity	Code Name	Common Name	Planting Size
Broadleaf Deciduous				Conifer Evergreen			
4	APA	Autumn Purple White Ash	2" B&B	2	BNS	Bird's Nest Spruce	5 GAL. CONT.
4	CBCA	Corallburst Crabapple (std)	1 3/4" B&B	3	BHS	Black Hills Spruce	4" B&B
2	GMA	Green Mountain Sugar Maple	2" B&B	12	BSJ	Blue Sargent Juniper	5 GAL. CONT.
2	RAL	Rockland Amer. Linden	2" B&B	6	PYA	Pyramidal Arborvitae	5" B&B
3	STC	Sargent Crabapple (10)	2" B&B	12	SGJ	Sea Green Juniper	2 GAL. CONT.
1	STCC	Sargent Crabapple (4p)	5" B&B	9	TY	Taunton Yew	18" B&B
Shrub				Perennial			
6	BCV	Bailey Compact Amer. Gruby Viburnum	24" B&B	6	SES	Black-eyed Susan	1 GAL. CONT.
13	CVR	Carefree Wander Rose	2 GAL. CONT.	5	FA	Fond Feltiae	1 GAL. CONT.
5	CFF	Chicago Fire Winged Euonymus	30" B&B	6	CDI	Cyan Dwarf Bearded Iris	1 GAL. CONT.
1	CLV	Chicago Lustre Arnd Viburnum	3" POT	3	LBG	Little Bunny Fountain Grass	1 GAL. CONT.
10	DS	Daphne Spirea	2 GAL. CONT.	9	MMMS	May Night Sage	1 GAL. CONT.
17	GFS	Gaulthier Spirea	18" POT	9	MSD	Mini Stella Daylily	1 GAL. CONT.
9	GVB	Green Velvet Boxwood	5 GAL. CONT.	4	PPCB	Potomac Purple Coral Bells	1 GAL. CONT.
16	HC	Hedge Cotoneaster	3" POT	1	PDA	Purple Dome Aster	1 GAL. CONT.
3	JK	Japanese Kerria	18" POT	12	PLW	Purpleleaf Wintercreeper	1 GAL. CONT.
4	NFS	Neon Flash Spirea	18" POT	13	SDD	Stella De Oro Daylily	1 GAL. CONT.
9	SMSR	Scarlet Meidland Rose	2 GAL. CONT.				
1	UH	Unique Hydrangea	24" POT				
1	VWH	Vernal Witchhazel	3" B&B				

LANDSCAPE PLAN

SCALE : 1" = 20'-0"



PLAN NOTES

- NOTE THAT THE DRAWING IS AN ENGINEERING SCALE AND HAS BEEN ROTATED 00-67-42° TO BE ORTHOGRAPHIC.
- BUILDING SIGN LIT WITH GROUND FLOODLIGHT

LIGHTING SCHEDULE


FX. TYPE	MFG.	CATALOG NO.	DESCRIPTION	LAMPS	
				NO.	TYPE
OA	CARRI	CBMAV70-RMADDBLK	RECESSED DOWNLIGHT	1	70W.
OB	GARDCO	10H-WT-70MMH-00-RP	CUT-OFF WALLPACK	1	70W.
OC	EMCO	BSH-L-70MH	8 1/2" x 7" SQUARE BOLLARD	1	70W.
OD	GARDCO	G-B-2-4M-250MHHS	SHARP CUT-OFF, 20' POLE	1	250W.

SCHEDULE NOTES

- ALL LAMPS ARE METAL HALIDE.
- FIXTURES MARKED PC ARE PHOTOCELL ON/OFF, ALL OTHERS ARE PHOTOCELL ON/TIME/CLOCK OFF.
- FIXTURE TYPE '00' BY OTHERS.

STATISTICS

AREA	AVG.	MAX.	MIN.	AVG./MIN.
PARKING LOT	13 ft	49 ft	0.3 ft	451



NOT SCALE
THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION OF ANY STRUCTURE OR FOR ANY OTHER PURPOSE WITHOUT THE WRITTEN CONSENT OF ISTHMUS ARCHITECTURE, INC. THE USER OF THIS DRAWING SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND FOR THE PROPER INSTALLATION AND MAINTENANCE OF ANY SYSTEMS OR STRUCTURES SHOWN HEREON.

DATE: 10/06/03
DRAWN BY: ME
CHECKED BY: ME

CHAMOMILE
ASSITED
LIVING

PUD/SIP

Project

Proj. No.:

LIGHTING PLAN

Sheet Title

Scale: 1/4" = 1'-0"

Drawn By: ME

Date: 10.06.03


Rev. Date:

Rev. Date:

Rev. Date:

Rev. Date:

Sheet No.:




This work was prepared by the architect for the client and is not to be used for any other purpose without the written consent of the architect. The architect assumes no responsibility for the construction of the project or for the accuracy of the information provided by the client.

CHAMOMILE
ASSITED LIVING
PUD/SIP


Project
Proj. No.:
TERRACE LEVEL FLOOR PLAN

Sheet Title
Scale: NOTED
Drawn By:
Date: 10.06.03
Rev. Date:
Rev. Date:
Rev. Date:
Rev. Date:
Rev. Date:
Sheet No:




1 TERRACE LEVEL FLOOR PLAN
1/8"=1'-0"

Sheet No.
C-7



1 MAIN LEVEL FLOOR PLAN
1/8"=1'-0"



- NOTES:**
1. WALK-OFF MATT
MANUFACTURER: REESE CO.
MODEL: 540 Alum. recessed frame
1-800-824-3348
 2. FIRE PLACE UNIT
MANUFACTURER/SUPPLIER: MAJESTIC
MODEL: NVBR36RN
Natural gas with electric starter
www.majesticfireplaces.com
 3. BIKE RACKS
MANUFACTURER: THEBIKE RACK
MODEL: the Bike Rib series III
www.bikerack.com
 4. SUN DIAL
MANUFACTURER: COURTYARD SUNDIALS
MODEL: Archimedes 17"
Mount on pier 36" above side walk
www.courtyardsundials.com

- KEY:**
- ROOM / UNIT NUMBER
 - DOOR NUMBER
 - WINDOW NUMBER
 - WALL TYPE

CHAMOMILE
ASSISTED
LIVING

PUD/SIP

Project

Proj. No.

MAIN FLOOR PLAN

Sheet Title

Scale: NOTED

Drawn By:

Date: 10.06.03

Rev. Date:

Rev. Date:



Rev. Date:

Rev. Date:

Rev. Date:

Sheet No:

Sheet No.
C-8



1 ROOF PLAN
1/8"=1'-0"

0 4' 8' 16'
SCALE: 1/8"=1'-0"

NOTES:

1. PROVIDE PRE FINISHED ALUMINUM GUTTERS AND DOWNSPOT DRAIN TO DAYLIGHT WITH SPLASH BLOCKS TYPICAL
2. TYPICAL ROOFING: ASPHALT SHINGLES
3. PROVIDE RIDGE VENTS, CONTINUOUS ALL RIDGES

This work was prepared by us or our staff under the supervision of the professional seal of the architect. We warrant that the work was prepared by us or our staff under the supervision of the professional seal of the architect. We warrant that the work was prepared by us or our staff under the supervision of the professional seal of the architect.

ISTHMUS ARCHITECTURE, INC.

**CHAMOMILE
ASSITED
LIVING**

PUD/SIP

Project

Proj. No.:

ROOF PLAN

Sheet Title

Scale: NOTED

Drawn By:

Date: 10.06.03

Rev. Date:

Rev. Date:


Rev. Date:

Rev. Date:

Rev. Date:

Sheet No.:

Sheet No.
A-9




EXTERIOR FINISHES


SHINGLES: ELK THREE-TAB ARCHITECTURAL; COLOR: WEATHEREDWOOD.
MASONRY VENEER A: CMU BURNISHED PREMIER BLOCK CORP.; COLOR:
WARM STONE; PRICE GROUP A 12"x24"x 4" SIZE.
MASONRY VENEER B: MODULAR BRICK 4"; INTERSTATE BRICK COLOR:
COPPERSTONE.
SIDING AT GABLES: CERTAINTED WEATHERBOARDS FIBERCEMENT SIDING;
CEDAR 8" GROOVE; COLOR: SHERWIN WILLIAMS SW 0010 WICKERWORK.
SIDING AT WINDOWS: CERTAINTED WEATHER BOARDS OR HARDPLANK;
SMOOTH TEXTURE; COLOR: SHERWIN WILLIAMS SW 0010 WICKER WORK.
FLASHING & TRIM: ROLLEX; COLOR: EVENING GRAY.
VINYL WINDOWS: WEATHER SHIELD; BOYSENBERRY.
RAILINGS: SUPERIOR ALUM. PRODUCTS; COLOR: LIGHT BRONZE.
DOOR AND WINDOW TRIM: COLOR: SHERWIN WILLIAMS SW6054 CANYON CLAY
TYPICAL.

NOTES:

1. PROVIDE AND INSTALL ALUM. PREFINISHED OGEE GUTTERS AND DOWNSPOUTS IN COLOR TO MATCH FASCIA.
2. GUTTER AND FASCIA NOT INDICATED FOR DRAWING CLARITY.
3. WINDOW TRIM TYPICAL PREFINISHED 1X4 MIN.



1 NORTH ELEVATION
1/8"=1'-0"



2 EAST ELEVATION
1/8"=1'-0"

ISTHMUS ARCHITECTURE, INC.
613 WILLIAMSON STREET
SUITE 203
MADISON, WI 53703
PHONE: 608.294.0206
FAX: 608.294.0207

CHAMOMILE
ASSITED
LIVING

PUD/SIP

Project

Proj. No.: r

EXTERIOR ELEVATIONS

Sheet Title

Scale: NOTED

Drawn By:

Date: 10.06.03

Rev. Date:

Rev. Date:

Rev. Date:

Rev. Date:


Rev. Date:

Sheet No:


Sheet No.
A-10

ISTHMUS
ARCHITECTURE, INC.

613 Williamson Street
Suite 203
Madison, WI 53703
Phone: 608.294.0206
Fax: 608.294.0207



1 WEST ELEVATION
1/8"=1'-0"



2 SOUTH ELEVATION
1/8"=1'-0"

0 4' 8' 16'
SCALE: 1/8"=1'-0"

CHAMOMILE
ASSITED
LIVING

PUD/SIP

Project

Proj. No.: 0311.01

EXTERIOR ELEVATIONS

Sheet Title

Scale: NOTED

Drawn By:

Date: 10.06.03


Rev. Date:

Rev. Date:

Rev. Date:

Rev. Date:

Sheet No.
A-11




CHAMOMILE ASSITED LIVING
PUD/SIP

Project
Proj. No.:
DETAILS


Sheet Title
Scale: NOTED
Drawn By:
Date: 10.06.03
Rev. Date:
Rev. Date:
Rev. Date:
Rev. Date:
Rev. Date:
Rev. Date:
Sheet No:

Sheet No.
A-12




1 WALL SECTION
1 1/2"-0"

NOTE: 1 INCH OFFSET BETWEEN MASONRY A & MASONRY B.
NOTE: ALL TRIM TO BE CELLULAR PVC - PAINTED TYPICAL.




2 COLUMN DETAIL @ PORCH & PORTE COCHERE
1 1/2"-0"


NOTE: ALL EIFS COLUMNS TO HAVE ROUGH SAND TEXTURE FINISH
NOTE: ALL TRIM TO BE CELLULAR PVC - PAINTED TYPICAL.




4 CHIMNEY DETAIL
1 1/2"-0"



3 BULKHEAD DETAIL @ COLS.
1 1/2"-0"



5 MASONRY DETAIL
NO SCALE



6 PLANTER WALL DETAIL
1'-0"