

P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL



P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL



P-01 STOREFRONT SYSTEM, COLOR: BLACK  
P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
BR-3 BRICK, COLOR: MOUNTAIN RED  
BR-4 BRICK, COLOR: BLACK OPAL

MAX HEIGHT: 160' - 0"  
 CAPITOL HEIGHT: [1032]




P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL

MAX HEIGHT: 160' - 0"  
CAPITOL HEIGHT: [1032]





- MECH OVERRUN 159' - 8"
- HIGH ROOF 144' - 4"
- LOW ROOF 141' - 4"
- LEVEL 14 127' - 10"
- LEVEL 13 118' - 4"
- LEVEL 12 108' - 10"
- LEVEL 11 99' - 4"
- LEVEL 10 89' - 10"
- LEVEL 9 80' - 4"
- LEVEL 8 70' - 10"
- LEVEL 7 61' - 4"
- LEVEL 6 51' - 10"
- LEVEL 5 42' - 4"
- LEVEL 4 32' - 10"
- LEVEL 3 23' - 4"
- LEVEL 2 13' - 10"
- N BROOM ST LEVEL 1 [872] -2"
- LOWER LEVEL 1 -13' - 0"

P-01 STOREFRONT SYSTEM, COLOR: BLACK  
P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
BR-3 BRICK, COLOR: MOUNTAIN RED  
BR-4 BRICK, COLOR: BLACK OPAL






P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL



P-01 STOREFRONT SYSTEM, COLOR: BLACK  
P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
BR-3 BRICK, COLOR: MOUNTAIN RED  
BR-4 BRICK, COLOR: BLACK OPAL






P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE


BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL



P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL




P-01 STOREFRONT SYSTEM, COLOR: BLACK  
P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
BR-3 BRICK, COLOR: MOUNTAIN RED  
BR-4 BRICK, COLOR: BLACK OPAL

MAX HEIGHT 160' - 0"  
CAPITOL HEIGHT [1032]




- MECH OVERRUN 159' - 8"
- HIGH ROOF 144' - 4"
- LOW ROOF 141' - 4"
- LEVEL 14 127' - 10"
- LEVEL 13 118' - 4"
- LEVEL 12 108' - 10"
- LEVEL 11 99' - 4"
- LEVEL 10 89' - 10"
- LEVEL 9 80' - 4"
- LEVEL 8 70' - 10"
- LEVEL 7 61' - 4"
- LEVEL 6 51' - 10"
- LEVEL 5 42' - 4"
- LEVEL 4 32' - 10"
- LEVEL 3 23' - 4"
- LEVEL 2 13' - 10"
- N BROOM ST LEVEL 1 [872] - 2"
- LOWER LEVEL 1 -13' - 0"

P-01 STOREFRONT SYSTEM, COLOR: BLACK  
P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
BR-3 BRICK, COLOR: MOUNTAIN RED  
BR-4 BRICK, COLOR: BLACK OPAL





P-01 STOREFRONT SYSTEM, COLOR: BLACK  
 P-02 POLYMER WINDOW SYSTEM, COLOR: BLACK  
 G-01 GRANITE, COLOR: BLACK

MP-1 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-2 METAL PANEL, FLAT, COLOR: FIRED BRICK  
 MP-3 METAL PANEL, BOXED RIBBED, COLOR: FIRED BRICK  
 MP-4 METAL PANEL, FLAT, COLOR: ARCTIC WHITE  
 MP-5 METAL PANEL, BOXED RIBBED, COLOR: MIDNIGHT BRONZE  
 MP-6 METAL PANEL, FLAT, COLOR: MIDNIGHT BRONZE

BR-1 BRICK, COLOR: ASH, PLATINUM  
 BR-2 BRICK, COLOR: CEDAR, COPPERTONE  
 BR-3 BRICK, COLOR: MOUNTAIN RED  
 BR-4 BRICK, COLOR: BLACK OPAL



## AviProtek®E

Walker bird friendly glass with Vitro high-performance Solarban® low-e



In collaboration with Vitro Architectural Glass

Proven to be effective time and time again...



Oregon Zoo - Portland, OR - LEED Platinum Certified - LEED Credit 55 Bird Deterrence  
6MM clear glass pattern 211 surface 1 with Solarban® 70 low-e on surface 2

University of Saskatchewan, Saskatoon, SK  
6MM clear glass pattern 217 on surface 1 with Solarban® 70 low-e on surface 2

Boulevard Club, Toronto ON  
6MM clear glass pattern 216 on surface 1 with Solarban® 60 low-e on surface 2

University of Minnesota, Falcon Heights MN  
6MM clear glass pattern 215 on surface 1 with Solarban® 70 low-e on surface 2

## Saving birds and energy!

### Patterns on surface 1



211 Vertical



213 Horizontal



214 Organic



215 2" x 2"



216 4" x 4"



217 2" x 2"

### Low-e coatings on surface 2

#### Solarban® Solar Control Low-e Glass Products by Vitro Architectural Glass

Solarban® glass is a spectrally selective glass option which reduces long and short wave (infrared) heat energy, while at the same time allowing visible light to be transmitted through the glass. Solarban® glass products by Vitro Glass let you specify larger spans of glass that maximize natural daylighting without sacrificing thermal efficiency.

With a range of options, the Solarban® family of glass products feature a clear aesthetic with among the highest light-to-solar gain (LSG) ratios in the industry.



#### Glass

AviProtek Pattern (1) with	VLT	VLR Ext.%	Int.%	NFRCU / Winter NightTime	Argon	SHGC	LSG
Solarban® 60 (2) + Clear	70	11	12	0,29	0,24	0,39	1,79
Solarban® 70 (2) + Clear	64	12	13	0,28	0,24	0,27	2,37

Due to the low density of the AviProtek® patterns, they have no significant impact on the values above.

Other coatings are available on demand. Please contact your Walker representative.

**Bird collisions** with glass building facades are the major cause of bird mortality, claiming the lives of hundreds of millions of birds each year. The magnitude of the problem is such that an important trend in making buildings safer for birds has emerged across North America. Municipalities, states and provinces have, and continue to enact bird deterrence legislation. Leading scientists have proven that the use of visual markers on the **exterior (1<sup>st</sup>) surface** of the glass provides birds with the best chance to identify a solid barrier and avoid collision. Furthermore, the CSA A460 standard requires the use of visual markers being placed on the exterior (1<sup>st</sup>) surface of the glass.

The **AviProtek® E** bird friendly glass solution combines acid-etched visual markers on the 1st surface with Vitro's Solarban® high performance low-e coatings on the 2<sup>nd</sup> surface, creating the most effective bird friendly glazing solution on the market. Architects and building owners alike can now achieve their environmental goals and earn LEED credits while meeting solar performance targets.



#### Sustainable solution

The **AviProtek® E** is the **ONLY** bird friendly glass product available that possesses an EPD – Environmental Product Declaration. Our environmentally responsible solution allows architects to secure an additional LEED point for their projects using Pilot Credit 55 related to bird deterrence. It also meets California building legislation requirement (AB262) to be enacted in 2020.

#### Product Specifications

**Thickness:** 6MM (1/4")

**Dimension:** 96" x 130" only

**Substrates:** Clear and Starphire Ultra-Clear™ glass, standard tints available on demand subject to glass availability.

**Availability:** AviProtek® E glass products are only available from members of the Vitro Certified™ Network.

**Quantity:** Subject to a minimum of one block of 4,000 lbs or 1,000 sq ft of glass.

**Low-e:** Available with Solarban® 60 VT, Solarban® 70 VT by Vitro Glass, other coatings are available on demand.

**Warranty for the acid-etching:** 10 year limited warranty on surface degradation. For all terms and conditions of the Walker Textures® warranty, please contact our Customer Service Department.

**Warranty for the low-e coating:** For more information, please contact the Vitro Glass Customer Service Department.

Solarban, Starphire, Starphire Ultra-Clear, Vitro and Vitro Certified are trademarks owned by Vitro.



Walker Glass Co., Ltd., 9551 Ray Lawson Blvd., Montreal QC H1J 1L5 Canada  
Phone: 514 352.3030 or 1 888 320.3030









 BIRD FRIENDLY GLAZING









SPRING 10 AM




SPRING 12 PM




SPRING 4 PM



SUMMER 10 AM



SUMMER 12 PM



SUMMER 4 PM




WINTER 10 AM



WINTER 12 PM




WINTER 4 PM




SPRING 10 AM




SPRING 12 PM



SPRING 4 PM



SUMMER 10 AM



SUMMER 12 PM



SUMMER 4 PM



WINTER 10 AM



WINTER 12 PM



WINTER 4 PM