

**PLANNING DIVISION REPORT**  
**DEPARTMENT OF PLANNING AND COMMUNITY**  
**AND ECONOMIC DEVELOPMENT**  
**Of July 9, 2007**

**RE: I.D. # 06575: Zoning Map Amendment I.D. 3274 To Rezone 5939 Sharpsburg Drive from PUD-GDP to Amended PUD-GDP and I.D. #06870 Approval of a Two-Lot Certified Survey Map of the Same**

1. Requested Actions: Approval of a request to rezone 5939 Sharpsburg Drive from General Development Plan (PUD-GDP) to Amended General Development Plan (PUD-GDP) to allow up to 90,000 square feet of retail/office uses and 162 residential units and approval of a Certified Survey Map No. 11948 creating two lots.
2. Applicable Regulations: Section 28.07 (6) of the Zoning Ordinance provides the requirements and framework for Planned Unit Developments; Section 28.12 (9) provides the process for zoning map amendments. The subdivision process is outlined in Section 16.23 (5)(b) of the Subdivision Regulations.
3. Report Prepared By: Kevin Firchow AICP, Planner

**GENERAL INFORMATION**

1. Applicant & Property Owner: Don Esposito; Veridian Homes; 6801 South Town Drive; Madison, WI 53713  
  
Agent: Brian Munson, Vandewalle & Associates, 120 East Lakeside Street; Madison, WI 53715
2. Development Schedule: No specific development schedule was listed in the application materials.
3. Location: The project site is a 3.6-acre vacant parcel located in the "Grandview Commons Neighborhood Center". The neighborhood center is located near the intersection of North Star Drive and Cottage Grove Road. The subject property is at intersection of Gemini and Sharpsburg Drives.
4. Existing Conditions: The site is currently vacant / undeveloped.
5. Proposed Land Use: The applicant proposes to allow up to 90,000 square feet of retail/office uses and 162 residential units. This proposal transfers uses and densities approved in the GDP to adjacent planning districts within the Grandview Commons Neighborhood Center. The 90,000 square feet of office and retail includes 20,000 new square feet of office/retail that were not approved in the original GDP.

11-12

ID #06575:  
5939 Sharpsburg Drive  
July 9, 2007  
Page 2

**Surrounding Land Use and Zoning:**

North: Park and residential uses, zoned PUD-SIP

South: Cottage Grove Road, undeveloped lands within Madison City limits, zoned Agriculture

East: 10-unit residential building, zoned PUD-SIP

West: Vacant- Approved 24-unit residential building, zoned PUD-SIP

6. Adopted Land Use Plan: The City Comprehensive Plan and Sprecher Neighborhood Plan identify this area as Neighborhood Commercial / Neighborhood Mixed Use Development, respectively.
7. Environmental Corridor Status: The property is not located within a mapped environmental corridor.
8. Public Utilities & Services: The property is served by a full range of urban services.

**STANDARDS FOR REVIEW**

This application is subject to the standards for zoning map amendments and Certified Survey Maps.

**PLAN REVIEW**

The applicant is requesting that the Grandview Commons General Development Plan (GDP) be amended to expand the "Neighborhood Center Mixed Use" district within the Grandview Neighborhood Center. The overall boundaries of the Neighborhood Center would not be changed. This is an amendment to an adopted General Development Plan. A certified survey map creating two lots on the subject property is also proposed.

There are two key components of the proposed zoning amendment.

The first component is to transfer the subject parcel from the "Neighborhood Center Residential" district to the "Neighborhood Center Mixed Use" district. Such a reclassification would expand the boundaries and land area of the "Neighborhood Center Mixed-Use" district, providing the applicant increased flexibility on the allowable locations for office/retail uses within the

11-12

ID #06575:  
5939 Sharpsburg Drive  
July 9, 2007  
Page 3

Neighborhood Center. Allowable office/retail uses, found on p. 102 of the GDP, remain unchanged with this request.

The second component of this request is to increase the allowable square footage of office/retail development in the "Neighborhood Center Mixed Use" district. An increase of 20,000 square feet of retail/office is proposed from what was approved in the original GDP. A total of 90,000 square feet of office/retail square footage would be allowed with this amendment. The original GDP allows for 40,000 square feet on the existing "Neighborhood Center Mixed Use" parcel and 30,000 square feet on the subject parcel.

There will not be an increase in the number or net density of residential units proposed in the Neighborhood Center. However, the 150 residential units that were approved in the "Neighborhood Center Residential" district would continue to be allowed in the "Neighborhood Center Mixed Use" district. A total of 225 residential units would remain approved for the entire Neighborhood Center.

**ANALYSIS & CONCLUSION**

The Grandview Commons Neighborhood Center is a 39.5-acre area surrounding the intersection of North Star Drive and Cottage Grove Road. The Center consists of two districts, "Neighborhood Center Mixed Use" and "Neighborhood Center Residential". Each district consists of multiple lots, and allowable uses and intensities have been approved for each lot.

The overall location and size of the Neighborhood Center would remain unchanged with this proposal. However, the proposal will change the subject property from the "Neighborhood Center Residential" district to the "Neighborhood Center Mixed Use" district. This would allow mixed use/commercial development that was originally approved closer to North Star Drive to be expanded towards the eastern residential edge of the Neighborhood Center.

The previously approved GDP was approved in 2003 prior to the establishment of the Inclusionary Zoning provisions in the Zoning Ordinance. The proposed GDP amendment does not change the amount, type, density, or allowable location of residential development. Therefore, the inclusionary zoning provisions of the ordinance do not apply to this proposal.

The applicant's second request is for the approval of Certified Survey Map No. 11948 creating two lots on the subject property. The City has entered into an agreement with Veridian to locate the City Library on "Lot 1" of the proposed Certified Survey Map. This would place this civic use close to the Town Square and adjacent to town houses that are currently under construction. Other office, retail, and residential mixed-uses would be located on "Lot 2". Detailed building and site plan information will be submitted as part of future specific implementation plans. This

11-12

area is adjacent to Cottage Grove Road and approved mixed-use and apartment developments. Staff notes that as proposed, "Lot 2" does not have frontage on Sharpsburg Drive and cross access easements will be need to be provided.

The development proposed in this amendment is generally consistent with the pattern described in the Sprecher Neighborhood Plan and the Comprehensive Plan. Planning Division staff is, however, concerned with the character of future development that may front or line Cottage Grove Road and recommends that future commercial/mixed use development maintain the urban form and character that has been approved and established elsewhere in the Neighborhood Center versus more conventional strip-style commercial development sometimes found along our arterial streets.

The Planning Division does not object to the proposed GDP amendment for the purpose of accommodating a future library and other allowable retail/office uses within the Neighborhood Center. Further, staff does not object to the increase of 20,000 square feet of retail/office as presented in the amendment, provided that the development maintain all previously adopted standards relating to lot requirements and other form considerations. Staff also supports the approval Certified Survey Map No. 11948 with the noted conditions.

### **RECOMMENDATION**

The Planning Division recommends that the Plan Commission forward Zoning Map Amendment 3274, rezoning 5939 Sharpsburg Drive from Planned Unit Development, General Development Plan (PUD-GDP) to Amended Planned Unit Development, General Development Plan (PUD-GDP) to the Common Council with a recommendation of **approval** and **approve** Certified Survey Map No. 11948 subject to input at the public hearing and the following conditions:

1. Comments from reviewing agencies.
2. That the applicant revises the Certified Survey Map to provide for cross access easements between lots 1 and 2.
3. Madison Gas & Electric and AT&T are requesting that six-foot wide utility easements be dedicated over the five-foot drainage easements shown along the western, eastern and southern lot lines of Lot 1 and the northern and western lot lines of Lot 2 of the Certified Survey Map.

**AGENDA # 6**

City of Madison, Wisconsin

---

REPORT OF: URBAN DESIGN COMMISSION

**PRESENTED:** June 6, 2007

**TITLE:** 5939 Sharpsburg Drive – PUD-GDP  
Amendment. 3<sup>rd</sup> Ald. Dist. (06642)

**REFERRED:**

**REREFERRED:**

**REPORTED BACK:**

**AUTHOR:** Alan J. Martin, Secretary

**ADOPTED:**

**POF:**

**DATED:** June 6, 2007

**ID NUMBER:**

---

Members present were: Paul Wagner, Chair; Robert March, Bruce Woods, Richard Slayton, Ald. Rummel, Feland, Lou Host-Jablonski, and Michael Barrett.

**SUMMARY:**

At its meeting of June 6, 2007, the Urban Design Commission **GRANTED FINAL APPROVAL** of a PUD-GDP located 5939 Sharpsburg Drive. Appearing on behalf of the project were Brian Munson, Chris Landerud, and Jim Meyer. The project involves for an amendment to the overall PUD-GDP for “Grandview Commons Neighborhood” to allow for Lots 439 and 440 previously designated for development as with a “town center residential” land use to be designated as town center mixed-use to accommodate the development of a library site and allow 90,000 square feet of commercial use with a maximum of 122 residential units on the two lots. Following the presentation of the plans, the Commission noted the following:

- Issue with parking appears to be maxed out. Not following the goal of shared parking.
- Plan shows lots of surface parking need to provide additional graphics that have meaning in regard to the amendment.

In response, Munson provided additional details relevant to the parking issue. He noted that delineated surface parking provides for the requirements of the additional commercial/retail uses allowed under the amendment including the library development as well as future residential use where onsite parking relevant to each of the use areas is not provided and all parking is provided offsite for shared use as shown on the plan. Munson also noted that the amendment provides for a maximum of 5,000 square feet of commercial space per user in order to prevent the development of large retail “big boxes” with a maximum 90,000 square foot of commercial use including the library combined with office and other commercial uses.

**ACTION:**

On a motion by Barrett, seconded by March, the Urban Design Commission **GRANTED FINAL APPROVAL** of the project. The motion was passed on a unanimous vote of (8-0). The motion required that future consideration of an SIP associated with the development of these lots would require the minimalization of surface parking and provisions for shared parking to be provided.

After the Commission acts on an application, individual Commissioners rate the overall design on a scale of 1 to 10, including any changes required by the Commission. The ratings are for information only. They are not used to decide whether the project should be approved. The scale is 1 = complete failure; 2 = critically bad; 3 = very poor; 4 = poor; 5 = fair; 6 = good; 7 = very good; 8 = excellent; 9 = superior; and 10 = outstanding. The overall ratings for this project are 6, 6, 7, 7, 7, and 8.

URBAN DESIGN COMMISSION PROJECT RATING FOR: 5939 Sharpsburg Drive

	Site Plan	Architecture	Landscape Plan	Site Amenities, Lighting, Etc.	Signs	Circulation (Pedestrian, Vehicular)	Urban Context	Overall Rating
Member Ratings	6	-	-	-	-	-	6	6
	-	-	-	-	-	-	7	7
	-	-	-	-	-	-	-	7
	6	-	-	-	-	6	6	6
	-	-	-	-	-	-	-	7
	-	-	-	-	-	8	8	8
	6	-	-	-	-	-	6	-

General Comments:

- Mixed use = GOOD.
- This seems to be an appropriate tweak to a master plan that in the main, has built-out very well. Big box must be avoided here however.



Department of Public Works  
City Engineering Division

608 266 4751

Larry D. Nelson, P.E.  
City Engineer

City-County Building, Room 115  
210 Martin Luther King, Jr. Boulevard  
Madison, Wisconsin 53703  
608 264 9275 FAX  
1 866 704 2315 Textnet

**Deputy City Engineer**  
Robert F. Phillips, P.E.

**Principal Engineers**  
Michael R. Dailey, P.E.  
Christina M. Bachmann, P.E.  
John S. Fahrney, P.E.  
Gregory T. Fries, P.E.

**Facilities & Sustainability**  
Jeanne E. Hoffman, Manager  
James C. Whitney, A.I.A.

**Operations Supervisor**  
Kathleen M. Cryan

**Hydrogeologist**  
Joseph L. DeMorett, P.G.

**GIS Manager**  
David A. Davis, R.L.S.

DATE: June 19, 2007  
TO: Plan Commission  
FROM: Larry D. Nelson, P.E., City Engineer  
SUBJECT: 5939 Sharpsburg Drive Rezoning

The City Engineering Division has reviewed the subject development and has the following comments.

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. Lot #2 is island parcel with regard to sanitary sewer. Private sanitary sewer easements will be required across neighboring lots to provide sanitary sewer service to Lot 2. Private mains are to be shared, recorded ownership/maintenance agreement shall be in place prior to the plan approval.
2. Simultaneous Certified Survey Map (CSM) application must be approved and CSM recorded prior to issuance of building permits.

**GENERAL OR STANDARD REVIEW COMMENTS**

In addition, we offer the following General or Standard Review Comments:

**Engineering Division Review of Planned Community Developments, Planned Unit Developments and Conditional Use Applications.**

Name: 5939 Sharpsburg Drive Rezoning

**General**

- 1.1 The construction of this building will require removal and replacement of sidewalk, curb and gutter and possibly other parts of the City's infrastructure. The applicant shall enter into a City / Developer agreement for the improvements required for this development. The applicant shall be required to provide deposits to cover City labor and materials and surety to cover the cost of construction. The applicant shall meet with the City Engineer to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. The developer shall sign the Developer's Acknowledgement prior to the City Engineer signing off on this project.
- 1.2 The site plan shall identify lot and block numbers of recorded Certified Survey Map or Plat.
- 1.3 The site plan shall include all lot/ownership lines, existing building locations, proposed building additions, demolitions, parking stalls, driveways, sidewalks (public and/or private), existing and proposed signage, existing and proposed utility locations and landscaping.
- 1.4 The site plan shall identify the difference between existing and proposed impervious areas.

11-12





- 1.5 The site plan shall reflect a proper street address of the property as reflected by official City of Madison Assessor's and Engineering Division records.
- 1.6 Coordinate all necessary new interior addresses associated with this proposed development with City Engineering Program Specialist Lori Zenchenko [zenchenko@cityofmadison.com](mailto:zenchenko@cityofmadison.com) or (608) 266-5952
- 1.7 The site plan shall include a full and complete legal description of the site or property being subjected to this application.

**Right of Way / Easements**

- 2.1 The Applicant shall Dedicate a \_\_\_\_\_ foot wide strip of Right of Way along \_\_\_\_\_.
- 2.2 The Applicant shall Dedicate a \_\_\_\_\_ foot wide strip of Right of Way along \_\_\_\_\_.
- 2.3 The Applicant shall Dedicate a Permanent Limited Easement for grading and sloping \_\_\_\_\_ feet wide along \_\_\_\_\_.
- 2.4 The City Engineer has reviewed the need for pedestrian and bicycle connections through the development and finds that no connections are required.
- 2.5 The Applicant shall Dedicate a Permanent Limited Easement for a pedestrian / bicycle easement \_\_\_\_\_ feet wide from \_\_\_\_\_ to \_\_\_\_\_.
- 2.6 The Developer shall provide a private easement for public pedestrian and bicycle use through the property running from \_\_\_\_\_ to \_\_\_\_\_.
- 2.7 The developer shall be responsible for the ongoing construction and maintenance of a path within the easement. The maintenance responsibilities shall include, but not be limited to, paving, repaving, repairing, marking and plowing. The developer shall work with the City of Madison Real Estate Staff to administer this easement. Applicable fees shall apply.
- 2.8 The Public Sanitary Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
  - a. The property owner reserves the right to use and occupy the Public Sanitary Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sanitary sewer facilities.
  - b. No above-ground improvements shall be located in the Public Sanitary Sewer Easement Area(s) by the City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public sanitary sewer facilities shall be permitted at grade level. (Optional: and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Sanitary Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Sanitary Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Sanitary Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.9 The Public Sidewalk Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
  - a. The property owner reserves the right to use and occupy the Public Sidewalk Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sidewalk improvements.
  - b. No above-ground improvements will be allowed in the Public Sidewalk Easement Area(s) by the property owner. (Optional: with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Sidewalk Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Sidewalk Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Sidewalk Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.10 The Public Storm Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
  - a. The property owner reserves the right to use and occupy the Public Storm Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public storm sewer facilities.
  - b. No above-ground improvements shall be located in the Public Storm Sewer Easement Area(s) by the

11-12

City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public storm sewer facilities shall be permitted at grade level. (Optional: and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)

- c. Plantings and landscaping within the Public Storm Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
- d. The property owner shall not change the grade of the Public Storm Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.  
The Public Storm Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.

- 2.11 The Public Water Main Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
  - a. The property owner reserves the right to use and occupy the Public Water Main Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public water main facilities.
  - b. No above-ground improvements will be allowed in the Public Water Main Easement Area(s) by the property owner. (Optional: with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Water Main Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Water Main Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Water Main Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.

#### Streets and Sidewalks

- 3.1 The Applicant shall execute a waiver of notice and hearing on the assessments for the improvement of [roadway] \_\_\_\_\_ in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
- 3.2 **Value of sidewalk installation over \$5000.** The Applicant shall Construct Sidewalk to a plan approved by the City Engineer along \_\_\_\_\_.
- 3.3 **Value of sidewalk installation under \$5000.** The Applicant shall install public sidewalk along \_\_\_\_\_. The Applicant shall obtain a Street Excavation Permit for the sidewalk work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. All work must be completed within six months or the succeeding June 1, whichever is later. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 3.4 The Applicant shall execute a waiver of their right to notice and hearings on the assessments for the installation of sidewalk along [roadway] \_\_\_\_\_ in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO.
- 3.5 The Applicant shall grade the property line along \_\_\_\_ to a grade established by the City Engineer. The grading shall be suitable to allow the installation of sidewalk in the future without the need to grade beyond the property line. The Applicant shall obtain a Street Excavation permit prior to the City Engineer signing off on this development. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 3.6 The Applicant shall close all abandoned driveways by replacing the curb in front of the driveways and restoring the terrace with grass.
- 3.7 **Value of the restoration work less than \$5,000. When computing the value, do not include a cost for driveways. Do not include the restoration required to facilitate a utility lateral installation.** The Applicant's project requires the minor restoration of the street and sidewalk. The Applicant shall obtain a Street Excavation Permit for the street restoration work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 3.8 The Applicant shall make improvements to \_\_\_\_\_ in order to facilitate ingress and egress to the development. The improvement shall include a (Describe what the work involves or strike this part of the comment.) \_\_\_\_\_.
- 3.9 The Applicant shall make improvements to \_\_\_\_\_. The improvements shall consist of \_\_\_\_\_.
- 3.10 The approval of this Conditional Use does not include the approval of the changes to roadways, sidewalks or utilities. The applicant shall obtain separate approval by the Board of Public Works and the Common Council for the restoration of the public right of way including any changes requested by developer. The City Engineer shall complete the final plans for the restoration with input from the developer. The curb location, grades, tree locations, tree species, lighting modifications and other items required to facilitate the development or restore the right of way

11-12

shall be reviewed by the City Engineer, City Traffic Engineer, and City Forester.

- 3.11 The Applicant shall provide the City Engineer with a survey indicating the grade of the existing sidewalk and street. The Applicant shall hire a Professional Engineer to set the grade of the building entrances adjacent to the public right of way. The Applicant shall provide the City Engineer the proposed grade of the building entrances. The City Engineer shall approve the grade of the entrances prior to signing off on this development.
- 3.12 The Applicant shall replace all sidewalk and curb and gutter which abuts the property which is damaged by the construction or any sidewalk and curb and gutter which the City Engineer determines needs to be replaced because it is not at a desirable grade regardless of whether the condition existed prior to beginning construction.
- 3.13 The Applicant shall obtain a privilege in streets agreement for any encroachments inside the public right of way. The approval of this development does not constitute or guarantee approval of the encroachments.
- 3.14 The Applicant shall provide the City Engineer with the proposed soil retention system to accommodate the restoration. The soil retention system must be stamped by a Professional Engineer. The City Engineer may reject or require modifications to the retention system.
- 3.15 The Applicant shall complete work on exposed aggregate sidewalk in accordance with specifications provided by the city. The stone used for the exposed aggregate shall be approved by the City. The Construction Engineer shall be notified prior to beginning construction. Any work that does not match the adjacent work or which the City Construction Engineer finds is unacceptable shall be removed and replaced.
- 3.16 All work in the public right-of-way shall be performed by a City licensed contractor.
- 3.17 Installation of "Private" street signage in accordance with 10.34 MGO is required.

#### Storm Water Management

- 4.1 The site plans shall be revised to show the location of all rain gutter down spout discharges.
- 4.2 Storm sewer to serve this development has been designed and constructed. The site plans shall be revised to identify the location of this storm sewer and to show connection of an internal drainage system to the existing public storm sewer.
- 4.3 The plan set shall be revised to show a proposed private internal drainage system on the site. This information shall include the depths and locations of structures and the type of pipe to be used.
- 4.4 The applicant shall show storm water "overflow" paths that will safely route runoff when the storm sewer is at capacity.
- 4.5 The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
- 4.6 The City of Madison is an approved agent of the Department of Commerce. This proposal contains a commercial building and as such, the City of Madison is authorized to review infiltration, stormwater management, and erosion control on behalf of the Department of Commerce. No separate submittal to Commerce or the WDNR is required.
- 4.7 This development includes multiple building permits within a single lot. The City Engineer and/or the Director of the Inspection Unit may require individual control plans and measures for each building.
- 4.8 If the lots within this site plan are inter-dependent upon one another for stormwater runoff conveyance, and/or a private drainage system exists for the entire site an agreement shall be provided for the rights and responsibilities of all lot owners. Said agreement shall be reviewed and placed on file by the City Engineer, referenced on the site plan and recorded at the Dane Co Register of Deeds.
- 4.9 Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to:
  - Detain the 2 & 10-year storm events.
  - Detain the 2, 10, & 100-year storm events.
  - Control 40% TSS (20 micron particle).
  - Control 80% TSS (5 micron particle).
  - Provide infiltration in accordance with NR-151.
  - Provide substantial thermal control.
  - Provide oil & grease control from the first 1/2" of runoff from parking areas.

Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.

- 4.10 The plan set shall be revised to show more information on proposed drainage for the site. This shall be accomplished by using spot elevations and drainage arrows or through the use of proposed contours. It is necessary to show the location of drainage leaving the site to the public right-of-way. It may be necessary to provide information off the site to fully meet this requirement.

11-12

- 4.11 A portion of this project comes under the jurisdiction of the US Army Corp of Engineers and WDNR for wetland or flood plain issues. A permit for those matters shall be required prior to construction on any of the lots currently within the jurisdictional flood plain.
- 4.12 The Applicant shall submit, prior to plan sign-off, a digital CAD file (single file) to the Engineering Program Specialist in the Engineering Division (Lori Zenchenko). The digital CAD file shall be to scale and represent final construction. The single CAD file submittal can be either AutoCAD (dwg) Version 2001 or older, MicroStation (dgn) Version J or older, or Universal (dxf) format and contain the following data, each on a separate layer name/level number:
  - a) Building Footprints
  - b) Internal Walkway Areas
  - c) Internal Site Parking Areas
  - d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
  - e) Right-of-Way lines (public and private)
  - f) Lot lines
  - g) Lot numbers
  - h) Lot/Plat dimensions
  - i) Street names

NOTE: Email file transmissions preferred [lzenchenko@cityofmadison.com](mailto:lzenchenko@cityofmadison.com) . Include the site address in this transmittal.

- 4.13 NR-151 of the Wisconsin Administrative Code will be effective on October 1, 2004. Future phases of this project shall comply with NR 151 in effect when work commences. Specifically, any phases not covered by a Notice of Intent (NOI) received from the WDNR under NR-216 prior to October 1, 2004 shall be responsible for compliance with all requirements of NR-151 Subchapter III. As most of the requirements of NR-151 are currently implemented in Chapter 37 of the Madison General Ordinances, the most significant additional requirement shall be that of infiltration.

NR-151 requires infiltration in accord with the following criteria. For the type of development, the site shall comply with one of the three (3) options provided below:

Residential developments shall infiltrate 90% of the predevelopment infiltration amount, 25% of the runoff from the 2-year post development storm or dedicated a maximum of 1% of the site area to active infiltration practices.

Commercial development shall infiltrate 60% of the predevelopment infiltration amount, 10% of the runoff from the 2-year post development storm or dedicate a maximum of 2% of the site area to active infiltration practices.

- 4.14 The applicant shall submit, prior to plan sign-off, digital PDF files to the Engineering Division (Jeff Benedict or Tim Troester). The digital copies shall be to scale, and shall have a scale bar on the plan set.
 

PDF submittals shall contain the following information:

  - a) Building footprints.
  - b) Internal walkway areas.
  - c) Internal site parking areas.
  - d) Lot lines and right-of-way lines.
  - e) Street names.
  - f) Stormwater Management Facilities.
  - g) Detail drawings associated with Stormwater Management Facilities (including if applicable planting plans).

- 4.15 The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
  - a) SLAMM DAT files.
  - b) RECARGA files.
  - c) TR-55/HYDROCAD/Etc...
  - d) Sediment loading calculations

If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided.

- 4.16 The area adjacent to this proposed development has a known flooding risk. All entrances shall be 2-feet above the adjacent sidewalk elevation or 1-foot above the 100-year regional flood elevation (whichever is greater). This includes garage entrances.

**Utilities General**

- 5.1 The Applicant shall obtain a Street Excavation permit for the installation of utilities required to serve this project. The Applicant shall pay the permit fee, inspection fee and street degradation fee as applicable and shall comply with all the conditions of the permit. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 5.2 The applicant shall obtain all necessary sewer connection permits and sewer plugging permits prior to any utility work. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.

11-12

- 5.3 All proposed and existing utilities including gas, electric, phone, steam, chilled water, etc shall be shown on the plan.
- 5.4 The applicant's utility contractor shall obtain a connection permit and excavation permit prior to commencing the storm sewer construction. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 5.5 The site plans shall be revised to show the location of existing utilities, including depth, type, and size in the adjacent right-of-way.
- 5.6 The developer shall provide information on how the Department of Commerce's requirements regarding treatment of storm water runoff, from parking structures, shall satisfied prior to discharge to the public sewer system. Additionally, information shall be provided on which system (storm or sanitary) the pipe shall be connected to.

**Sanitary Sewer**

- 6.1 Prior to approval of the conditional use application, the owner shall obtain a permit to plug each existing sanitary sewer lateral that serves a building that is proposed for demolition. For each lateral to be plugged the owner shall deposit \$1,000 with the City Engineer in two separate checks in the following amounts: (1). \$100 non-refundable deposit for the cost of inspection of the plugging by City staff; and (2). \$900 for the cost of City crews to perform the plugging. If the owner elects to complete the plugging of a lateral by private contractor and the plugging is inspected and approved by the City Engineer, the \$900 fee shall be refunded to the owner. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 6.2 All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Janet Dailey (608-261-9688) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff.
- 6.3 Each unit of a duplex building shall be served by a separate and independent sanitary sewer lateral.
- 6.4 The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service.

11-12



Department of Public Works  
City Engineering Division

608 266 4751

Larry D. Nelson, P.E.  
City Engineer

City-County Building, Room 115  
210 Martin Luther King, Jr. Boulevard  
Madison, Wisconsin 53703  
608 264 9275 FAX  
1 866 704 2315 Textnet

**Deputy City Engineer**  
Robert F. Phillips, P.E.

**Principal Engineers**  
Michael R. Dailey, P.E.  
Christina M. Bachmann, P.E.  
John S. Fahrney, P.E.  
Gregory T. Fries, P.E.

**Facilities & Sustainability**  
Jeanne E. Hoffman, Manager  
James C. Whitney, A.I.A.

**Operations Supervisor**  
Kathleen M. Cryan

**Hydrogeologist**  
Joseph L. DeMorett, P.G.

**GIS Manager**  
David A. Davis, R.L.S.

DATE: June 19, 2007

TO: Plan Commission

FROM: Larry D. Nelson, P.E., City Engineer

SUBJECT: 5939 Sharpsburg Drive Certified Survey Map

The City Engineering Division has reviewed the subject development and has the following comments.

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. Sanitary sewer easements will be required across one of the neighboring lots to provide sanitary sewer service to Lot 2. If private sanitary sewer mains are to be shared, recorded ownership/maintenance agreements shall be in place prior to plan approval.
2. The interior common lot dimension of 95.71 feet shown appears to be in error and should be 91.51 feet.
3. Clearly identify and label adjoiner Lot 2, CSM 11948.
4. Identify the lot corner elevation at the most Southerly corner of proposed Lot 1.

**GENERAL OR STANDARD REVIEW COMMENTS**

In addition, we offer the following General or Standard Review Comments:

**Engineering Division Review of Plats (Pre-Preliminary, Preliminary, Final)  
and Certified Survey Maps**

Name: 5939 Sharpsburg Drive Certified Survey Map

**General**

- 1.1 The Developer shall enter into a City / Developer agreement for the installation of public improvements required to serve this plat/csm. The developer shall be required to provide deposits to cover City labor and materials and surety to cover the cost of construction. The developer shall meet with the City Engineer to schedule preparation of the plans and the agreement. The City Engineer will not sign off on this plat/csm without the agreement executed by the developer.
- 1.2 Two weeks prior to recording the final plat, a soil boring report prepared by a Professional Engineer, shall be submitted to the City Engineering Division indicating a ground water table and rock conditions in the area. If the report indicates a

11-12



ground water table or rock condition less than 9' below proposed street grades, a restriction shall be added to the final plat, as determined necessary by the City Engineer.

**Right of Way / Easements**

- 2.1 The Applicant shall Dedicate a \_\_\_\_\_ foot wide strip of Right of Way along \_\_\_\_\_.
- 2.2 The Applicant shall Dedicate a Permanent Limited Easement for grading and sloping \_\_\_\_\_ feet wide along \_\_\_\_\_.
- 2.3 It is anticipated that the improvements on [roadway name] \_\_\_\_\_ required to facilitate ingress and egress to the plat/csm will require additional right of way and/or grading easements located outside the plat/csm boundary. The developer shall acquire the right of way and/or sloping easements as required by the City at the developer's expense. In the event that the developer is unable to acquire the right of way and/or sloping easements required, the City shall assist the developer in acquiring the property and the developer shall pay the City for all costs associated with the acquisition.
- 2.4 The Developer shall petition for the street vacation of (roadway name) \_\_\_\_\_ and provide a legal description and sketch of the right of way to be vacated after consultation with the City Engineer.

**Are the following requirements met?**

- \* Streets Intersect at right angles.
- \* A 15 foot minimum tangent at intersections from PC of curve to property line.
- \* Arterial intersection spacing generally greater than 1200 feet.
- \* Jogs are avoided at intersections. Arterial streets shall be adjusted to align if spacing less than 300 feet.
- \* Spacing of intersections on local streets shall be greater than 300 feet.
- \* Cul-de-sacs shall be less than 1000 feet long.
- \* 100 foot tangents between curves.

- 2.5 \_\_\_\_\_  
\_\_\_\_\_
- 2.6 Property lines at intersections shall be rounded with a 15 foot radius on \_\_\_\_\_  
\_\_\_\_\_
- 2.7 Property lines at intersections shall be rounded with a 25 foot radius on \_\_\_\_\_  
\_\_\_\_\_
- 2.8 The right of way width on \_\_\_\_\_ shall be \_\_\_\_\_ feet, on \_\_\_\_\_ shall be \_\_\_\_\_ feet and on \_\_\_\_\_ shall be \_\_\_\_\_ feet.
- 2.9 \_\_\_\_\_ shall have a minimum centerline radius of \_\_\_\_\_ feet and \_\_\_\_\_ shall have a minimum centerline radius of \_\_\_\_\_ feet.
- 2.10 The cul-de-sac on \_\_\_\_\_ shall have a minimum radius of \_\_\_\_\_ feet with a minimum reverse curve radius of \_\_\_\_\_ feet.
- 2.11 The plat/csm shall show a temporary limited easement for a temporary cul-de-sac on \_\_\_\_\_ having a radius of \_\_\_\_\_ feet and a reverse curve radius of \_\_\_\_\_ feet. The easement(s) shall expire when the streets are extended.
- 2.12 The developer shall show on the plat/csm a 40 foot utility easement adjacent to [roadway name] \_\_\_\_\_. The easement wording shall be approved by the City Engineer. The intent of the easement is to allow for the relocation of a major transmission line. The actual poles would remain on the right of way however major transmission lines require an easement beyond the space occupied by the poles for safety.
- 2.13 The City Engineer has reviewed the need for pedestrian and bicycle connections through the development and finds that no connections are required.
- 2.14 The Developer shall Dedicate a Permanent Limited Easement for a pedestrian / bicycle easement \_\_\_\_\_ feet wide from \_\_\_\_\_ to \_\_\_\_\_.
- 2.15 The Developer shall provide a private easement for public pedestrian and bicycle use through the property running from \_\_\_\_\_ to \_\_\_\_\_. The developer shall be responsible for the ongoing construction and maintenance of a path within the easement. The maintenance responsibilities shall include, but not be limited to, paving, repaving, repairing, marking and plowing. The developer shall work with the City of Madison Real Estate Staff to administer

11-12

this easement. Applicable fees shall apply.

- 2.16 Public Sanitary Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
- a. The property owner reserves the right to use and occupy the Public Sanitary Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sanitary sewer facilities.
  - b. No above-ground improvements shall be located in the Public Sanitary Sewer Easement Area(s) by the City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public sanitary sewer facilities shall be permitted at grade level. **(Optional:** and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Sanitary Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Sanitary Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Sanitary Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.17 The Public Sidewalk Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
- a. The property owner reserves the right to use and occupy the Public Sidewalk Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public sidewalk improvements.
  - b. No above-ground improvements will be allowed in the Public Sidewalk Easement Area(s) by the property owner. **(Optional:** with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Sidewalk Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Sidewalk Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Sidewalk Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.18 The Public Storm Sewer Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
- a. The property owner reserves the right to use and occupy the Public Storm Sewer Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public storm sewer facilities.
  - b. No above-ground improvements shall be located in the Public Storm Sewer Easement Area(s) by the City or the property owner, with the exception that grates, sewer access structure (SAS) covers, and other access points to the public storm sewer facilities shall be permitted at grade level. **(Optional:** and with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Storm Sewer Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Storm Sewer Easement Area(s) without the prior written approval of the City's Engineering Division.  
The Public Storm Sewer Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.
- 2.19 The Public Water Main Easement(s) dedicated to the City of Madison ("City") on the face of this Certified Survey Map or Subdivision Plat is/are subject to the following conditions:
- a. The property owner reserves the right to use and occupy the Public Water Main Easement Area(s) in a manner consistent with the rights herein conveyed, provided that such use and occupancy shall not interfere with or disturb the installation, operation, maintenance, repair, replacement and/or modification of the public water main facilities.
  - b. No above-ground improvements will be allowed in the Public Water Main Easement Area(s) by the property owner. **(Optional:** with the exception that pavement and/or concrete for driveway purposes shall be permitted.)
  - c. Plantings and landscaping within the Public Water Main Easement Area(s) shall not obstruct routine maintenance by the City. In the event of repair or reconstruction, plantings and landscaping may be removed by the City without replacement or compensation to the property owner.
  - d. The property owner shall not change the grade of the Public Water Main Easement Area(s) without the prior written approval of the City's Engineering Division.
  - e. The Public Water Main Easement(s) may not be amended, modified, terminated, or released without the written consent of all the parties hereto, or their respective successors-in-interest.

#### Streets and Sidewalks

- 3.1 The Developer shall construct Madison Standard street improvements for all streets within the plat/csm.

11-12



- 3.2 The developer shall show a 30 40 (*Strike one, 30 collector, 40 Arterial*) foot building setback line on the plat/csm adjacent to [Roadway Name] \_\_\_\_\_ for all lots in the plat/csm adjacent to said roadway.
- Note: No buffer strip shall be dedicated to the City as the City does not want the maintenance.*
- 3.3 Extensive grading may be required due to steep roadway grades.
- 3.4 The developer shall note that City funds for park frontage are limited and will be determined at the sole discretion of the City.
- 3.5 The developer shall construct sidewalk and record a waiver of their right to notice and hearings for the assessments for the improvement of [roadway] \_\_\_\_\_ in accordance with Section 66.0703(7)(b) Wisconsin Statutes and Section 4.09 of the MGO. Said sidewalk constructed in front of and waiver recorded to Lot(s) \_\_\_\_\_.
- 3.6 The Developer shall make the following improvement to [Roadway Name] \_\_\_\_\_. The Developer shall construct sidewalk and \_\_\_\_\_ feet of a future \_\_\_\_\_ foot roadway including curb and gutter on the \_\_\_\_\_ side of the roadway.
- 3.7 The Developer shall construct sidewalk to a plan approved by the City Engineer and complete ditching as required by the City Engineer along [Roadway Name] \_\_\_\_\_.
- 3.8 The Developer shall grade the right of way line to a grade established by the City Engineer and complete ditching along the roadway as specified by the city engineer along [Roadway Name] \_\_\_\_\_.
- 3.9 **Value of sidewalk installation over \$5000.** The Applicant shall Construct Sidewalk to a plan approved by the City Engineer along \_\_\_\_\_. (*Also require the City / Developer agreement line 1.1*)
- 3.10 **Value of sidewalk installation under \$5000.** The Applicant shall install public sidewalk along \_\_\_\_\_. The Applicant shall obtain a Street Excavation Permit for the sidewalk work, which is available from the City Engineering Division. The applicant shall pay all fees associated with the permit including inspection fees. All work must be completed within six months or the succeeding June 1, whichever is later. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 3.11 The Applicant shall execute a waiver of their right to notice and hearings on the assessments for the installation of sidewalk along [roadway] \_\_\_ in accordance with Section 66.0703(7)(b) Wisconsin Statutes and section 4.09 of the MGO.
- 3.12 The Applicant shall grade the property line along \_\_\_\_\_ to a grade established by the City Engineer. The grading shall be suitable to allow the installation of sidewalk in the future without the need to grade beyond the property line. The Applicant shall obtain a Street Excavation permit prior to the City Engineer signing off on this development. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 3.13 Developer shall make improvements to [Roadway Name] \_\_\_\_\_ considered temporary to facilitate ingress and egress to the plat/csm until such time as the ultimate improvement of the roadway is undertaken by the city.
- 3.14 The Developer shall make improvements to [Roadway Name] \_\_\_\_\_ to facilitate ingress and egress to the plat/csm.

[Select one of the below comments for either of the above or leave general]

- The above improvement will consist of acceleration and deceleration tapers.
- The above improvement consists of rights turn lanes.
- The above improvement will consist of passing lanes.
- The above improvement will consist of median openings.
- Caution – The improvements indicated above may require right of way outside of the plat/csm. See comment 2.3 to require additional right of way for this purpose.*
- 3.15 The developer shall note the AASHTO design standards for intersection sight distance will be applied during the design of the streets within this plat/csm.
- 3.16 The developer shall confirm that adequate sight distance exists on \_\_\_\_\_ where public streets intersect. If adequate sight distance does not exist, the developer shall change the location of the street intersection or agree to make improvements to the roadways such that the sight distance is achieved or make other mitigating improvements as required by the City.
- 3.17 All proposed street names shall be approved by the City Engineer. Applicant shall contact Lori Zenchenko (608-266-5952) with street name requests.
- 3.18 Installation of "Private" street signage in accordance with 10.34 MGO is required.

11-12

- 3.19 Coordinate all necessary new interior addresses associated with this proposed development with City Engineering Program Specialist Lori Zenchenko [lzenchenko@cityofmadison.com](mailto:lzenchenko@cityofmadison.com) or (608) 266-5952

#### Storm Water Management

- 4.1 An erosion control plan and land disturbing activity permit shall be submitted to the Engineering Division for review and approval prior to grading or any other construction activities. The Preconstruction Meeting for Public Improvements shall not be scheduled prior to issuance of this permit. The applicant shall demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. The erosion control plan shall include Universal Soil Loss Equation (USLE) computations for the construction period. Measures shall be implemented in order to maintain a soil loss rate below 7.5-tons per acre per year.
- 4.2 The following notes shall be included on the final plat:
- a. All lots within this plat are subject to public easements for drainage purposes which shall be a minimum of 6-feet in width measured from the property line to the interior of each lot except that the easements shall be 12-feet in width on the perimeter of the plat. For purposes of two (2) or more lots combined for a single development site, or where two (2) or more lots have a shared driveway agreement, the public easement for drainage purposes shall be a minimum of six (6) feet in width and shall be measured only from the exterior property lines of the combined lots that create a single development site, or have a shared driveway agreement, except that the easement shall be twelve (12) feet in width along the perimeter of the plat. Easements shall not be required on property lines shared with greenways or public streets. No buildings, driveways, or retaining walls shall be placed in any easement for drainage purposes. Fences may be placed in the easement only if they do not impede the anticipated flow of water.
- NOTE: IN THE EVENT OF A CITY OF MADISON PLAN COMMISSION AND/OR COMMON COUNCIL APPROVED REDIVISION OF A PREVIOUSLY SUBDIVIDED PROPERTY, THE UNDERLYING PUBLIC EASEMENTS FOR DRAINAGE PURPOSES ARE RELEASED AND REPLACED BY THOSE REQUIRED AND CREATED BY THE CURRENT APPROVED SUBDIVISION.**
- b. The intra-block drainage easements shall be graded with the construction of each principle structure in accordance with the approved storm water drainage plan on file with the City Engineer and the Zoning Administrator, as amended in accordance with the Madison General Ordinances.

Information to Surveyor's: In addition to notes such as this, WI State Plat Review now enforces the requirement that easements or other reference lines/areas be graphically shown, dimensioned and tied when they represent fixed locations. They will accept a "typical detail" when the easement or restriction can be effectively described and retraced from the typical detail.

- 4.3 Arrows shall be added to the certified survey map indicating the direction of drainage for each property line not fronting on a public street. In addition, the certified survey map shall include lot corner elevations, for all lot corners, to the nearest 0.25-foot. The following notes shall be added to the certified survey map.
- a. Arrows indicate the direction of surface drainage swale at individual property lines. Said drainage swale shall be graded with the construction of each principal structure and maintained by the lot owner unless modified with the approval of the City Engineer. Elevations given are for property corners at ground level and shall be maintained by the lot owner.
  - b. All lots within this certified survey are subject to public easements for drainage purposes which shall be a minimum of 6-feet in width measured from the property line to the interior of each lot except that the easements shall be 12-feet in width on the perimeter of the certified survey. For purposes of two (2) or more lots combined for a single development site, or where two (2) or more lots have a shared driveway agreement, the public easement for drainage purposes shall be a minimum of six (6) feet in width and shall be measured only from the exterior property lines of the combined lots that create a single development site, or have a shared driveway agreement, except that the easement shall be twelve (12) feet in width along the perimeter of the certified survey. Easements shall not be required on property lines shared with greenways or public streets. No buildings, driveways, or retaining walls shall be placed in any easement for drainage purposes. Fences may be placed in the easement only if they do not impede the anticipated flow of water.

**NOTE: IN THE EVENT OF A CITY OF MADISON PLAN COMMISSION AND/OR COMMON COUNCIL APPROVED REDIVISION OF A PREVIOUSLY SUBDIVIDED PROPERTY, THE UNDERLYING PUBLIC EASEMENTS FOR DRAINAGE PURPOSES ARE RELEASED AND REPLACED BY THOSE REQUIRED AND CREATED BY THE CURRENT APPROVED SUBDIVISION.**

Information to Surveyor's: In addition to notes such as this, WI State Plat Review now enforces the requirement that easements or other reference lines/areas be graphically shown, dimensioned and tied when they represent fixed locations. They will accept a "typical detail" when the easement or restriction can be effectively described and retraced from the typical detail.

- 4.4 Prior to the issuance of building permits, the Developer shall submit a master stormwater drainage plan to the City Engineering Division for review and approval which shows lot corner elevations to the nearest 0.25-foot. For purposes of the plan, it shall be assumed that grading shall be done on a straight line grade between points unless other information is provided. The proposed slope between points shall always be greater than or equal to .0075 ft/ft. If a break in grade is required between lot corners a shot shall be taken at that break in grade to provide the Engineer with enough information to interpret the plan. The Developer shall also show proposed drainage arrows on the plan to indicate the proposed direction of drainage.

The master storm water drainage plan shall be submitted to City Engineering in digital format with

11-12

elevations/grades/contours shown on the recorded plat map of the development. The digital record shall be provided using the state plane coordinate system – NAD 27.

The following note shall accompany the master storm water drainage plan:

- a. For purposes of this plan, it is assumed that grading shall be a straight line grade between points unless otherwise indicated. All slopes shall be 0.75% or steeper. Grade breaks between lot corners are shown by elevation or through the use of drainage arrows.

No building permits shall be issued prior to City Engineering's approval of this plan.

- 4.5 If the lots within this certified survey map are inter-dependent upon one another for storm water runoff conveyance, and/or a private drainage system exists for the entire site an agreement shall be provided for the rights and responsibilities of all lot owners. Said agreement shall be reviewed and placed on file by the City Engineer, referenced on the certified survey map and recorded at the Dane Co Register of Deeds.
- 4.6 The following note shall be added to the certified survey map. "All lots created by this certified survey map are individually responsible for compliance with Chapter 37 of the Madison General Ordinances in regard to storm water detention at the time they develop."
- 4.7 This plat/csm could affect a flood plain, wetland or other sensitive areas. As such, it shall be reviewed by the Commission on the Environment. Contact Mike Dailey at 266-4058 for further details. The proposed plat/csm may be considered a major change to the environmental corridor and be subject to a public hearing and approval of the Dane County Regional Plan Commission.
- 4.8 A portion of this plat/csm may come under the jurisdiction of the US Army Corp of Engineers and Wisconsin Department of Natural Resources for wetland or flood plain issues or navigable waterway. A permit for those matters may be required prior to construction on any of the lots currently within the plat/csm. Contact the WDNR & USACOE for a jurisdictional determination.
- 4.9 Prior to recording the plat/csm, the applicant shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to:
- Detain the 2 & 10-year storm events.
  - Detain the 2, 10, & 100-year storm events.
  - Control 40% TSS (20 micron particle).
  - Control 80% TSS (5 micron particle).
  - Provide infiltration in accordance with NR-151.
  - Provide substantial thermal control.
  - Provide oil & grease control from the first 1/2" of runoff from parking areas.

Stormwater management plans shall be submitted and approved by City Engineering prior to signoff.

- 4.10 This site is greater than one (1) acre and the applicant is required by State Statute to obtain a Notice of Intent Permit (NOI) from the Wisconsin Department of Natural Resources. Contact Jim Bertolacini of the WDNR at 275-3201 to discuss this requirement. This permit application is available on line at <http://www.cityofmadison.com/engineering/permits.cfm>.
- 4.11 NR-151 of the Wisconsin Administrative Code will be effective on October 1, 2004. Future phases of this project shall comply with NR 151 in effect when work commences. Specifically, any phases not covered by a Notice of Intent (NOI) received from the WDNR under NR-216 prior to October 1, 2004 shall be responsible for compliance with all requirements of NR-151 Subchapter III. As most of the requirements of NR-151 are currently implemented in Chapter 37 of the Madison General Ordinances, the most significant additional requirement shall be that of infiltration.

NR-151 requires infiltration in accord with the following criteria. For the type of development, the site shall comply with one of the three (3) options provided below:

Residential developments shall infiltrate 90% of the predevelopment infiltration amount, 25% of the runoff from the 2-year post development storm or dedicated a maximum of 1% of the site area to active infiltration practices.

Commercial development shall infiltrate 60% of the predevelopment infiltration amount, 10% of the runoff from the 2-year post development storm or dedicate a maximum of 2% of the site area to active infiltration practices.

- 4.12 A minimum of two (2) working days prior to requesting City Engineering signoff on the plat/csm the applicant shall contact Janet Dailey (608-261-9688) to obtain the final stormwater utility charges that are due and payable prior to sub-division of the properties. The stormwater utility charges (as all utility charges) are due for the previous months of service. All charges shall be cleared prior to the land division (and subsequent obsolesces of the existing parcel).

#### Sanitary Sewer

- 5.1 All outstanding Madison Metropolitan Sewerage District (MMSD) and City of Madison sanitary sewer connection charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Janet Dailey (608-261-9688) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff.
- 5.2 Each unit of a duplex building shall be served by a separate and independent sanitary sewer lateral.

11-12

- 5.3 This land division contains or is adjacent to facilities of MMSD. Prior to approval, applicant shall provide evidence that MMSD has reviewed and approved the proposed land division.

#### Mapping / Land Records

- 6.1 Wisconsin Administrative Code A-E 7.08 identifies when Public Land System (PLS) tie sheets must be filed with the Dane County Surveyor's office. The Developer's Surveyor and/or Applicant must submit copies of required tie sheets or condition reports for all monuments, including center of sections of record, used in this survey, to Eric Pederson, City Engineering. If a new tie sheet is not required under A-E 7.08, Engineering requests a copy of the latest tie sheet on record with Dane County Surveyor's office. The Applicant shall identify monument types on all PLS corners included on the Plat or CSM. **Note: Land tie to two PLS corners required.**
- 6.2 In accordance with Section s. 236.18(8), Wisconsin Statutes, the Applicant shall reference **City of Madison WCCS Dane Zone, 1997 Coordinates** on all PLS corners on the Plat or Certified Survey Map in areas where this control exists. The Surveyor shall identify any deviation from City Master Control with recorded and measured designations. City of Madison has established WCCS, Dane Zone Coordinates on all PLS corners within its corporate boundary. Visit the City of Madison Engineering Division web address [http://gis.ci.madison.wi.us/Madison\\_PLSS/PLSS\\_TieSheets.html](http://gis.ci.madison.wi.us/Madison_PLSS/PLSS_TieSheets.html) for current tie sheets and control data. If a surveyor encounters an area without a published WCCS Dane Zone 1997 value, contact Engineering Division for this information.
- 6.3. The Applicant shall submit to Eric Pederson, prior to Engineering sign-off of the subject plat, two (2) digital and one (1) hard copy of the **final plat/CSM** to the Mapping/GIS Section of the Engineering Division. **The digital copies shall be submitted in both NAD27 & WIDOT County Coordinate System, Dane County Zone datums in either Auto CAD Version 2001 or older, MicroStation Version J or older or Universal DXF Formats and contain the minimum of the following, each on a separate layer name/level number:**
- a. Right-of-Way lines (public and private)
  - b. Lot lines
  - c. Lot numbers
  - d. Lot/Plat dimensions
  - e. Street names
  - f. Easement lines (i.e. street, sanitary, storm (including wetland & floodplain boundaries) water, pedestrian/bike/walkway, or any public and/or private interest easement except **local service** for Cable TV, gas, electric and fiber optics).
- NOTE: This transmittal is a separate requirement than the required submittals to Engineering Streets Section for design purposes.
- NOTE: New electronic final plat transmittals and notification of changes which occur to the final plat during the time the Engineering Division signs off and receives the digital copies of said plat and the recording thereof, are the responsibility of the Developer/Surveyor.
- 6.4 In accordance with Section s.236.34(1) (c) which says a CSM shall be prepared in accordance with s.236.20(2) (c) & (f), Wisconsin Statutes, the Applicant must show type, location and width of any and all easements. Clearly identify the difference between existing easements (cite Register of Deeds recording data) and easements which are being conveyed by the Plat/CSM. Identify the owner and/or benefiting interest of all easements.
- 6.5 Prior to Engineering final sign-off by main office for Certified Survey Maps (CSM), final CSM must be submitted to Engineering Division Surveyor / Land Records Coordinator for final technical review and approval. This submittal must occur a minimum of two working days prior to final Engineering Division sign-off. Electronic mail submittal of the FINAL CSM in PDF form is preferred. Transmit to [epederson@cityofmadison.com](mailto:epederson@cityofmadison.com)

11-12



## Traffic Engineering and Parking Divisions

David C. Dryer, P.E., City Traffic Engineer and Parking Manager

Suite 100  
215 Martin Luther King, Jr. Boulevard  
P.O. Box 2986  
Madison, Wisconsin 53701-2986  
PH 608 266 4761  
TTY 866-704-2315  
FAX 608 267 1158

June 28, 2007

TO: Plan Commission  
FROM: David C. Dryer, P.E., City Traffic Engineer and Parking Manager  
SUBJECT: **5939 Sharpsburg Drive – Rezoning – PUD (GDP) to Amended PUD (GDP) – Allow Commercial Uses**

The City Traffic Engineering Division has reviewed the subject development and has the following comments.

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. None

### PEDESTRIAN AND BICYCLE TRANSPORTATION REVIEW COMMENTS

2. None

### GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

3. None

Please contact John Leach, City Traffic Engineering at 267-8755 if you have questions regarding the above items:

Contact Person: Brian Munson  
Fax: 608-2550814  
Email: [bmunson@vandewalle.com](mailto:bmunson@vandewalle.com)

DCD: DJM: dm



## Traffic Engineering and Parking Divisions

David C. Dryer, P.E., City Traffic Engineer and Parking Manager

Suite 100  
215 Martin Luther King, Jr. Boulevard  
P.O. Box 2986  
Madison, Wisconsin 53701-2986  
PH 608 266 4761  
TTY 866-704-2315  
FAX 608 267 1158

June 28, 2007

TO: Plan Commission

FROM: David C. Dryer, P.E., City Traffic Engineer and Parking Manager

SUBJECT: **5939 Sharpsburg Drive - Town of Blooming Grove Sec. 11 - Certified Survey (Lot Division)**

The City Traffic Engineering Division has reviewed the subject development and has the following comments.

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

1. None

### PEDESTRIAN AND BICYCLE TRANSPORTATION REVIEW COMMENTS

2. None

### GENERAL OR STANDARD REVIEW COMMENTS

In addition, we offer the following General or Standard Review Comments:

3. The applicant shall note on the face of the C.S.M. the one (1) access location agreed to by the City Traffic Engineer and shown on the GDP conceptual site plan. The applicant shall note, "No Vehicle Access," on both sides of the one (1) 50 ft driveway approach according to the GDP Conceptual site plan.
4. The applicant shall note on the face of the C.S.M. that cross-access easements between lots may be required.
5. The applicant shall execute and return the attached declaration of conditions and covenants for streetlights & traffic signals prior to sign off. The applicant will need to provide a deposit for their reasonable and proportionate share of traffic signal costs.

Please contact John Leach, City Traffic Engineering at 267-8755 if you have questions regarding the above items:

Contact Person: Brian Munson

11-12

**CITY OF MADISON  
INTERDEPARTMENTAL  
CORRESPONDENCE**

**Date:** June 19, 2007

**To:** Plan Commission

**From:** Kathy Voeck, Assistant Zoning Administrator

**Subject:** 5939 Sharpsburg Dr., CSM 11948 (formerly Lot 439) and Rezoning

**Present Zoning District:** PUD(GDP)

**Proposed Use:** Amend GDP to allow for commercial uses; CSM to create 1 residential lot and 1 institutional lot. (162 dwelling units and 90,000 s.f. office/retail)

**Requested Zoning District:** Amended PUD(GDP)

MAJOR OR NON-STANDARD REVIEW COMMENTS (Comments which are special to the project and/or may require additional work beyond a standard, more routine project). **NONE.**

GENERAL OR STANDARD REVIEW COMMENTS

- The northeasterly portion of Lot 2 shall be shown as green space area (where the property line goes through a building). Also the building labeled C-4 (future development), to the north on ag lands, shall be removed from the plan and shall be shown as green space.

**ZONING CRITERIA**

<b>Bulk Requirements</b>	<b>Required</b>	<b>Proposed</b>
Lot Area	6,000 sq. ft. min.	Lot 1 42,191 sf, Lot 2 114,446 sf
Lot width	50'	adequate
Usable open space		To be rev. at SIP
Front yard		Plans to be rev. at SIP
Side yards		
Rear yard		
Floor area ratio		
Building height		

Site Design	Required	Proposed
Number parking stalls	Dep. on use	Plans to be rev. at SIP
Accessible stalls	Dep. on use	
Loading	Dep. on use & bldg size	
Number bike parking stalls	Dep. on use	
Landscaping	Dep. on use	
Lighting	Dep. on use	

Other Critical Zoning Items	
Urban Design	Yes
Historic District	No
Landmark building	No
Flood plain	No
Utility easements	Yes
Water front development	No
Adjacent to park	No
Barrier free (ILHR 69)	Yes at SIP

With the above conditions, the proposed project **does** comply with all of the above requirements.

\* Since this project is being rezoned to the **(PUD)** district, and there are no predetermined bulk requirements, we are reviewing it based on the criteria for the R-4 district, because of the surrounding land uses.

11-12





# CITY OF MADISON FIRE DEPARTMENT

## Fire Prevention Division

325 W. Johnson St., Madison, WI 53703-2295  
Phone: 608-266-4484 ♦ FAX: 608-267-1153

DATE: June 28, 2007  
TO: Plan Commission  
FROM: Edwin J. Ruckriegel, Fire Marshal  
SUBJECT: **5939 Sharpsburg Drive**

The City of Madison Fire Department (MFD) has reviewed the subject development and has the following comments:

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

No comments.

## **GENERAL OR STANDARD REVIEW COMMENTS**

In addition, we offer the following General or Standard Review Comments:

1. All portions of the exterior walls of newly constructed public buildings and places of employment and open storage of combustible materials shall be within 500-feet of at least TWO fire hydrants. Distances are measured along the path **traveled by the fire truck as the hose lays off the truck**. See MGO 34.20 for additional information.
2. Provide fire apparatus access as required by Comm 62.0509 and MGO 34.19, as follows: **(commercial structures only)**
  - a. The site plans shall clearly identify the location of all fire lanes.
  - b. Provide an aerial apparatus access fire lane that is at least 26-feet wide, with the near edge of the fire lane within 30-feet of the structure, and parallel to one entire side of the structure, if any part of the building is over 30 feet in height.
  - c. Provide a fire lane that extends to within 150-feet of all exterior portions of the structure, or it can be extended to within 250-feet if the building is fully sprinklered.

Please contact Scott Strassburg, New Construction Inspector at 608-261-9843 if you have questions regarding the above items.

cc: Bill Sullivan

11-12



# CITY OF MADISON FIRE DEPARTMENT

## Fire Prevention Division

325 W. Johnson St., Madison, WI 53703-2295

Phone: 608-266-4484 ♦ FAX: 608-267-1153

DATE: June 28, 2007  
TO: Plan Commission  
FROM: Edwin J. Ruckriegel, Fire Marshal  
SUBJECT: **5939 Sharpsburg Drive**

The City of Madison Fire Department (MFD) has reviewed the subject development and has the following comments:

**MAJOR OR NON-STANDARD REVIEW COMMENTS** (Comments which are special to the project and/or may require additional work beyond a standard, more routine project.)

No comments.

## **GENERAL OR STANDARD REVIEW COMMENTS**

In addition, we offer the following General or Standard Review Comments:

1. As required by MGO 10.34 and IFC 505.1, all residential and commercial buildings must have the approved address posted. The address numbers shall be 4 inches in height, numbers shall be in contrast to the background and visible from the street.

Please contact Scott Strassburg, New Construction Inspector at 608-261-9843 if you have questions regarding the above items.

cc: Bill Sullivan

11-12

**Parks, Timothy**

---

**From:** Susan and Alan Sweet [2sweets@charter.net]  
**Sent:** Tuesday, June 12, 2007 8:18 AM  
**To:** Parks, Timothy  
**Cc:** John Tuohy; Brain Munson; Cnare, Lauren; Don Esposito  
**Subject:** Veridian Rezoning Request

Hi Tim,

The McClellan Park Neighborhood Association (MPNA) has reviewed the recent application submitted by Vandewalle & Associates, on behalf of Veridian Homes, regarding the amendment to the PUD(GDP) to increase the number of square feet of commercial use space on CSM 11948 Lots 1 & 2. We have no objection to this request.

Please feel free to contact me if there are any further questions or concerns on this matter.

Alan Sweet

6321 Buford Drive  
Madison, WI 53718  
(608) 443-0761  
2sweets@charter.net