

Our 1¼" and 1½" diameter tubular pulls and pushes are made from rugged 16-gauge wall tubing with solid brass end inserts. These large diameter pulls provide a greater door contact area (1¼" pulls have 60% larger and 1½" pulls have 125% larger mounting area) than 1" pulls, which ensures that Rockwood's guaranteed fastening system will provide a tight permanent installation. Our RM257 series is made from solid 1¼" rod and its 30° angle cut provides a mounting footprint 80% larger than 1" pulls.


**Tubular**

1¼" & 1½" diameter pulls





**Straight Pulls**

Pull No.	Diameter	CTC
RM301	1¼"	12"
RM302	1¼"	18"
RM303	1¼"	24"
RM304	1¼"	36"
RM321	1½"	12"
RM322	1½"	18"
RM323	1½"	24"
RM324	1½"	36"




**Offset Pulls**

Pull No.	Diameter	CTC
RM201	1¼"	12"
RM202	1¼"	18"
RM203	1¼"	24"
RM204	1¼"	36"
RM221	1½"	12"
RM222	1½"	18"
RM223	1½"	24"
RM224	1½"	36"




**Angle Pulls - Solid**

Pull No.	Diameter	CTC
RM257	1¼"	10"
RM258	1¼"	12"
RM259	1¼"	18"




**Push Bars\***

Pull No.	Diameter	CTC
RM350	1¼"	Specify
RM370	1½"	Specify



**Straight Push Pull Sets\***

Pull No.	Diameter	Pull CTC	Bar CTC
RM351	1¼"	12"	Specify
RM352	1¼"	18"	Specify
RM371	1½"	12"	Specify
RM372	1½"	18"	Specify



**Offset Push Pull Sets\***

Pull No.	Diameter	Pull CTC	Bar CTC
RM251	1¼"	12"	Specify
RM252	1¼"	18"	Specify
RM271	1½"	12"	Specify
RM272	1½"	18"	Specify

**Base Metals:** Aluminum, brass, bronze, stainless steel

\*To specify multi-bar sets suffix -2 or -3 to pull number (example: RM350-3).

**Note:** Phantom lines depict optional multi-bar sets.


[Contact Us](#)



[Blog](#)
[Get Connected](#)

[View All Products](#)
[Solutions](#)
[Brands](#)
[Alliances](#)
[I am an ...](#)
[Training](#)
[Support](#)
[News](#)

# Von Duprin 55 Series

Products > Exit Devices > Crossbar > Von Duprin 55 Series

## 55 Mortise Lock Cross Bar Exit Device


[Overview](#)
[Options](#)
[Accessories](#)
[Downloads](#)

5575 mortise lock devices for all types of single and double doors. UL listed for accident hazard installations.

The 5575 mortise lock is equipped with a 3/4" (19mm) anti-friction latch bolt which is field reversible without removing the lock from the door. It has a non-handed auxiliary bolt for deadlocking and a faceplate with an adjustable bevel. Wood doors required 589 cover plate.

### Features and Benefits

- Field sizeable
- Latch bolt deadlocking
- 3/4" (19mm) throw latch bolt
- Five popular finishes

### Dimensions

- **Crossbar height to finished floor** 36 13/16" (935mm) at center
- **Latch bolt height to finished floor** 40 3/32" (1018mm) at center
- **Crossbar projection** — neutral 3 3/4" (95mm)  
depressed 2 3/8" (60mm)
- **Crossbar length** 42" (1067mm)
- **Lock stile case** 7 1/4" x 1 3/16" x 2 1/4" (184mm x 30mm x 57mm)
- **Hinge stile case** 7 1/4" x 1 3/16" x 2 1/4" (184mm x 30mm x 57mm)
- **Lock case** 4 5/8" x 5 3/4" x 1 1/16" (117mm x 146mm x 27mm)
- **Faceplate** 1 1/4" x 8" x 7/32" (32mm x 203mm x 6mm)
- **Cylinder backset** 2 3/4" (70mm)
- **Crossbar tubing** 1" (25mm)

### Popular Links

- [Von Duprin 99 vs. Tank Video](#)
- [CVC Testimonial Video](#)
- [QEL Conversion Video](#)
- [Get BIM Models](#)
- [Von Duprin CVC Traditional Bottom Latch Adjustment Video](#)
- [Von Duprin CVC Traditional and Quick Adjust Bottom Latch Adjustment Video](#)

### Additional Products

- [55 Rim Cross Bar Exit Device](#)
- [55 Mortise Lock Cross Bar Exit Device](#)
- [55 Concealed Vertical Rod Cross Bar Exit Device](#)
- [55 Fire Mortise Lock Cross Bar Exit Device](#)
- [55 Fire Concealed Vertical Rod Cross Bar Exit Device](#)
- [55 Fire WDC Concealed Vertical Rod Cross Bar Exit Device](#)

### Related Products

- [Touch Bar Overview](#)
- [Cross Bar Exit Devices](#)
- [Recessed Exit Devices](#)
- [Electric Strikes](#)
- [Key Systems](#)