


PROJECT ID: 5992-11-62
 WITH: 5992-11-37

COUNTY: DANE

ORDER OF SHEETS

| | | |
|-------------|---|------------------------------|
| Section No. | 1 | Title |
| Section No. | 2 | Typical Sections and Details |
| Section No. | 3 | Estimate of Quantities |
| Section No. | 3 | Miscellaneous Quantities |
| Section No. | 4 | Right-of-Way Plat |
| Section No. | 5 | Plan and Profile |
| Section No. | 6 | Standard Detail Drawings |
| Section No. | 7 | Sign Plates |
| Section No. | 8 | Structure Plans |
| Section No. | 9 | Computer Earthwork Data |
| Section No. | 9 | Cross Sections |

TOTAL SHEETS =



DESIGN DESIGNATION


| | | | |
|--------------|------|---|-----------|
| A.A.D.T. | 2026 | = | 21,300 |
| A.A.D.T. | 2046 | = | 26,150 |
| D.H.V. | | = | |
| D.D. | | = | |
| T. | | = | 7.0% |
| DESIGN SPEED | | = | 35 MPH |
| ESALS | | = | 8,400,000 |

CONVENTIONAL SYMBOLS

| PLAN | PROFILE |
|--------------------------------|---|
| CORPORATE LIMITS | GRADE LINE |
| PROPERTY LINE | ORIGINAL GROUND |
| LOT LINE | MARSH OR ROCK PROFILE (To be noted as such) |
| LIMITED HIGHWAY EASEMENT | SPECIAL DITCH |
| EXISTING RIGHT OF WAY | GRADE ELEVATION |
| PROPOSED OR NEW R/W LINE | CULVERT (Profile View) |
| SLOPE INTERCEPT | UTILITIES |
| REFERENCE LINE | ELECTRIC |
| EXISTING CULVERT | FIBER OPTIC |
| PROPOSED CULVERT (Box or Pipe) | GAS |
| COMBUSTIBLE FLUIDS | SANITARY SEWER |
| MARSH AREA | STORM SEWER |
| WOODED OR SHRUB AREA | TELEPHONE |
| | WATER |
| | UTILITY PEDESTAL |
| | POWER POLE |
| | TELEPHONE POLE |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 PLAN OF PROPOSED IMPROVEMENT
C FITCHBURG, CTH MM/RIMROCK ROAD
 MCCOY ROAD TO USH 12/18
 CTH MM
 DANE COUNTY

STATE PROJECT NUMBER
5992-11-62



BEGIN PROJECT
 STA. 5+89.84 'NB'
 X = 821902.691
 Y = 464913.239

END PROJECT
 STA. 58+66.51 'NB'
 X = 822674.619
 Y = 469959.855

LAYOUT
 SCALE 0 1 MI
 TOTAL NET LENGTH OF CENTERLINE = 0.999 MILE

HORIZONTAL POSITIONS SHOWN ON THIS PLAN ARE WISCONSIN COORDINATE REFERENCE SYSTEM (WISCRS), DANE COUNTY, NAD83 (2011), IN U.S. SURVEY FEET. POSITIONS SHOWN ARE GRID COORDINATES, GRID BEARINGS, AND GRID DISTANCES. GRID DISTANCES ARE THE SAME AS GROUND DISTANCES.
 ELEVATIONS ARE REFERENCED TO NAVD 88 (2012). GPS DERIVED ELEVATIONS ARE BASED ON GEOID 18

| STATE PROJECT | FEDERAL PROJECT | |
|---------------|-----------------|----------|
| | PROJECT | CONTRACT |
| 5992-11-62 | | |
| | | |
| | | |

ACCEPTED FOR
 DANE COUNTY
 Date _____
 (Signature and Title of Official)

ORIGINAL PLANS PREPARED BY
Batterman
 engineers surveyors planners


DATE: _____
 (Professional Engineer Signature)

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION


PREPARED BY
 Surveyor _____ DANE COUNTY
 Designer _____ RH BATTERMAN
 Project Manager _____ ZACHARY PEARSON, P.E.
 Regional Examiner _____ REGIONAL EXAMINER
 Regional Supervisor _____ REGIONAL SUPERVISOR

APPROVED FOR THE DEPARTMENT
 DATE: _____
 (Signature)

E




| | | | | | |
|------------------------|-------------|--------------|------------------|-------|---|
| PROJECT NO: 5992-11-62 | HWY: CTH MM | COUNTY: DANE | PROJECT OVERVIEW | SHEET | E |
|------------------------|-------------|--------------|------------------|-------|---|



6-INCHES HMA PAVEMENT
 UPPER LAYER = 2 1/2-INCHES, 4MT 58-28 S
 LOWER LAYER = 3 1/2-INCHES, 3MT 58-28 S
 REMOVE 1-INCH EXISTING AGGREGATE
 BASE (PAID FOR AS COMMON
 EXCAVATION). PREPARE FOUNDATION FOR
 ASPHALTIC PAVEMENT.

PROPOSED TYPICAL SECTION


CTH MM
 STA 15+81 - STA. 32+00




6-INCHES HMA PAVEMENT
 UPPER LAYER = 2 1/2-INCHES, 4MT 58-28 S
 LOWER LAYER = 3 1/2-INCHES, 3MT 58-28 S
 REMOVE 1-INCH EXISTING AGGREGATE
 BASE (PAID FOR AS COMMON
 EXCAVATION). PREPARE FOUNDATION FOR
 ASPHALTIC PAVEMENT.


PROPOSED TYPICAL SECTION

CTH MM
 STA. 15+04 - 15+81
 STA. 32+00 - 58+67




- | | | | | |
|--|---|------------------------------------|--|---|
| ① MARKING LINE EPOXY 4-INCH, DOUBLE YELLOW | ④ MARKING LINE EPOXY 4-INCH, DASHED WHITE (12.5' LINE, 37.5' GAP) | ⑦ MARKING LINE EPOXY 8-INCH, WHITE | ⑩ MARKING ARROW EPOXY, WHITE | ⑬ MARKING DIAGONAL EPOXY 12-INCH WHITE |
| ② MARKING LINE EPOXY 4-INCH, DASHED YELLOW (12.5' LINE, 37.5' GAP) | ⑤ MARKING LINE EPOXY 4-INCH, DASHED WHITE (3' LINE, 9' GAP) | ⑧ MARKING STOP LINE EPOXY 18-INCH | ⑪ MARKING SYMBOL EPOXY, WHITE | ⑭ MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH |
| ③ MARKING LINE EPOXY 4-INCH, YELLOW | ⑥ MARKING LINE EPOXY 4-INCH, WHITE | ⑨ MARKING WORD EPOXY, WHITE | ⑫ MARKING CROSSWALK EPOXY BLOCK STYLE 24-INCH, WHITE | ⑮ MARKING LINE EPOXY 8-INCH, DASHED WHITE (3' LINE, 9' GAP) |






- | | | | | |
|--|---|------------------------------------|--|---|
| ① MARKING LINE EPOXY 4-INCH, DOUBLE YELLOW | ④ MARKING LINE EPOXY 4-INCH, DASHED WHITE (12.5' LINE, 37.5' GAP) | ⑦ MARKING LINE EPOXY 8-INCH, WHITE | ⑩ MARKING ARROW EPOXY, WHITE | ⑬ MARKING DIAGONAL EPOXY 12-INCH WHITE |
| ② MARKING LINE EPOXY 4-INCH, DASHED YELLOW (12.5' LINE, 37.5' GAP) | ⑤ MARKING LINE EPOXY 4-INCH, DASHED WHITE (3' LINE, 9' GAP) | ⑧ MARKING STOP LINE EPOXY 18-INCH | ⑪ MARKING SYMBOL EPOXY, WHITE | ⑭ MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH |
| ③ MARKING LINE EPOXY 4-INCH, YELLOW | ⑥ MARKING LINE EPOXY 4-INCH, WHITE | ⑨ MARKING WORD EPOXY, WHITE | ⑫ MARKING CROSSWALK EPOXY BLOCK STYLE 24-INCH, WHITE | ⑮ MARKING LINE EPOXY 8-INCH, DASHED WHITE (3' LINE, 9' GAP) |



- | | | | | |
|--|---|------------------------------------|--|---|
| ① MARKING LINE EPOXY 4-INCH, DOUBLE YELLOW | ④ MARKING LINE EPOXY 4-INCH, DASHED WHITE (12.5' LINE, 37.5' GAP) | ⑦ MARKING LINE EPOXY 8-INCH, WHITE | ⑩ MARKING ARROW EPOXY, WHITE | ⑬ MARKING DIAGONAL EPOXY 12-INCH WHITE |
| ② MARKING LINE EPOXY 4-INCH, DASHED YELLOW (12.5' LINE, 37.5' GAP) | ⑤ MARKING LINE EPOXY 4-INCH, DASHED WHITE (3' LINE, 9' GAP) | ⑧ MARKING STOP LINE EPOXY 18-INCH | ⑪ MARKING SYMBOL EPOXY, WHITE | ⑭ MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH |
| ③ MARKING LINE EPOXY 4-INCH, YELLOW | ⑥ MARKING LINE EPOXY 4-INCH, WHITE | ⑨ MARKING WORD EPOXY, WHITE | ⑫ MARKING CROSSWALK EPOXY BLOCK STYLE 24-INCH, WHITE | ⑮ MARKING LINE EPOXY 8-INCH, DASHED WHITE (3' LINE, 9' GAP) |



- | | | | | |
|--|---|------------------------------------|--|---|
| ① MARKING LINE EPOXY 4-INCH, DOUBLE YELLOW | ④ MARKING LINE EPOXY 4-INCH, DASHED WHITE (12.5' LINE, 37.5' GAP) | ⑦ MARKING LINE EPOXY 8-INCH, WHITE | ⑩ MARKING ARROW EPOXY, WHITE | ⑬ MARKING DIAGONAL EPOXY 12-INCH WHITE |
| ② MARKING LINE EPOXY 4-INCH, DASHED YELLOW (12.5' LINE, 37.5' GAP) | ⑤ MARKING LINE EPOXY 4-INCH, DASHED WHITE (3' LINE, 9' GAP) | ⑧ MARKING STOP LINE EPOXY 18-INCH | ⑪ MARKING SYMBOL EPOXY, WHITE | ⑭ MARKING CROSSWALK EPOXY TRANSVERSE LINE 6-INCH |
| ③ MARKING LINE EPOXY 4-INCH, YELLOW | ⑥ MARKING LINE EPOXY 4-INCH, WHITE | ⑨ MARKING WORD EPOXY, WHITE | ⑫ MARKING CROSSWALK EPOXY BLOCK STYLE 24-INCH, WHITE | ⑮ MARKING LINE EPOXY 8-INCH, DASHED WHITE (3' LINE, 9' GAP) |