

**City of Madison  
Final Subdivision Plat or Certified Survey Map  
Approval Certification**

**Check One:**

The Final Subdivision Plat of McAllen 120 Business Park, or

Certified Survey Map, Section \_\_\_\_\_, Town of \_\_\_\_\_

Address of Property: \_\_\_\_\_

Parcel Number(s): \_\_\_\_\_

Date of Plan Commission review or administrative approval: \_\_\_\_\_

Date of Common Council approval: \_\_\_\_\_ by Resolution No.

Res-08-01114; I.D. No. 12568

This is to certify that the conditions of approval have been complied with and the final subdivision plat or certified survey map may be approved by the City Clerk per the authority of the Common Council.

Janet Dailey  
City Engineering Division

3/19/09  
Date

[Signature]  
Traffic Engineering Division

3/26/09  
Date

[Signature]  
Zoning Administrator

3/26/09  
Date

N/A  
Parks Division

\_\_\_\_\_  
Date

N/A  
Madison Water Utility

\_\_\_\_\_  
Date

[Signature]  
Office of Real Estate Services

4/6/2009  
Date

[Signature]  
Planning Division/ Plan Commission Secretary

4/28/2009  
Date

\_\_\_\_\_  
Other

\_\_\_\_\_  
Date

This is to certify that the real estate tax and special assessment obligations are paid for the parcel(s) listed above as certified by the Office of Real Estate Services.

[Signature]  
Special Assessments

4/6/2009  
Date

[Signature]  
Real Estate Taxes

4/6/2009  
Date

\* Subject to receipt of ESA Phase I showing no contamination outstanding - Subject to Planning (Cons Part) having the original plat in hand at sign-off.

MISCELLANEOUS PAYMENT RECPT#: 176199  
TRAINING DATABASE  
210 MARTIN LUTHER KING JR BLVD  
MADISON WI 53703

DATE: 04/28/09                      TIME: 16:16  
CLERK: pldvcr                        DEPT: PLANNING  
CUSTOMER#: 0

PARCEL:

CHARGES:  
PDPLAT PLAT MAP                      36.00

AMOUNT PAID:                        36.00

PAID BY:                            PER CITY MADISON ORD  
PAYMENT METH: CHECK  
                                     52605  
REFERENCE:                          ML

AMT TENDERED:                       36.00  
AMT APPLIED:                        36.00  
CHANGE:                              .00