

# **City of Madison**

# Agenda - Amended

# **BOARD OF PUBLIC WORKS**

119 East Olin Avenue
Olin Avenue Water Utility Building
Conference Rooms A & B
_

If you need an interpreter, translator, materials in alternate formats or other accommodations to access this service, activity or program, please call the phone number below at least three business days prior to the meeting.

Si necesita un intérprete, un traductor, materiales en formatos alternativos u otros arreglos para acceder a este servicio, actividad o programa, comuníquese al número de teléfono que figura a continuación tres días hábiles como mínimo antes de la reunión.

Yog hais tias koj xav tau ib tug neeg txhais lus, ib tug neeg txhais ntawv, cov ntawv ua lwm hom ntawv los sis lwm cov kev pab kom siv tau cov kev pab, cov kev ua ub no (activity) los sis qhov kev pab cuam, thov hu rau tus xov tooj hauv qab yam tsawg peb hnub ua hauj lwm ua ntej yuav tuaj sib tham.

Если Вам необходима помощь устного или письменного переводчика, а также если Вам требуются материалы в иных форматах либо у Вас имеются особые пожелания в связи с доступом к данной услуге, мероприятию или программе, пожалуйста, позвоните по указанному ниже телефону и сообщите об этом не менее чем за три рабочих дня до соответствующей встречи.

Please contact the Engineering Division at (608) 264-9277 or Textnet 1-866-704-2315.

If you require an interpreter, materials in alternate formats, or other accommodations to access this service, activity, or program, please contact the Engineering Division at telephone number (608) 264-9277 or Textnet 1-866-704-2315.

Please make contact at least 24-hours prior to the date of this activity, so that we can make proper accommodations

## CALL TO ORDER/ROLL CALL

## PUBLIC COMMENT

Limited to three minutes each.

#### DISCLOSURES AND RECUSALS

Members of the body should make any required disclosures or recusals under the City's Ethics Code.

## PUBLIC HEARING - PUBLIC UTILITY

The Board of Public Works is scheduled to hold a Public Hearing in Conference Rooms A & B, Water Utility Building, 119 East Olin Avenue, on Wednesday, July 20, 2011, at 5:30 p.m.

#### PUBLIC HEARING OF RESOLUTIONS AND SCHEDULE OF ASSESSMENTS

The Board of Public Works is scheduled to hold a Public Hearing in Conference Rooms A & B, Water Utility Building, 119 East Olin Avenue, on Wednesday, July 20, 2011, at 6:30 p.m.

- 1. Consider approving the Minutes of the Board of Public Works Meeting of Wednesday, July 6, 2011; and the Public Hearing of the same date.
- 2. 23233 Consider a Report of the City Engineer regarding the results of a review of water resources impacts and the necessity of permits for public works construction projects on this agenda and addendum to the agenda.
- 3. Routine Items for the Board of Public Works Approval\*

#### CONSIDER THE FOLLOWING PUBLIC HEARING ITEMS:

- 4. 23153 AT&T will be extending its fiber optic network within the City of Madison during the Month of July 2011. This work is being done in order to enhance existing faciities in the Madison Area (Monroe St/Edgewood Madison/Jefferson). The Public Hearing is scheduled at 5:30 p.m. before the Board of Public Works in Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.
- 5. 23154 Wisconsin Independent Network (WIN) will be extending its fiber optic network (Pflaum Road Helgesen Drive) within the City of Madison in the month of July and August. This work is being done in order to provide data delivery services in the Madison Area.

The Public Hearing is scheduled at 5:30 p.m. before the Board of Public Works in Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

6. 23155 Charter will be extending a underground fiber optic network in the City of Madison in the months of July through September of 2011. This work will be done to extend a fiber optic circuit to Monona Plumbing Inc. 3110 Watford Way. Madison Wisconsin.

The Public Hearing is scheduled at 5:30 p.m. before the Board of Public Works in Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

 7. 23193 Approving Plans, Specifications, And Schedule Of Assessments For E. Washington Avenue Sidewalk Assessment District - 2012. The Public Hearing is scheduled at 6:30 p.m. before the Board of Public Works in

Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

DISCUSSION AND RECOMMENDATION

8. 23194 Approving Plans, Specifications, And Schedule Of Assessments For West Main Street Mid-Block Pedestrian Crossing Assessment District - 2011.
 The Public Hearing is scheduled at 6:30 p.m. before the Board of Public Works in Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

DISCUSSION AND RECOMMENDATION

9.23195Approving Plans, Specifications, And Schedule Of Assessments For Fish<br/>Hatchery Road Assessment District - 2012.The Public Hearing is scheduled at 6:30 p.m. before the Board of Public Works in<br/>Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

DISCUSSION AND RECOMMENDATION

 

 10.
 23196
 Approving Plans, Specifications, And Schedule Of Assessments For University Avenue Reconstruction Assessment District - 2012.

 The Public Hearing is scheduled at 6:30 p.m. before the Board of Public Works in Conference Rooms A & B, of the Water Uitlity Building, 119 East Olin Avenue.

DISCUSSION AND RECOMMENDATION

### ITEMS REFERRED BY THE COMMON COUNCIL

- 11. 22812 Authorizing the Mayor and City Clerk to execute an air space lease with the Board of Regents of the University of Wisconsin System for use of the public right-of-way over East Campus Mall for an enclosed elevated gallery connecting two buildings comprising the Chazen Museum of Art. RECOMMEND TO ADOPT
- 12. 22841 Authorizing the Mayor to enter into the Yahara Future Memorandum of Understanding with Dane County, the Wisconsin Department of Natural Resources, and the Wisconsin Department of Agriculture, Trade and Consumer Protection Regarding Efforts to Improve Water Quality in the Yahara River Chain of Lakes.

RECOMMEND TO ADOPT

- **13.** <u>22843</u> Authorizing the Mayor and City Clerk to execute an airspace lease with the Board of Regents of the University of Wisconsin System for use of the public right-of-way over East Campus Mall for an enclosed elevated gallery connecting two buildings comprising the Chazen Museum of Art. RECOMMEND TO ADOPT
- 14.
   22954
   Amending the 2011 Stormwater Utility Capital Budget to reallocate existing budget authority to provide funding for needed dredging and greenway projects to be completed in 2011.

   RETURN TO LEAD WITH RECOMMENDATION TO ADOPT

## **PUBLIC WORKS CONSTRUCTION MANAGEMENT - PRIVATE CONTRACTS**

15.23282Approving plans and specifications for public improvements necessary for the<br/>project known as 4624 Monona Drive Stop-N-Go and authorizing construction<br/>to be undertaken by the Developer, Private Contract No. 2279. (15th AD)<br/>RECOMMEND TO ADOPT

## PUBLIC WORKS CONSTRUCTION MANAGEMENT - PUBLIC CONTRACTS

16.*	23019	Assessing Benefits - 2010 Street Resurfacing
		RECOMMEND TO ADOPT
17.*	23156	Assessing Benefits - North & South Broom Street Resurfacing Assessment District - 2010. RECOMMEND TO ADOPT
18.*	23174	Assessing Benefits - Hillcrest Upland Greenway & Sanitary Lateral Assessment District. RECOMMEND TO ADOPT
19.*	23175	Assessing Benefits - Gilmore Street and Cross Street Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
20.*	23176	Assessing Benefits - Hanson Road Assessment District - 2010. RECOMMEND TO ADOPT
21.*	23177	Assessing Benefits - Commercial Avenue Street Assessment District - 2010. RECOMMEND TO ADOPT
22.*	23178	Assessing Benefits - McCormick Avenue & Commercial Avenue Reconstruction Assessment Distict - 2010. RECOMMEND TO ADOPT
23.*	23179	Assessing Benefits - Camden Road, Linda Vista and Hob Street Assessment Disrict - 2010. RECOMMEND TO ADOPT
24.*	23185	Assessing Benefits - West Gilman Street Reconstruction Assessment District 2 - 2009. RECOMMEND TO ADOPT
25.*	23186	Assessing Benefits - Langdon Streetscape Updates Assessment District - 2010. RECOMMEND TO ADOPT
26.*	23187	Assessing Benefits - University Avenue & Campus Drive Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
27.*	23189	Assessing Benefits - Reiner Road Street Assessment District - 2009. RECOMMEND TO ADOPT

28.*	23190	Assessing Benefits - Sanitary Sewer Replacement with Resurfacing East Assessment District - 2010. RECOMMEND TO ADOPT
29.*	23191	Assessing Benefits - Assessing Benefits - Sanitary Sewer Replacement with Resurfacing West Assessment District - 2010. RECOMMEND TO ADOPT
30.*	23208	Assessing Benefits - Riverside Drive Reconstruction Assessment District - 2010. (6th AD) RECOMMEND TO ADOPT
31.*	23209	Assessing Benefits - Blackhawk Road Assessment District - 2009. (9th AD) RECOMMEND TO ADOPT
32.*	23211	Assessing Benefits - Monona Drive Reconstruction Assessment District - 2009. RECOMMEND TO ADOPT
33.*	23212	Assessing Benefits - Bartillon Drive Sidewalk Assessment District - 2010. RECOMMEND TO ADOPT
34.*	23216	Assessing Benefits - Edgewood Avenue Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
35.*	23217	Assessing Benefits - Merry Street Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
36.*	23225	Assessing Benefits - Commercial Avenue, Kedzie Street, Pawling Street, Scofield Street, and Eighth Street Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
37.*	23226	Assessing Benefits - Kedzie Street and North Lawn Avenue Reconstruction Assessment District - 2010. RECOMMEND TO ADOPT
38.*	23229	Assessing Benefits - Scofield Street Driveways Assessment Dstrict - 2010. RECOMMEND TO ADOPT
	RESOLUTION	NS APPROVING THE CONSTRUCTION OF PUBLIC WORKS PROJECTS

39.23149Approving plans and specifications and authorizing the Board of Public Works<br/>to advertise and receive bids for Madison Central Public Library - Remodel &<br/>Renovation - General Construction, Contract No. 6437. (4th AD)

This project is for the remodel and renovation of the existing Madison Central Public Library. Estimated cost is \$21,000,000. Report by City Engineering.

RECOMMEND TO ADOPT

40.23151Approving plans and specifications and authorizing the Board of Public Works<br/>to advertise and receive bids for Madison Central Public Library - Remodel &<br/>Renovation - Hazardous Material Removal, Contract No. 6735. (4th AD)

This project is for the removal of hazardous materials from the existing Madison Central Public Library. Estimated cost is \$400,000.00. Report by City Engineering.

RECOMMEND TO ADOPT

**41. 23152** Approving plans and specifications and authorizing the Board of Public Works to advertise and receive bids for Olbrich Softball Lighting, Contract No. 6758. (15th AD)

The City of Madison Parks Division has money in the 2011 Budget for the removal/replacement of the softball lighting for two of the four softball diamonds at Olbrich Park. The two diamonds getting new lights are Diamonds No. 1 and No. 2, adjacent to Walter Street. The existing systems are old inefficient systems with oil transformer/switches on each pole. MG&E used to assist the City with maintenance/replacement of these switches but the City has been told that the switches are no longer available. The oil switches for Diamonds 1 and 2 will be stored by Parks as replacement parts for similar oil switches on Diamonds 3 & 4 for the forseeable future. The lighting on Diamonds 3 and 4 will not be replaced because those two diamonds and the boat launch are considered part of the Olbrich Gardens expansion area. Total estimate for this project is \$225,000.00. Report by Parks Division.

#### RECOMMEND TO ADOPT

**42. 23254** Approving plans and specifications and authorizing the Board of Public Works to advertise and receive bids for Shenandoah Greenway Improvement - 2010, Contract No. 6468. (19th AD)

This work proposes to improve the Shenandoah Greenway by regarding and armoring it. This project also proposes to install an access path along the proposed Greenway and along the existing concrete cunette. No improvements will be made to the existing cunette. Estimated cost is \$240,000. Report by City Engineering.

#### RECOMMEND TO ADOPT

43. 23304 Approving plans and specifications and authorizing the Board of Public Works to advertise and receive bids for East Streets Maintenance Facility PV Installation - 2011, Contract No. 6756. (17th AD)
 This project is for the installation of a Solar Electric PV System. Estimated cost is \$90,000. Report by City Engineering.

RECOMMEND TO ADOPT.

 44.
 23305
 Approving plans and specifications and authorizing the Board of Public Works to advertise and receive bids for Fire Station 8 Lighting Retrofit - 2012. (17th AD)

This project is for the installation of new lighting fixtures and lighting control in Fire

Station 8. Estimated cost is \$60,000. Report by City Engineering.

RECOMMEND TO ADOPT

### CHANGE ORDERS TO PUBLIC WORKS CONTRACTS

**45.** <u>22908</u> Change Order No. 4 to Contract No. 6300, West Gilman Street Reconstruction Assessment District 2 - 2009, to Rawson Contractors, in the amount of \$28,140.00.

This change order was approved at the July 6th Meeting. Rawson Contractors, the contractor, has appealed the change order. Report by City Engineering.

- **46. 23164** Change Order Nos. 1 and 2 to Contract No. 6607, Utility Replacement with Resurfacing Assessment District 2011, to Speedway Sand & Gravel, Inc. Report by City Engineering/Traffic Engineering.
- 47.23192Change Order No. 1 to Contract No. 6647, Park Landscaping / Land<br/>Management, to Forest View Landscaping, in the amount of \$4,642.00.<br/>Report by City Engineering.
- 48.
   23231
   Change Order No. 1 to Contract No. 6424, Resurfacing 2010 Asphalt Paving, to Payne & Dolan, Inc. in the amount of \$11,867.56.

   Report by City Engineering.
- 49.
   23232
   Change Order No. 2 to Contract No. 6635, Resurfacing 2011 Pavement Milling & Asphalt Paving, to Payne & Dolan, Inc. in the amount of \$23,523.75.

   Report by City Engineering.

#### MISCELLANEOUS

50. 23158 Authorizing the Mayor and City Clerk to enter into an agreement with Wisconsin and Southern Railroad (WSOR) to share the cost of crossing materials for Railroad Crossing Repairs 2011. Report by City Engineering.

RECOMMEND TO ADOPT

- 51. 23157 Subcontractor List for Contract No. 6506, Yard Improvements/Sycamore to South Central Contracting, Inc. for 56.07%. RECOMMEND APPROVAL
- 52. 23248 Subcontractor List for Contract No. 6428, W. Gilman Street and N. Carroll Street Reconstruction 2010, to McHugh Excavating & Plumbing, Inc. for 41.80%. RECOMMEND APPROVAL

#### 53. For the information of the Board:

DRAFT Meeting Minutes - Long Range Transportation Planning Committee of June 16,

2011.

- 54. 23311 Request by Kenton Peters to discuss South Junction Road Assessments.
- 55. Appeals regarding prequalifications of various contractors to bid on City of Madison Public Works Projects, and contractors applying to be licensed Concrete Layers, Asphalt Pavers, and Mudjackers as approved by the City engineer, if any.

### APPROVAL OF BIDS OPENED BY THE CITY ENGINEER

- 56.
   22752
   Awarding Public Works Contract No. 6703, Bernard Boathouse Roof Replacement, 614 E. Gorham.

   RECOMMEND AWARD TO NEWCORP CONSTRUCTION, INC.
- 57. 23160 Awarding Public Works Contract No. 6333, Tenney Lagoon Outlet Structure Project. REPORT BY CITY ENGINEER
- 58.
   23161
   Awarding Public Works Contract No. 6564, Droster Road CIPP Water Main Rehabilitation 2011.

   RECOMMEND AWARD TO FER-PAL CONSTRUCTION USA, LLC
- 59. 23162 Awarding Public Works Contract No. 6613, Mid Town Road Assessment District - 2011. RECOMMEND AWARD TO SPEEDWAY SAND & GRAVEL. INC.
- 60.
   23163
   Awarding Public Works Contract No. 6657, Quann Park Tennis Court Reconstruction.

RECOMMEND AWARD TO PAYNE & DOLAN, INC.

- 61.
   23165
   Awarding Public Works Contract No. 6704, Garner Park Shelter Masonry Repairs.

   RECOMMEND AWARD TO JOE DANIELS CONSTRUCTION CO., INC.
- 62. 23166 Awarding Public Works Contract No. 6709, Vernon Boulevard Storm Grate Rebuild. RECOMMEND AWARD TO JOE DANIELS CONSTRUCTION CO., INC.
- 63. 23167 Awarding Public Works Contract No. 6726, Booster Station 118. RECOMMEND AWARD TO MIRON CONSTRUCTION CO., INC.
- 64. 23168 Awarding Public Works Contract No. 6727, 204 S. Ingersoll Building Demo (Central Park). RECOMMEND AWARD TO EARTH CONSTRUCTION, LLC
- **65. 23169** Awarding Public Works Contract No. 6728, Fire Station #12 Roof Replacement.

#### RECOMMEND AWARD TO MALY ROOFING CO., INC.

66.	23170	Awarding Public Works Contract No. 6729, Madison Water Utility Pressure Zone 4 Test Well.
		RECOMMEND AWARD TO MUNICIPAL WELL & PUMP, INC.
67.	23171	Awarding Public Works Contract No. 6733, Door Creek Cross Country Ski/Hiking Trail Grading.
		RECOMMEND AWARD TO MADISON COMMERCIAL LANDSCAPES
68.	23172	Awarding Public Works Contract No. 6737, Manufacturers Drive Assessment District - 2011.
		RECOMMEND AWARD TO RAWSON CONTRACTORS. INC.

## ADDENDUM

## PUBLIC WORKS CONSTRUCTION MANAGEMENT - PRIVATE CONTRACTS

\*69 23339 Approving plans and specifications for public improvements required to serve Phase 5 of the Subdivision known as the Meadowlands and authorizing construction to be undertaken by the Developer, Private Contract No. 2084 and rescinding resolution RES-06-00570, ID 03859. RECOMMEND TO ADOPT

## MISCELLANEOUS

70.23323Authorizing the Mayor and City Clerk to enter into an agreement with General<br/>Engineering Company for surveying services for 2012 Group B Street and<br/>Sewer reconstruction projects.<br/>(Various ADs)

Report by City Engineering.

RECOMMEND TO ADOPT

 71.
 23324
 Authorizing the Mayor and City Clerk to enter into an agreement with Royal Oak & Associates for surveying services for 2012 Group C Street and Sewer reconstruction projects. (Various ADs)

 Report by City Engineering.

RECOMMEND TO ADOPT

72. 23325 Authorizing the Mayor and City Clerk to enter into an agreement with Burse Surveying & Engineering for surveying services for 2012 Group D Street and Sewer reconstruction projects. (Various ADs) Report by City Engineering.

Report by City Engineering.

RECOMMEND TO ADOPT

 73.
 23343
 Authorizing the Mayor and the City Clerk to execute an agreement with Strand Associates for design engineering services for the Traffic Study - East Johnson Street - North Butler Street to North Baldwin Street.

 Report by City Engineering.

RECOMMEND TO ADOPT

#### ADJOURNMENT