

INDEX OF SHEETS

SHEET NO.

SHEET NO. 1 TITLESHEET NO. G-1-G2 GENERAL NOTES SHEET NO. 01 **OVERVIEW** SHEET NO. TS-1 TYPICAL SECTIONS SHEET NO. CD1 **DETAILS** SHEET NO. R#-R# REMOVAL PLAN SHEET NO. PP#-PP# PLAN & PROFILE SHEET NO. P#-P# SITE PLAN

CITY OF MADISON

CITY ENGINEERING DIVISION DEPARTMENT OF PUBLIC WORKS PLAN OF PROPOSED IMPROVEMENT

MINERAL POINT ROAD WIDENED SIDEWALK

CITY PROJECT NO. 12777

CONTRACT NO. ####

MUNIS NO. #####

60% PLANS (MARCH 31, 2022) NOT FOR CONSTRUCTION



CROSS SECTIONS


CONVENTIONAL SIGNS FIELD VERIFY ALL UTILITY LOCATIONS

COMBUSTIBLE FLUIDS BURIED ELECTRIC FIBER OPTIC

GAS
OVERHEAD ELECTRIC
POWER POLE
STORM SEWER
SANITARY SEWER
COMMUNICATIONS

WATER

PROJECT



PUBLIC IMPROVEMENT PROJECT APPROVED

BY THE COMMON COUNCIL OF MADISON, WISCONSIN

PUBLIC IMPROVEMENT DESIGN APPROVED BY:

City Engineer

Date

PLAT


DESIGNED BY: TIMOTHY HELD

WIDENED SIDEWALK DESIGNED BY: MICHAEL SCHNEIDER

RIGINATO

AME: C:\pwworking\aecom_ds20_na_2019\phyllis.hanson@aecom.com\dms86348\010101-ti_path.dwg

DATE: 11/18/201



TOPSOIL AND SOD (TYP)

PROPOSED TYPICAL SECTION - 10' SIDEWALK MINERAL POINT ROAD

└ 3" ASPHALTIC SURFACE

6" BASE AGGREGATE DENSE 1 1/4-INCH

USH 14 TO WHITNEY WAY STA. 67MP+50 - STA. 199MP+50

FRONT OF 10' MULTI-USE PATH TYPICALLY LOCATED AT FRONT OF EXISTING SIDEWALK.

EXISTING GROUND

TOPSOIL AND SOD (TYP)

PROPOSED TYPICAL SECTION - WALL IN CUT SECTION

- 3" ASPHALTIC SURFACE

6" BASE AGGREGATE DENSE 1 1/4-INCH

MINERAL POINT ROAD

USH 14 TO WHITNEY WAY STA. 67MP+50 - STA. 199MP+50 VARIOUS LOCATIONS



TOPSOIL AND SOD (TYP)

60631225F

TS-1