




VISION GLAZING: IGU, CLEAR -LOVY-E: SOLARBAN 70 CR EQUIVALENT



EXTERIOR BRICK TYPE 2 - 4X12 UTILITY: INTERSTATE BRICK; COLOR: MIDNIGHT BLACK



ANODIZED ALUMINUM WINDOW, STOREFRONT & CURTAINWALL FRAMING - COLOR: BLACK

GLAZING AT PARKING LEVELS: IGU - OPAQUE - LOW-E: SOLARBAN 70 / VELOUR ETCHED ATINEALED



- IGU - CLEAR - LOW-E: SOLARBAN 70 OR EQUIVALENT

COMPOSITE METAL PANELS, WINDOW & WALL FLASHING - COLOR: BLACK

ANODIZED ALUMINUM WINDOW, STOREFRONT & CURTAINWALL FRAMING - COLOR: BLACK

EXTERIOR BRICK TYPE 1 - 4X12 UTILITY. VERTICAL STANDING STEAM SIDING - COLOR: BLACK SIDING - COLOR: BLACK

HANSAS BRICK & THE COLOR: 530 FLASH MODULAR OR EQUIVALENT

OR <u>SIOX CITY BRICK_</u> COLOR: SIENNA BLEND VELOUR (PICTURED ON WALL BEHIND)

EXISTING METAL PAVILLS. RELOCATED FROM EXISTING PARKING STRUCTLIRE: CORRUQATED, PERFORATED - CENTRIA ECOSCREEN. BR5-38. MR3-36, STYLE-RIK, 40% OPEN AREA. COLORS: 50% XL PEWTER, 50% XL SILVER GRAY.

ALUMINUM METAL RAILINGS FOR EXTERIOR PATIOS & BALCOMES - COLOR: BLACK











920 E MAIN ST





HOTEL INDIGO



HOTEL INDIGO





WHEDA



929 E. WASHINGTON



































6TH FLOOR GREEN ROOF



FIRST FLOOR PLAN 929 E Washington - Archipelago - 2016.36.02 04/07/22



1. ALL PARKING STALLS ARE 9-0'X 10-0" LIQ N. 2. ALL SINE STALLS ARE 2-0"X 0"-0" U.Q.N.

SEMECTES

SEQUENCE RECORMOUNTED
SEQUENCES

TO MAY USED

SET DEMAND DISH FOR DEVIALITION
TO THE EXCENSE PARKING RIME

ADA PARKING SIGNAGE

(1) SWALL WHICLE PARKING SIGNAGE

NEW EV OHVROMO STATION & SIGNAGE

DISTING BY CHARGING STATION
4.800 NASE TO PERMISE















NORTH BUILDING ELEVATION - EAST WASHINGTON 1 AVENUE P201 3/32" = 1"0"

ELEWITON KEYNOTES

- 1.1 BRICK TYPE 1 HORIZONTAL OF RETCHERL STACK BOND.
- 1.2 SRICK TYPE 1 VERTICAL STRETCHER; STACK BOND
- 1.3 BRICK TYPE 1 RUNNING BOND
- 2 SIRCK TYPE 2 HORIZONTAL (STRETCHOR) STACK BOND. 24 PACKETS, PARTED DRIPOSED CONFROIT SUB-
- 3 BLACK ANDOZED ALIVINUM CURTAIN WILL SHITEM.
- 5 BLACK MADDZED MUMNUM WINDOW WALL ENSTEM CLEAR GLAZING WITH SOS OFACTIY PAR INTERLAYER AT PARKING LEVELS
- 6 BLACK ANDDEED ALLWINUM WINDOW WALL SYSTEM.
 WISNESS OF FOLINA INT GLAZING AT FLOORS 6 TO 16
- 7 ANDGESO, CONDEALED FASTENER COMPOSITE / ACM USTAL PARKET TIPE 1
- ANDOISED, CONCEALED FASTENER COMPOSITE / ACM METAL PANEL TYPE Z
- TO PAINTED STEEL CHAMPEL
- PAINTED STEEL TENSION ROD & TURN BUCKLE EXTERIOR ACCENT BRACING
- 12 GLASS GUARDRAIL WO FRIT PATTERN
- 13 BOARD FORWER COPING.
 CAST STONE COPING. GRANTE WALL BASE STARTING COURSE AT GRADE CONTINUOUS AROUND ALL EXTERIOR WALL CONDITIONS
- 15 PROJEKTED OVERHEAD COLING DOOR
- 16 HOLLOW WETAL DOOR
- 17 ANDORED ALLMINIM ENTRY DOOR
- 18 PATIO DOOR UNIT WITH SIDELISHT
- 19 TERRACE DOOR WITHIN WINDOWWALL BY STEM
- 201 CORPUGATED, PERFORATED METAL PANEL TYPE 4. SALYMOED & RENSTALLED METAL PANEL FROM THE EXISTING PARAMIC RAWP, MERTICAL DISEMBATED.

- 21 PRIVITED STEEL FRAMING TO CAPTURE REINSTALLED VENTICAL METAL PANELS
- 22 DECORATIVE METAL WOMEN WIRE FENCE
- 23 ALIMINIA WALL LOLVER PINSH TO MATCH ADJACENT EXTERIOR MATERIAL FINISH.

- 25 BALCONY, PROVIDE ALLYINUM GUARDRAL WITH VERTICAL PROVIDER, PAINTED STEEL PROMITER CHANNEL.
- 4 BLACK ANDOZED ALUMNUM STOREPROMTWALL SYSTEM. 20 BALCONY, PROVIDE ALUMNUM GUARDRAL WITH VERTICAL PICKETS
 - 27 CAST STONE WALL COPING
 - [28] WETAL WALL COPING , COLOR TO MATCH ADJACENT WALL MATCHAD.
 - 29 ENTRY CANOPY WITH PAINTED STEEL SUPPORT FRAMING.
 - 30 BUILDING NOUNTED EXTERIOR LIGHT FOTURE
 - 31 CONCRETE BITE STARK WITH POINTED GALVANDED HANDRALS
 - 32 ALUMINON GOVER PAR WITH VERTICAL PICKETS
 - 33 DIKE PARKING STALLS
 - 34 вхэтка воцина
 - 35 STANDING SEAR METAL SIDING





1 EAST BUILDING ELEVATION 9202 3/32" = 1'-0"

ELEWITON KEYNOTES

- 1.1 BRICK TYPE 1 HORIZONTAL OTRETCHER/ STACK BOND. 1.2 BRICK TYPE 1 - VERTICAL STRETCHER (STACK BOND.
- 1.3 BROKTYPE 1 RUNNING BOND
- 2 DRICK TYPE 2 HORIZONTAL (STRETCHER) STACK BOND.
- 3 BLACK ANDDIZED ALUMINUM CURTAIN WALL SYSTEM.
- BLACK ANDDIZED ALUNIUM STOREPRONT WALL SYSTEM.
 WHICLEAR GLAZING AT FRET FLOOR COMMERCIAL.
- 5 BLACK MADDZED MUMINUM MINDOW WALL ENSTEIN CLEAR GLAZING WITH SOS OPACITY PAR INTERLAYER AT PARKING LEVELS
- 6 BLACK ANDDIZED ALLWINUM WINDOW WALL SYSTEM. WI SHIELD REQUIRE DISTRIBUTION AT FLOORS 6 TO 16
- 7 ANDOLED, CONCEALED FASTENER COMPOSITE (
- ANCOURD, CONCEALED FASTENER COMPOSITE / ACM METAL PANEL TYPE 2
- ACM METAL PAVEL TYPE 2

 AMOUNTED THE SHOWLE TYPE 5 CAPTURED WITHIN THE SHOWN WILL PAVEL OF THE SHOW ALL STOREGAMENT.

 TO PAINTED STEEL CHARGE.
- PAINTED STEEL TENSION ROD & TURN BUCKLE EXTERIOR ACCENT BRACING
- 12 GLASS GUARDRAIL WO FRIT PATTERN
- 13 BOARD FORWER COPING.
 CAST STONE COPING.
- GRANTE WALL BASE STARTING COURSE AT GRADE CONTINUOUS AROUND ALL EXTERIOR WALL CONDITIONS 15 PROJEKTED OVERHEAD COLING DOOR
- 16 HOLLOW METAL COOR
- 17 ANDORED ALLMININ ENTRY DOOR
- 18 PATIO DOOR USE WITH SIDELISHE
- 19 TERRACE DOOR WITHIN WINDOWWALL BY STEM
- 201 CORPUGATED, PERFORATED METAL PANEL TYPE 4. SALYMOED & RENSTALLED METAL PANEL FROM THE EXISTING PARAMIC RAWP, MERTICAL DISEMBATED.

- 21 PAYTED STEEL FRAUNG TO CAPTURE REINSTALLED VENTICIA METAL PAYELS
- 22 DECORATIVE METAL WOMEN WIRE FENCE
- 23 ALEMBINI WALL LOLATER PINEN TO MATCH ADJACENT EXTERIOR MATERIAL FINEN.
- 24 BALCONY, PROVIDE ALLWANDA GUARDRAN, WITH VERTICAL PROVIDERS, PAINTED EXPOSED CONCRETE SLAB
- 25 MACONY, PROVIDE ALLIVINUM GUARDRAL WITH VERTICAL PICKETS, PAINTED STEEL PRINCETES CHANGE.
- 26 BALCONY, PROVIDE ALLWINUM GUARDRAL WITH VERTICAL PICKETS 27 CAST STONE WALL COPING
- 28 WETAL WALL COPING , COLOR TO WATCH ADJACENT WALL WATERAL.
- 29 ENTRY CANOPY WITH PAINTED STEEL SUPPORT FRAMING. CHANNELS OR HISS WEATERS.
- 30 BUILDING NOUNTED EXTERIOR LIGHT FOTURE
- 31 СОМОННЕ ВПЕ ВТАНК ЛЕГН МОПТЕО СЕЦИАЛИНО НАПОТАLS
- 32 ALUMINUM GLARE RAL WITH VERTICAL PICKETS
- 33 BKE PARKING STALLS 34 эхэтнэ волона
- 35 STANDING SEAR METAL SIDING







1 SOUTH BUILDING ELEVATION 3/32" = 1'-0"

ELEWITON KEYNOTES

- 1.1 BRICK TYPE 1 HORIZONTAL OTRETCHERI STACK BOND.
- 1.2 BRICK TYPE 1 VERTICAL ISTRETO-ERCSTACK BOND.
- 1.3 BROKTYPE 1 RUNNING BOND
- 3 BLACK ANDDIZED MUMINUM DUITARN WILL SYSTEM.
- BLACK ANDDIZED ALUNIUM STOREFRONT WALL SYSTEM.
 WY CLEAR GLAZING AT FRETFLOOR COMMERCIAL.
- 5 BLACK MADDZED MUMNUM WINDOW WALL ENSTEM CLEAR GLAZING WITH SOS OFACTIY PAR INTERLAYER AT PARKING LEVELS
- 6 BLACK ANDDIZED ALLWINUM MINDOW WALL SYSTEM. WI SHIELD REQUINALISM GLAZING AT FLOORS 6 TO 16
- 7 ANDGESO, CONDEALED FASTENER COMPOSITE / ACM USTAL PARKET TIPE 1
- ANDOISED, CONCEALED FASTENER COMPOSITE / ACM METAL PANEL TYPE Z
- 10 PAINTED STEEL CHANNEL
- PAINTED STEEL TENSION ROD & TURN BUCKLE EXTERIOR ACCENT BRACING
- 12 GLASS GUARDRAIL WO FRIT PATTERN
- 13 BOARD FORWER COPING.
 CAST STONE COPING.
- GRANTE WILL BASE STARTING COURSE AT GRADE CONTINUOUS AROUND ALL EXTERIOR WALL CONDITIONS 15 PEULYTED OVER EAC COLING DOOR
- 16 HOLLOW METAL COOR
- 17 ANCORED ALLMINIM ENTRY DOOR
- 18 PATIO DOOR UNIT WITH SIDELISHT
- 19 TERRACE DOOR WITHIN WINDOWWALL BY STEM
- 201 CORPUGATED, PERFORATED METAL PANEL TYPE 4. SALYMOED & RENSTALLED METAL PANEL FROM THE EXISTING PARAMIC RAWP, MERTICAL DISEMBATED.

- 21 PRIVITED STEEL FRAUNG TO CAPTURE RENSTALLED VENTORA METAL PANELS
- 22 DECORATIVE METAL WOVEN WIRE FENCE
- 23 ALEMBINI WALL LOLATER PINEN TO MATCH ADJACENT EXTERIOR MATERIAL FINEN.
- 2 SIRCK TYPE 2 HORIZONTAL (STRETCHOR) STACK BOND. 24 PACKETS, PARTED DRIPOSED CONFROIT SUB-
 - 25 BYLCONY, PROVIDE ALLYINUM GUARDRAL WITH VERTICAL PICKETS, PAINTED STOP, PRINCETE CHANGE.
 - 26 BALCONY, PROVIDE ALLWINUM GUARDRAL WITH VERTICAL POXICES 27 CAST STONE WALL COPING
 - [28] WETAL WALL COPING , COLOR TO MATCH ADJACENT WALL MATCHAD.
 - 29 ENTRY CANOPY WITH PAINTED STEEL SUPPORT FRAMING.
 - [30] видома моимтер вител ол цент натиля
 - 31 CONCRETE BITE STARK WITH POINTED GALVANDED HANDRALS
 - 32 ALUMINON GOVES THE WITH VERTICAL PICKETS
 - 33 BKE PARKING STALLS 34 вхэтка воцина
 - 35 STANDING SEAR METAL SIDING

Potter Lawson Success by Design



1 WEST BUILDING ELEVATION

- 11 BRICK TYPE 1 HORIZONTAL OTRETCHER) STACK BOND.
- 1.2 BRICK TYPE 1 VERTICAL STRETCHER STACK BOND
- 1.3 BRICK TYPE 1 RUNNING BOND
- 2 BRICK TYPE 2 HORIZONTAL (STRETCHER) STACK BOND.
- 3 BLACK ANDDIZED ALUMBUM CURTAIN WILL SYSTEM.
- 4 BLACK ANDDIZED ALUMINUM STOREPRONT WALL SYSTEM.
 WHICLEAR GLAZING AT FIRST FLOOR COMMERCIAL.
- 5 BLACK MADDZED MUMNUM WINDOW WILL ENSTEM CLEAR GLAZING WITH SUS OPACITY PAR INTERLAYER AT PARKING LEVELS: 6 RLACK ANDOIGED ALLWINGH MINDOW WALL BYSTEM WE SHIELD REQUINALING GLAZING ATFLOORS 6 TO 16
- 7 ANDOUGED, CONDUCTED FASTENER COMPOSITE /
- 8 ANDOISED, CONCEALED FASTENER COUPOSITE | ACM METAL PANEL TYPE 2
- TO PAINTED STIER CHAMPIE.
- THE PAINTED STEEL THAS ON ROUGE TURN BUCKLE DITCHIOR ACCENT BRACKING
- 12 GLASS GUARDRAL W: FR/T PATTERN
- 13 BOARD FORMED CONCRETE WALL / PLANTER WITH CAST STONE COPING.
- 14 GRANITE WILL BASE STARTING COURSE AT GRADE CONTINUOUS AROUND ALL EXTERIOR WALL CONDITIONS
- 15 PEULYTED OVER EAC COLING DOOR
- 16 HOLLOW METAL COOR
- 17 ANCORED ALLMINIM ENTRY DOOR
- 18 PATIO DOOR UNIT WITH SCIELISHT
- 19 TERRACE DOOR WITHIN WINDOWWALL SYSTEM
- 201 CORPUGATED, PERFORATED METAL PANEL TYPE 4 SALYMBED & REINSTALLED METAL PANEL FROM THE EXISTING PARKING RAMP, VERTIDAL DIREMTATED.

- 21 PRIVITED STEEL FRAUNG TO CAPTURE REINSTALLED VERTICAL METAL PANELS
- 22 DECORATIVE METAL WOMEN WIRE FENCE
- 23 ALIMINIA WALL LOLATER PINEH TO MATCH ADJACENT EXTERIOR MATERIAL FINISH.
- 24 PICKETS, PAINTED DIPOSED CONCRETE SLAS
- 25 MACONY, PROVIDE NAMED STATE PROVIDER CHANGE. 26 BALCONY, PROVIDE ALLIVINUM GUARDRAL WITH VERTICAL PACKETS
- 27 CAST STONE WALL COPING
- [28] WETAL WALL COPING, COLOR TO MATCH ADJACENT WALL WATERAL.
- 29 ENTRY CANOPY WITH PAINTED STEEL SUPPORT FRAMING. DINNINGS OR HIS MOUSERS.
- 30 BUILDING NOUNTED EXTERIOR LIGHT FOTURS
- 31 CONCRETE BITE STARK WITH POSTED GALLWARDS HANDRALS
- 32 ALUMINON GOIRE RAL WITH VERTICAL PICKETS
- 33 SKE PARKING STALLS
- 34 вхетке волома
- 35 STANDING SEAR METAL SIDING







REPUATION KEY NOTES

1.1 BRICK TYPE 1 - HORIZONTAL STRETCHER; STACK BOND

1.2 BRICK TYPE 1 - VERTICAL (KTRETCHER) STACK BORD.

BRICK TYPE I - RUNNING BOND

2 RRICK TYPE 2 - HORIZONTAL (STRETCHER) STACK BOND.

3 BLACK ANDD ZED ALLMINUM CURTAIN WALL SYSTEM. W SWINLOW SCHWILLENT BLAZING 4 BLACK ANGESTS ALLIMBLEM STOREPRONT BRALL BYSTEM.
W GLEAR GLAZING AT FIRST RUCOR COMMERCIAL.

5 BLACK AND DEED ALLIND UN WINDOW WALL SYSTEM CLEAR CLEAR OLD WITH DAY DRACTLY PARKING LEVELS.
PARKING LEVELS.

B BLACK AND DED ALLIBRIUM WINDOW WALL SYSTEM.
W SUGH OR POUVALENT QUAZING AT FLOORS & TO 14

ANODIZED, CONCEALED PASTENER COMPOSITE / ADMINISTRAL PANEL TYPE 1

B ACCOUNT DIVIDED THE THE COMPOSITE /
ACCOUNT DIVIDED THE THE STATE OF THE STATE OF

11 PANTED STEEL TENSION ROD & TURN SUCKLE EXTERNOL ACCION BRACING

12 CLASS CLARGRAL W/FRIT PATTERN

13 BOARD FORMED CONCRETE WALL /PLANTER WITH

14 GRANITE WALL BASE STARTING COURSE AT GRADE CONTINUOUS AROUND ALL EXTERIOR WALL CONDITIONS

15 INSULATED OVERHEAD COLLING DOOR 16 HOLLOWMETSL DOOR

17 ANODIZED ALUMINUM ENTRY DOCK

18 PATO DOOR UNT WITH SOCUCIAT

TRESPOSE DODB WITHIN WINDOWSWAY STREET,

21 PAINTED STEEL FRAMENS TO CAPTURE REINSTALLED VERTICAL METAL PAINELS

[22] DECORATIVE WETAL WOVEN WIRE FENCE

23 ALLWINUM WALL LOUVER - PINISH TO MATCH ADJACENT EXTERIOR MATERIAL FINISH

[24] PACKETS, PAINTED EXPOSED CONCRETE SLAB

25 BACCONY PROVIDE ALLUMINUM GUARDRAL WITH YERTICAL MENTER PROVIDE ALLUMINUM GUARDRAL WITH YERTICAL

20 BALCONY PROVIDE ALLWRIDGE CHARGE WITH VERTICAL PROVIDE ALLWRIDGE CHARGES

Z7 CAST STORE WALL COPING

28 METAL WALL GOPPIG, COLOR TO MATCH ADJACENT WALL

[28] ENTRY CANORY WITH PRINTED STEEL SUPPORT FRAMING, CHANGELS OR HIGH MEMBERS.

30 BUILDING MOUNTED EXTENDS LIGHT FIXTURE

31 CONCRETE SITE STARS WITH PAINTED GALVANIZED ...

32 A LIVINGE GLARD RAIL WITH VERTICAL PICKETS

33 BKE PARKE STALLS

34 EXETTING BUILDING

SS STANDING SHAW WETAL SIDING



















