CERTIFIED SURVEY MAP No. PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL $NE_{2}^{1}-NW_{4}^{1}$ AND THE FRACTIONAL $NW_{2}^{1}-NW_{4}^{1}$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN WSCONSIN COUNTY COORDINATE SYSTEM, DANE COUNTY, THE NORTH LINE OF THE FRACTONAL NW 14 OF SECTION 24-07-09 MEASURED AS BEARING S88'53'32"E SURVEY LEGEND FOUND 3/4" Ø SOLID IRON RE-ROD ONE INCH = FIFTY FEET SCALE: FOUND CHISELED "X" SET 3/4"Ø x 18" SOLID IRON RE-ROD, WT. 1.50 lbs./ft. MIN. Ø (97.84') X SET MAGNAIL IN CUT CROSS) RECORDED AS INFORMATION (98.39') N43°48'21"W 0.10' FROM CORNER AS SURVEYED (NW 0.16') CONNER AS SURVEYED (NW 0.16") 1 A R I N A C O N D O M I N I U M S 1 O R I C O N A L P L A I O E M A D I S O N 1 E L O C K I O E P R I L O I Z 1 CORNER FALLS WITHIN 2 CORNER FALLS WITHIN 2 CORNER FALLS WITHIN 3 CS47:57'43"W 4 (S447:57'2E) CORNER SET. 4 (100.02") 1 CORNER SET. 1 CORNER SET. 1 CORNER SET. (97.84') (98.00') 97.89' , O (S47°57'43"W 1.98') (S46°13'06"W 2.00') 100 S46°15'01"W \geq 2.00' 0 (100.02') S43°46'35"E $\langle \rangle$ S43°46'35"E EXISTING 2' WIDE EASEMENT AGREEMENT, DOC. #3891841 100.00 70.93' (\$44'18'52"E 70.55') (\$44'11'35"E 70.97') 0 SET WITNESS CORNER S46°15'01"W 2.00° VΙ \geq J. 0 01 ~1 \vdash \sim 4101 01 D. | S43'18'21"W 264.34' | (S42'56'11"W 264.38') | \(\times \frac{1}{2} 7101 $\text{Per}_{i,j}$ LOT 1 47,050 Sq. Ft. 1.080 Acres 10 IL W $|\mathcal{V}|$ W 81 S \geq QН 266. P, (N45*44'05"E 266.34') 0 \vdash O $|\mathcal{O}|$ N46°05'38"E \geq α 0 $\langle \rangle$ J $\frac{L}{RAILROAD} \frac{C}{LI}$ Ź REQUIREMENT, 794 Ę. \forall \vdash 3' SETBACK F DOC. #22507; 9 CROSS HATCHING DEPICTS LIMITS OF EXISTING JOINT ACCESS EASEMENT, DOC. #2250794 *SEE NOTES ON SHEET 4 & DETAIL ON SHEET 5* 5 ∞ 0 71 $|\mathcal{O}|$ \bigcirc N43°52'49"W 183.78' (N4417'W 183.56') (N44114'50"W 183.53') (N4417'22"W 183.80') QRLGQNALPLAI-QFMADLSQN BLQCK105-L012 (132.02') (132') 132.14' 132.23' (132.14') (132.12') (132') N43 33 36 W 130.21 (N4475'35"W 190.46') (N4475'27"W 189.93') S. <u>P [N C N E Y S I R E E I</u> <u>SURVEYED FOR:</u> Quad Capital Partners attn: Zachary Skarzynski FN: 210.341 C.S.M. No. vierbicher DATE: 08/22/2022

REV:

Drafted By: MMAR

Checked By: MZIE

SHEET

1 OF 6

Doc. No._

Page

115 Depot Street

Ann Arbor, MI 48104

22 Aug 2022 - 8:08a

planners engineers advisors

Phone: (800) 261-3898

CERTIFIED SURVEY MAP No. PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL $NE_{4}^{2}-NW_{4}^{2}$ AND THE FRACTIONAL $NW_{4}^{2}-NW_{4}^{2}$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN TRUE CORNER LOCATION FOR MEANDER CORNER FOR THE N 1 CORNER OF SECTION 24-07-09, BRASS CAPPED MONUMENT OF RECORD FOUND IN MONUMENT BOX MEASURED COORDS: N=482,796.62E =823,062.192 PUBLISHED COORDS: N=482,796.72 E=821,061.97 *SEE NOTES* THE N 1 CORNER OF SECTION 24-07-09, NO MONUMENT NO MONOMENT PUBLISHED COORDS: N=482,782.02 E=823,822.12 R FOR THE NW CORNER 3. BRASS CAPPED 5. FOUND IN MONUMENT 6. FROM THE SECTION EASURED COORDS: **\$** BEARINGS ARE BASED UPON THE WISCONSIN COUNTY COORDINATE SYSTEM, DANE COUNTY, THE NORTH LINE OF THE FRACTIONAL NW 1/4 OF SECTION 24-07-09 MEASURED EAST MEANDER CORNER FOR THE OF SECTION 24-07-09 BRASS CA MONUMENT OF RECORD FOUND IN BOX NOT'06'28'E 0.38' FROM THE LINE AS SURVEYED. MEASURED CON NEASURED CONTROL SELICITION OF SELICI TIE ADDITIONAL AS BEARING S88*53'32"E 100 EASEMENTS DETAIL ONE INCH = FIFTY FEET SCALE: M A R [N A C O N D O M [N | U M S O N B L O C K 1 Q 6 - P R I L O I Z CORNER FALLS WITHIN EXISTING BUILDING FOUNDATION OF ADJACENT BUILDING. NO (\$4478'52"E) CORNER SET. (100.02') M A R [N A C O N D O M [N | U M S O N D O N 899.30 (S47°57'43"W 1.98') (S46°13'06"W 2.00') \geq S46°15'01"W 0 2.00' (100.02') $\langle \rangle$ S43°46'35"E S43°46'35"E 100.00 70.93' (\$44'18'52"E 70.55') (\$44'11'35"E 70.97') 0 V \geq TRUE CORNER LOCATION FOR THE NW CORNER OF SECTION 24-07-09, NO MONUMENT PUBLISHED COOPROS. N=482,833.37 E=821,166,41 ΨI 0 01/ ΕΊ. \vdash | \times | 4101 01 D. S43'18'21"W~264.34' (542'56'11"W~264.38') $\gamma E W I_S C O N S I_N$ NE CURRENTLY OPERATED BY THE $\gamma N & SOUTHERN RAILROAD$ $\gamma N & WUTH VARIES$ 7101 ZI JI LOT 1 47,050 Sq. Ft. 1.080 Acres BIL V W /N45*44*05"E 266.34") (266", \geq Q-1 266. O \vdash $|\mathcal{O}|$ $|\mathcal{O}|$.99 N46°05'38"E \geq QR/W 0 Oby: $\langle \rangle$ M:\Potter Lawson\210341_121 E Wilson Street\CADD\210341_CSM.dwg J $\frac{L}{RAILROAD} \frac{C}{LI}$ Ź Ų. \forall \vdash S 9 FXISTING 20'x40 5 R/W GRANT DOC, 2329088 ω RETAINING WALL EASEMENT SEE NOTES. 0 71 $|\mathcal{O}|$ \bigcirc N43°52'49"W 183.78' (N4417'W 183.56') (N4414'50"W 183.53') (N4417'22"W 183.80') 22 Aug 2022 - 8:06a FN: 210.341 <u>SURVEYED FOR:</u> Quad Capital Partners attn: Zachary Skarzynski C.S.M. No. vierbicher DATE: 08/22/2022 SHEET Doc. No._ REV: 115 Depot Street planners engineers advisors 2 OF 6 Ann Arbor, MI 48104 Drafted By: MMAR Phone: (800) 261-3898 Page

Checked By: MZIE

CERTIFIED SURVEY MAP No.


PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL $NE_4^1-NW_4^1$ AND THE FRACTIONAL $NW_4^1-NW_4^1$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN

BEARINGS ARE BASED UPON THE
WISCONSIN COUNTY COORDINATE
SYSTEM, DANE COUNTY, THE NORTH
LINE OF THE FRACTIONAL NW 1/4 OF
SECTION 24-07-09 MEASURED
AS BEARING S88*53*32"E

0
50

100

EXISTING IMPROVEMENTS
DETAIL



vierbicher planners | engineers | advisors

Phone: (800) 261-3898

22 Aug 2022 - 8:06a

S 0

 $\begin{array}{c|c} \mathcal{Q} \ E & \mathcal{M} \ A \ \mathcal{Q} \\ \hline 1 \ \mathcal{Q} \ 5 \end{array}$

4101 H^X1

10 IL

V

 \geq

O

 $|\mathcal{O}|$

 α

200

#1 5 O I

 \mathbb{Z}

 \bigcirc



SURVEYED FOR: Quad Capital Partners attn: Zachary Skarzynski 115 Depot Street Ann Arbor, MI 48104

C.S.M. No._____

Doc. No._____

Vol._____ Page_____

SHEET 3 OF 6

CERTIFIED SURVEY MAP No.

PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL NE_{2}^{1} $-NW_{4}^{1}$ AND THE FRACTIONAL NW_{4}^{1} $-NW_{4}^{1}$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN

NOTES:

by:

M:\Potter Lawson\210341_121 E Wilson Street\CADD\210341_CSM.dwg

22 Aug 2022 - 8:06a

- 1. I found a brass capped monument and ties representing the East Meander Corner for the Northwest Corner of Section 24, TO7N, R09E, City of Madison, Dane County, Wisconsin, as established on tie sheet by Bob O'Neill, and January 24, 2008, and that the points as referenced on said tie sheet are still intact. The date of field survey and monument recovery was July 30, 2022.
- 2. I found a brass capped monument and two (2) of the four (4) ties representing the North ½ Corner of Section 24, TO7N, R09E, as established on tie sheet by Carl M. Sandsness, dated February 16, 2004, 2004 and revised July 20, 2007. John Nolen drive was under reconstruction at the time the field survey work was completed. A new tie sheet was prepared and is on file with the Dane County Surveyor's Office and the City of Madison. The date of field survey and monument recovery was July 30, 2022.
- 3. Lots within this subdivision are subject to impact fees that are due and payable at the time building permit(s) are issued.
- All lots created by this Certified Survey Map are individually responsible for compliance with Chapter 37 of the Madison General Ordinances in regard to storm water management at the time they develop.
- 5. No changes to the existing drainage shall be allowed without the approval of the City Engineer.
- 6. This CSM is subject to a blanket easement for retaining walls that are shown on Survey Map No. C-8303-1of Warzyn Engineering dated February 16, 1983 and on file at the Dane County Surveyor's Office. Said Easement is recorded in Volume 6646 of Records, on Page 47, as Document No. 1873888, Dane County Registry. The easement for steps referenced in this Document has been released by Release of Easement recorded in Volume 15556 of Records, on Page 40, as Document No. 2250796, Dane County Registry.
- 7. This CSM is subject to easements for access and setbacks per Document No. 2250794. Said easements are subject to parking restrictions as set forth in Document No. 3703923.
- 8. This CSM is subject to a Fiber Optic License Agreement per Document No. 3703924, a Chilled Water Sales Contract per Document No. 3703925, and Declaration of Covenants per Document No. 3785848.
- 9. This CSM is subject to an Easement Agreement recorded as Document No. 3891841.
- 10. This CSM is subject to an Easement Deed by Court Order recorded as Document No. 4965434.
- 11. This CSM is located within Wellhead Protection District WP-17. The Proposed use is allowed in this District. Any proposed changes in use shall be approved by the Water Utility General Manager or the Manger's designee.

MARIONA COMMON CENTIFICAT

Matthew Wachter, Secretary City of Madison Plan Commission

MADISON COM	MON COUNCIL CERTIFICATE:		
Resolved that thi	's Certified Survey Map located in	the City of Madison was hereby a	pproved by Enactment
Number	, File ID Number	, adopted on the	day of
	, 202; that said enactr	nent provided for the acceptance	of those lands dedicated
and rights convey	ved by said Certified Survey Map to	o the City of Madison for public L	ise.
Dated this	day of	, 202	
Maribeth	Witzel—Behl, City Clerk, City of Ma Inty, Wisconsin	dison	
MADISON PLAI	N COMMISSION CERTIFICATE:		
Approved for reco	ording per the City of Madison Pla	n Commission.	
Dated this da	y of, 202		
Signed:			

vie	rbic	her
planners	engineers	advisors

Phone: (800) 261-3898



<u>SURVEYED FOR:</u> Quad Capital Partners attn: Zachary Skarzynski 115 Denot Street Ann Arbor, MI 48104

C.S.M. No._ Doc. No._ Page.

SHEET 4 OF 6

CERTIFIED SURVEY MAP No.

PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL $NE_4^1-NW_4^1$ AND THE FRACTIONAL $NW_4^1-NW_4^1$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN

LEGAL DESCRIPTION

Part of Lots 3, 4, 5, and 6, and the Southwest two feet (2') of the Northwest one hundred feet (100') of Lot 7, all in Block 106, Original Plat of Madison, as recorded in Volume A of Plats, on Page 3, as Document Number 102, Dane County Registry, located in the fractional NE_4^1 — NW_4^1 and the fractional NW_4^1 — NW_4^1 of Section 24, Township 07 North, Range 09 East, City of Madison, Dane County, Wisconsin, being more fully described as follows:

Commencing at the true corner for the Northwest corner of said Section 24; thence N88'53'32"E along the North line of the Northwest Quarter of said Section 24, 507.33 feet to the East Meander Corner for the said Northwest corner of Section 24; thence continuing N88'53'32"E along said North line, 899.30 feet; thence S01'06'28"W, 184.77 feet to the Southeasterly right—of—way line of E. Wilson Street, said point also being the Northerly most corner of the Southwest two feet (2') of the Northwest one hundred feet (100') of said Lot 7 and the point of beginning; thence S43'46'35"E along the Northeast line of the said Southwest two feet (2') of the Northwest one hundred feet (100') of Lot 7, 100.00 feet; thence S46'15'01"W along the Southeast line of the said Southwest two feet (2') of the Northwest one hundred feet (100') of Lot 7, 2.00 feet to the Northeast line of said Lot 6; thence S43'46'35"E along said Northeast line of Lot 6, 70.93 feet to the Northwesterly right—of—way line of the Wisconsin Department of Transportation railroad, a railroad line operated by the Wisconsin & Southern Railroad; thence S43'18'21"W along said Northwesterly right—of—way line, 264.34 feet to the Southwest line of said Lot 3; thence N43'52'49"W along said Southwest line, 183.78 feet to the Southeasterly right—of—way line of beginning.


Containing 47,050 square feet or 1.080 acres, more or less.

SURVEYOR'S CERTIFICATE

I, Michael S. Marty, Professional Land Surveyor, No. S-2452, do hereby certify to the best of my knowledge and belief, that I have surveyed, divided and mapped the lands described herein under the direction of Quad Capital Partners, Owner, and that the map on sheet one (1) is a correct representation of the exterior boundaries of the land surveyed and the division of that land in accordance with the information provided. I further certify that this Certified Survey Map is in full compliance with Section 236.34 of the Wisconsin State Statutes, Chapter A-E7 of the Wisconsin Administrative Code and the Subdivision Ordinance of the City of Madison in surveying, dividing and mapping the same.

Vierbicher Associates, Inc. By: Michael S. Marty

Dated this 22nd day of August, 2022



vierbicher planners | engineers | advisors

Phone: (800) 261-3898



SURVEYED FOR: Quad Capital Partners attn: Zachary Skarzynski 115 Depot Street Ann Arbor, MI 48104

C.S.M. No._____

Doc. No._____

Vol._____ Page_____

SHEET 5 OF 6

CERTIFIED SURVEY MAP No. PART OF LOTS 3, 4, 5, AND 6, AND THE SOUTHWEST TWO FEET (2') OF THE NORTHWEST ONE HUNDRED FEET (100') OF LOT 7, ALL IN BLOCK 106, ORIGINAL PLAT OF MADISON, AS RECORDED IN VOLUME A OF PLATS, ON PAGE 3, AS DOCUMENT NUMBER 102, DANE COUNTY REGISTRY, LOCATED IN THE FRACTIONAL $NE_{2}^{1}-NW_{4}^{1}$ AND THE FRACTIONAL $NW_{2}^{1}-NW_{4}^{1}$ OF SECTION 24, TOWNSHIP 07 NORTH, RANGE 09 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN OWNER'S CERTIFICATE Quad Capital Partners, as owner, does hereby certify that we caused the land described on this Certified Survey Map to be surveyed, divided, mapped, and dedicated as represented hereon. Quad Capital Partners does further certify that this Certified Survey Map is required by S.236.34 of the State Statutes to be submitted to the Common Council, City of Madison for approval. Witness the hand and seal of said owner this ___ day of ______, 202_. By: Quad Capital Partners, By: _____ Quad Capital Partners, By: Zachary Skarzynski, Vice President of Development STATE OF MICHIGAN COUNTY OF Personally came before me this ______day of _____, 202__, Zachary Skarzynski, Vice President of Development, to me known to be the person who executed the foregoing instrument, and acknowledged the Zachary Skarzynski, Vice Notary Public, _____ County, Michigan My Commission Expires: ___ CONSENT OF MORTGAGEE ___, a banking association duly organized and existing under and by virtue of the ______, mortgagee of the above described land, does hereby consent to ____, has caused these presents to be signed by ____, _____, at ___ _____, 202___

vierbicher
planners | engineers | advisors

Phone: (800) 261-3898



SURVEYED FOR: Quad Capital Partners attn: Zachary Skarzynski 115 Depot Street Ann Arbor, MI 48104

C.S.M. No._____

Doc. No._____

Vol._____ Page______

SHEET

6 OF 6