Legistar File No. 74703 Body - SUBSTITUTE

DRAFTER'S ANALYSIS: This proposed ordinance changes several sections of Chapter 28 to implement the new Transit Orientated Oriented Development ("TOD") Overlay District. An overlay district modifies the underlying zoning regulations of the base district, here for the intent to intensify land use and economic value around transit stations. As recommended by the 2018 Comprehensive Plan, the TOD District increases development intensity, reduces parking requirements, and supports transit use. The TOD District improves pedestrian connections, traffic and parking conditions and increases mobility choices in the overlay area to enhance the livability of station areas.

The largest change is the repeal and replacement of MGO Sec. 28.104, the TOD Overlay District section. In order to support increased density, the new TOD District allows more dwelling units as permitted uses, allows for additional height in select underlying zoning districts and requires a minimum of two stories for new buildings in employment, mixed-use, and multifamily residential zoning districts. Tables 28C-1 "Residential District Uses" and 28D-2 "Mixed-Use and Commercial District Uses" are modified to reflect the change to permitted base zoning uses once overlaid by the TOD District. A new supplemental regulation for "Accessory Dwelling Units in the TOD Overlay District" is added to MGO Sec. 26.151 to help clarify how accessory dwelling units operate in the TOD District.

To promote transit over automobile use, the new TOD District eliminates car parking minimums, reduces maximums, and implements more stringent building form and site layout regulations for auto-oriented uses. In addition to the language in the new MGO Sec. 28.104, Tables 28I-2, 28I-3 and 28I-4 in Sec. 28.141 "Parking and Loading Standards" are modified to support this change.

The substitute corrects spelling errors in the title and Drafter's Analysis.

The second substitute ordinance includes no changes to the text from the original draft, but adds in portions of the national register historic districts and local historic districts (outside of the downtown) within a quarter mile of the high-frequency transit routes. These areas had been excluded in the original draft. The changes are reflected in the attached maps.

The Common Council of the City of Madison do hereby ordain as follows:

1. Table 28C-1 entitled "Residential Districts" of Subsection (1) of Section 28.032 entitled "Residential Districts" of the Madison General Ordinances is amended as follows:

| " | - h | _ | 20 | \sim 1 |
|-----|-----|---|----|----------|
| - 1 | au | е | 20 | C-1 |

| Residential Districts | | | | | | | | | | | | | | | | |
|------------------------|-------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-----------------------------|
| | SR-C1 | SR-C2 | SR-C3 | SR-V1 | SR-V2 | TR-C1 | TR-C2 | TR-C3 | TR-C4 | TR-V1 | TR-V2 | TR-U1 | TR-U2 | TR-R | TR-P | Supplemental Regulations |
| Residential - Fa | amily | Livin | g | | • | | • | | | | | | | | | |
| Addition of | | | | | | | | | C | | | | | | | |
| dwelling unit | | | | | | | | | | | | | | | | |
| to single | | | | | | | | | | | | | | | | |
| family home | | | | | | | | | | | | | | | | |
| Single-family attached | | | | O | <u>C</u> | | | | | | O | O | O | | Р | |

| dwelling (>8 dwelling units) | | | | | | | | | | | | | | | | |
|------------------------------------|----------|----------|----------|----------|--------------------|----------|--------------|----------|----------|----------|----------|----------|----------|----------|----------|----|
| Accessory Uses and Structures | | | | | | | | | | | | | | | | |
| Accessory | Per | mitte | d Us | e in A | III Dis | stricts | } | | | | | | | | | |
| Dwelling Unit | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | <u>P</u> | Y" |

2. Table 28D-2 entitled "Mixed-Use and Commercial Districts" of Subsection (1) of Section 28.061 entitled "Mixed-Use and Commercial District Uses" of the Madison General Ordinances is amended as follows:

"Table 28D-2

| Mixed-Use | e and (| Comm | ercial | Distri | cts | | | | |
|--|---------|----------|----------|----------|----------|----------|----------|-----|-----------------------------|
| | ГМХ | NMX | TSS | MXC | CC-T | ၁၁ | RMX | THV | Supplemental Regulations |
| Residential - Family Living | | | | | | | | | |
| Dwelling units in mixed-use buildings (1-2 dwelling units) | P/C | P/C | P/C | P/C | P/C | С | Р | | Υ |
| Dwelling units in mixed-use buildings (3-24 dwelling units) | | P/C | P/C | P/C | P/C | <u>C</u> | <u>P</u> | | <u>Y</u> |
| Dwelling units in mixed-use buildings (25-48 dwelling units) | | <u>C</u> | P/C | P/C | P/C | <u>C</u> | <u>P</u> | | Y |
| Dwelling units in mixed-use buildings (49-60 dwelling units) | | <u>C</u> | <u>C</u> | P/C | P/C | <u>C</u> | <u>P</u> | | Y |
| Dwelling units in mixed-use buildings (>60 units) | | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | <u>C</u> | <u>P</u> | | <u>Y</u> " |

3. Section 28.101 entitled "Applicability" of the Madison General Ordinances is amended as follows:

"The requirements of the overlay districts shall apply to all zoning lots located in such districts in addition to all requirements in the Madison General Ordinances that apply to the primary base zoning district classification of those zoning lots.

In the event of a conflict between the provisions of any overlay district and the underlying primary base zoning district, the provisions of the overlay district shall apply, except where otherwise specified."

4. Section 28.104 entitled "Transit Oriented Development Overlay District" of the Madison General Ordinances is repealed and recreated as follows:

28.104 Transit Oriented Development Overlay District

(1) <u>Statement of Purpose</u>.

The Transit Oriented Development ("TOD") Overlay District is intended to support

investment in and use of public transit and bicycle connections. It does this by fostering development that intensifies land use and economic value around transit stations and by promoting a mix of uses that will enhance the livability of station areas.

The district is also intended to:

- (a) Provide increased mobility choices
- (b) Improve pedestrian connections, traffic and parking conditions.
- (c) Foster high-quality buildings and public spaces that help create and sustain long-term economic vitality.

(2) Applicability.

The TOD Overlay District is depicted on the maps below. This ordinance applies to all parcels within or partially within boundaries depicted on the map.

(3) Residential Districts.

(a) Permitted and Conditional Uses in Addition to Uses in Base Zoning District

| | | | Resid | dentia | al Dis | tricts | 3 | | | | | | |
|--|-------|-------|-------|--------|--------|--------|-------|-------|-------|-------|-------|-------|-------|
| | SR-C1 | SR-C2 | SR-C3 | SR-V1 | SR-V2 | TR-C1 | TR-C2 | TR-C3 | TR-C4 | TR-V1 | TR-V2 | TR-U1 | TR-U2 |
| Residential - Family Livir | ng | | | | | | | | | | | | |
| Multi-family dwelling (4 dwelling units) | | | | Р | Р | | | | P* | Р | Р | Р | Р |
| Multi-family dwelling (5-8 units) | | | | Р | Р | | | | | P* | Р | Р | Р |
| Multi-family dwelling (9-12 units) | | | | P* | Р | | | | | | Р | Р | Р |
| Multi-family dwelling (13-24 units) | | | | | Р | | | | | | P* | Р | Р |
| Multi-family dwelling (25-36 units) | | | | | P* | | | | | | С | P* | Р |
| Multi-family dwelling (37-60 units) | | | | | С | | | | | | С | С | P* |
| Single-family attached dwelling (5-8 dwelling units) | | | | P* | Р | | | | | P* | P* | Р | Р |
| Three-family dwelling – three-unit | | | P* | Р | Р | | | | Р | Р | Р | Р | Р |
| Two-family dwelling – twin | P* | P* | Р | Р | Р | P* | P* | P* | Р | Р | Р | Р | С |
| Two-family dwelling – two-unit | P* | P* | Р | Р | Р | P* | P* | P* | Р | Р | Р | Р | С |

^{* (}Asterisk) indicates allowable uses changed by the TOD Overlay District.

(b) Residential District Building Forms

| Building Form | SR-C1 | SR-C2 | SR-C3 | SR-V1 | SR-V2 | TR-C1 | TR-C2 | TR-C3 | TR-C4 | TR-V1 | TR-V2 | TR-U1 | TR-U2 | TR-R | TR-P |
|-------------------------------------|------------|------------|-------|----------|----------|------------|------------|------------|------------|----------|----------|----------|------------|------|----------|
| Single-Family Detached Building | √ | ✓ | ✓ | √ | √ | √ | ✓ | ✓ | ✓ | ✓ | √ | √ | ✓ | ✓ | ✓ |
| Civic/Institutional Building | ✓ | ✓ | ✓ | √ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | √ | ✓ | ✓ | ✓ | ✓ |
| Two-Family, Two- Unit | √ * | √ * | ✓ | ✓ | √ | √ * | √ * | √ * | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Two-Family - Twin | √* | ✓* | ✓ | ✓ | ✓ | √ * | ✓* | √* | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| Three-Unit Building | | | ✓* | ✓ | ✓ | | | | ✓ | ✓ | ✓ | √* | √ * | | |
| Single-Family Attached | | | | √ | √ | | | | | √* | √ | √ | √ | | ✓ |
| Small Multi-Family Building | | | | √ | √ | | | | √ * | √ | √ | √ | ✓ | | ✓ |
| Large Multi-Family Building | | | | √ | √ | | | | | √ | √ | √ | ✓ | | ✓ |
| Courtyard Multi- Family Building | | | | ✓ | √ | | | | | ✓ | √ | ✓ | ✓ | | √ |
| Podium Building | | | | | | | | | | | | ✓ | ✓ | | ✓ |

^{* (}Asterisk) indicates allowable forms changed by the TOD Overlay District.

(c) Dimensional Requirements, Permitted and Conditional Uses
The following height limits apply to only non-residential uses and
buildings with over two residential units.

| Zoning District | Maximum Height |
|-----------------|--------------------------------|
| SR-V2 | 4 stories/52 feet* |
| TR-V2 | 4 stories/52 feet* |
| TR-U2 | 5 stories/68 feet* |
| | Building height exceeding the |
| | maximum may be allowed |
| | with conditional use approval. |

^{* (}Asterisk) indicates dimensional standards changed by the TOD Overlay District.

(4) <u>Mixed-Use and Commercial Districts</u>.

(a) Permitted and Conditional Uses in Addition to Uses in Base Zoning District

| Mixed-Use and Commercial Districts | | | | | | | | | |
|--|------|------|------|--|--|--|--|--|--|
| | XWZ | TSS | CC-T | | | | | | |
| Residential - Family Living | | | | | | | | | |
| Dwelling units in mixed-use buildings (25-48 units) | P/C* | P/C | P/C | | | | | | |
| Dwelling units in mixed-use buildings (49-60 units) | С | P/C* | P/C | | | | | | |
| Dwelling units in mixed-use buildings (61-100 units) | С | С | P/C* | | | | | | |

- * (Asterisk) indicates allowable uses changed by the TOD Overlay District.
- (b) Dimensional Requirements, Permitted and Conditional Uses.

| Zoning District | Maximum Height |
|--------------------|---|
| NMX | 4 stories/60 feet.* |
| | Building height exceeding the maximum may |
| | be allowed with conditional use approval. |
| TSS | 4 stories/60 feet. * |
| | Building height exceeding the maximum may |
| | be allowed with conditional use approval. |
| CC | 6 stories/90 feet. * |
| | Heights exceeding the maximum may be |
| | allowed with conditional use approval. |
| RMX | 8 stories/116 feet. * |
| | Building height exceeding the maximum may |
| | be allowed with conditional use approval. |

^{* (}Asterisk) indicates dimensional standards changed by the TOD Overlay District.

(5) Employment Districts.

(a) Permitted and Conditional Uses in addition to Uses in Base Zoning District

| Employment Districts | | | | | | | |
|-----------------------------|-----------------------------|--|--|--|--|--|--|
| | TE | | | | | | |
| Residential - Family Living | Residential - Family Living | | | | | | |
| Dwelling units in mixed-use | P* | | | | | | |
| buildings (<25 units) | | | | | | | |

^{* (}Asterisk) indicates allowable uses changed by the TOD Overlay District.

(6) <u>Usable Open Space</u>. Usable open space shall not be required.

(7) Site Standards for Buildings.

<u>Applicability</u>. The following standards are applicable to all new principal buildings and major expansions [fifty percent (50%) or more of building floor area] for non-residential uses and buildings with over two residential units. Standards shall apply only to the portion of the building that is new or expanded.

- (a) Maximum Principal Building Setbacks.
 - 1. At least thirty percent (30%) of primary street-facing building facades shall be setback no more than twenty (20) feet from the primary street. Buildings shall occupy at least thirty percent (30%) of the primary street frontage. Setbacks from private streets shall be measured from interior private access road curb faces or edges of pavement.
 - 2. On a corner lot, at least thirty percent (30%) of street-facing building facades shall be setback no more than twenty (20) feet

- from the primary street and no more than twenty (20) feet from the secondary street more or less perpendicular to the primary street. Buildings shall occupy at least thirty percent (30%) of the primary street frontage. On lots with more than one corner, only the corner with the primary and secondary streets shall be required to meet this provision. Setbacks from private streets shall be measured from interior private access road curb faces or edges of pavement.
- 3. When more than one principal building is developed on a zoning lot, additional buildings shall be exempt from the maximum setback requirement if approved and constructed concurrently with or after a principal building or buildings that:
 - i. Comply with the maximum building setback requirements; and:
 - ii. Occupy at least thirty percent (30%) of each street frontage of the zoning lot. This percentage may be reduced to allow the minimum width for vehicular ingress and egress.
- (b) Entrance Orientation. Principal building entrances on all new buildings shall be oriented to their primary abutting street and be located within the maximum setback. The entrance shall have a functional, operable door and remain open to the public during the same hours as all other public building entrances. Additionally, secondary entrances may be oriented to a secondary street or parking area. Entrances shall be barrier-free, clearly visible and identifiable from the street, and delineated with elements such as roof overhangs, recessed entries, landscaping or similar design features. For buildings with multiple non-residential tenants, a minimum of one (1) tenant space shall have an entrance that meets these requirements. Other tenant spaces shall be connected to the street with a private sidewalk connection.
- (c) <u>Minimum Number of Stories and Height</u>. A minimum of two stories is required for a minimum of seventy-five percent (75%) of the building footprint except for the following uses:
 - 1. Greenhouse, nursery
 - 2. Place of worship
 - 3. Public safety or service facilities
 - 4. Recreation, community, and neighborhood centers
 - 5. Transit station, transfer point
- (8) <u>Site Standards for Automobile Infrastructure</u>.
 - (a) <u>Applicability</u>. The following standards are applicable to non-residential uses and buildings with over three residential units.
 - (b) Automobile parking, loading, drives, drive aisles, driveways, vehicle access sales and service windows and drives, gas pumps, gas station canopies, car wash vacuum stalls and electric vehicle charging facilities:
 - 1. Shall not be allowed between the primary street-facing façades and the primary public or private street.
 - 2. On a corner lot, shall not be allowed between the primary street-facing façades and the primary street and shall not be allowed between the secondary street-facing façades and the secondary street more or less perpendicular to the primary street. On lots with more than one corner, only the corner with the primary and secondary (public or private) streets shall be required to meet this provision.

- 3. Shall be setback from the primary and secondary street equal to or greater to than the principal building setback.
- (c) Vehicle access sales and service windows shall be located under the building in which they are located, and the building shall have commercial or residential uses as allowed in the base district along the primary street frontage.
- (d) Parking structures shall integrate active uses along at least fifty percent (50%) of the primary street-facing façade at the first floor
- 5. Subdivision (e) of Subsection (1) entitled "Statement of Purpose" of Section 28.141 entitled "Parking and Loading Standards" of the Madison General Ordinances is amended as follows:
- "(e) Minimize spillover of on-street parking in neighborhoods."
- 6. Subsection (3) entitled "No Minimum Parking Required" of Section 28.141 entitled "Parking and Loading Standards" of the Madison General Ordinances is amended as follows:
- "(3) No Minimum Parking Required.

In the Central area, as defined, and the following districts, there is no specified minimum requirement for off-street parking of automobiles, with the exceptions specified in Table 28I-2 below. Maximum parking and bicycle parking requirements apply as specified in Table 28I-3. For conditional uses, parking requirements may be established as a condition of approval in cases with minimum parking requirements."

7. Table 28I-2 entitled "Districts With No Minimum Automobile Parking Requirements; Exceptions" of Subsection (3) entitled "No Minimum Parking Required" of Section 28.141 entitled "Parking and Loading Standards" of the Madison General Ordinances is amended as follows:

"Table 28I-2. Districts With No Minimum Automobile Parking Requirements: Exceptions.

| District/Area | Parking Requirement | Exceptions | | | | | | | | |
|------------------------------|---------------------|------------|--|--|--|--|--|--|--|--|
| Industrial - General (IG) | No minimum | | | | | | | | | |
| Transit Oriented Development | No minimum" | | | | | | | | | |
| (TOD) Overlay District | | | | | | | | | | |

8. Table 28I-3 entitled "Off-Street Parking Requirements" of Subsection (4) entitled "Off-Street Parking Requirements, Applicability" of Section 28.141 entitled "Parking and Loading Standards" of the Madison General Ordinances is amended as follows:

"Table 28I-3. Off-Street Parking Requirements."

| Use | Automobile Minimum | Automobile Maximum | Transit Oriented Development | Bicycle Minimum | | | | | | |
|-----------------------------|-----------------------|-----------------------|-----------------------------------|--------------------|--|--|--|--|--|--|
| | | | (TOD) Overlay District Automobile | | | | | | | |
| | | | <u>Maximum</u> | | | | | | | |
| Residential - Family Living | | | | | | | | | | |

| Single-family | 1 (location only) | 4 outside | 4 outside spaces | 0 |
|---|--|--|---|---|
| detached dwellings | (location only) | | 4 outside spaces | 0 |
| Two-family dwelling | 1 (location only) | spaces 4 outside /d.u. | 2 outoido /d u | 0- |
| - two-unit | (location only) | 4 outside /d.u. | 2 outside /d.u. | 0- |
| Two-family dwelling | 1/d.u. (location | 4 outside /d.u. | 2 outoido /d u | 0- |
| - twin | ` | 4 outside /d.u. | 2 outside /d.u. | 0- |
| | only) | 2 par dualling | 2 per dualling | 1/d.u |
| Three-family | 1/d.u. (location | 2 per dwelling | 2 per dwelling | 1/d.u |
| dwelling | only) | O mar duvalling | O nor duralling | 1 22 |
| Single-family attached dwelling | 1 per dwelling | 2 per dwelling | 2 per dwelling | 1 per dwelling |
| Multi-family dwelling | 1 per dwelling | 2 5 por | 1.5 per dwelling | |
| I wulli-rarrilly dwelling | i per aweiling | 2.5 per dwelling | 1.5 per dwelling | 1 per unit up to 2- |
| | | dweiling | | bedrooms, ½ |
| | | | | space per |
| | | | | add'l |
| | | | | bedroom; 1 |
| | | | | guest space |
| | | | | per 10 units |
| Accessory dwelling | 0 | 2 per dwelling | 1 per dwelling | 0 |
| unit | | 2 per aweiling | 1 per awening | O |
| Manufactured home, | 0 | (see lot | (see lot coverage) | 0 |
| mobile home | | coverage) | (See lot coverage) | |
| Caretaker's dwelling | 0 | 2 per dwelling | 2 per dwelling | 0 |
| Residential - Group | | 2 per awening | 2 per awening | 0 |
| Adult family home | 1 | 4 | 4 | 1 per |
| Addit family florid | ' | - | = | dwelling |
| | | | | |
| Community living | determined by | 150% | Minimum | |
| Community living arrangement | determined by Zoning | 150% minimum | Minimum determined by | 1 per |
| Community living arrangement | determined by Zoning Administrator | 150% minimum | determined by | 1 per dwelling unit |
| | Zoning Administrator | | determined by Zoning | 1 per |
| | Zoning | | determined by Zoning Administrator | 1 per dwelling unit plus 1 per 3 |
| | Zoning Administrator based on number of | | determined by Zoning Administrator under non-TOD | 1 per dwelling unit plus 1 per 3 |
| arrangement | Zoning Administrator based on number of rooms/employees | | determined by Zoning Administrator | 1 per dwelling unit plus 1 per 3 rooms |
| | Zoning Administrator based on number of rooms/employees determined by | minimum | determined by Zoning Administrator under non-TOD regulations Minimum | 1 per dwelling unit plus 1 per 3 |
| arrangement | Zoning Administrator based on number of rooms/employees | minimum 150% | determined by Zoning Administrator under non-TOD regulations Minimum determined by | 1 per dwelling unit plus 1 per 3 rooms |
| arrangement | Zoning Administrator based on number of rooms/employees determined by Zoning | minimum 150% | determined by Zoning Administrator under non-TOD regulations Minimum | 1 per dwelling unit plus 1 per 3 rooms |
| arrangement | Zoning Administrator based on number of rooms/employees determined by Zoning | minimum 150% | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning | 1 per dwelling unit plus 1 per 3 rooms |
| arrangement | Zoning Administrator based on number of rooms/employees determined by Zoning | minimum 150% | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator | 1 per dwelling unit plus 1 per 3 rooms |
| arrangement | Zoning Administrator based on number of rooms/employees determined by Zoning | minimum 150% | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD | 1 per dwelling unit plus 1 per 3 rooms |
| Cohousing community | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator | minimum 150% minimum | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling |
| Cohousing community | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator | minimum 150% minimum | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest |
| Cohousing community | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to | minimum 150% minimum | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 |
| Cohousing community | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- | minimum 150% minimum | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units |
| Cohousing community | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by | minimum 150% minimum | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning Administrator | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 guest space |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning Administrator based on number | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 guest space per 4 lodging |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning Administrator based on number of | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 guest space |
| Cohousing community Housing cooperative Lodging house | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning Administrator based on number of rooms/employees | 150% minimum 1 per bedroom 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 guest space per 4 lodging rooms |
| Cohousing community Housing cooperative | Zoning Administrator based on number of rooms/employees determined by Zoning Administrator same as dwelling type prior to conversion to co- op determined by Zoning Administrator based on number of | minimum 150% minimum 1 per bedroom | determined by Zoning Administrator under non-TOD regulations Minimum determined by Zoning Administrator under non-TOD regulations 1 per bedroom | 1 per dwelling unit plus 1 per 3 rooms 1 per dwelling 1 per dwelling 1 per bedroom plus 1 guest space per 4 bedrooms units 1 per lodging room plus 1 guest space per 4 lodging |

| | T | T | 1 | T |
|---|---|---|--|--|
| | established in Campus Master Plan | | | 1 guest space per 4 bedrooms |
| Assisted living, congregate care, skilled nursing facility | 1 space per 10 dwelling units or lodging rooms; 1 per 5 beds | 1 per dwelling unit | 1 space per 2 dwelling units | 1 per 4 units + 1 per 5 employees |
| Convent, monastery or similar residential group | see place of worship | 1 per bedroom | Minimum determined by Zoning Administrator under non-TOD regulations | 1 per bedroom |
| Civic and Institution | | | | |
| Cemetery, mausoleum | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator |
| Day care center nursery school | 1 per 15 clients plus 1 per 2 employees | 200% of minimum | Minimum determined by Zoning Administrator under non-TOD regulations | 1 per 5 employees |
| Library, museum | 0 | 1 per 400 square feet floor area | 1 per 600 square feet floor area | 1 per 2,000 square feet floor area |
| Mission house | see place of worship | 1 per 400 square feet floor area | 1 per 600 square feet floor area | 1 per 400 square feet floor area |
| Parks and playgrounds | none, except where required for specific facilities, as determined by Zoning Administrator | none, except where required for specific facilities as determined by Zoning Administrator | none, except where required for specific facilities, as determined by Zoning Administrator | none, except where required for specific facilities as determined by Zoning Administrator |
| Place of worship | 1 per 10 seats or 15 lineal feet of seating area in the main worship space. If no fixed seats, 1 per 70 sq. ft. of floor area in main worship space | 150% of minimum | Minimum determined by Zoning Administrator under non-TOD regulations | 1 per 50 seats or 75 lineal feet of seating area or 1 per 350 feet of floor area in main worship space |
| Public safety facilities | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator |
| Schools, public and private Schools, arts, technical or trade | 1 space per classroom + 1 space per 5 students of legal | 1 space per classroom + 1 space per 3 students of | 1 space per classroom + 1 space per 5 students of legal | 1 space per 5 students |

| | I | I | T | 1 |
|---|---|---|---|---|
| Collogos | driving age based on the maximum number of students attending classes at any one time | legal driving age based on the maximum number of students attending classes at any one time 1 per | driving age based on the maximum number of students attending classes at any one time | 1 per |
| Colleges, universities | and 1 per 5 students based on the maximum number of students attending classes at any one time; or as established in campus Master Plan | classroom and + 1 per 3 students based on the maximum number of students attending classes at any one time; or as established in Campus Master Plan | 1 per 5 students based on the maximum number of students attending classes at any one time; or as established in campus Master Plan | classroom and 1 per 5 students, or as established in Campus Master Plan |
| Mixed Commercial-F | | | l | T . |
| Live/work unit | 1/d.u. +1 per 2 employees | 2 outside | 2 outside | 1 per dwelling |
| Mixed-use | calculated based on separate components (see shared parking standards) | calculated based on separate components (see shared parking standards) | 150% of the minimum under non-TOD regulations | calculated based on separate components (see shared parking standards) |
| Office Uses | | , | | , |
| Offices Artist, photographer studio, etc. Insurance office, real estate office, sales office | 1 per 400 sq. ft. floor area | 1 per 250 sq. ft. floor area | 1 per 325 sq. ft. floor area | 1 per 2,000 sq. ft. floor area |
| Telecommunications | 1 per 2 | 1 per | 1 per 2 | 1 per 10 |
| center Continue | employees | employee | <u>employees</u> | employees |
| Medical Facilities | 1 2 2 2 | 4 | 1 205 25 4 | 4 |
| Clinic, medical, dental or optical Medical laboratory Physical, occupational or massage therapy Veterinary clinic, animal hospital | 1 per 2 employees | 1 per 200 sq. ft. floor area | 1 per 325 sq. ft. floor area | 1 per 5 employees |
| Hospital | 1 per 4 beds or based on a parking study or | determined by Zoning Administrator | 1 per 3 beds or based on a parking study or | 1 per 2,000 sq. ft. floor area |

| | Campus Master Plan | | Campus Master Plan | |
|--|--|--|--|--|
| Retail Sales and Ser | | | <u> 1 1411</u> | 1 |
| Animal daycare | 1 per 15 clients | 200% minimum | 125% of the minimum under non-TOD regulations | 1 per 5,000 sq. ft. floor area |
| General retail Animal boarding facility, kennel Bank, financial institution Business sales and services Laundromat, self- service Liquor store Package delivery service Payday loan business Post office Service business; service business with showroom or workshop Small appliance repair | 1 per 400 sq. ft. floor area | 1 per 200 sq. ft. floor area | 1 per 325 sq. ft. floor area | 1 per 2,000 sq. ft. floor area |
| Building materials | 1 per 1,000 sq. ft. floor area + 1 per 1,000 sq. ft. of outdoor sales, display | 1 per 500 sq. ft. floor area + 1 per 500 sq. ft. of outdoor sales, display | 1 per 750 sq. ft. floor area + 1 per 750 sq. ft. of outdoor sales, display | 1 per 4,000 sq. ft. interior floor area |
| Drive-through sales and services, primary and accessory | 0 or as determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator |
| Dry cleaning, commercial laundry | 1 per 2 employees | 1.25 per employee | 1.25 per employee | 1 per 4,000 sq. ft. floor area |
| Farmers' market | 0 | determined by Zoning Administrator | determined by Zoning Administrator | determined by Zoning Administrator |
| Furniture and household goods sales Garden center, outdoor Greenhouse, nursery | 1 per 1,000 sq. ft. floor area + 1 per 1,000 sq. ft. of outdoor sales, display | 1 per 500 sq. ft. floor area + 1 per 500 sq. ft. of outdoor sales, display | 1 per 750 sq. ft. floor area + 1 per 750 sq. ft. of outdoor sales, display | 1 per 5,000 sq. ft. outdoor sales, display |
| Mortuary, funeral home | 1 per 200 square feet of assembly area | 1 per 100 square feet of assembly area | 1 per 150 square feet of assembly area | 1 per 2,000 sq. ft. |

| | | | 1 | |
|---|----------------------|---------------------|-------------------------|---------------------|
| | | | | assembly area |
| Outdoor uses, | 1 per 1,000 sq. ft. | 1 per 500 sq. | 1 per 750 sq. ft. of | 1 per 5,000 |
| commercial | of outdoor sales, | ft. of outdoor | outdoor sales, | sq. ft. outdoor |
| | display | sales, display | display | sales, display |
| Food and Beverages | | , , | 1 | , , |
| Catering | 1 per 2 | 1 per | 1 per employee | 1 per 5 |
| | employees | employee | | employees |
| Coffee shop, tea | 15% of capacity | 40% of | 25% of capacity of | 5% of |
| house | of persons | capacity of | persons | capacity of |
| Restaurant, | | persons | | persons |
| Restaurant-tavern, | | | | |
| tavern, brewpub | | | | |
| Commercial Recreat | | | | |
| Bed and breakfast | 1 per 2 bedrooms | 200% of | 150% of minimum | 1 per 2 |
| establishment | in addition to | minimum | under non-TOD | bedrooms |
| | requirement for | | <u>regulations</u> | |
| | dwelling | | | |
| Health/sports club | 10% of the | 20% of the | 15% of the | 5% of the |
| | capacity of | capacity of | capacity of | capacity of |
| | persons | persons | persons | persons |
| Hostel | 0 | 1 per bedroom | 0.5 per bedroom | 1 per bedroom |
| Hotel, inn, motel | .75 per bedroom | 1.5 per | 1.25 per bedroom | 1 per 10 |
| , | | bedroom | | bedrooms |
| Indoor recreation | determined by | determined by | determined by | 5% of the |
| | Zoning | Zoning | Zoning | capacity of |
| | Administrator | Administrator | Administrator | persons |
| | (number | | (number | |
| | employees & use | | employees & use | |
| | characteristics) | | <u>characteristics)</u> | |
| Lodge, private club, | 15% of the | 40% of the | 25% of the | 5% of the |
| reception hall | capacity of | capacity of | capacity of | capacity of |
| | persons | persons | <u>persons</u> | persons |
| Outdoor recreation | determined by | determined by | determined by | determined |
| | Zoning | Zoning | Zoning | by Zoning |
| | Administrator | Administrator | Administrator | Administrator |
| Theater, assembly | 20% of the | 40% of the | 30% of the | 5% of the |
| hall, concert hall | capacity of | capacity of | capacity of | capacity of |
| | persons in the | persons in the | persons in the | persons in |
| | auditorium, or as | auditorium | auditorium, or as | the |
| | established in | | established in | auditorium |
| | Campus Master | | <u>Campus</u> | |
| | Plan (if applicable) | | | |
| Adult Entertainment | applicable) | | | |
| | | 40% of | 30% of the | 5% of |
| | 20% Of capacity | | | |
| Adult entertainment establishment adult | 20% of capacity | | · | |
| establishment, adult entertainment tavern | of persons | capacity of persons | capacity of persons | capacity of persons |

| Α | 4 0.000 ** | 4 000 | 1 0 000 | 4 5 |
|-----------------------|---------------------|-------------------|----------------------|---------------|
| Auto service station, | 1 per 2,000 sq. ft. | 1 per 1,000 sq. | 1 per 2,000 sq. ft. | 1 per 5 |
| body shop, repair | of floor area | ft. of floor area | of floor area | employees |
| station | excluding service | excluding | excluding service | |
| | bays + 2 spaces | service bays + | bays + 2 spaces | |
| | per service bay | 2 spaces per | per service bay | |
| | | service bay | | |
| Auto convenience | 1 per 1,000 sq. ft. | 1 per 500 sq. | 1 per 750 sq. ft. of | 1 per 1,000 |
| store | of floor area | ft. of floor area | floor area | sq. ft. floor |
| | | | | area |
| Auto sales and | 1 per 1,000 sq. ft. | 1 per 500 sq. | 1 per 1,000 sq. ft. | 1 per 5 |
| rental | floor area + 2 | ft. floor area + | floor area + 2 | employees |
| Note: rental vehicles | spaces per | 4 spaces per | spaces per | |
| on site may be | service bay, if | service bay | service bay, if any | |
| stacked | any | | | |
| Automobile storage | determined by | determined by | determined by | 1 per 5 |
| and towing | Zoning | Zoning | <u>Zoning</u> | employees |
| (excluding wrecked | Administrator | Administrator | <u>Administrator</u> | |
| or junked vehicles) | (number trucks | | (number trucks | |
| | and storage area | | and storage area | |
| | size) | | <u>size)</u> | |
| Car wash | determined by | determined by | determined by | 1 per 5 |
| | Zoning | Zoning | <u>Zoning</u> | employees |
| | Administrator | Administrator | <u>Administrator</u> | |
| Public Utility and Pu | blic Service Uses | | | |
| Electric power | determined by | determined by | determined by | 1 per 10 |
| production | Zoning | Zoning | <u>Zoning</u> | employees |
| | Administrator | Administrator | <u>Administrator</u> | |
| Electric substations, | 0 | determined by | determined by | 0 |
| gas regulator | | Zoning | <u>Zoning</u> | |
| stations, | | Administrator | <u>Administrator</u> | |
| telecommunications | | | | |
| facilities, sewerage | | | | |
| system lift stations, | | | | |
| water pumping | | | | |
| stations and other | | | | |
| public utility uses | | | | |
| Transportation Uses | | | | |
| Bus or railroad | 0 | determined by | determined by | 1 per 5 |
| passenger depot, | | Zoning | <u>Zoning</u> | employees |
| railroad or | | Administrator | <u>Administrator</u> | 50% short- |
| intermodal freight | | | | term |
| yard, motor freight | | | | 50% long- |
| terminal, railroad | | | | term |
| yard or shop, taxi or | | | | |
| limousine | | | | |
| dispatching, | | | | |
| maintenance and | | | | |
| storage | | | | |
| Airport | determined by | determined by | determined by | Short-term: 1 |
| | Zoning | Zoning | Zoning | per 10 |
| | Administrator | Administrator | Administrator | employees |
| | | | | Long-term: 1 |
| | | | | per 50 long- |

| | | | | term |
|----------------------------------|---|-----------------------------------|---|----------------------|
| | | | | automobile parking |
| | | | | spaces |
| | | | | provided |
| Airport - Limited Pro | duction, Processir | g and Storage | | |
| Artisan workshop | 0 | 1 per | <u>1 per</u> | 1 per 5 |
| | 4 0 | employee/artist | employee/artist | employees |
| Bakery, wholesale Bottling plant | 1 per 2 employees | 1 per employee | 1 per 2 employees | 1 per 5 employees |
| Laboratories - | employees | employee | <u>employees</u> | employees |
| research, | | | | |
| development and | | | | |
| testing | | | | |
| Limited production | | | | |
| and processing Mail order house | | | | |
| Printing and | | | | |
| publishing | | | | |
| Recycling collection | | | | |
| center, drop-off | | | | |
| station Contractor's yard | 1 per 500 sq. ft. | 1 per 250 sq. | 1 per 350 sq. ft. | 1 per 5,000 |
| Contractor's yard | office or sales | ft. office or | office or sales | sq. ft. floor |
| | area + 1 per | sales area + 1 | area + 1 per | area |
| | 3,000 sq. ft. | per 1,500 sq. | 3,000 sq. ft. | |
| | storage area | ft. storage area | storage area | |
| Storage - personal | 0 | 1 per | 1 per employee | 1 per 10 |
| indoor facility Industrial Uses | | employee | | employees |
| Brewery | 1 per 2 | 1 per | 1 per employee | 1 per 10 |
| General | employees | employee | 1 per employee | employees |
| manufacturing | , , | | | ' ' |
| Hazardous waste | | | | |
| collection, storage | | | | |
| or transfer Light manufacturing | | | | |
| Recycling center | | | | |
| Asphalt, concrete | determined by | determined by | determined by | 1 per 10 |
| batching or ready- | Zoning | Zoning | Zoning | employees |
| mix plant | Administrator | Administrator | <u>Administrator</u> | |
| Concrete, asphalt | | | | |
| and rock crushing facility | | | | |
| Extraction of gravel, | | | | |
| sand, other raw | | | | |
| materials | | | | |
| Motor vehicle | | | | |
| salvage | 1 por 1 000 co # | 1 por 500 cc | 1 por 750 oc. # | 1 por 10 |
| Lumberyard | 1 per 1,000 sq. ft. floor area + 1 per | 1 per 500 sq. ft. floor area + | 1 per 750 sq. ft. floor area + 1 per | 1 per 10 employees |
| | 1,000 sq. ft. of | 1 per 500 sq. | 750 sq. ft. of | Jinployees |

| | outdoor sales, display | ft. of outdoor sales, display | outdoor sales, display | |
|---|---------------------------|-------------------------------|---------------------------|--------------------|
| Recycling center | 1 per 2 employees | 1 per employee | 1 per employee | 1 per 10 employees |
| Agricultural Uses | | | | |
| Animal husbandry Cultivation | 0 | 1 per employee | 1 per employee | 1 per 5 employees |
| Intensive agriculture | determined by | determined by | determined by | 1 per 5 |
| On-site agricultural retail, farm stand | Zoning Administrator | Zoning Administrator | Zoning Administrator | employees" |

9. Table 28I-4 entitled "Minimum Parking Adjustments/Reductions" Subsection (5) entitled "Adjustments to Minimum Number of Required Spaces" of Section 28.141 entitled "Parking and Loading Standards" of the Madison General Ordinances is amended as follows:

"Table 28I-4. Minimum Parking Adjustments/Reductions.

| | Adjustment |
|-------------------------------|---|
| Shared car availability | A reduction in residential parking may be approved by the |
| | Zoning Administrator if a shared or community car is |
| | available for use by residents on or within reasonable |
| | proximity of the site. |
| Transit corridor proximity | Within 600 feet of a high-frequency transit corridor, a |
| | reduction in minimum parking requirements of up to 50% |
| | may be approved as a conditional use, with due |
| | consideration of the frequency of transit service and |
| | adequacy of pedestrian and bicycle linkages to transit stops |
| | or stations. |
| Off-site parking availability | Parking for nonresidential uses may be reduced by one space for each space in a public parking lot or public parking structure located within 1,320 feet of the use, as measured by using the shortest pedestrian route from the nearest corner of the parking lot or structure to the main public entrance of the use served." |

10. Supplemental Regulations related to "Accessory Dwelling Unit in Districts Other than the TR-P District" of Section 28.151 entitled "Applicability" of the Madison General Ordinances is renumbered as follows:

"Accessory Dwelling Unit in Districts Other than the TR-P District.

- (a) Required Standards
 - 4.(a) The principal dwelling or the accessory dwelling unit must be owneroccupied except that a temporary absence of up to six (6) months is allowed.
 - 2.(b) The principal dwelling must be a single-family detached dwelling.
 - 3.(c) No more than one (1) accessory dwelling unit may be located on a lot.
 - 4.(d) The number of occupants of the accessory dwelling unit shall not exceed one (1) family or two (2) unrelated individuals.
 - 5.(e) The accessory dwelling unit shall not be sold separately from the principal dwelling.
 - 6-(f) The maximum height of a detached building containing an accessory dwelling unit, including one built above a garage or similar space, shall be

- twenty-five (25) feet. Height shall be measured as a principal building pursuant to Sec. 28.134(1)(b).
- 7.(g) The maximum size of an accessory dwelling unit shall be nine hundred (900) square feet.
- 8.(h) An accessory dwelling unit shall contain no more than two (2) bedrooms.
- 9.(i) The minimum setback requirements shall be those for accessory building or structures of the underlying zoning district.
- 40.(j) Accessory dwelling unit entry ways within a rear or side yard shall be connected to a street frontage by a paved walkway or driveway.
- 41.(k) For accessory dwelling units constructed within the principal building, the appearance or character of the principal building shall not be significantly altered so that its appearance is no longer that of a single-family dwelling."
- 11. Supplemental Regulations related to "Accessory Dwelling Unit in the TOD Overlay District" of Section 28.151 entitled "Applicability" of the Madison General Ordinances is created as follows:

"Accessory Dwelling Unit in the TOD Overlay District.

- (a) The principal dwelling or the accessory dwelling unit must be owner-occupied except that a temporary absence of up to six (6) months is allowed.
- (b) The principal dwelling must be a single-family detached dwelling, two-family dwelling twin, or two-family dwelling two unit.
- (c) No more than one (1) accessory dwelling unit may be located on a lot.
- (d) The number of occupants of the accessory dwelling unit shall not exceed one (1) family or two (2) unrelated individuals.
- (e) The accessory dwelling unit shall not be sold separately from the principal dwelling.
- (f) The maximum height of a detached building containing an accessory dwelling unit, including one built above a garage or similar space, shall be twenty-five (25) feet. Height shall be measured as a principal building pursuant to MGO Sec. 28.134(1)(b).
- (g) The maximum size of an accessory dwelling unit shall be nine hundred (900) square feet.
- (h) An accessory dwelling unit shall contain no more than two (2) bedrooms.
- (i) The minimum setback requirements shall be those for accessory building or structures of the underlying zoning district.
- (j) Accessory dwelling unit entry ways within a rear or side yard shall be connected to a street frontage by a paved walkway or driveway.
- (k) For accessory dwelling units constructed within the principal building, the appearance or character of the principal building shall not be significantly altered so that its appearance is no longer that of a single-family dwelling, two-family dwelling twin, or two-family dwelling two unit."
- 12. Supplemental Regulations related to "Dwelling Units in Mixed-Use Buildings" of Section 28.151 entitled "Applicability" of the Madison General Ordinances is amended as follows:

"Dwelling Units in Mixed-Use Buildings.

(a) In the LMX District, there shall be no more than two (2) dwelling units per lot.

- (b) In the NMX District, more than twenty-four (24) dwelling units requires conditional use approval.
- (c) In the TSS District, more than forty-eight (48) dwelling units requires conditional use approval.
- (d) In the CC-T and MXC Districts, more than sixty (60) dwelling units requires conditional use approval.
- (ea) In the LMX, NMX, TSS and CC-T Districts, at least fifty percent (50%) of the ground-floor frontage facing the primary street, including all frontage at a street corner, shall be non-residential. Less non-residential frontage requires conditional use approval.
- (fb) Residential use shall be limited on the ground floor of buildings on King Street; South Pinckney Street; State Street; the 10 through 500 blocks of East Wilson Street; the 100 blocks of West and East Mifflin Streets; the 100 blocks of West and East Main Streets; and on the Capitol Square, which is formed by the 10 blocks of East and West Mifflin, the 10 blocks of North and South Pinckney, the 10 blocks of East and West Main, and the 10 blocks of North and South Carroll Streets. Residential use is prohibited within the following areas:
 - 1. The area of the lot abutting street frontages in Sub. (f) above, the lesser of a depth of <u>forty feet (40')</u> or <u>forty percent (40%)</u> of the depth of the lot as measured along these frontages.
- (gc) In residential districts, allowed uses are those specifically included and identified as permitted and conditional uses in the district use tables. The bulk requirements for the multi-family use in the district apply."
- 13. Paragraph 5. of Subdivision (a) of Subsection (6) entitled "Approval Standards" of Section 28.183 entitled "Conditional Uses" of the Madison General Ordinances is amended as follows:
- "5. Adequate utilities, access roads, drainage, parking supply, internal circulation improvements, including but not limited to vehicular, pedestrian, bicycle, public transit for pedestrians, bicyclists, public transit and vehicles, parking supply (in cases with minimum parking requirements) and other necessary site improvements have been or are being provided."
- 14. Definitions within Section 28.211 entitled "Definitions" of the Madison General Ordinances is amended as follows:

"<u>Accessory Dwelling Unit</u>. An additional dwelling unit contained within a single-family dwelling or within a detached building located on the same lot as a single-<u>or two-family</u> dwelling. This definition includes accessory buildings constructed in connection with a private garage or a private garage converted into a dwelling unit. (See Sec. 28.172, "Residential Building Forms.")

<u>Street, Private</u>. A named private right-of-way on a plat designed to public street standards which affords traffic circulation and a principal means of access to abutting property. For the purpose of this ordinance, an alley shall not be considered a private street.

<u>Street, Public</u>. A public right-of-way which affords traffic circulation and a principal means of access to abutting property. For the purpose of this ordinance, an alley shall not be considered a street. <u>Includes officially-mapped streets.</u>"