# LANDMARKS OMMI ON AP LICATION

Complete all sections of this application, making sure to note the requirements on the accompanying checklist (reverse).

If you need an interpreter, translator, materials in alternate formats or other accommodations to access these forms, please call (608) 266-4635

City of Madison Planning Division 215 Martin Luther King Jr Blvd, Ste 017 PO Box 2985 Madison, WI 53701-2985 (608) 266-4635



|  | 1. | LC | C | ΑT | 1O | N |
|--|----|----|---|----|----|---|
|--|----|----|---|----|----|---|

| Project Address: 6        | 54 Williamson Street  |   | Alder District:6                           |
|---------------------------|---|---|--|
| 2. <u>PROJE T</u>         |   |   |  |
| Project Title/Descript    | 5-story apartment building vion:  | with a 2 level parking garag            | ge   |
| This is an application    | for: (check all that apply)   |   | Legistar #:                                |
| or Designated La          | on/Alteration/Addition in a Local Hist<br>andmark (specify):                                |   | DATE STAMP                                 |
| ☐ Mansion Hill            |   | ☐ First Settlement                      | DATESTAND                                  |
| ☐ University He           | ights   Marquette Bungalows   | ☐ Landmark                              |  |
| =                         | ombination in a Local Historic District<br>I Landmark Site (specify):<br>☐ Third Lake Ridge | t □ First Settlement                    | 2/13/23<br>2/13/23<br>12:07 pm             |
| ☐ University He           | ights   Marquette Bungalows   | ☐ Landmark                              | 12:07 pm                                   |
| □ Demolition              |   |   | DbC  |
| ☐ Development ac          | ljacent to a Designated Landmark  |   |  |
| ☐ Variance from th        | ne Historic Preservation Ordinance (  | hapter 41)                              |  |
|                           | nation/Rescission or Historic District<br>t the Historic Preservation Planner for spo       | •                                       | )  <br>                                    |
| ☐ Informational P         | resentation   |   |  |
| ☐ <b>Other</b> (specify): |   |   |  |
| B. <u>APPLI ANT</u>       |   |   |  |
| Applicant's Name:         | Kevin Burow   | Company:Kno                             | the & Bruce Architects LLC                 |
| Address: 7601 Ur          | niversity Ave., Ste 201   |   | Middleton, WI 53562                        |
| Telephone: (608)          | Street<br>836-3690  | Email: kburow@                          | City State Zip<br>Eknothebruce.com         |
| Property Owner (if no     | ot applicant): Brandon Cook - J   | ohn Fontain Realty                      |  |
| Address: P.O. Bo          | x 694   | Ma                                      | adison, WI 53701                           |
| Property Owner's Sig      | nature:   | 2/10/23                                 | City State Zip  Date:                      |
| NOTICE REGARDING L        | OBBYING ORDINANCE: If you are seeking approval  | of a development that has over 40,000 s | square feet of non-residential space, or a |

NOTICE REGARDING LOBBYING ORDINANCE: If you are seeking approval of a development that has over 40,000 square feet of non-residential space, or a residential development of over 10 dwelling units, or if you are seeking assistance from the City with a value of \$10,000 (including grants, loans, TIF or similar assistance), then you likely are subject to Madison's lobbying ordinance (Sec. 2.40, MGO). You are required to register and report your lobbying. Please consult the City Clerk's Office for more information. Failure to comply with the lobbying ordinance may result in fines.

### **4.** <u>APPLI ATION SUBMI SION REQUIREMENT</u> (see checklist on reverse)

All applications must be filed by 12:00pm on the submission date with the Preservation Planner. Applications submitted after the submission date *or* incomplete applications will be postponed to the next scheduled filing time. Submission deadlines can be viewed here: <a href="https://www.cityofmadison.com/dpced/planning/documents/LC">https://www.cityofmadison.com/dpced/planning/documents/LC</a> Meeting Schedule Dates.pdf

## February 13, 2023



Heather Bailey, Ph.D.
Preservation Planner
Department of Planning & Community & Economic Development
Madison Municipal Building, Suite 017
215 Martin Luther King Jr. Boulevard
Madison, Wisconsin 53703

Re: Letter of Intent – Landmarks Submittal 654 Williamson Street KBA Project #2215

Ms. Heather Bailey,

The following is submitted together with the plans and application for the Landmarks Commission's review and consideration:

This proposed development involves the redevelopment of 654 Williamson Street, which is located within the Third Lake Ridge Historic District, by removing an existing two-story commercial building and surface parking lot and constructing a new 3 to 5 story mixed-use building. There will be a total of approximately 46 apartment units (subject to final unit size mix) and approximately 2,650 sq.ft. of commercial space. There will also be 48 covered parking stalls for residential use.

In designing the building at 654 Wiliamson Street we have incorporated a number of details to make it compatible with the historic nature of the Third Lake Ridge Historic District. The design addresses the general massing, rhythm, materials and ornamentation found within the immediate vicinity of the project as well as the historic district as a whole. Within the southwest edge of the district, the contributing building forms and materials skew heavily toward an industrial style. The proposed building is designed to continue the adjacent historic buildings' forms and materials, while introducing itself as a modern structure with complementary detailing and material accents.

Primary design influence for the proposed new mixed-use project at 654 Williamson is the masonry industrial aesthetic of 301 S. Blount St., 720 Williamson St (the Olds Building) and 744 Williamson St. (Madison Candy Company). The principal aesthetic relies on a heavy, masonry module creating a rhythm of orthogonal openings and punched windows. The three buildings listed feature a prominent (3) story façade along Williamson and S. Blount streets. The proposed structure adopts this same principal massing along the primary street frontage.

## **Building Form:**

The overall frontage of the building along Williamson St is approximately 154' long, and 85' along S. Blount St. The three-story primary façade is further broken down into regular 25' wide bays with a narrow corner element. The Williamson St. façade is designed with an inset bay asymmetrically placed within the main façade. This is intended to suggest a (3) building façade along Williamson St. A fourth and fifth story rises up along the NW side opposite of the Williamson St. frontage. The 4-5 floor façade is setback approximately 24' from the Williamson St. façade. The setback is more subtle along S. Blount St. The massing of the three story and five story volumes is broken down along S. Blount to feel like two nested structures. The conceptual idea is a structure that was "added onto" in an organic manner.

### Height:

The overall height of the building is 3 stories at Williamson Street, stepping up to 5 stories 30' back from the property line (approx. 24' from the Williamson St. façade). This is a characteristic setback for numerous buildings within the Third Lake Ridge Historic District and allows for the public perception of the building height along Williamson St. to feel three stories while allowing for additional housing density with the additional upper levels.

## Parts (Windows, doors, entrances):

Window proportions and placement are reflective of the adjacent buildings at 301 S. Blount St and 720 Williamson St. The primary window system above the first floor is planned to be high-performance UPVC European windows from the manufacturer Oknoplast. The frame proportions and detailing mimic the historic window precedent at 301 S. Blount St. Window panel sizing and layout will look similar to the typical double-hung function, but will be an awning style operation.

The ground floor window system will be a standard dark-annodized aluminum storefront system with a consistent 20" high cast stone base at all glazed openings other than doors. The garage doors for access into the structured parking will be an anodized aluminum and glass system by Cloplay that reflects the same aesthetic as the aluminum storefront system along the rest of the building

#### Materials:

The primary building material for the first three stories is standard sized brick masonry using two tones of brick: light red similar to the 720 Williamson St. (Olds building) and a darker burgundy/brown shade to accent recessed areas and the two building "volumes". Warm grey salt-resistant manufactured cast stone will be used as a base material. Cast stone will be used as sill, header and parapet top cap at the brick masonry. Vertical seamed steel or aluminum metal siding is proposed at the corner entry façade inset. This material will be a weathered-zinc /charcoal finish. This metal panel will be used sparingly in other accent areas on the façade. Composite clapboard siding will be used for portions of the fourth and fifth floors with accent banding.

Railings for rooftop deck areas will be black or dark grey. Balconies are not permitted on primary street fronts per the historic ordinance. There is some occupied rooftop area on the third floor above the setback. Railings in this area are mostly concealed behind the raised third floor roof parapets. Inset balconies are located on the NW side opposite Williamson St.

## **Building Systems:**

No rooftop systems will be visible from the street at any point. There are no solar panels currently planned for the rooftop and if added, will be setback far enough from the edge to not be visible either. All vents in the masonry will be painted to match and be flush with the masonry.

Exterior lighting on the building will be minimal, with recessed downlights located in the entry canopy to the main entrance and period appropriate fixtures. No fixtures have been selected at this point but we are of course happy to review final selections with Landmarks staff to receive approval of any fixtures.

We appreciate the feedback we received from you during the February 2 pre-application meeting and have taken those comments into consideration when preparting this submittal.

We hope that you will find this an appropriate building that will fit in well in the Third Lake Ridge Historic District. I look forward to discussing these with you at the upcoming Landmarks Commission meeting.

Thank you for your time reviewing our proposal.

Sincerely,

Kevin Burow, AIA, NCARB, LEED AP

Managing Member


Keni Bu

# GENERAL NOTES:

- I. THE APPLICANT SHALL REPLACE ALL SIDEWALK AND CURB AND GUTTER THAT ABUTS THE PROPERTY THAT IS DAMAGED BY THE CONSTRUCTION, OR ANY SIDEWALK AND CURB AND GUTTER WHICH THE CITY ENGINEER DETERMINES NEEDS TO BE REPLACED BECAUSE IT IS NOT AT A DESIRABLE GRADE, REGARDLESS OF WHETHER THE CONDITION EXISTED PRIOR TO BEGINNING CONSTRUCTION.
- 2. ALL WORK IN THE PUBLIC RIGHT OF WAY SHALL BE PERFORMED BY A CITY-LICENSED CONTRACTOR.
- 3. ALL DAMAGE TO THE PAVEMENT ON CITY STREETS, AND ADJACENT TO THIS DEVELOPMENT SHALL BE RESTORED IN ACCORDANCE WITH THE CITY OF MADISON'S PAVEMENT PATCHING CRITERIA.
- 4. ALL PROPOSED STREET TREE REMOVALS WITHIN THE RIGHT OF WAY SHALL BE REVIEWED BY CITY FORESTRY BEFORE THE PLAN COMMISSION MEETING. STREET TREE REMOVALS REQUIRE APPROVAL AND A TREE REMOVAL PERMIT ISSUED BY CITY FORESTRY. ANY STREET TREE REMOVALS REQUESTED AFTER THE DEVELOPMENT PLAN IS APPROVED BY THE PLAN COMMISSION OR THE BOARD OF PUBLIC WORKS AND CITY FORESTRY WILL REQUIRE A MINIMUM OF A 72-HOUR REVIEW PERIOD WHICH SHALL INCLUDE THE NOTIFICATION OF THE ALDERPERSON WITHIN WHO'S DISTRICT IS AFFECTED BY THE STREET TREE REMOVAL(S) PRIOR TO A TREE REMOVAL PERMIT BEING ISSUED.
- 5. AS DEFINED BY THE SECTION 107.13 OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION: NO EXCAVATION IS PERMITTED WITHIN 5 FEET OF THE TRUNK OF THE STREET TREE OR WHEN CUTTING ROOTS OVER 3 INCHES IN DIAMETER. IF EXCAVATION IS NECESSARY, THE CONTRACTOR SHALL CONTACT MADISON CITY FORESTRY (266-4816) PRIOR TO EXCAVATION. CITY OF MADISON FORESTRY PERSONNEL SHALL ASSESS THE IMPACT TO THE TREE AND TO ITS ROOT SYSTEM PRIOR TO WORK COMMENCING. TREE PROTECTION SPECIFICATIONS CAN BE FOUND ON THE FOLLOWING WEBSITE:
- CITYOFMADISON.COM/BUSINESS/PW/SPECS.CFM
- 6. CONTRACTOR SHALL TAKE PRECAUTIONS DURING CONSTRUCTION TO NOT DISFIGURE, SCAR, OR IMPAIR THE HEALTH OF ANY STREET TREE. CONTRACTOR SHALL OPERATE EQUIPMENT IN A MANNER AS TO NOT DAMAGE THE BRANCHES OF THE STREET TREE(S). THIS MAY REQUIRE USING SMALLER EQUIPMENT AND LOADING AND UNLOADING MATERIALS IN A DESIGNATED SPACE AWAY FROM TREES ON THE CONSTRUCTION SITE. ANY DAMAGE OR INJURY TO EXISTING STREET TREES (EITHER ABOVE OR BELOW GROUND) SHALL BE REPORTED IMMEDIATELY TO CITY FORESTRY AT 266-4816. PENALTIES AND REMEDIATION SHALL BE


REQUIRED.


- 7. SECTION 107.13(G) OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION ADDRESSES SOIL COMPACTION NEAR STREET TREES AND SHALL BE FOLLOWED BY CONTRACTOR. THE STORAGE OF PARKED VEHICLES, CONSTRUCTION EQUIPMENT, BUILDING MATERIALS, REFUSE, EXCAVATED SPOILS OR DUMPING OF POISONOUS MATERIALS ON OR AROUND TREES AND ROOTS WITHIN FIVE (5) FEET OF THE TREE OR WITHIN THE PROTECTION ZONE IS PROHIBITED.
- 8. ON THIS PROJECT, STREET TREE PROTECTION ZONE FENCING IS REQUIRED. THE FENCING SHALL BE ERECTED BEFORE THE DEMOLITION, GRADING OR CONSTRUCTION BEGINS. THE FENCE SHALL INCLUDE THE ENTIRE WIDTH OF TERRACE AND, EXTEND AT LEAST 5 FEET ON BOTH SIDES OF THE OUTSIDE EDGE OF THE TREE TRUNK. DO NOT REMOVE THE FENCING TO ALLOW FOR DELIVERIES OR EQUIPMENT ACCESS THROUGH THE TREE PROTECTION ZONE.
- 9. STREET TREE PRUNING SHALL BE COORDINATED WITH MADISON FORESTRY AT A MINIMUM OF TWO WEEKS PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT. ALL PRUNING SHALL FOLLOW THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) A300 PART I STANDARDS FOR PRUNING.
- IO. AT LEAST ONE WEEK PRIOR TO STREET TREE PLANTING, CONTRACTOR SHALL CONTACT CITY FORESTRY AT (608) 266-4816 TO SCHEDULE INSPECTION AND APPROVAL OF NURSERY TREE STOCK AND REVIEW PLANTING SPECIFICATIONS WITH THE LANDSCAPER.
- II. APPROVAL OF PLANS FOR THIS PROJECT DOES NOT INCLUDE ANY APPROVAL TO PRUNE, REMOVE, OR PLANT TREES IN THE PUBLIC RIGHT-OF-WAY. PERMISSION FOR SUCH ACTIVITIES MUST BE OBTAINED FROM THE CITY FORESTER (266-4816).
- I2. THE PUBLIC RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANY TIME. NO ITEMS SHOWN ON THIS SITE PLAN IN THE RIGHT-OF-WAY ARE PERMANENT AND MAY NEED TO BE REMOVED AT THE APPLICANTS EXPENSE UPON NOTIFICATION BY THE CITY.



| LIGHT LEVEL STATISTICS                       |        |        |        |        |             |             |
|--|--------|--------|--------|--------|-------------|-------------|
| DESCRIPTION                                  | SYMBOL | AVG.   | MAX.   | MIN.   | MAX. / MIN. | AVG. / MIN. |
| North Parking Garage Entry Security Lighting | +      | 2.8 fc | 6.2 fc | I.I fc | 5.6:I       | 2.5 : I     |
| South Parking Garage Entry Security Lighting | +      | 2.6 fc | 5.6 fc | 0.9 fc | 6.2:I       | 2.9:1       |
| Walkway Egress Lighting                      | +      | I.0 fc | 2.2 fc | 0.2 fc | 11.0:1      | 5.0:1       |

| LUMI   | LUMINAIRE SCHEDULE   |    |                      |                          |  |                               |                                     |  |  |  |
|--------|--|----|----------------------|--------------------------|--|-------------------------------|-------------------------------------|--|--|--|
| SYMBOL | SYMBOL LABEL QTY. MANUF. CATALOG DESCRIPTION FILE MOUNTING |    |                      |                          |  |                               |                                     |  |  |  |
|        | Α  | 2  | LITHONIA<br>LIGHTING | WPXI LED PI 30K<br>MVOLT | WPXI LED WALLPACK,<br>I500lm, 3000K COLOR<br>TEMPERATURE, I20-277<br>VOLTS | WPXI_LED_PI<br>_30K_MVOLT.ies | 8'-0" ABOVE<br>GRADE ON<br>BUILDING |  |  |  |
|        | В  | 11 | FC / SSL<br>LIGHTING | FCSL102-120V-4K-SS       | EXTERIOR DIE-CAST<br>ALUMINUM STEP LIGHT<br>FOR MASONRY<br>APPLICATIONS    | F002035FCSL1024K.ies          | 3'-0" ABOVE<br>GRADE ON<br>BUILDING |  |  |  |
|        | EXAMPLE LIGHT FIXTURE DISTRIBUTION                         |    |                      |                          |  |                               |                                     |  |  |  |







For LUA & Landmarks Submittal - Feb. 13, 2023

John Fontain
Realty

654 Williamson St, Madison, WI


SHEET TITLE
Site Lighting Plan

SHEET NUMBER

I INCH = I0 FT (24X36 SHEET)


C-1.2


PROJECT NO. 22 | 5
© Knothe & Bruce Architects, LLC











For LUA & Landmarks Submittal - Feb. 13, 2023

PROJECT TITLE


John Fontain Realty


654 Williamson St, Madison, WI SHEET TITLE Fire Department Access Plan

SHEET NUMBER

C-1.3

PROJECT NO.





For LUA & Landmarks Submittal - Feb. 13, 2023


John Fontain
Realty


654 Williamson St, Madison, WI SHEET TITLE


Lot Coverage

SHEET NUMBER

PROJECT NO.







# **GENERAL NOTES:**

I. THE APPLICANT SHALL REPLACE ALL SIDEWALK AND CURB AND GUTTER THAT ABUTS THE PROPERT THAT IS DAMAGED BY THE CONSTRUCTION, OR ANY SIDEWALK AND CURB AND GUTTER WHICH THE CITY ENGINEER DETERMINES NEEDS TO BE REPLACED BECAUSE IT IS NOT AT A DESIRABLE GRADE, **REGARDLESS OF WHETHER THE CONDITION EXISTED** PRIOR TO BEGINNING CONSTRUCTION.

## 2. ALL WORK IN THE PUBLIC RIGHT OF WAY SHALL BE PERFORMED BY A CITY-LICENSED CONTRACTOR.

3. ALL DAMAGE TO THE PAVEMENT ON CITY STREETS, AND ADJACENT TO THIS DEVELOPMENT SHALL BE RESTORED IN ACCORDANCE WITH THE CITY OF MADISON'S PAVEMENT PATCHING CRITERIA.

4. ALL PROPOSED STREET TREE REMOVALS WITHIN THE RIGHT OF WAY SHALL BE REVIEWED BY CITY FORESTRY BEFORE THE PLAN COMMISSION MEETING. STREET TREE REMOVALS REQUIRE APPROVAL AND A TREE REMOVAL PERMIT ISSUED BY CITY FORESTRY. ANY STREET TREE REMOVALS REQUESTED AFTER THE DEVELOPMENT PLAN IS APPROVED BY THE PLAN COMMISSION OR THE BOARD OF PUBLIC WORKS AND CITY FORESTRY WILL REOUIRE A MINIMUM OF A 72-HOUR REVIEW PERIOD WHICH SHALL INCLUDE THE NOTIFICATION OF THE ALDERPERSON WITHIN WHO'S DISTRICT IS AFFECTED BY THE STREET TREE REMOVAL(S) PRIOR TO A TREE REMOVAL PERMIT BEING ISSUED.

5. AS DEFINED BY THE SECTION 107.13 OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION: NO EXCAVATION IS PERMITTED WITHIN 5 FEET OF THE TRUNK OF THE STREET TREE OR WHEN CUTTING ROOTS OVER 3 INCHES IN DIAMETER. IF EXCAVATION IS NECESSARY, THE CONTRACTOR SHALL CONTACT MADISON CITY FORESTRY (266-4816) PRIOR TO EXCAVATION. CITY OF MADISON FORESTRY PERSONNEL SHALL ASSESS THE IMPACT TO THE TREE AND TO ITS ROOT SYSTEM PRIOR TO WORK COMMENCING. TREE PROTECTION SPECIFICATIONS CAN BE FOUND ON THE **FOLLOWING WEBSITE:** 

CITYOFMADISON.COM/BUSINESS/PW/SPECS.CFM

6. CONTRACTOR SHALL TAKE PRECAUTIONS DURING CONSTRUCTION TO NOT DISFIGURE, SCAR, OR IMPAIR THE HEALTH OF ANY STREET TREE. CONTRACTOR SHALL OPERATE EQUIPMENT IN A MANNER AS TO NOT DAMAGE THE BRANCHES OF THE STREET TREE(S). THIS MAY REQUIRE USING SMALLER EQUIPMENT AND LOADING AND UNLOADING MATERIALS IN A DESIGNATED SPACE AWAY FROM TREES ON THE CONSTRUCTION SITE. ANY DAMAGE OR INIURY TO EXISTING STREET TREES (EITHER ABOVE OR BELOW GROUND) SHALL BE REPORTED IMMEDIATELY TO CITY FORESTRY AT 266-4816. PENALTIES AND REMEDIATION SHALL BE

7. SECTION 107.13(G) OF CITY OF MADISON STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION ADDRESSES SOIL COMPACTION NEAR STREET TREES AND SHALL BE FOLLOWED BY CONTRACTOR. THE STORAGE OF PARKED VEHICLES, CONSTRUCTION EQUIPMENT, BUILDING MATERIALS, REFUSE, EXCAVATED SPOILS OR DUMPING OF POISONOUS MATERIALS ON OR AROUND TREES AND ROOTS WITHIN FIVE (5) FEET OF THE TREE OR WITHIN THE PROTECTION ZONE IS PROHIBITED.


8. ON THIS PROJECT, STREET TREE PROTECTION ZONE FENCING IS REQUIRED. THE FENCING SHALL BE ERECTED BEFORE THE DEMOLITION, GRADING OR CONSTRUCTION BEGINS. THE FENCE SHALL INCLUDE THE ENTIRE WIDTH OF TERRACE AND, EXTEND AT LEAST 5 FEET ON BOTH SIDES OF THE OUTSIDE EDGE OF THE TREE TRUNK. DO NOT REMOVE THE FENCING TO ALLOW FOR DELIVERIES OR EQUIPMENT ACCESS THROUGH THE TREE PROTECTION ZONE.

9. STREET TREE PRUNING SHALL BE COORDINATED WITH MADISON FORESTRY AT A MINIMUM OF TWO WEEKS PRIOR TO THE START OF CONSTRUCTION FOR THIS PROJECT. ALL PRUNING SHALL FOLLOW THE AMERICAN NATIONAL STANDARDS INSTITUTE (ANSI) A300 - PART I STANDARDS FOR PRUNING.

10. AT LEAST ONE WEEK PRIOR TO STREET TREE PLANTING, CONTRACTOR SHALL CONTACT CITY FORESTRY AT (608) 266-4816 TO SCHEDULE INSPECTION AND APPROVAL OF NURSERY TREE STOCK AND REVIEW PLANTING SPECIFICATIONS WITH THE LANDSCAPER.

II. APPROVAL OF PLANS FOR THIS PROJECT DOES NOT INCLUDE ANY APPROVAL TO PRUNE, REMOVE, OR PLANT TREES IN THE PUBLIC RIGHT-OF-WAY. PERMISSION FOR SUCH ACTIVITIES MUST BE OBTAINED FROM THE CITY FORESTER (266-4816).

12. THE PUBLIC RIGHT-OF-WAY IS THE SOLE JURISDICTION OF THE CITY OF MADISON AND IS SUBJECT TO CHANGE AT ANY TIME. NO ITEMS SHOWN ON THIS SITE PLAN IN THE RIGHT-OF-WAY ARE PERMANENT AND MAY NEED TO BE REMOVED AT THE APPLICANTS EXPENSE UPON NOTIFICATION BY THE CITY.



ROOT Juniperus C 'Kallay's Compact' Con 7601 University Ave, Ste 201 Hemerocallis 'Happy Returns' Con 608.836.3690 Middleton, WI 53562 Hemerocallis 'Summer Wine' Con

**Botanical Name** 

Malus 'Red Jade'

Buxus 'Green Velvet'

Populus Tremula 'Erecta"

Quercus Robar "Fastigiata"

Tina Malus Sargentii 'Tina'

For LUA & Landmarks Submittal - Feb. 13, 2023

PROJECT TITLE John Fontain Realty

1,506 SF

25 points

25 points

0 points

263.9 LF

<u>5 trees</u> 8 trees

55 shrubs

44 shrubs

220 points

124 points

744 points

120 points

280 points



654 Williamson St, Madison, WI

SHEET TITLE Landscape Plan

SHEET NUMBER

PROJECT NO.


ISSUED

654 Williamson St Madison, WI 53703

SHEET TITLE BASEMENT/ LOWER PARKING PLAN

SHEET NUMBER

PROJECT NUMBER 2215 © Knothe & Bruce Architects, LLC



654 Williamson St


Madison, WI 53703
SHEET TITLE

LEVEL 1 / UPPER

PARKING FLOOR
PLAN

SHEET NUMBER

A1.1
PROJECT NUMBER 2215



Madison, WI 53703
SHEET TITLE


LEVEL 2 PLAN

SHEET NUMBER

A1.2

PROJECT NUMBER 2215
© Knothe & Bruce Architects, LLC

1 02 - FLOOR 2 A1.2 1/8" = 1'-0"





ISSUED

PROJECT TITLE
654 WILLIAMSON
ST

654 Williamson St Madison, WI 53703 SHEET TITLE


LEVEL 3 PLAN

SHEET NUMBER

A1.3

PROJECT NUMBER 2

PROJECT NUMBER 2215
© Knothe & Bruce Architects, LLC





ISSUED

PROJECT TITLE

654 WILLIAMSON


654 Williamson St Madison, WI 53703 SHEET TITLE

LEVEL 4 PLAN

SHEET NUMBER

A1.4

PROJECT NUMBER 2215



ISSUED

PROJECT TITLE

654 WILLIAMSON ST


654 Williamson St Madison, WI 53703 SHEET TITLE

**LEVEL 5 PLAN** 

SHEET NUMBER

A1.5

PROJECT NUMBER 2215
© Knothe & Bruce Architects, LLC




ISSUED

**ROOF PLAN** 

SHEET NUMBER

PROJECT NUMBER 2215 © Knothe & Bruce Architects, LLC



EXTERIOR MATERIAL SCHEDULE

COLOR

CHARCOAL

LIMESTONE

DARK GRAY

BLACK

WEATHERED ZINC COLOR

WEATHERED ZINC COLOR

MATCH ADJ. SIDING

LIGHT RED- VARIETY

**BURGUNDY- VARIETY** 

BLACK- ANNODIZED

MATCH ADJ. SIDING

BROWN TREATED

LIMESTONE

MANUFACTURER

JAMES HARDIE

JAMES HARDIE

OLDCASTLE

OKNOPLAST

JAMES HARDIE

N/A

N/A

SUPERIOR

CORDOVA

CMG

**ISSUED** 

PROJECT TITLE


654 WILLIAMSON

654 Williamson St Madison, WI 53703 SHEET TITLE

**EXTERIOR ELEVATIONS** 

SHEET NUMBER

PROJECT NUMBER 2215 © Knothe & Bruce Architects, LLC



2 NE ELEVATION- S BLOUNT ST B&W




SE ELEVATION- WILLIAMSON ST- B&W
1/8" = 1'-0"

COLOR

SHEET TITLE **EXTERIOR ELEVATIONS** 

SHEET NUMBER

© Knothe & Bruce Architects, LLC




2 SW ELEVATION - B&W 1/8" = 1'-0"



1 NW ELEVATION- B&W 1/8" = 1'-0"





608.836.3690

Middleton, WI 53562

**ISSUED** 

PROJECT TITLE

654 WILLIAMSON

654 Williamson St Madison, WI 53703

SHEET TITLE **ELEVATIONS** COLORED

SHEET NUMBER

A2.3 PROJECT NUMBER 2215

© Knothe & Bruce Architects, LLC



05 - FLOOR 5 149' - 4" 04- FLOOR 4 138' - 0" 03 - FLOOR 3 126' - 8" 02 - FLOOR 2 115' - 4"



Middleton, WI 53562

ISSUED

PROJECT TITLE

654 WILLIAMSON ST

654 Williamson St

Madison, WI 53703

SHEET TITLE

ELEVATIONS COLORED

SHEET NUMBER

PROJECT NUMBER 22

© Knothe & Bruce Architects, LLC

EXTERIOR MATERIAL SCHEDULE BUILDING ELEMENT MANUFACTURER COLOR 06 - ROOF 160' - 8" JAMES HARDIE (#1) - COMPOSITE LAP SIDING 6" - 4" - 6" CHARCOAL WEATHERED ZINC COLOR (#2) - METAL FASCIA AND TRIM (#3) - VERTICAL STANDING SEAM METAL CMG WEATHERED ZINC COLOR JAMES HARDIE MATCH ADJ. SIDING COMPOSITE TRIM LIGHT RED- VARIETY (#4A) - BRICK VENEER (#4B) - BRICK VENEER **BURGUNDY- VARIETY** 05 - FLOOR 5 149' - 4" (#5) - CAST STONE BANDS & HEADERS LIMESTONE OLDCASTLE (#6) - COMPOSITE WINDOWS OKNOPLAST DARK GRAY BLACK- ANNODIZED (#7) - ALUM. STOREFRONT N/A JAMES HARDIE MATCH ADJ. SIDING CANOPY & BAY SOFFITS TREATED-EXPOSED DECK BEAMS BROWN TREATED N/A 04- FLOOR 4 138' - 0" (#8) - RAILING & HANDRAILS SUPERIOR BLACK LIMESTONE (#9) - MANUFACTURED STONE UNIT CORDOVA 03 - FLOOR 3 126' - 8" 02 - FLOOR 2 115' - 4"

2 SW ELEVATION - COLOR A2.4 1/8" = 1'-0"



1 NW ELEVATION- COLOR 1/8" = 1'-0"

ISSUED

654 WILLIAMSON

SHEET NUMBER

A2.5
PROJECT NUMBER 22



**BLOUNT STREET VIEW - LOOKING SOUTH** 



WILLIAMSON STREET VIEW - LOOKING NORTHWEST



**WILLIAMSON STREET VIEW - LOOKING NORTHEAST** 



**WILLIAMSON STREET VIEW - LOOKING WEST**