APPLICATION FOR URBAN DESIGN COMMISSION REVIEW AND APPROVAL

AGENDA	ITEM#	
Project #		

DATE SUBMITTED: 2/19-09	Action Requested Informational Presentation Initial Approval and/or Recommendation
UDC MEETING DATE: 2 18 - 09	Final Approval and/or Recommendation
PROJECT ADDRESS: 2501 W. BEYTE ALDERMANIC DISTRICT: 14 OWNER/DEVELOPER (Partners and/or Principals) Whole was object, he	ARCHITECT/DESIGNER/OR AGENT: FOR MERING ONLY
3001 W. BanINE HWY #202	3007 PERRY ST.
MADIGON, WI 53113	MADISON, WI 53713
Address: MARY BOTH SFOWN Address: 3007 POPPY SK.	JET SELENE (ON BEHALF OF MERITER)
Phone: 271 - 1919	
Fax: <u>271-7853</u> E-mail address: <u>mbgrowney Schen</u> e	- Oryansigns, ret
TYPE OF PROJECT: (See Section A for:) Planned Unit Development (PUD) General Development Plan (GDP) Specific Implementation Plan (SIP) Planned Community Development (PCD) General Development Plan (GDP) Specific Implementation Plan (SIP) Planned Residential Development (PRD) New Construction or Exterior Remodeling in an well as a fee) School, Public Building or Space (Fee may be respectively)	n Urban Design District * (A public hearing is required as
(See Section B for:) New Construction or Exterior Remodeling in C	4 District (Fee required)
(See Section C for:) R.P.S.M. Parking Variance (Fee required)	
(See Section D for:) Comprehensive Design Review* (Fee required) Street Graphics Variance* (Fee required)	CONTINUATION - EXTENDED REVIEW
Other	
*Public Hearing Required (Submission Deadline 3 We	eks in Advance of Meeting Date)

Where fees are required (as noted above) they apply with the first submittal for either initial or final approval of a project.

Ryan Signs, Inc.

3007 Perry Street Madison, WI 53713 608-271-7979 Phone 608-271-7853 Fax mbgrowneyselene@ryansigns.net

February 11, 2009

TO:

City of Madison

Urban Design Commission

FROM:

Mary Beth Growney Selene

Serving as Agent for Meriter Health Services

RE:

MERITER WELLNESS CENTER ARBOR GATE DEVELOPMENT

2501 W. BELTLINE HWY.

FINAL APPROVAL FOR "SECONDARY TENANT" SIGNAGE

Dear Urban Design Commission;

At its July 9, 2008 meeting, the Urban Design District approved the project signage for the (a) major tenants and (b) the retail [first floor] tenants. We were asked to submit "Secondary Tenant" signage for separate approval.

1. Request

- a. Allow for up to 30" logo style letters on the secondary tenant signable area.
- b. The length of the sign will not exceed 26'.
- c. The above limitations are as was originally proposed to the UDC on July 9, 2008.

2. Specifications

- a. The letters will have fabricated aluminum faces and sidewalls, painted "pewter" per the Architect and Development Team's original recommendation.
- b. The letters will be back-lit using white LED.

4. Final Approval

- a. To allow for the installation of the **Meriter Wellness Center** letters on the secondary tenant façade (location as approved by the UDC in July 9, 2008). The location is the western stone façade on the East building.
- b. The sign will include 24" Meriter letters and 16 1/2" Wellness Center letters.
- c. The letter styles will be per Meriter's corporate standard.
- d. The letters will have fabricated aluminum faces and sidewalls. The letters will be back-lit using white LED.

Thank you for your consideration.

AGENDA #1

City of Madison, Wisconsin

REPORT OF: URBAN DESIGN COMMISSION

PRESENTED: July 9, 2008

TITLE:

2501 and 2601 West Beltline Highway -

REREFERRED:

REFERRED:

Comprehensive Design Review. 14th Ald. Dist. (10706)

REREFERRED:

REPORTED BACK:

AUTHOR: Alan J. Martin, Secretary

ADOPTED:

POF:

DATED: July 9, 2008

ID NUMBER:

Members present were: Lou Host-Jablonski, Richard Wagner, Bruce Woods, Marsha Rummel, Bonnie Cosgrove, Richard Slayton, John Harrington and Todd Barnett.

SUMMARY:

At its meeting of July 9, 2008, the Urban Design Commission GRANTED FINAL APPROVAL of a Comprehensive Design Review located at 2501 and 2601 West Beltline Highway. Appearing on behalf of the project were Doug Hursh, Conlynn Goetsch, Brad Hutter and Sean Baxter, all representing Arbor Gate Development; and Mary Beth Growney. Prior to the presentation staff noted that details of the recently modified provisions for "Comprehensive Design Review (CDR)" of the Street Graphics Control Ordinance were provided as part of the packet on this item. Staff referenced that the ordinance amendment provided criteria for review and approval of a proposed comprehensive sign plan where the Commission must make a finding that the criteria for comprehensive design review has been addressed. The presentation detailed an array of signage proposed as part of the sign plan under review. Following the presentation Matt Tucker, Zoning Administrator provided a detailed analysis of the Comprehensive sign plan against the existing provisions of the Street Graphics Ordinance, noting no issue with signs primarily above the first floor level of the commercial/office/retail structure, including a non-objection to the array of proposed ground signs and first floor tenant signage. The significant issues according to Tucker are provisions for two upper end elevation signs where no physical space relevant to occupancy adjacent to the sign area was being provided as normally required with the code, including the placement of which is inconsistent with the locale or premise of the tenant being identified. This concept is significant departure from the requirements of the code. Following the presentation Ald. Bruer spoke in support of the signage plan noting the need of signage flexibility for attracting businesses as an alternative to development in outlying communities and municipalities. Following the presentation the Commission noted the following:

- There is visual integration between signage and building, well-conceived. Well-conceived overall relationship between building and signage.
- Applaud no pylons, the secondary wall signs should feature a standards type face to complement quality of project.
- Agree with need for uniformity in height, mass and style and size.
- Need to be uniform on secondary sign plan following the buildings' West Beltline Highway frontage.
- Consider all upper case versus lower case creating discrepancies.

- Prefer to allow diversity in typography; adequate controls are in place to create uniformity and need to specify minimum distance between signs, also not comfortable with signs located over projecting window boxes which compromises the building's architecture.
- Like the rhythm of patterning as shown on the elevational exhibits relevant to the secondary sign band.
- Like diversity but issue with too many sign types, creates a problem.
- The secondary sign band not allowed previously, sets a precedent. Need to keep simple to maintain elegance of building architecture. Need to keep away from having logos or special type faces.
- Like innovative aspect of the signage package, still too many type of tenant signs especially within the secondary signage band. Need to provide a priority of need to allow for signage.
- The projecting signage on the end elevation is excessive with the amount of wall signage as proposed.
- The primary signs proposed on the first floor level are in sync with the building architecture.
- The "WIPFL" sign is less integrated because of the lack of contigularity with of an adjacent penthouse enclosure as found with the companion sign.
- The "Wisconsin Heart" sign shall not to overlap into the adjacent vertical fin horizontally.
- Signs on the lower first floor level concern with detail on how they connect to the building.

ACTION:

On a motion by Wagner, seconded by Barnett, the Urban Design Commission GRANTED FINAL APPROVAL of the comprehensive plan under the provisions for Comprehensive Sign Review. The motion was passed on a unanimous vote of (8-0). The motion noted satisfaction of the criteria required based on the integration between the elements of the comprehensive sign plan and the overall architecture and site design and layout of the "Arbor Gate Development." The motion required the following:

- Instead of 6 front and 2 end signs on the secondary sign band, reduce to 2 end signs and 4 front signs with no signs over projecting window boxes, with the first floor signage approved as proposed except for the deletion of sign type 8-1B. All other first floor signage types approved, including ground signs and directionals.
- The four front and two end signs within the secondary sign band shall come back to the Urban Design Commission for approval of the specific design and layout.
- The reason for approval is because it is a Comprehensive Design Review, where it is felt the merit for this particular architecture deserves this flexibility.
- The projecting signs shall be eliminated with the text added to maintain the alignment of the signage within the secondary sign band depicted on the elevations as contained within the packet.

After the Commission acts on an application, individual Commissioners rate the overall design on a scale of 1 to 10, including any changes required by the Commission. The ratings are for information only. They are not used to decide whether the project should be approved. The scale is 1 = complete failure; 2 = critically bad; 3 = very poor; 4 = poor; 5 = fair; 6 = good; 7 = very good; 8 = excellent; 9 = superior; and 10 = outstanding. The overall ratings for this project are 6, 7, 7, 7.5, 8, 8 and 8.5.

Wall Signage

Signage should be developed in an imaginative and creative manner. Signage shall conform to the specifications set forth below

Building Identification Signage


5°H dimensional metal letters to match exterior metal panels and window frames mounted to wal

Anchor Tenant Signage

- The permitted gross area of the snothor tenant signs is eight feet (8'-0") high by thirty-three feet (33'-0") wide, 40% of the possible signable area. Signs will be composed of individually constructed illuminated letters.
- above building lobby doors. Text shall read: 2501 East
- aluminum returns with a painted finish to match sign face, trimmed with one (3/4") Jewelite trim cap around the Plexiglas edge Letter faces must be 3/16" Plexiglas or equivalent material. Letters to be made of minimum 0.090 aluminum backs and 0.063
- All aluminum aurfaces inside letters shall be painted high gloss white. Illumination will be provided using fluorescent and/or LED lighting. No letter in sign may be less than four feet (4°-0") in height or more than six feet (8°-0") in height. No logo may be more than sight feet (8°-0") in height.
- Baseline for sign is to be horizontal and in line with the horizontal designated signage area
- Tenant will submit color faces of sign to be approved by landlord

Secondary Tenant Signage

- Signa will be composed of individually constructed illuminated letters
- Letter faces must be $3/16^\circ$ Piexiglas or equivalent material. Letters to be made of minimum 0.000 aluminum backs and 0.063 aluminum returns with a painted finish to match sign face, trimmed with one $(3/4^\circ)$ Jewelite trim cap around the Plexiglas edge. All aluminum surfaces inside letters shall be painted high gloss white. Illumination will be provided using fluorescent and/or LED lighting.
- in height. No logo may be more than forty inches (40") in height No letter in sign may be less than eighteen inches (18") in height or more than thirty-six inches (36")
- Baseline for sign is to be horizontal and in line with other secondary tenant signs in upper signage band
- Tenant will aubmit color faces of sign to be approved by landlord.



Wall Signage

Signage should be developed in an imaginative and creative manner. Signage shall conform to the specifications set forth below.

Building Identification Signage

5°H dimensional metal letters to match exterior metal panels and window frames mounted to wall above building lobby doors. Text shall read: 2601 - West

Anchor Tenant Signage


- The permitted gross area of the anchor tenant signs is eight feet (8-0") high by thirty-three feet (33-0") wide, 40% of the possible signable area
- Signa will be composed of individually constructed illuminated letters.

 Letter faces must be 3/16° Plexiglas or equivalent material. Letters to be made of minimum 0.090 siuminum backs and 0.063 aluminum returns with a painted finish to match sign face, trimmed with one (3/4") Jewellte trim cap around the Plexiglas edge
- All aluminum aurtaces inside letters shall be painted high gloss white. Illumination will be provided using fluorescent and/or LED lighting.

 No letter in sign may be less than four feet (4"-0") in height or more than six feet (6"-0") in height. No logo may be more than eight feet (8"-0") in height.
- Baseline for sign is to be horizontal and in line with the horizontal designated signage area.
- Tenant will aubmit color faces of sign to be approved by landlord.

Secondary Tenant Signage

- Signs will be composed of individually constructed illuminated letters
- Letter faces must be 3/16" Piexiglas or equivalent material. Letters to be made of minimum 0.080 aluminum backs and 0.063 aluminum returns with a painted finish to match sign face, trimmed with one (3/4") Jewelife trim cap around the Plexiglas edge. All aluminum surfaces inside letters shall be painted high gloss white. Illumination will be provided using fluorescent and/or LED lighting.
- No letter in eign may be less than eighteen inches (18") in height or more than thirty-six inches (36")
- in height. No logo may be more than forty inches (40") in height.
- Baseline for sign is to be horizontal and in line with other secondary tenant signs in upper signage band
- Tenant will submit color faces of sign to be approved by landlord



Arbor Gate Development, LLC

MAY 28, 2008

9 | wall signs: west

Potter Lawson

3

Building Identification Signs

5"H dimensional metal letters located above lobby doors at each tower. Color shall match window mullions.

- · East Tower text shall read: 2501 East
- West Tower text shall read: 2601 West

And


Anchor Tenant Signs


- The permitted maximum gross area of the anchor tenant signs is eight feet (8'-0") high by thirty-three feet (33'-0") vide (264 SF - 40% of the possible signable area).
- Signs will be composed of individually-constructed illuminated letters and logo graphics.
- Letter faces must be 3/16" Plexiglas or equivalent material.
 Letters are to be made of minimum 0.090 aluminum backs and
 0.063 aluminum returns with a painted finish to match sign face,
 trimmed with one (3/4") Jeweilte trim cap around the Plexiglas
 edge. All aluminum surfaces inside the letters shall be painted
 high gloss white. Illumination will be provided using fluorescent
 and/or LED lighting.
- Baseline for sign is to be horizontal and in line with the horizontal designated signage area.
- Tenant may use corporate colors but must submit color faces
 of sign to be approved by landlord to ensure harmonious overall
 appearance of signage on building facade.

2


Secondary Tenant Signs

- The permitted maximum number of secondary tenant signs in the stone signage band on the north taçade of the East Tower is two.
- The permitted maximum number of secondary tenant signs in the stone signage band on the north façade of the Wast Tower is two.
- The permitted maximum gross area of each secondary tenant sign is two feet six inches (2'-6') high by twenty-six feet (26'-0') wide (55 SF - a maximum of 40% of each signable area of the stone signage band).
- Signs will be composed of individually-constructed illuminated letters.
- Letter faces of all secondary tenant signs will be a uniform 'pewter' color to match building window multions to ensure harmonious overall appearance of signage on building facade.
- Letters shall be constructed with 3° deep fabricated aluminum faces and sidewalls, painted to match pewter window multions. Letters shall have clear lexan backs and shall be back it using white LED. Letters shall project 2 1/2° from face of building. Per the terms of approvals greated 7/9/08, all Beltline Facing Secondary Signage at Arbor Cate shall be individually submitted and approved on cate by Cate shall be individually submitted.







Arbor Gate Development, LLC



4463 DRAWING NUMBER:





East Building

Ryan Signs, Inc.	SCALE: 1/16"=1'.0" DATE: 9/12/08	APPROVED:
3007 Perry Street • Madison, WI 53713 • Tel (608) 271-7979 • Fax (608) 271-7853	DATE: 9/12/00	Academiah 2008 h
MERITER - WELLNESS CENTER	REVISED: 2/4/09	Ocopyright 2008 by Ryan Signs, Inc.
WILITITETT WELLINGS OF WILLI	DRAWN BY: KW	T
hese plans are the exclusive property of Ryan Signs, Inc. and are the result of the original design work of it's employees. They are submitted to you ryour company for the sole purpose of your consideration of whether to purchase from Ryan Signs, Inc., Madison, Wisconsin a sign designed and		
anufactured according to these plans. Distribution or exhibition of these plans to anyone other than employees of your company or use of these plans o construct a sign similar to the one embodied herein is expressly prohibited. In the event that such use, distribution or exhibition occurs, the undersigned expressly agrees to pay to Ryan Signs, Inc. the sum of 25% of our purchase price as quoted to you. This covenant of payment is acknowledged to be conservation for the time effort and talent developed to the presentation of the plans.		
xpressly agrees to pay to Kyan signs, inc. the sum or 20% or our purchase price as quoted to you. This coverant or payment is acknowledged to be ompensation for the time, effort and talent devoted to the preparation of the plans.		