

**APPLICATION FOR
URBAN DESIGN COMMISSION
REVIEW AND APPROVAL**

AGENDA ITEM # _____
Project # _____

DATE SUBMITTED: _____

UDC MEETING DATE: _____

Action Requested

____ Informational Presentation

____ Initial Approval and/or Recommendation

____ Final Approval and/or Recommendation

PROJECT ADDRESS: 4901-4909 EAST BUCKEYE RD

ALDERMANIC DISTRICT: _____

OWNER/DEVELOPER (Partners and/or Principals) **ARCHITECT/DESIGNER/OR AGENT:**

CITY CHURCH

SIGNS BY DESIGN

202 MORAVIAN VALLEY RD STE I

CONTACT PERSON: SEAN MCCARTHY

Address: 202 MORAVIAN VALLEY RD. STE I
WAUNAKEE, WI 53597

Phone: 608-831-2215

Fax: 608-850-6770

E-mail address: SEAN.MCCARTHY@SPEEDPRO.COM

TYPE OF PROJECT:

(See Section A for:)

____ Planned Unit Development (PUD)

____ General Development Plan (GDP)

____ Specific Implementation Plan (SIP)

____ Planned Community Development (PCD)

____ General Development Plan (GDP)

____ Specific Implementation Plan (SIP)

____ Planned Residential Development (PRD)

____ New Construction or Exterior Remodeling in an Urban Design District * (A public hearing is required as well as a fee)

____ School, Public Building or Space (Fee may be required)

____ New Construction or Addition to or Remodeling of a Retail, Hotel or Motel Building Exceeding 40,000 Sq. Ft.

____ Planned Commercial Site

(See Section B for:)

____ New Construction or Exterior Remodeling in C4 District (Fee required)

(See Section C for:)

____ R.P.S.M. Parking Variance (Fee required)

(See Section D for:)


☒ Comprehensive Design Review* (Fee required)

☒ Street Graphics Variance* (Fee required)

____ Other _____

*Public Hearing Required (Submission Deadline 3 Weeks in Advance of Meeting Date)

Where fees are required (as noted above) they apply with the first submittal for either initial or final approval of a project.



SITE PLAN

Lake City Church
 Abundant Life Christian School
 Campus For Kids



① SITE PLAN





City of Madison Application for Ground Sign Permit

INCOMPLETE OR INACCURATE SUBMITTALS MAY RESULT IN DELAYS TO THE APPROVAL PROCESS

Please check one:

☐ NEW SIGN

☐ CHANGE OF COPY

(Requires Existing Tag # _____)

APPLICATION DATE: _____

ZONING DISTRICT: _____

Return To:

City of Madison Zoning
215 Martin Luther King, Jr. Blvd.
P.O. Box 2984
Madison, WI 53701-2984

(OFFICE USE ONLY)

Date Received: _____

SPECIAL CONDITIONS:

☐ UDC District

☐ RPSMRDC

☐ Historic/Landmark

☐ PUD/PCD

IF CHANGE OF USE, NEW C.O.# _____

Date Given to UDC: _____

Permit Fee: _____

Zoning Approval/Date: _____

Tag # _____

Permit # _____

ADDRESS OF SIGN LOCATION:

4909 EAST BUCKEYE RD.

SIGN ERECTOR'S NAME, ADDRESS & E-MAIL:

SIGNS BY DESIGN

702 MORAVIAN VALLEY RD SE

WASHAKEE, WY 83557

CONTACT PERSON & PHONE #

SEAN MCCARTHY 505-8323

SIGN OWNER'S NAME, ADDRESS, ZIP CODE & PHONE #:

CITY CHURCH

4909 E. BUCKEYE RD.

MADISON, WI 53716

PROPOSED INSTALLATION DATE (MM/DD/YYYY):

TBD

PROPOSED PROPERTY USE:

EXISTING PROPERTY USE:

TYPE OF SIGN (Check all that apply):

☒ Ground

☒ Monument

☐ Pole

☐ Illuminated

☐ Internal

☒ External

☐ Non-Illuminated

☐ Electronic Message Center

☐ Time & Temperature

☐ Off-Premise Directional

☐ Other

SIDES

☐ Single

☐ Double

☐ Other

Submit one set of full-color plans including, but not limited to, the following information:

☐ A full-color photograph/graphical representation of the proposed sign(s) at the desired location(s)

Design Sheet(s):

☐ Net Area Calculation

☐ Gross Area Calculation

☐ Overall height & clearance to grade

☐ Pole size(s) & separation

☐ Color(s) names & specification number(s)

☐ Method of illumination (LED, fluorescent, etc.) & control mechanism (rheostat).

☐ Illumination compliance statement

☐ Construction material information

☐ Wind loading compliance statement

☐ Daytime & nighttime views

☐ Lighting fixture product cut sheet for externally illuminated signs

Site Plan:

☐ Setback from property lines

☐ Other structures & features of the property

☐ Other signs - existing and proposed

☐ 25' vision triangle at intersections of property lines having street frontage

☐ 10' vision triangle at intersection of driveway and street property lines

DESCRIPTION OF TEXT AND/OR GRAPHICS OF SIGN:

CITY CHURCH UNION BETWEEN LAKE CITY & MADISON CHURCHES

LANES OF TRAFFIC	SPEED LIMIT (Posted)	MAXIMUM GROUND SIGN AREA	MAXIMUM GROUND SIGN HEIGHT
4	30		TOTAL SQUARE FEET
SIGN DIMENSIONS (ft./in.)	Net	Gross	Net
40 x 110	30.6 / side	48.3 / side	Gross
SIGN DIMENSIONS (ft./in.)	Net	Gross	
SIGN DIMENSIONS (ft./in.)	Net	Gross	



City of Madison Application for Ground Sign Permit

INCOMPLETE OR INACCURATE SUBMITTALS MAY RESULT IN DELAYS TO THE APPROVAL PROCESS

Please check one:

☐ NEW SIGN

☐ CHANGE OF COPY

(Requires Existing Tag # _____)

APPLICATION DATE: _____

ZONING DISTRICT: _____

Return To:

City of Madison Zoning
215 Martin Luther King, Jr. Blvd.
P.O. Box 2984
Madison, WI 53701-2984

(OFFICE USE ONLY)

Date Received: _____

SPECIAL CONDITIONS:

☐ UDC District

☐ RPSM/RDC

☐ Historic/Landmark

☐ PUD/PCD

IF CHANGE OF USE, NEW C.O.# _____

Date Given to UDC: _____

Permit Fee: _____

Zoning Approval/Date: _____

Tag # _____

Permit # _____

ADDRESS OF SIGN LOCATION:

4905 EAST BUCKEYE RD.

SIGN ERECTOR'S NAME, ADDRESS & E-MAIL:

SIGNS BY DESIGN

202 MORAVIAN VALLEY RD STE 1

WAUKESHA, WI 53597

CONTACT PERSON & PHONE #

SEAN MCGARTHY 509-8323

SIGN OWNER'S NAME, ADDRESS, ZIP CODE & PHONE #

CAMPUS FOR KIDS

4905 E. BUCKEYE RD

MADISON, WI 53716

PROPOSED INSTALLATION DATE (MM/DD/YYYY):

TBD

PROPOSED PROPERTY USE:

EXISTING PROPERTY USE:

TYPE OF SIGN (Check all that apply):

☒ Ground

☒ Monument

☐ Pole

☐ Illuminated

☐ Internal

☒ External

☐ Non-Illuminated

☐ Electronic Message Center

☐ Time & Temperature

☐ Off-Premise Directional

☐ Other

SIDES

☐ Single

☐ Double

☐ Other

Submit one set of full-color plans including, but not limited to, the following information:

☐ A full-color photograph/graphical representation of the proposed sign(s) at the desired location(s)

Design Sheet(s):

☐ Net Area Calculation

☐ Gross Area Calculation

☐ Overall height & clearance to grade

☐ Pole size(s) & separation

☐ Color(s) names & specification number(s)

☐ Method of illumination (LED, fluorescent, etc.) & control mechanism (rheostat).

☐ Illumination compliance statement

☐ Construction material information

☐ Wind loading compliance statement

☐ Daytime & nighttime views

☐ Lighting fixture product cut sheet

for externally illuminated signs

Site Plan:

☐ Setback from property lines

☐ Other structures & features of the property

☒ Other signs - existing and proposed

☐ 25' vision triangle at intersections of property lines having street frontage

☐ 10' vision triangle at intersection of driveway and street property lines

DESCRIPTION OF TEXT AND/OR GRAPHICS OF SIGN:

CAMPUS FOR KIDS LEARNING CENTER - SEE ATTACHED

LANES OF TRAFFIC	SPEED LIMIT (Posted)	MAXIMUM GROUND SIGN AREA		MAXIMUM GROUND SIGN HEIGHT	
4	30			TOTAL SQUARE FEET 58	
SIGN DIMENSIONS (ft./in.)	Net	Gross		Net	Gross
4' x 8'	29' side	60' side			
SIGN DIMENSIONS (ft./in.)	Net	Gross			
SIGN DIMENSIONS (ft./in.)	Net	Gross			

**STREET GRAPHIC
Permit**

Property located at: 4901 E Buckeye Rd	Zoned: R1	Permit date: 01/18/2002	Permit number: S202018018
Owner name: LAKE CITY CHURCH	Owner mailing address: 4909 E BUCKEYE RD MADISON, WI 53716		

Special conditions: NONE

Street graphic owner: Abundant Life Christian School	Owner's address: 4901 E Buckeye Rd Madison, WI
---	--

Sign copy: Abundant Life Christian School Elementry-High Scho

Contractor name: BUSCH'S SIGNS & DESIGN	License holder number: 10422
Contractor mailing address: 3103 LAURA LN MIDDLETON, WI 535621460	Contractor: Phone (608)831-7446/ Fax

This permit is issued for the execution of the work indicated. It is hereby agreed that all work will be installed in accordance with all City of Madison Ordinances and department rules relating to such work.

Description of work being performed:	
Tag number	n7115
Total traffic lanes	4
Speed limit	25
Type of graphic	Ground - NonIlluminated
Total signable area	0.0
Building Width	0
Graphic dimensions	9'x 5'9"
Ground graphic height	0.00
Total square feet	51.8
Max ground sign area: 0.0	

Total Fees (All Signs):

\$10.00

Approved By:

RJT

Current Sign




Proposed Sign



Sign A

Sign colors

Background SW 6098 pacer white
 Swish SW 6108
 Green Background SW 6454 shamrock
 Letters Inside SW 671 lime rickey
 Letters SW 6958 and black






Affordable Quality Lighting
The Kings of Lighting



Since 1974
American Lighting Association

- Indoor Lighting
- Outdoor Lighting
- Bulbs
- Energy Savers
- Sale & New Items
- Why Buy From Us
- About Us [+]
- Solutions [+]
- Contact Us
- Catalog Site
- Public Alert



View Our Lights in Action



No. PSC817 - Natural Composite
No. PSBC-M3 - Black Composite

IN STOCK
\$19.99

1
Th

BUY NOW!

- PRICE INCLUDES:**
- Bubble Glass
 - LightEcho™ Reflector
 - WireGuard
 - Super Stake

Delivery Time
Shipping Cost

CI

Material & Finishes	Exclusive Features	Bulbs / Voltage / Watts	Mounting	Accessories
---------------------	--------------------	-------------------------	----------	-------------

Material It's Finally Here! The Perfect Material! Will never rust, never corrode, salt air friendly, & Perfect. This Super Material was created by utilizing State-Of-The-Art Multicellular Ge This technology gave birth to this Super Heavy Gauge Composite Resin Infused Fiber

This material is guaranteed for life never to rust or corrode. It's designed for areas with how well it will hold up for areas that do not have salt air or snow. It feels like a heavy It's actually an evolving composite technology which is a mixture of reinforced nylon pla fiberglass for durability and superior strength.

This material will last longer than aluminum and its structure is designed to operate safely increasingly higher stresses. The demand for this new composite material system has pushed the performance of this structure to its limit thereby achieving this composite material boundaries of strength and endurance. Having a lower quality material is no longer an option see many products being made of composites as well as airframes (the frame of airplanes) which we know carry the most valuable cargo... human lives. (See the new Composite Material Boeing 787 Dreamliner to the right). If this material is strong enough to carry hundreds of human lives, it should be strong enough to last in your garden, right? Just imagine a predictive engineering design with the understanding of conceiving the perfect material with no weaknesses, which WE now can science, advancement made brings new technology to better our lives. With this ever-increasing myriad of possibilities present themselves as to what WE here at AQL will introduce to devoted to being the first to deliver the newest technology to our customers at the lowest



Click YELLOW Tabs Above for More Details

LIFETIME Guarantee!




Help with choosing a Light Bulb

Bulb Photometrics

Realistically speaking, a lighting fixture, whether for indoor lighting or outdoor lighting, is basically a bulb holder. Therefore when we are asked about what type of fixture to use for an application, the question should really be what kind of bulb to use for the application because the light output will primarily be determined by the bulb that is used. This is why we provided this light bulb photometrics page to better help you choose the correct bulb for your application. If you do not find your bulb here, then [click here](#).

Select a bulb type and model: MR16 (12v)

50W EXT - 12" Spot



Foot Candle Definition

Webster's Dictionary, 1913

The amount of illumination produced by a standard candle at a distance of one foot.

An easy example would be to have you get a ruler and a standard candle. Light the candle and put the candle at the beginning of the ruler. Make sure you are in a dark room with no lights on. Now you can see how One foot-candle of light is the amount of light that candle generates from one foot away.

Another way to look at it. Let's take a light fixture with a bulb that you're told should produce 50 foot candles of light. This means that at one foot from this fixture, you will receive 50 foot candles of light.

Kelvin Definition

Kelvin Ratings apply to White bulbs only.

***A basic unit of thermodynamic temperature (colour temperature or Kelvin) used to measure the whiteness of the light output. The higher the number is, the whiter the light is. When white is over 6000K the light usually begins to turn to blue as daylight.

Kelvin temperature is often referred to as color temperature and NOT the actual temperature of the light source. It only describes the actual appearance of the light itself. Therefore Kelvin degrees are the measurement of the color temperature that a light produces. A lower temperature indicates a warmer light appearance that has more yellow, while higher temperature would indicate a cooler light that has more blue in color appearance.



[CLICK HERE
FOR BULBS](#)



All new Sign

Sign B

Sign colors

Background SW 6098 pacer white
 Swish SW 6108
 Green background SW 6454 shamrock
 letters inside SW 671 lime rickey
 letters SW 6958 and black

Post SW 6098 and SW 6454



SITE PLAN
 Lake City Church
 Abundant Life Christian School
 Campus For Kids



SIGNS BY DESIGN
 signs@terracon.net

202 Moravian Valley Rd. ■ Waunakee WI 53597

Fax 608-836-7446 ■ 608-831-2315