APPLICATION FOR URBAN DESIGN COMMISSION REVIEW AND APPROVAL

AGENDA ITEM # _____

Project # _____

Legistar # _____

DATE	SUBMIT	TED
DATE	SUDIVILL	LED

Action Requested

Informational Presentation Initial Approval and/or Recommendation UDC MEETING DATE:

Final Approval and/or Recommendation

	PROJECT ADDRESS: 698 S Whitney Way	/ (
	OWNER/DEVELOPER (Partners and/or Principals) ARCHITECT/DESIGNER/OR AGENT:	
2	Taco Bell Corp Steve Pulcheons Two Rivers Signs + Designs of Portage	
\mathbf{T}	16 less Bell Way 1316 Way one Trail	1
Ŋ	Truine, CA 92618 Portage WI 53901) (
\triangleleft	CONTACT PERSON: Ken Jahn	1
Ŧ	Address: 1316 Warpa Trail	ļ
	Portage LOI 53901	ļ
	Phone: <u>608-745-4242</u>)
	Fax: <u>603-745-4042</u>	
	E-mail address: <u>khjaha @ frontien</u> com	
	TYPE OF PROJECT: (See Section A for:)	
	(See Section B for:) New Construction or Exterior Remodeling in C4 District (Fee required) (See Section C for:)	
	R.P.S.M. Parking Variance (Fee required)	
	(See Section D for:) X Comprehensive Design Review* (Fee required) Street Graphics Variance* (Fee required)	
	Other	
	*Public Hearing Required (Submission Deadline 3 Weeks in Advance of Meeting Date)	

Where fees are required (as noted above) they apply with the first submittal for either initial or final approval of a project.



September 18, 2013.

City of Madison-Urban Design Commission

RE: Urban Design Commission review of sign for Taco Bell

We are requesting an approval for the sign package for the Taco Bell restaurant that is located in a CC zoned district, but it is also in the Urban Design District No. 3. This property is located at 698 S. Whitney Way.

The existing building and business will be removed by demolition and a new Taco Bell Restaurant has recently been approved by Plan Commission and the Urban Design Commission. It was requested at the August meeting that the sign review be brought back to the commission for approval


As you can determine by reviewing the attached plans, we believe that the wall sign proposal is in compliance with your city sign ordinance, but is not following the guidelines for the Urban Design District. The wall sign that is viewable from Whitney way is in excess of the 40 square foot amount in the UDC district when the swoosh is added. We are asking for an exception to this rule for the square footage for the wall sign facing Whitney Way as well as asking for an exception to the 10 foot max wall sign height for this property which is part of the urban design commission guidelines. This exception we are asking for is consistent and similar with the signs that were included in plans that were already presented to the Urban Design Commission. We also believe that the location and size of these letters and if we are granted the exception the wall signage is proportionate to the wall it is being installed on and will not look out of place architecturally.

We are also requesting an exception for the height of the wall sign on the building facing Odana Road which will be located approximately 10.25 feet to the bottom of the Logo sign to grade. This wall sign does meet the UDC square footage amounts, and is well below what would be allowed from the city ordinance for this property if it were not in the UDC #3.

We are also asking for a slight exception in the placement of the monument sign. We are showing a 20 foot setback from the property line to the center of the sign. This monument sign size is below what is allowed per city code and UDC guidelines, but as you can see from the monument site plan, we are slightly inside the 20 foot setback several feet with the leading edges of the sign. Please take note: it is the architect's belief that as they progressed through the process, the sign setback was allowed to be measured from the original property lines (not the revised property lines after 7' along Odana and 3' along S Whitney Way was obtained by the City). That is why we were showing the monument location as 17'-2" and 17'-5" from the revised property lines.

Thank you for consideration for the granting of these exceptions, and please take into consideration that this property is on the very edge of the UDC district #3 and if it were not in the district, what we would be asking for would meet all of the criteria of city of Madison sign ordinance.

Ken Jahn President/Owner (Two Rivers Signs & Design of Portage, Inc.)



Parcel Number

0709-303-0507-8

Situs 698 S Whitney Way

Assessment Area

9922

Parcel Number 07, Building	/09-303-05 1	2 2	Sit	us 698	S Whitne	y way			Assessment	Area		99	22	
GFA:	2,768	2,592	 Janes Janes J. State of the state of the sta	alara (g. 1). Mara (g. 1).			Algeria Astro		2000		1	- 88	1912 (<u>1</u> 917)	建 工 医原
PFA:	2,768	2,592		an (99). Marian Marian		n delad Series d	184 183							
Yr. Built:	1962	1995 <u>1995</u>			이 가 있는 것 같다. 	and the second sec	(1983) 分開線							
Yr. Remodeled:		巡 <u>199</u> 3 慰				terrenden Seine Anto Seine Anto	200 200	n angen het som en en er All an er en er er er All det som er		an la calana An la calana	-		alan an Alan an	No. No.
	1983	88 39 				an a		n gestanje gan er Militer Strange, na Strange gan er jan				327 207		
Quality:	Ave	Ave Ave	1. 1			93.938 - 2067				ah (
Exterior Condition:	Ave	Ave			0428323		Sec.							
Stories:	184 1 - 18				A second se	ne an Stat Taracan Taracan				Zalti		に成		and the second
Story Height:	12	12			and the second				25/56					7580
Frame:	Stl	Stl	San Ger	576.3		Reik. Anne	120	And Star				080		
Wall Type:	СВ	CB			A Constant of the second s									
Wall Type 2:	Glass	Glass										997. 297		
Foundation:	Conc	Conc					Å.							
Roof Type:	Flat				Frank and the	elige:	191					No.		Ċ.
Roof Frame:	Stl	Stl			n ne stander An der Street offensel									
Roof Cover:	Built Up											1940 1940		
Floor Frame:	Conc	Conc								5.0 MU			199 199 199	
Floor Deck:	Conc	Conc				(* 39.4)) 1478-8))			i i i i i i i i i i i i i i i i i i i			163		Mari
Basement	None	None								的議論		100		
Apartment Units:						20 ⁴ /							90.65	
Building														
FA:												Ĩ		185
FA:		19 1						1993 - S. Q. S.				1		
r. Built:													<u>.</u>	
r. Remodeled:					192. AM		19 19					140 140 140		
Juality:		136 194		ên ka			9.	Persona				1		
Exterior Condition:		11 11		636				NEW WORK						
Stories:								93.99				505 1963 1963		
Story Height:	698.8												na anna anna anna anna anna anna anna	
Frame:				3.3	and the							200 Sa	uomiosion Sila neg	ana Tanga
Wall Type:				e in	的基本 的	an in Singar	1							
Wall Type 2:				國政治			26. 26.	Sec. Westing	15 M		_	10	i.	
oundation:						Section References						25. 122	<u>an esta</u> Statua	
Roof Type:						en en en En en						144 125		
Roof Frame:				in an	a de la come a come La come a com La come a com		1993) 1993)				-	28 25	ar menan Ang Kasara	<u>- 2009</u> Seriel
Roof Cover:									No. 1995			1.4 8.5		
loor Frame:				an a								22 22		
loor Deck:			and a start of the	n esta conte Antecia da Antecia da Antecia		and Maria Maria	1 (200 1 (200 1 (200					40 20		255 (A.). 5.
Basement		494	100				1944 1944			- 644 (A) - 644 (A)		27 22	dentina dentra e	<u>01946</u> 2700
Apartment Units:						unos Sécul					·	级		
	International In		17.4.57£.50	filler of the second			1975		CERT AL CO			99 19		3-73
Area ldg Type	SqFt	Lights	Heat	A/C	Fire Protection	Quality	Floor	Wall Finish	Cailing	Flow	Cand	Bat	Half	ļ,
1 Retail		Flor Fo				Ave	Type Tile	Drywall	Ceiling Ac Tile	Elev	Cond Ave	rui 德	Hait	F
2 Retail					and the second	Ave	Tile	Drywall	Ac Tile	- manageri (Ave	aia 16.472	1993 - 1 993	245-0
	an an the state of	title office stars		ana sa atao atao atao atao atao atao atao		and the second second	a shara waki	a to the second of the	New York of Wildow Martin		a and the second			
			6 (A) (A)									鐵溪	36 (N)	
										-				
				1	1	T	r	1			1	angen transfi		11.16.15

1997 15 J. 1 國議 高麗麗 強 的时间。 Set to Trans

Parcel Number

0709-303-0507-8

698 S Whitney Way Situs

Assessment Area

rcel Number 070	9-303-05	07-8	Situs	698 S Whitney	y Way	Section 26 st	Assessment Area	9922
	PROPERTIE	ESLLC		Parcel Class:	Commercial	л. - П	operty Type:	Stone 1
ET AL				Parcel Code:	Commerciar	1		Store 1 sty sm
	EARCH PAF	מת שנ					operty Code:	287
					Madison		operty Data Revised:	04/06/20
FITCHBU	RG, WI 537 1	11-4908		TIF District:	0	B1	rilding Data Revised:	Vincing him (pr. 1966). And (and programmy pression) and
				Record of Transfer of C				
RI-BELL PARTN	Grantor		AVED	Document # 94310545	Date 5/2007		nsideration Conve	· · · · · · · · · · · · · · · · · · ·
FERLING OPTIC		///////////////////////////////////////		21202073	12/199	_	595,400 W.D 225,000 OTHI	
				4542007	5/1983		167,000 W.D	
Zoning: CC		LatChar	acteristics	Utilities	Struct			
Width: 0		1-Regular	acteristics	Water: 2-Stubbed In	Street Paved	Primary	Frontage 163.16 S White	ney Way
Depth: 0		1-Corner		Sewer: 2-Stubbed In	Curb-gutter			
Lot Size: 24,590	sqft	1-Level		Gas: 2-Stubbed In	Sidewalk	Other 1		
Acreage: 0.56	acres	2-Medium	Traffic		No Alley	Other 2	: 0	
uildability: 1-Builda	ble Lot	0-None	Wooded	an a		Water	<u>0 0-No W</u>	ater Frontage
	Parcel B	uilding Summ:	ury	<u></u>				
Floor Area	GFA	PFA	Ap	artments				
1st Floor:	5,360	5,360	Total Units					1.77
2nd Floor:			Rooms	:				
3rd Floor:			Efficiency	: :				
4th Floor:			1 Bdrm	:			- A. 18	81.
5th Floor:			2 Bdrm	:				158 ann
Above:			3 Bdrm	- -		Annahara ana ana ana ana ana ana ana ana ana	Santa Santa Santa	
Mezz Loft:			4 Bdrm					
Basement:			Other					
		F		g Summary				
Parking			Buildings					
Level 1:			Retai					
Level 2:			Keiai	1 5,500				
Level 3:								
Other lvls.:								
Total:								
Totat:								
T-4-1-	5 260	5 260						
Total:	5,360	5,360						
es: 8/86:OLD PARCI	EL NUMBER =	0709-303-	Building Rema	rks: Former gas station re 5 for Putzer's Big and Ta	ehabbed to Sterling	, Optical		
1-2			ddition in 199	5 for Putzer's Big and Ta	11			
	Assessme	nt changes				Assessme 2011	nt Record 2012	2012
	1					2011	2012	2013
					man Cast			1 1
Year				12	inge Code	270.000	270.000	/
Year Jearing #					Land	370,000		· · · · · · · · · · · · · · · · · · ·
Year				Imp		370,000 214,000 584,000	214,000	214,0

Parcel Number 0709-303-0507-8


Situs 698 S Whitney Way

Assessment Area

9922


location map

Taco Bell Corp Steve Pulcheon @ 949-863-3864 Cell - 951-315-3462 1 Glen Bell Way Irvine, Ca 92618





GROSS/NET area calculations Gross area:10' 5.5 INCHES X 30' 6.5" slat wall area EQUALS 319.4 SQUARE FEET we are allowed 40% or 127.76 SQUARE FEET Net Area box 1 is 4'6 5/8" x 4'10 9/16" or 21.73 sq ft and box 2 is 38 inches T x 22'3" long or 70.46 for a total of 92.19 square feet



Taco Bell Corp Steve Pulcheon @ 949-863-3864 Cell - 951-315-3462 1 Glen Bell Way Irvine, Ca 92618

OPAQUE WHITE BACKGROUND TO MEET CITY ORDINANCE






GROSS/NET area calculations

Gross area: 7'1" tall x 3'9" wide Monument sign EQUALS 26.5625 square feet x 2 for a total of 53.125 sq ft Net Area box is 5'5.75" x 3'5" or net area of 19.005 sq ft x 2 for a total of 38.1 sq ft



Taco Bell Corp Steve Pulcheon @ 949-863-3864 Cell - 951-315-3462 1 Glen Bell Way Irvine, Ca 92618



Monument sign location


picture of menu board

Taco Bell Corp Steve Pulcheon @ 949-863-3864 Cell - 951-315-3462 1 Glen Bell Way Irvine, Ca 92618






8



ACO.2 PLOT DATE: 10-2-13



Yum! Brands.


						9-24-13	T. Pickel
	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	Rev. #1	DATE 8-9-13	BY T. Pickel	Rev. #4	DATE 9-16-13	BY T. Pickel
Customer creation through brand innovation.	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF	Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel
THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.	Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel

SOUTH WHITNEY WAY

SITE PLAN


	SCOPE OF WORK								
SQ. FT.	QTY	ITEM							
	EΣ	(TERIOR BUILDING SIGNS							
21.7	2	SWINGING BELLS							
12.7	2	LETTER SETS							
EXTERIOR BUILDING PRODUCTS									
N/A	1	ARCHITECTURAL ACCENT (REVERSE)							
N/A	2	SLAT WALLS							
N/A	3	LOUVER SETS							
N/A	1	DT CANOPY							
	EXT	FERIOR GROUND PRODUCT							
N/A	1	ORDER POINT CANOPY - NO GRAPHICS							
N/A	1	ENTRY PORTAL - NO GRAPHICS							
N/A	1	MENU BOARD							
19.6	1	M20 MONUMENT SIGN - CUSTOM							








ELEVATIONS






9-24-13 T. Pickel DATE BY DATE ΒY THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED CUSTOMER APPROVAL: Rev. #1 8-9-13 FOR YOUR PERSONAL USE IN CONNECTION WITH A T. Pickel Rev. #4 9-16-13 T. Pickel PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT CUMMINGS TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, 9-18-13 8-22-13 T. Pickel T. Pickel a through broad inn Rev. #2 Rev #5 REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION DATE: JNLESS AUTHORIZED IN WRITING BY AN OFFICER OF 9-10-13 T. Pickel Rev. #6 9-19-13 T. Pickel CUMMINGS. Rev. #3


Yum! Brands.

ELEVATIONS

29'-0"







Yum! Brands.

							9-24-13	T. Pickel	
()	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED	CUSTOMER APPROVAL:		DATE	BY		DATE	BY	
	FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT		Rev. #1	8-9-13	T. Pickel	Rev. #4	9-16-13	T. Pickel	
Customer creation through trend innovation.	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF		Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel	
THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.		Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel	

4'- 6 5/8" x 4'- 10 9/16" SWINGING BELL CHANNEL LOGO - LED ILLUMINATION

SIGN SPECIFICATIONS

• Return: Aluminum- 5" Deep • Face: Formed And Debossed White Polycarbonate • Return: Painted Violet Spraylat L8-7917 • Face: 2nd Surface Graphics Removable Face • Squared: 21.73 sqft

• 125 lbs. Wind Load • Windload Designed For 110 mph Wind Zone

ELECTRICAL SPECIFICATIONS

Illumination • White LED's - 5000K

- Power Supply
- Circuits: (1) 20 amp
- Volts: 120

COLOR SPECIFICATIONS


hic & Color Specifications										
r	Other	3M								
e	Spraylat White 801									
et	Spraylat L8-7937	3630-9126								
W	Spraylat L8-7937	3630-015								
enta	Spraylat L8-7836	3630-1412								

PART # 823-NI-4X4-BELL



698 S. WHITNEY WAY, MADISON, WI

DRAWING NO:									
13-222r7									
ARTIST: T.	Pickel	DA	TE: 8-5-13	3					
SHEET:	4	OF	12						



TRANS BOX ACRYLIC FACE -POWER SUPPLY STRAIN RELIEF ø¼" THRU BOLT -BLOCKING AS 1" TRIM CAP-REQ'D WEEP HOLE TOGGLE SWITCH BAFFLE

SECTION VIEW EQUIPMENT GROUNDED

								9-24-13	T. Pickel
		THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED	CUSTOMER APPROVAL:		DATE	BY		DATE	BY
C		FOR YOUR PERSONAL USE IN CONNECTION WITH A		Rev. #1	8-9-13	T. Pickel	Rev. #4	9-16-13	T. Pickel
C D Mit Mit I'N C S Oustomer creation through brend innovation.	The Life of the Double Investor I in the United States	PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT							
	Costomer creation through board innovation	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION		Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel
	UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF	DATE:							
	DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND NOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.		Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel

CHANNEL LETTER SET

SIGN SPECIFICATIONS

• Return: Aluminum • Face: Flat acrylic with 1" white trimcap.

• Return: Painted White

• Windload Designed For 110 mph Wind Zone


ELECTRICAL SPECIFICATIONS


• White LED's • Ballast: t.b.d. • Amps: 0.8 • Circuits: (1) 20 amp • Volts: 120

PART# 823-IN-12-CL-WHITE



698 S. WHITNEY WAY, MADISON, WI






							9-24-13	T. Pickel	
Ca.	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	CUSTOMER APPROVAL:	Rev. #1	DATE 8-9-13	BY T. Pickel	Rev. #4	DATE 9-16-13	BY T. Pickel	
Customer creation through brand innovation.	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF		Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel	
	CUMMINGS.		Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel	



ARCHITECTURAL ACCENT (REVERSE SWOOSH)



SIGN SPECIFICATIONS

Substrate 7328 white polycarbonate Trimcap (White) 1" Jewelite

Aluminum returns with white finish and back. (2piece can with field connection)

ILLUMINATION

ELECTRICAL SPECIFICATIONS


Squared: 62.67 Actual: 13.95


(1) 20-amp -120V

PART# TBD



698 S. WHITNEY WAY, MADISON, WI





							9-24-13	T. Pickel
and the second s	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	CUSTOMER APPROVAL:	Rev. #1	DATE 8-9-13	BY T. Pickel	Rev. #4	DATE 9-16-13	BY T. Pickel
Customer creation through brand innevation.	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF		Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel
THIS DESIGN REMAINS OUR EVOLUSIVE PROPERTY AND	CUMMINGS.		Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel

4'-0" x 9'-0" DRIVE THRU CANOPY

SIGN SPECIFICATIONS

• Canopy: Fabricated Aluminum

• Frame: Constructed Of Channel And Angle

• Canopy: Painted Tiger Drylac Bronze Metalic

Service Doors Located Bottom Side Of Canopy

• Wind Load Designed For 110 mph Wind Zone

ELECTRICAL SPECIFICATIONS

• (2) 20Watt CFL lamps .17 amps each.


COLOR SPECIFICATIONS Graphic & Color Specifications


Tiger Drylac Bronze Metallic

PART # 823-NI-6INX4X9-CPY



698 S. WHITNEY WAY, MADISON, WI





	TO BE SHOWN OUTSIDE YOUR ORGANIZATION
Customer creation through brand innovation.	REPRODUCED, COPIED OR EXHIBITED IN AN
	UNLESS AUTHORIZED IN WRITING BY AN O
THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND	
CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.

IS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED CUSTOMER APPROVAL: DATE BY	DATE BY
IR YOUR PERSONAL USE IN CONNECTION WITH A Rev. #1 8-9-13 T. Pick	Rev. #4 9-16-13 <u>T. Pickel</u>
OJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	
BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, Rev. #2 8-22-13 T. Pick	l Rev. #5 9-18-13 T. Pickel
PRODUCED, COPIED OR EXHIBITED IN ANY FASHION	I.ev. #5
IMMINGS. Rev. #3 9-10-13 1.Pick	Rev. #6 9-19-13 T. Pickel

EVOLUTION DRIVE THRU PORTAL



Materials

Polycarbonate face with screened decoration - 2nd surface. Removable shroud.

PVC pipe with vinyl graphics applied 1st surface.


ELECTRICAL SPECIFICATIONS

N/A

COLOR SPECIFICATIONS

Polycarbonate Cladding: Screen second surface: Amber Wave SW6657


Hinge Assembly TB Bronze Tiger Drylac 49-66230 C33 Clearance Bar: Paint to match PMS 108





MADISON, WI

DRAWING NO:						
13-222r7						
ARTIST: 1	. Pickel	DATE: 8-5-13				
SHEET:	9	OF	12			



MCUMMINGS	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED, REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF
THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.

Yum! Brands.

						9-24-13	T. Pickel	
I	CUSTOMER APPROVAL:		DATE	BY		DATE	BY	
		Rev. #1	8-9-13	T. Pickel	Rev. #4	9-16-13	T. Pickel	
,	DATE	Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel	
DATE:	DATE:	Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel	

EVOLUTION DRIVE THRU CANOPY

SIGN SPECIFICATIONS

Materials

Polycarbonate face with screened decorations -2nd surface. Aluminum canopy with steel ribs. Removable shroud.

ELECTRICAL SPECIFICATIONS

(2) 70 watt metal halide lamps. 1.7 amps

COLOR SPECIFICATIONS

Polycarbonate Cladding: Screen second surface

Canopy posts and framing members: TB Bronze Tiger Drylac 49-66230 C33

Canopy: White SW2123 eggshell finish




MADISON, WI

13-222r7 ARTIST: T. Pickel DATE: 8-5-13 SHEET: 10 OF 12

D-ORDER# 73497

DRAWING NO:



MENU BOARD

	SIGN SPECIFICATIONS
	1. OVERALL DIMENSIONS OF SIGN : HEIGHT: 104.750"
	WIDTH + 91.250" DEPTH + 7.5" 2. AREA DF SIGN - SQUARED + 66.37 SQ.FT.
	3. LUMENS: MENU BOARD: 7,095
	4. LEDS : MENU BOARD: 33-FT 4100K
TUBE 7 X 1/4*	 5. POWER SUPPLY : (2) 60-WATT (0.96 AMPS EA) 6. TOTAL LINE LOAD:1.92 AMPS @ 120VAC 7. (1) 15 AMP CIRCUIT, 60Hz UL 48 & NEC COMPLIANT 8. SIGN IS MANUFACTURED TO UL 48 SPECIFICATIONS. 9. PAINT SPECIFICATIONS : (SIGN) INTERIOR : MILL FINISH EXTERIOR CABINET : BRONZE, TIGER DRYLAC 49/66230_33 EXTERIOR DOORS AND FRONT : SATIN BLACK 10. MAXIMUM DESIGN WIND LOAD : 100 MPH WIND SPEED -EXPOSURE C. 11. CRATED WEIGHT: 745 LBS 12. SIGN WILL BE SERVICEABLE BY: DPENING DOOR PANELS TO SERVICE LEDS AND POWER SUPPLY. 13. DESIGN SPECIFICATION: 3,000 P.S.I. CONCRETE 0.61 CU. YDS. INSTALLATION INSTRUCTIONS 1. OPEN PACKAGING CAREFULLY AND INSPECT FOR DAMAGE. IF DAMAGE IS FOUND, CLAIM MUST BE FILED WITHIN 15-DAYS WITH SHIPPING AGENT. 2. MARK FOUNDATION AREA AND RECEIVE CONFIRMATION FROM CLIENT OR CONTRACTOR. 3. EXCAVATE FOUNDATION AREA. 4. ALL DESIGN AND CONSTRUCTION OF FOUNDATION MUST BE ACCORDING TO ACI 318-99 REQUIREMENTS.
	 SET COLUMN AND ANCHOR BOLTS PLUMB IF REQUIRED, INSTALL CONDUIT STUB AND POUR CONCRETE. ALLOW CONCRETE TO CURE: EXCAVATIONS MUST CURE UNDER PROPER CONDITIONS FOR 7-DAYS PRIOR TO ANY INSTALLATION. COMPRESSIVE STRENGTH AT 28 DAYS, F'C= 3,000 PSI MINIMUM. INSTALL POLE AND / OR SIGN. MAKE FINAL ELECTRICAL HODK UP TO PRIMARY WIRING INTO WEATHER PROOF BOX, SUPPLIED BY INSTALLER.
	9. ELECTRICAL NOTE: ALL WIRING AND ELECTRICAL CONNECTIONS ON THIS SIGN MUST BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODES AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.
	10. PAINT THE POLE AND/OR ANY OTHER APPLICABLE AREAS, AS STATED ON THE PURCHASE ORDER, PERFORM ANY OTHER TOUCH UP AS REQUIRED.
	11. REMOVE LIFTING BRACKETS FROM TOP OF SIGN. 12. TEST LIGHT THE SIGN AND CHECK FOR PROPER ILLUMINATION
	 CLEAN UP: CLEAN INSTALLATION WORK SITE OF ALL EXCESS MATERIALS AND DEBRIS. CLEAN UP NOTE: DO NOT DISCARD ANY MATERIAL OR DIBRIS INTO ON SITE DUMPSTERS.
0.75	XSM0.85;DESIGN NOTE: CONCRETE BASE DESIGN IS BASED ON 100 MPH, EXPOSURE-C GUST DESIGN WIND SPEED PER IBC 2006, EXPOSURE C. CONCRETE FOUNDATION DESIGNED USING A LATERAL SOIL BEARING PRESSURE OF 150 PSF/LF IF THESE SOIL CONDITIONS DO NOT EXIST AT THE FOUNDATION LOCATION, IT IS THE ERECTOR'S RESPONSIBILITY TO NOTIFY EVERBRITE, LLC PRIOR TO PERFORMING ADDITIONAL EXCAVATION OR ANY CONCRETE PLACEMENT.
	D-ORDER# 73497



ID FACE

Bell Outside surface (Magenta, violet, and white) Embossed .750" from field Inside surface (bottom) (Violet) Debossed .500"from outside Clapper (Yellow only) Embossed .375" from inside

Wordmark (Violet) Embossed .500"

Letters (White) Flat

CABINET

ILLUMINATION

PEDESTAL

AREA

19.6 sq ft

CURRENT 2.40 amps


CIRCUIT

(1) 20-amp

	THIS IS AN ORIGINAL UNPUBLISHED DRAWING CREATED FOR YOUR PERSONAL USE IN CONNECTION WITH A PROJECT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	CUSTOMER APPROVAL:
O stomps creation through broad innovation	TO BE SHOWN OUTSIDE YOUR ORGANIZATION NOR USED,	
	REPRODUCED, COPIED OR EXHIBITED IN ANY FASHION	DATE:
	UNLESS AUTHORIZED IN WRITING BY AN OFFICER OF	DAIE:
THIS DESIGN REMAINS OUR EXCLUSIVE PROPERTY AND CANNOT BE DUPLICATED WITHOUT WRITTEN CONSENT	CUMMINGS.	

						9-24-13	T. Pickel	
AN ORIGINAL UNPUBLISHED DRAWING CREATED JUR PERSONAL USE IN CONNECTION WITH A CT PLANNED FOR YOU BY CUMMINGS. IT IS NOT	CUSTOMER APPROVAL:	Rev. #1	DATE 8-9-13	BY T. Pickel	Rev. #4	DATE 9-16-13	BY T. Pickel	
HOWN OUTSIDE YOUR ORGANIZATION NOR USED, DUCED, COPIED OR EXHIBITED IN ANY FASHION S AUTHORIZED IN WRITING BY AN OFFICER OF	DATE:	Rev. #2	8-22-13	T. Pickel	Rev. #5	9-18-13	T. Pickel	
S AUTHORIZED IN WRITING BY AN OFFICER OF NGS.		Rev. #3	9-10-13	T. Pickel	Rev. #6	9-19-13	T. Pickel	





3'-9"

Scale 1/2" = 1'-0"

10"

M20 MONUMENT SIGN

SIGN SPECIFICATIONS

Substrate .118" colorless solar-grade polycarbonate silk screened on second surface

Background (White) Formed 1.000" OPAQUE WHITE

Field (Violet and white) Embossed .500" from background

APPENDAGE FACE

Substrate .118" colorless solar-grade polycarbonate silk-screened or sprayed on second surface Background (Violet) Formed 1.000"

(Painted violet) Extruded aluminum

Internal, with T12/Dsgn50/HO fluorescent lamps

SUPPORT Centered 3" steel square tube

COVER Aluminum finish TB violet

FACE COLORS (SILK-SCREENED)

Spraylat Violet L8-7917

Spraylat Magenta L8-7837

Spraylat Yellow L8-7836

Spraylat White 801

EXPOSED METAL COLOR (PAINTED)

To match Spraylat Violet L8-7917

NOTE: STANDARD PRODUCT WITH CUSTOM **OPAQUE WHITE BACKGROUND**

PART # 823-M20-BASE



698 S. WHITNEY WAY, MADISON, WI

