



- UTILITY NOTES:**
- ALL UTILITY WORK SHALL BE COMPLETED PRIOR TO THE START OF CONSTRUCTION.
 - STANDARD SPECIFICATIONS FOR SEWER AND WATER CONSTRUCTION IN WISCONSIN (NWS) LATEST EDITION
 - STATE OF WISCONSIN DEPARTMENT OF TRANSPORTATION, ROAD AND BRIDGE CONSTRUCTION (MSBD) LATEST EDITION
 - CONTRACTOR SHALL OBTAIN A CURRENT COPY OF THE CITY OF MADISON'S STANDARD SPECIFICATIONS PRIOR TO THE START OF CONSTRUCTION.
 - INCLUDING ALL SUPPLEMENTAL SPECIFICATIONS AND OTHER SPECIFICATIONS, IF APPLICABLE, UNLESS OTHERWISE SPECIFIED IN THE DRAWINGS.
 - WITHIN THE RIGHT-OF-WAY OR UNDERGROUND PAVEMENTS OR BUILDINGS, GRANULAR TRENCH BACKFILL MUST BE USED TO EXCAVATED TRENCHES FOR BACKFILL, PROVIDING THAT THE EXCAVATED TRENCH SOIL FOR BACKFILL MATERIAL AND STONES LARGER THAN 6\"/>
- WATER DISTRIBUTION SYSTEM:**
- DUCTILE IRON (DI) ANNE C-151 CLASS 50 WITH CABLE RINGS (WRP) OR
 - POLYETHYLENE GLASS REINFORCED (PEGR) PIPING, FURNISHED AND INSTALLED PER CHAPTER 8.00 (WRP)
 - ALL WATER MAIN JOINTS SHALL BE RESTRAINED.
- LATERALS:**
- PVC ANNE C-200, CL 150, SDR 18 OR DUCTILE IRON ANNE C-151, CLASS-52
 - 2\"/>
- SANITARY SEWER:**
- 8\"/>
- STORM SEWER:**
- STORM SEWER SPECIFIED AS RCP SHALL BE REINFORCED SPECIFICATIONS CONFORMING TO THE FOLLOWING:
 - 12\"/>
 - STORM SEWER SPECIFIED AS HDPE SHALL BE CORRUGATED HDPE, SMOOTH INTERIOR.
 - CONCRETE PAVEMENT TYPE 1 - GRAVEL SURFACING
 - CONCRETE PAVEMENT TYPE 2 - CONCRETE PAVEMENT TYPE 2 - HEAVY LOAD, STANDARD FINISH
 - CONCRETE PAVEMENT TYPE 3 - PEDESTRIAN LOAD, STANDARD FINISH
 - ASPHALT PAVEMENT

MADISON SUPPORTIVE HOUSING PROJECT

C400

Engberg Anderson
 MILWAUKEE • MADISON • TOLON

UTILITY PLAN
 1/8" = 1'-0"
 SEPTEMBER 23, 2014
 Engberg Anderson Project No. 142324.01

DESIGN GROUP ALLIANCE HOUSING
 SAA Design Group, Inc.
 101 Barabois Street
 Madison, WI 53703
 P: 608.225.9700
 www.saa-design.com