

There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats. Department of Administration

VILLAGE AT AUTUMN LAKE REPLAT

LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN











LOCATION MAP
NOT TO SCALE












There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats. Department of Administration

VILLAGE AT AUTUMN LAKE REPLAT

LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN

Placed 1–1/4" x 18" solid round iron rebar stake, weighing 4.30 lbs/ft. All other lot and outlot corners are marked with 3/4"x 18" solid round iron rebar stakes, weighing 1.50 lbs/ft. Public utility easement (5' wide unless otherwise dimensioned). Utility easements as herein set forth are for the use of PUBLIC BODIES and PRIVATE_PUBLIC UTILITIES having the right to serve the area. (see note 4 sheet 5) Recorded as information







D'ONOFRIO KOTTKE AND ASSOCIATES, INC.


7530 Westward Way, Madison, WI 53717 Phone: 608.833.7530 • Fax: 608.833.1089 YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT FN: 14-07-117


SHEET 6 OF 20





VILLAGE AT AUTUMN LAKE REPLAT There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats. LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND Placed 1–1/4" x 18" solid round iron rebar stake, weighing 4.30 lbs/ft. All other lot and outlot corners are marked with 3/4"x 18" solid round iron rebar stakes, weighing 1.50 lbs/ft. THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN Public utility easement (5' wide unless otherwise dimensioned). Utility easements as herein set forth are for the use of PUBLIC BODIES and PRIVATE PUBLIC UTILITIES having the right to serve the area. (see note 4 sheet 5) Department of Administration Recorded as information SEE SHEET 13 GRID NORTH WISCONSIN COUNTY COORDINATE SYSTEM N89°31′41″W 130.23′ (DANE ZONE) WEST LINE OF THE NE1/4 OF SECTION 26, T8N, R10E BEARS N00°27'32"E TRANQUILITY TRAIL ---- S0°28′19″W -S89°31′41″E 130.23′ O.L. 64 11352 SF DEDICATED TO THE PUBLIC FOR PARK AND TRAIL PURPOSES 120.00′ 991 7080 SF 992 7080 SF S89°31′41″E 120.00′ 7080 SF S89°31′41″E 120.00′ 8201 SF S89°31′41″E 92.34′ 995 1009 8564 SF 11101 SF 8668 SF 1010 7833 SF **O.L. 65** 389099 SF 997 8574 SF DEDICATED TO THE PUBLIC FOR PARK, STORMWATER MANAGEMENT AND TRAIL PURPOSES 1007 8334 SF 161.59′ 1011 11914 SF 10401 SF 7483 SF 1012 12193 SF 66.33′ WOODBINE DRIVE **1001** 5939 SF D'ONOFRIO KOTTKE AND ASSOCIATES, INC. SEE SHEET 5 7530 Westward Way, Madison, WI 53717 Phone: 608.833.7530 • Fax: 608.833.1089 SEE SHEET 5 YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT FN: 14-07-117 SHEET 9 OF 20





There are no objections to this plat with Secs. 236.15, 236.16, 236.20 and 236.21 Wis. Stats. as provided by s. 236.12, Wis	(1) and (2),
Certified, 20	(TOREAR)
Department of Administration	

LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN






LEGEND

Placed 1-1/4" x 18" solid round iron rebar stake, weighing 4.30 lbs/ft. All other lot and outlot corners are marked with 3/4"x 18" solid round iron rebar stakes, weighing 1.50 lbs/ft.

Public utility easement (5' wide unless otherwise dimensioned). Utility easements as herein set forth are for the use of PUBLIC BODIES and PRIVATE PUBLIC UTILITIES having the right to serve the area. (see note 4 sheet 5)

Recorded as information



WISCONSIN COUNTY COORDINATE SYSTEM (DANE ZONE) WEST LINE OF THE NE1/4 OF SECTION 26, T8N, R10E BEARS N00°27'32"E



7530 Westward Way, Madison, WI 53717 Phone: 608.833.7530 • Fax: 608.833.1089

YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT FN: 14-07-117



VILLAGE AT AUTUMN LAKE REPLAT There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats. LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN Department of Administration __ N89°45′04″E LANDS N89°28′02″E 41′ N89°45'04"E 1276.86' 67.44′ 571.46′ 636.69′ **917** 11072 SF SEC. 26, T8N, R10E FOUND BRASS CAP MONUMENT WISCONSIN COUNTY COORDINATE SYSTEM (DANE ZONE) 972 16223 SF 12319 SF 11422 SF 918 11074 SF 12283 SF 12921 SF 24567 SF 93.18′ N85°37′27″W 919 974 10207 SF N88°11′06″E 105.42′ 11872 SF 35.42′ 120.00' 10766`SF 963 S88°11′06″W 10511 SF 962 11030 SF 10739 SF 10152 SF 920 975 9600 SF 12219 SF –30′ WIDE LANDSCAPE BUFFER EASEMENT N88°11′06″E DOC. NO. 4175683 -TO BE MAINTAINED BY LOT OWNER S88°11′06″W 10019 SF 61.92′ 69.00′ 74.00' 921 S89°28′36″W S88°18′52″W 176.97′ 9600 SF 976 957 958 10957 SF 7929 SF 6900 SF 6900 SF 7352 SF 120.00' — 20' WIDE LANDSCAPE BUFFER EASEMENT DOC. NO. 4175683 —TO BE WINTE 9791 SF S88°11′06″W LANDS 40.42′ 922 588°11′06″W 306.42′ 977 9600 SF 12707 SF ——"B" STREET LANDS 119.94' N88°11′06″E 308.63′ N88°18′52″E 176.97′ — 20′ WIDE LANDSCAPE BUFFER EASEMENT 64.49′ 978 923 954 GRANTED TO THE 11683 SF 9693 SF 10068 SF 6900 SF LAKE REPLAT HOMEOWNER ASSOCIATION —TO BE MAINTAINED 6900 SF 6900 SF 8603 SF BY LOT OWNER 979 69.00′ 118.71′ 14256 SF 924 69.18′ 59.00′ 9600 SF S89°31′41″E 170.43′ O.L. 62 945 456550 SF 8144 SF 7084 SF 7426 SF PRIVATE OPEN SPACE – 20′ WIDE LANDSCAPE BUFFER 925 EASEMENT DOC. NO. 4175683 -TO BE MAINTAINED BY LOT OWNER 12639 SF 9709 SF 10806 SF AMBERWOOD ROAD DEDICATED TO THE PUBLIC 69.00′ AMBERWOOD ROAD DEDICATED TO THE PUBLIC 926 Placed 1-1/4" x 18" solid round iron rebar stake, weighing 4.30 lbs/ft. All other lot and outlot corners are marked 937 8280 SF 69.00′ 8085 SF 8381 SF with 3/4"x 18" solid round iron rebar stakes, weighing 1.50 lbs/ft. 7575 SF Public utility easement (5' wide unless otherwise dimensioned). Utility easements as herein set forth are for the use of PUBLIC BODIES and PRIVATE PUBLIC UTILITIES having the right to serve the area. 9832 SF (see note 4 sheet 5) 982 11346 SF 8438 SF S84°01′17″W Recorded as information 986 6900 SF


D'ONOFRIO KOTTKE AND ASSOCIATES, INC.

GRID NORTH WISCONSIN COUNTY COORDINATE SYSTEM


(DANE ZONE) WEST LINE OF THE NE1/4 OF SECTION 26, T8N, R10E BEARŚ N00°27'32"E

S84°58′23″E

SEE SHEET 9



LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN






D'ONOFRIO KOTTKE AND ASSOCIATES, INC.

There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats. Department of Administration

VILLAGE AT AUTUMN LAKE REPLAT

LOCATED IN THE NEI/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NEI/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN



- 1. This Plat is subject to the following recorded instruments:
- A. Declaration of Conditions and Covenants recorded as Doc. Nos. 4195254, 4195255, 4209500, 4209501 and 4255053. B. Declaration of Conditions, Covenants and Restrictions recorded as Doc. Nos. 4195256. C. Lease recorded as Doc. No. 5102252.
- D. Public Sanitary Sewer Easements, Public Water Main Easements, Public Storm Sewer Easements, Public Storm Water and q Conveyance, recorded as Doc. No. 4175683, released by Doc. No._____.
- E. Public Utility Easements recorded as Doc. No. 4175683, released by Doc. No. _
- F. Access Easements for ingrees/egrees to a public alley recorded by Doc. No. 4175683 released by Doc. No. _____.


 G. Landscape Buffers recorded as Doc. No. 4175683 partially released by Doc. No. _____.

 H. Release of Secondary Unit permit recorded as Doc. No. 4175683 released by Doc. No. _____.
- 2. All lots within this plat are subject to public easements for drainage purposes which shall be a minimum of 5 feet in width measured from the property line to the interior of each lot except that the easements shall be 12 feet in width on the perimeter of the plat. For purposes of two (2) or more lots combined for a single development site, or where two (2) or more lots have a shared driveway agreement, the public easement for drainage purposes shall be a minimum of five (5) feet in width and shall be measured only from the exterior property lines of the combined lots that create a single development site, or have a shared driveway agreement, except that the easement shall be twelve (12) in width along the perimeter of the plat. Easements shall not be required on property lines shared with greenways or public streets. No buildings, driveways, or retaining walls shall be placed in any easement for drainage purposes. Fences may be placed in the easement only if they do not impede the anticipated flow of water.

The intra-block drainage easements shall be graded with the construction of each principle structure in accordance with the approved storm water drainage plan on file with the City Engineer and the Zoning Administrator, as amended in accordance with the Madison General Ordinances.

Note: In the event of a City of Madison Plan Commission and/or Common Council approved redivision of a previously subdivided property, the underlying public easements for drainage purposes are released and replaced by those required and created by the current approved subdivision.

- 3. <u>Outlot Designation</u>
 - 40. Dedicated to the Public for Park purposes
- 41. Dedicated to the Public for Alley purposes 42. Dedicated to the Public for Alley purposes
- 43. Dedicated to the Public for Alley purposes 44. Dedicated to the Public for Alley purposes
- 45. Private Open Space
- 46. Private Alley
 47. Dedicated to the Public for Park and Open Space Purposes.
- 48. Dedicated to the Public for Park, Stormwater Management and Trail purposes 49. Dedicated to the Public for Park, Stormwater Management and Trail purposes
- 50. Dedicated to the Public for Stormwater Management and Trail purposes
- 51. Private Alley 52. Private Alley
- 53. Dedicated to the Public for Stormwater Management, Trail and Public Utility Easement purposes
- 55. Private Open Space, Public Stormwater Management Easement and Public Trail Easement
- 56. Private Open Space, Public Stormwater Management Easement and Public Trail Easement 57. Dedicated to the Public for Alley purposes
- 58. Dedicated to the Public for Alley purposes
- 59. Private Open Space
- 60. Dedicated to the Public for Alley purposes 61. Private Open Space
- 62. Private Open Space 63. Private Open Space
- 64. Dedicated to the Public for Park and Trail purposes 65. Dedicated to the Public for Park, Stormwater Management and Trail purposes
- 66. Dedicated to the Public for Park, Open Space and Stormwater Management purposes
- 4. Subsoil information indicates that basements of structures within the plat may encounter bedrock. The sub-surface conditions report, dated March 8, 2001 and August 21, 2001, is on file with the City Engineer.
- 5. As the date of Plat recordation there is an active quarry operation on the lands located East of this Plat.
- 6. All streets / roads lying within the plat boundary are dedicated to the public unless otherwise noted.
- 7. A 40 foot building setback is required along Lein Road. The City Engineer may reduce the building setback to 30 feet if a noise analysis is completed using traffic volumes at full build-out, and the City Engineer determines the noise values are acceptable at the 30 foot distance.
- a private light(s) in the alley right-of-way. Such private light(s) to be operated and maintained by the private interests.
- 9. Lots/buildings within this subdivision are subject to impact fees that are due and payable at the time building permit(s)
- 10. There shall be no vehicular access to Felland Road except from Waterfall Way, Autumn Lake Parkway, Tranquility Trail and
- 11. There shall be no vehicular access to Lein Road except from City View Road and Autumn Lake Parkway.
- 12. Distances, lengths and widths are measured to the nearest hundredth of a foot.
- 13. Distances shown along curves are chord lengths.



SHEET 16 OF 20

There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats.



VILLAGE AT AUTUMN LAKE REPLAT

LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN

CURVE TABLE



There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats.

Certified _______, 20_____



VILLAGE AT AUTUMN LAKE REPLAT

LOTS 1-519 AND OUTLOTS 1-15, OUTLOTS 18-39 AND VARIOUS DISCONTINUED ROADS WITHIN VILLAGE AT AUTUMN LAKE, LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN

CURVE TABLE




SHEET 18 OF 20

D'ONOFRIO KOTTKE AND ASSOCIATES, INC.

7530 Westward Way, Madison, WI 53717
Phone: 608.833.7530 • Fax: 608.833.1089
YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT
FN: 14-07-117

N:14-07-117

LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN



LEGAL DESCRIPTION

I, Brett T. Stoffregan, Registered Land Surveyor S-2742 do hereby certify that in full compliance with the provisions of Chapter 236 of the Wisconsin State Statutes and the Subdivision Regulations of the City of Madison, and under the direction of the owners listed below, I have surveyed, divided and mapped "Autumn Lake Replat" and that such plat correctly represents all the exterior boundaries and the subdivision of the land surveyed as is described as follows:

Lots 1-519, Outlots 1-15 and Outlots 18-39, Village at Autumn Lake and various discontinued roads, located in the NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4, SE1/4 of the SW1/4, and in the NW1/4 and the SW1/4 of the SE1/4 of Section 26,

T8N, R10E, City of Madison, Dane County, Wisconsin to-wit: Commencing at the Southwest corner of said Section 26; thence N89°14′01″E, 79.56 feet along the South line of said SW1/4; thence N00°45′59″W, 54.00 feet to the North right-of-way line of Lein Road also being a point of curve and the point of beginning; thence Northwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N45°12′19.5″W, 35.70 feet to a point on the Easterly right-of-way line of City View Road; thence NOO°21′20″E, 1070.21 feet along said Easterly right-of-way line to a point of curve; thence Northeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N44°47′40.5″E, 35.01 feet to a point on the South right-of-way line of Levitan Lane; thence N01°17′24″E, 60.04 feet to a point on the North right-of-way line of said Levitan Lane also being a point of curve; thence Northwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N45°12′19″W, 35.70 feet to a point on the Easterly right-of-way line of said City View Road; thence N00°21′20″E, 245.68 feet along said Easterly right-of-way line to a point of curve; thence Northerly along a curve to the left which has a radius of 680.00 feet and a chord which bears NO7°07′19″W, 176.99 feet along said Easterly right-of-way line to a point of reverse curve; thence Northeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N28°02′27.5″E, 33.87 feet to a point on the South right-of-way line of Golden Dusk Parkway; thence N19°19′06″W, 66.00 feet to a point on the North right-of-way line of said Golden Dusk Parkway also being a point of curve; thence Westerly along a curve to the right which has a radius of 25.00 feet and a chord which bears N80°57′01.5″W, 23.76 feet; thence N00°21′20″E, 381.02 feet to a point on the Southeasterly right-of-way line of a Wisconsin and Southern Railroad; thence N52°47′42″E, 482.21 feet along said Southeasterly right-of-way line to a point of curve; thence Northeasterly along a curve to the left which has a radius of 2914.93 feet and a chord which bears N44°21′14.5″E, 855.77 feet; thence N35°54′47″E, 2751.11 feet along said Southeasterly right-of-way line to a point on the Southerly right-of-way line of Burke Road; thence N89°33′55″E, 4.10 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$44°59'16.5"E, 35.63 feet to a point on the West right-of-way line Felland Road; thence S00°27′32″W, 881.96 feet along said West right-of-way line to a point of curve; thence Southwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$45°27'32"W, 35.36 feet to a point on the Northerly right-of-way line of Waterfall Way; thence N89°32′28″W, 139.77 feet along said Northerly right-of-way line to a point of curve; thence Southwesterly along the Northwesterly right-of-way line of said Waterfall Way on a curve to the left which has a radius of 261.00 feet and a chord which bears S64°16′52″W, 230.28 feet; thence S38°06′12″W, 104.21 feet along said Northwesterly right-of-way line to a point of curve; thence Southwesterly along the Westerly right-of-way line of said Waterfall Way on a curve to the left which has a radius of 486.00 feet and a chord which bears \$18°10′54″W, 331.19 feet to a point on the Westerly right-of-way line of said Waterfall Way; thence S01°44′24″E, 524.17 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the right which has a radius of 215.00 feet and a chord which bears \$10°39′10″W, 92.28 feet; thence \$23°02′44″W, 117.49 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the left which has a radius of 228.00 feet and a chord which bears S08°44′38″E, 240.22 feet; thence S40°32′00″E, 125.52 feet along said Westerly right-of-way line to a point of curve; thence Southerly along a curve to the right which has a radius of 25.00 feet and a chord which bears S00°23′16.5″W, 32.75 feet to a point on the Northerly right-of way line of Autumn Lake Parkway; thence S47°31′55″E, 87.42 feet to a point on the Southerly right-of-way line of Autumn Lake Parkway also being a point of curve; thence Easterly along said Southerly right-of-way line on a curve the right which has a radius of 350.00 feet and a chord which bears N67°01'32"E, 278.38 feet; thence S89°32'28"E, 111.09 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$44°32'28"E, 35.36 feet to a point on the Westerly right-of-way line of Felland Road; thence SOO°27′32″W, 117.67 feet along said Westerly right-of-way line; thence N89°28'02"E, 41.01 feet to the Center of Section 26, T8N, R10E; thence N89°45'04"E, 41.00 feet along the North line of said SE1/4 to the Easterly right-of-way line of Felland Road; thence N89°45′04″E, 1276.86 feet along said North line; thence S00°28'19"W, 2591.45 feet to the Northerly right-of-way line of Lein Road; thence S89°44'34"W, 704.97 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the right which has a radius of 2500.00 feet and a chord which bears N88°49′48.5″W, 124.52 feet; thence N87°24′11″W, 234.18 feet along said Northerly right-of-way line; thence N00°29′52″E, 61.23 feet; thence S89°44′34″W, 214.50 feet to the Easterly right-of-way line of Felland Road; thence N00°29′52″E, 215.81 feet along said Easterly right-of-way line to a point on the Southerly line of Lot 1, Certified Survey Map No. 3085; thence N89°44′12″E, 149.00 feet along said Southerly line to the Southeast corner of said Lot 1; thence NOO°29′52″E, 165.00 feet along the Easterly line and to the Northeast corner of said Lot 1; thence S89°44′12″W, 149.00 feet along the Northerly line of said Lot 1 to the Easterly line of Felland Road; thence N00°29′52″E, 302.00 feet along said Easterly right-of-way line to a point of curve; thence Northeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N45°29'52"E, 35.36 feet to a point of the Southerly right-of-way line of Woodbine Drive; thence S89°30′08″E, 66.33 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly on said Southerly right-of-way line on a curve to the right which has a radius of 120.00 feet and a chord which bears \$51°06'02"E, 149.08 feet; thence S12°41′56″E, 36.34 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly along said Southerly right-of-way line on a curve to the left which has a radius of 180.00 feet and a chord which bears \$40°09'27"E, 166.00 feet; thence S67°36′58″E, 87.79 feet along said Southerly right-of-way line; thence N22°23′02″E, 60.00 feet to the Northerly right-of-way line of Woodbine Drive; thence N67°36′58″W, 87.79 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along said Northerly right-of-way line on a curve to the right which has a radius of 120.00 feet and a chord which bears N40°09'27"W, 110.67 feet; thence N12°41'56"W, 36.34 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along said Northerly right-of-way line on a curve to the left which has a radius of 180,00 feet and a chord which bears N51°06′02″W, 223.62 feet; thence N89°30′08″W, 66.33 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N44°30′08″W, 35.36 feet to the Easterly right-of-way line of Felland Road; thence N00°29′52″E, 351.50 feet along said Easterly right-of-way line to a point of curve; thence Northeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N45°29′51″E, 35.36 feet to the Southerly right-of-way line of Tranquility Trail; thence S89°30′08″E, 39.05 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve the right which has a radius of 113.00 feet and a chord which bears \$69°36′36″E, 76.90 feet; thence \$49°42′56″E, 114.50 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the left which has a radius of 187.00 feet and a chord which bears N73°08′09″E, 314.19 feet; thence N15°59′14″E, 63.42 feet along said Southerly right-of-way line to a point of curve; thence Northeasterly along said Southerly right-of-way line on a curve to the right which has a radius of 293.00 feet and a chord which bears N42°33′02″E, 262.05 feet; thence N69°06′50″E, 53.48 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the right which has a radius of 303.00 feet and a chord which bears N86°49′40″E, 184.38 feet; thence S75°27′30″E, 71.77 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the left which has a radius of 522.00 feet and a chord which bears S82°29′36″E, 127.86 feet; thence S89°31′41″E, 130.23 feet along said Southerly right-of-way line; thence NOO°28'19"E, 70.00 feet to the Northerly right-of-way line of Tranquility Trail; thence N89°31′41″W, 130.23 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way on a curve to the right which has a radius of 452.00 feet and a chord which bears N82°29′36″W, 110.72 feet; thence N75°27′30″W, 71.77 feet along said Northerly right-of-way to a point of curve; thence Westerly along said Northerly right-of-way on a curve to the left which has a radius of 373.00 feet and a chord which bears S86°49′40″W, 226.98 feet; thence S69°06′50″W, 53.48 feet along said Northerly right-of-way line to a point of curve; thence Southwesterly along said Northerly right-of-way line on a curve to the left which has a radius of 363.00 feet and a chord which bears \$42°33′02″W, 324.66 feet; thence S15°59′14″W, 63.42 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way on a curve to the right which has a radius of 117.00 feet and a chord which bears \$73°08′09″W, 196.58 feet; thence N49°42′56″W, 114.50 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along said Northerly right-of-way line on a curve to the left which has a radius of 183.00 feet and a chord which bears N69°36′32″W, 124.54 feet; thence N89°30′08″W, 39.05 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N44°30′08″W, 35.36 feet to the Easterly right-of-way line of Felland Road; thence NOO°29′52″E, 739.47 feet along said Easterly right-of-way line; thence N88°18'52"E, 176.97 feet; thence N00°29'52"E, 140.00 feet; thence S88°18'52"W, 176.97 feet to the Easterly right-of-way line of Felland Road; thence NO0°29′52″E, 371.85 feet along said Easterly right-of-way line to the North line of said SE1/4; thence S89°45′04″W, 41.00 feet along said North line to the Center of Section 26, T8N, R10E; thence S89°28′02″W, 41.01 feet to the Westerly right-of-way line of Felland Road; thence S00°29′52″W, 1540.91 feet along said Westerly right-of-way; thence N89°30′08″W, 223.00 feet; thence S00°29′52″W, 94.00; thence S03°35′40″E, 378.40 feet; thence S00°29′52″W, 165.00 feet to the Northerly right-of-way line of Wynter Lane; thence N89°48′43″W, 86.92 feet along said Northerly right-of-way line; thence N00°29′52″E, 150.00 feet; thence N89°48′43″W, 150.00 feet; thence S00°29′52″W, 150.00 feet to the Northerly right-of-way line of Wynter Lane also being a point of curve; thence Northwesterly along said Northerly right-of-way line along a curve to the right which has a radius of 30.00 feet and a chord which bears N56°38′07″W, 32.83 feet to a point of reverse curve; thence Southwesterly along the said Northerly right-of-way line on a curve to the left which has a radius of 60.00 feet and a chord which bears S65°31′39″W, 119.98 feet; thence S40°26′17″W, 44.43 feet to the Southwest corner of Wynter Lane; thence N89°48′43″W, 20.00 feet; thence S40°06'15"W, 128.50 feet; thence S49°55'16"E, 95.80 feet; thence S89°48'43"E, 130.00 feet to the West line of Lot 1, Certified Survey Map No. 2239; thence S00°11′17″E, 21.50 feet along said West line to the Southwest corner of said Lot 1;

to the Northerly right-of-way line of Lein Road; thence S89°14′01″W, 110.09 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on curve to the left which has a radius of 2500.00 feet and a chord which bears S87°57′36″W, 115.94 feet; thence S86°41′11″W, 358.96 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the right which has a radius of 2500.00 feet and a chord which bears S87°57′36″W, 111.13 feet; thence S89°14′01″W, 30.23 feet along said Northerly right-of-way line; thence N00°45′59″W, 164.00 feet; thence S89°14′01″W, 36.50 feet; thence S38°55′23″W, 213.12 feet to the Northerly right-of-way line of Lein Road; thence S89°14′01″W, 532.64 feet along said Northerly right-of-way line to a point of curve; thence Northwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears N45°45′59″W, 35.36 feet to the Easterly right-of-way line of Autumn Lake Parkway; thence NOO°45′59″W, 1167.92 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 355.00 feet and a chord which bears N27°24'07"E, 335.17 feet; thence N55°34'13"E, 765.50 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 462.00 feet and a chord which bears N34°15′02.5″E, 335.94 feet; thence N12°55′52″E, 290.10 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 350.00 feet and a chord which bears N28°15′42″E, 185.07 feet; thence N47°31′55″W, 87.42 feet to the Westerly right-of-way line of Autumn Lake Parkway also being a point of curve; thence Southwesterly along said Westerly right-of-way line on a curve to the left which has a radius of 440.00 feet and a chord which bears \$27°07'12"W, 215.71 feet; thence \$12°55'52"W, 302.55 feet along said Westerly right-of-way to a point of curve; thence Southwesterly along said Westerly right-of-way line on a curve to the right-of-way which has a radius of 382.00 feet and a chord which bears S34°15′02.5″W, 277.77 feet; thence S55°34′13″W, 784.18 feet along said Westerly right-of-way line to a point of curve; thence Southwesterly along said Westerly right-of-way line on a curve to the left which has a radius of 445.00 feet and a chord which bears S48°22′00″W, 111.60 feet to a point of reverse curve; thence Westerly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$81°58′12.5″W, 32.68 feet to the Northerly right-of-way line of Golden Dusk Parkway; thence N57°13′22″W, 349.41 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the left which has a radius of 633.00 feet and a chord which bears N64°53′04″W, 168.79 feet to a point of reverse curve; thence Northerly along a curve to the right which has a radius of 25.00 feet and a chord which bears N29°32′15″W, 20.46 feet to the Easterly right-of-way line of Waters Edge Trail; thence N13°28′18″E, 33.89 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 180.00 feet and a chord which bears NO6°08′01″E, 45.98 feet; thence NO1°12′16″W, 96.14 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 180.00 feet and a chord which bears N21°56′21″E, 141.49 feet; thence N45°04′58″E, 100.90 feet to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius 235.00 feet and a chord which bears N44°58′39.5″E, 0.86 feet to a point of reverse curve; thence Easterly along a curve to the right which has a radius of 15.00 feet and a chord of N85°16′08.5″E, 19.44 feet to the Westerly right-of-way line of Madison Iris Circle; thence S54°20′04″E, 83.75 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way lines on a curve to the right which has a radius of 100.00 feet a chord of S15°51′52″E, 124.42 feet thence S22°36′20″W, 45.69 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right of way line on a curve to the left which has a radius of 150.00 feet and a chord which bears S07°29′43.5″E, 150.46 feet to a point of reverse curve; thence Easterly along said Westerly right-of-way line on a curve to the right which has a radius of 95.00 feet and a chord which bears \$24°08′00″E, 44.24 feet to a point of reverse curve; thence Easterly on a curve to the left which has a radius of 57.00 feet and a chord which bears N38°49′26.5″E, 86.58 feet to a point on the Easterly right-of-way line of Madison Iris Circle also being a point of reverse curve; thence Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 50.00 feet and a chord which bears N54°11′42.5″W, 60.86 feet to a point of compound curvature; thence Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 100.00 feet and a chord which bears NO2°56′54.5″E, 67.28 feet; thence N22°36′20″E, 45.69 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 150.00 feet and a chord which bears N15°51′51″W, 186.63 feet; thence N54°20′04″W, 83.75 feet along said Easterly right-of-way line to a point of curve; thence Northerly along a curve to the right which has a radius of 15.00 feet and a chord which bears N13°56′16.5″W, 19.44 feet to a point on the Easterly right-of-way line of Waters Edge Trail also being a point of reverse curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 235.00 feet and a chord which bears N18°14′08.5″E, 67.22 feet; thence N10°00′46″E, 61.72 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 230.00 feet and a chord which bears N01°43′42.5″E, 66.28 feet to a point of reverse curve; Northerly along said Easterly right-of-way line on a curve to the right which has a radius of 15.00 feet and a chord which bears N28°00'57.5"E, 17.02 feet; thence N62°35'16"E, 74.18 feet along said Easterly right-of-way line to a point of curve; thence Northerly along said Easterly right-of-way line on a curve to the left which has a radius of 56.00 feet and a chord which bears N18°50′23.5″W, 110.75 feet; thence S79°43′57″W, 42.58 feet along said Easterly right-of-way line to a point of curve; thence Northwesterly along a curve to the right which has a radius of 15.00 feet and a chord which bears N53°57′48.5″W, 21.69 feet along said Easterly right-of-way line; thence NO7°39′34″W, 17.13 feet along said Easterly right-of-way line to a int of curve: thence Northerly along said Easterly right-of-way line on a curve to the right which has a r feet and a chord which bears N38°11'34"E, 287.02 feet; thence N05°57'18"W, 60.00 feet to the Westerly right-of-way line of Waters Edge Trail also being a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the left which has a radius of 200.00 feet and a chord which bears S38°11′34″W, 200.91 feet; thence S07°39′34″E, 173.29 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the right which has a radius of 170.00 feet and a chord which bears S01°10′36″W, 52.23 feet; thence S10°00′46″W, 61.72 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the right which has a radius of 175.00 feet and a chord which bears S27°32′52″W, 105.45 feet; thence S45°04′58″W, 100.90 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the left which has a radius of 240.00 feet and a chord which bears S21°56′21″W, 188.66 feet; thence S01°12′16″E, 96.14 feet along said Westerly right-of-way line to a point of curve; thence Southerly along said Westerly right-of-way line on a curve to the right which has a radius of 120.00 feet and a chord which bears S06°08′01″W, 30.65 feet; thence S13°28′18″W, 33.89 feet along said Westerly right-of-way line to a point of curve; thence Southwesterly along a curve to the right which has a radius of 15.00 feet and a chord which bears S56°28′18″W, 20.46 feet to the Northerly right-of-way line of Golden Dusk Parkway also being a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the left which has a radius of 633.00 feet and a chord which bears N85°49′46″W, 117.36 feet; thence S88°51′06″W, 159.20 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the left which has a radius of 633.00 feet and a chord which bears \$79°45′59.5″W, 199.90 feet; thence \$70°40′53″W, 40.04 feet along said Northerly right-of-way line; thence S19°19'07"E, 66.00 feet to the Southerly right-of-way line of Golden Dusk Parkway; thence N70°40'53"E, 40.04 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the right which has a radius of 567.00 feet and a chord which bears N79°45′59.5″E, 179.06 feet; thence N88°51′06″E, 159.20 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the right which has a radius of 567.00 feet and a chord which bears \$74°11'08"E, 330.84 feet; thence \$57°13'22"E, 346.79 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears S15°07′13″E, 33.52 feet to the Westerly right-of-way line of Autumn Lake Parkway also being a point of reverse curve; thence Southerly along said Westerly right-of-way line on a curve to the left which has a radius of 445.00 feet and a chord which bears S13°06′28.5″W, 213.42 feet; thence S00°45′59″E, 194.24 feet along said Westerly right-of-way line to a point of curve; thence Southwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears S44°14′01″W, 35.36 feet to the Northerly right-of-way line of Levitan Lane; thence S89°14′01″W, 14.75 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the right which has a radius of 120.00 feet and a chord which bears N74°10′12.5″W, 68.55 feet; thence N57°34′26″W, 306.68 feet along said Northerly right-of-way line to a point of curve; thence Westerly along said Northerly right-of-way line on a curve to the left which has a radius of 230.00 feet and a chord which bears N74°10′12.5″W, 131.39 feet; thence S89°14′01″W, 425.58 feet along said Northerly right-of-way line; thence S01°17′24″W, 60.05 feet to the Southerly right-of-way line of Levitan Lane, thence N89°14′01″E, 427.73 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the right which has a radius of 170.00 feet and a chord which bears S74°10′12.5″E, 97.11 feet; thence S57°34′26″E, 306.68 feet along said Southerly right-of-way line to a point of curve; thence Easterly along said Southerly right-of-way line on a curve to the left which has a radius of 180.00 feet and a chord which bears \$74°10'12.5"E, 102.83 feet; thence N89°14'01"E, 14.75 feet along said Southerly right-of-way line to a point of curve; thence Southeasterly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$45°45'59"E, 35.36 feet to the Westerly right-of-way line of Autumn Lake Parkway; thence S00°45′59″E, 845.00 feet along said Westerly right-of-way line to a point of curve; thence Southwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears

thence S89°48′43″E, 495.62 feet along the South line of Lots 1, 2, and 3, Certified Survey Map No. 2239 to the Westerly

right-of-way line of Felland Road; thence S00°29'52"W, 122.55 feet along said Westerly right-of-way line to a point of curve;

thence Southwesterly along a curve to the right which has a radius of 25.00 feet and a chord which bears \$44°51'56"W, 34.96 feet

Dated this 20th day of January, 2015.

Brett T. Stoffregan, Professional Land Surveyor S-2742

beginning. Containing 10,469,302 square feet (240.34 acres).



S44°14'01"W, 35.36 feet to the Northerly right-of-way line of Lein Road; thence S89°14'01"W, 911.69 feet to the point of

D'ONOFRIO KOTTKE AND ASSOCIATES, INC

There are no objections to this plat with respect to Secs. 236.15, 236.16, 236.20 and 236.21(1) and (2), Wis. Stats. as provided by s. 236.12, Wis. Stats.

Certified ________, 20_____

Department of Administration

LOTS 1-519 AND OUTLOTS 1-15, OUTLOTS 18-39 AND VARIOUS DISCONTINUED ROADS WITHIN VILLAGE AT AUTUMN LAKE, LOCATED IN THE NE1/4, SW1/4, SE1/4 OF THE NW1/4, AND THE NE1/4, NW1/4, SW1/4 AND THE SE1/4 OF THE SW1/4, AND THE NW1/4 AND THE SW1/4 OF THE SE1/4 OF SECTION 26, T8N, R10E, CITY OF MADISON, DANE COUNTY, WISCONSIN

MORTGAGEE CERTIFICATE

OWNER'S CERTIFICATE
MREC VH Madison Investors, LLC a limited liability company duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owner, does hereby certify that said limited liability company caused the land described on this plat to be surveyed, divided, mapped and dedicated as represented on this plat.
MREC VH Madison Investors, LLC does further certify that this plat is required by S236.10 or S236.12 Wisconsin Statutes to be submitted to the following agencies for approval or objection:
Department of Administration Common Council, City of Madison Dane County Zoning and Land Regulation Committee
In witness whereof, MREC VH Madison Investors, LLC has caused these presents to be signed by its official officer(s) of said limited liability company at Madison, Wisconsin thisday of, 2015.
MREC VH Madison Investors, LLC
STATE OF WISCONSIN) COUNTY OF DANE) S.S
Personally came before me thisday of, 2015, the above named officer(s) of the above named MREC VH Madison Investors, LLC to me known to be the person(s) who executed the foregoing instrument and acknowledged the same.
My Commission expires
Notary Public, Dane County, Wisconsin
OWNER'S CERTIFICATE
The City of Madison, a corporation duly organized and existing under and by virtue of the laws of the State of Wisconsin, as owners, does hereby certify that said corporation caused the lands described on this plat to be surveyed, divided, mapped and dedicated as represented on this plat.
The City of Madison does further certify that this plat is required by S.236.10 or approval or objection:
Department of Administration Common Council, City of Madison Dane County Zoning and Land Regulation Committee
In witness whereof, the said City of Madison has caused these presents to be signed by Paul R. Soglin, its Mayor, and Maribeth Witzel-Behl, its City Clerk, at Madison, Wisconsin and its corporate seal to be hereunto affixed on this day of, 2015.
City of Madison
By: Paul R. Soglin, Mayor By: Maribeth Witzel-Behl, City Clerk
STATE OF WISCONSIN) COUNTY OF DANE) S.S
Personally came before me thisday of, 2015, the above named Paul R. Soglin, Mayor of the City of Madison, acting in said capacity and known to me to be the person who executed the foregoing
instrument and acknowledged the same.
My Commission expires
STATE OF WISCONSIN) COUNTY OF DANE) S.S
Personally came before me thisday of, 2015, the above named Maribeth Witzed-Behl, City Clerk of the City of Madison, acting in said capacity and known to me to be the person who executed the
foregoing instrument and acknowledged the same.
My Commission expires
Notary Public, Dane County, Wisconsin

	son, LLC has caused these presents to be signed by its official, 2015.
MREC VH Madison, LLC	
STATE OF WISCONSIN) COUNTY OF DANE) S.S	
Personally came before me this do	ay of, 2015, the above named officer(s) of the me known to be the person(s) who executed the foregoing
My Commission expires	Notary Public, Dane County, Wisconsin
MADISON COMMON COUNCIL CERTIFICATE	
Enactment Number ,	Autumn Lake Replat" located in the City of Madison, was hereby approved by File I.D. Number, <u>ado</u> pted this day of, 2015, ded for the acceptance of those lands dedicated and rights conveyed by said plat t
Dated thisday of	
Maribeth Witzel-Behl, City Clerk, Cit	y of Madison, Dane County, Wisconsin
OUNTY TREASURER'S CERTIFICATE	
n accordance with the records in my o	cted, qualified, and acting treasurer of the County of Dane, do hereby certify tha ffice, there are no unpaid taxes or special assessments as of thisday of the land included in "Village at Autumn Lake Replat".
dam Gallagher, Treasurer, Dane County	y, Wisconsin
ITY OF MADISON TREASURER'S CERTIFICAT	<u></u>
isconsin, do hereby certify that, in a	pointed, qualified, and acting Treasurer of the City of Madison, Dane County, accordance with the records in my office, there are no unpaid taxes or unpaid day of, 2015 on any of the lands included in the plat o


___day of_______, 2015 at _____o'clock___.M.

Kristi Chlebowski, Dane County Register of Deeds

and recorded in Volume______of Plats on Pages_____as Document Number____

REGISTER OF DEEDS CERTIFICATE

Received for recording this_____



D'ONOFRIO KOTTKE AND ASSOCIATES, INC.

7530 Westward Way, Madison, WI 53717
Phone: 608.833.7530 • Fax: 608.833.1089
YOUR NATURAL RESOURCE FOR LAND DEVELOPMENT
FN: 14-07-117

SHEET 20 OF 20