

## CERTIFIED SURVEY MAP NO.


ALL OF LOTS 1 THROUGH 5 AND PART OF LOTS 18 THROUGH 21, IN BLOCK 1, PLAT OF LAKE EDGE PARK, AND THAT PORTION OF LAKE EDGE BOULEVARD AND HEGG AVENUE VACATED PER CITY OF MADISON RESOLUTION RECORDED AS DOCUMENT NO. 2790955, LOCATED IN THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 09, TOWNSHIP 07 NORTH, RANGE 10 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN.

LINE TABLE									
LINE	BEARING	DISTANCE							
L-1	S11°30'34"E	13.00'							
L-2	S62°54'12"W	157.71							
L-3	N11°51'56"W	140.47							
L-4	S82°39'46"W	142.40'							

LINE TABLE								
LINE	BEARING	DISTANCE						
L-5	N08°24'02"W	168.19'						
L-6	N15°15'05"W	39.38'						
L-7	N77°14'49"E	131.63'						
L-8	S13°28'25"E	35.83'						

	LINE TABI	-E
LINE	BEARING	DISTANCE
L-9	N78°20'02"E	134.14
L-10	N12°52'51"W	76.71'
L-11	S78*19'53"W	108.38

	CURVE TABLE								
CURVE	RADIUS DELTA CHORD BEARING CHORD ARC LENGTH TANGENT IN TANGENT								
C-1	1432.70'	13°25'22"	S18*13'14"E	334.87	335.64'	S11°30'33"E	S24°55'55"E		
C-2	25.00'	87°49'53"	S18*59'08"W	34.68'	38.32'	S24°55'49"E	S62°54'05"W		
( )	25.00'	_	S10°25'25"W	34.69'	_				
C-3	737.00'	7°11'04"	N11°39'46"W	92.35	92.41'	N08°04'13"W	N15°15'18"W		
C-4	1432.70'	10°52'30"	S19°29'40"E	271.52	271.93'	S14°03'25"E	S24°55'55"E		
C-5	1432.70'	2*32'52"	S12°46'59"E	63.70'	63.71	S11°30'33"E	S14°03'25"E		



north SCALE 1" = 30'

Feb

User:

Sheet

Layout:

188884

/ DMD

GOVERNMENT CORNER

• ¾" REBAR FOUND

CHISELED 'X' FOUND

1" IRON PIPE FOUND

3/4" x 24" REBAR SET (1.50 LBS/LF) 0

PARCEL BOUNDARY

SECTION LINE

- - RIGHT-OF-WAY LINE

CENTERLINE

---- PLATTED LOT LINE

····· CHORD LINE

-x- FENCE LINE

/////// BUILDING

PREPARED FOR:

LUTHERAN CHURCH 4032 MONONA DRIVE MADISON, W 53716

PROJECT NO: 18-8884 B-\* FILE NO: FIELDBOOK/PG: -SHEET NO: 2 of 8

SURVEYED BY: DRAWN BY: JK CHECKED BY: TJB APPROVED BY:

BEARINGS FOR THIS SURVEY AND MAP ARE BASED ON

THE WISCONSIN COUNTY COORDINATE SYSTEM, (WCCS), DANE COUNTY, THE EAST LINE OF THE SOUTHWEST QUARTER, BEARS N00'51'37"W.

FIELD WORK PERFORMED BY JSD PROFESSIONAL SERVICES, INC. ON JANUARY 17, 2019.


VOL. \_PAGE . DOC. NO. C.S.M. NO.


WILLIAM SCONS WINNING ON SHIP JOHN **KREBS** S-1878 McFARLAND, WISCONSIN TO SURVE SURVE


PREPARED BY:

**50** Professional Services, Inc.

· Engineers · Surveyors · Planners 161 HORIZON DRIVE, SUITE 101 VERONA, WISCONSIN 53593 PHONE: (608)848-5060







....

dwg\188884

188884\

# **CERTIFIED SURVEY MAP NO.**

ALL OF LOTS 1 THROUGH 5 AND PART OF LOTS 18 THROUGH 21, IN BLOCK 1, PLAT OF LAKE EDGE PARK, AND THAT PORTION OF LAKE EDGE BOULEVARD AND HEGG AVENUE VACATED PER CITY OF MADISON RESOLUTION RECORDED AS DOCUMENT NO. 2790955, LOCATED IN THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 09, TOWNSHIP 07 NORTH, RANGE 10 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN.

EA	SEMENT LINE	TABLE
LINE	BEARING	DISTANCE
E-1	S82*39'46"W	41.13'
E-2	N06°42'12"W	75.79'
E-3	N83°17'48"E	10.00'
E-4	S06°42'12"E	65.67
E-5	N82°39'46"E	30.24
E-6	S11°50'28"E	10.03'
E-7	N11°50'28"W	140.19'
E-8	S83°11'58"W	35.32'
E-9	N06°48'02"W	10.00'

EASEMENT LINE TABLE							
LINE	BEARING	DISTANCE					
E-10	N83°11'58"E	44.47'					
E-11	S11°50'54"E	171.86'					
E-12	S52°23'46"W	11.10'					
E-13	N11°51'56"W	27.34'					
E-14	S77°14'49"W	3.00'					
E-15	S12°22'01"E	259.34'					
E-16	S83°04'50"W	38.50'					
E-17	N06°55'10"W	5.00'					
E-18	N77°22'11"E	20.10'					

EAS	SEMENT LINE	TABLE
LINE	BEARING	DISTANCE
E-19	N06°55'10"W	3.00'
E-20	N83°04'50"E	7.50'
E-21	N12°22'01"W	248.27
E-22	N77°14'49"E	10.00'
E-23	S82°39'46"W	44.99'
E-24	S82°39'46"W	10.02'
E-25	N03°52'10"W	58.30'
E-26	N86°07'50"E	10.00'
E-27	S03*52'10"E	57.70'

#### EASEMENTS AFFECTING PARCELS IN THIS CERTIFIED SURVEY MAP

- EASEMENT TO TOWN SANITARY DISTRICT No. 6 OF THE TOWN OF BLOOMING GROVE RECORDED IN VOL. 262 OF MISC., PAGE 305, AS DOCUMENT No. 861699.
- 2. EASEMENT TO TOWN SANITARY DISTRICT No. 6 OF THE TOWN OF BLOOMING GROVE RECORDED IN VOL. 262 OF MISC., PAGE 329, AS DOCUMENT No. 861722; MODIFIED AS DOCUMENT No. 2808975.
- 3. SANITARY SEWER EASEMENT TO THE CITY OF MADISON RECORDED IN VOL. 443 OF MISC., PAGE 558, AS DOCUMENT No. 1159481; MODIFIED AS DOCUMENT No. 2808975.
- PUBLIC EASEMENT FOR FIRE HYDRANT PURPOSES TO THE CITY OF MADISON RECORDED IN VOL. 1043 OF RECORDS, PAGE 159, AS DOCUMENT No. 1612891.
- 5. RESOLUTION OF STREET VACATION RECORDED AS DOCUMENT No. 2790955.
- 6. PERMANENT LIMITED EASEMENT FOR GRADING AND SLOPING RECORDED AS DOCUMENT No. 2811043.
- 7. RIGHT-OF-WAY GRANT UNDERGROUND ELECTRIC TO MADISON GAS AND ELECTRIC RECORDED AS DOCUMENT No. 2835711.
- 8. RIGHT-OF-WAY GRANT UNDERGROUND ELECTRIC TO MADISON GAS AND ELECTRIC RECORDED AS DOCUMENT No. 3912026.
- 9. RIGHT-OF-WAY GRANT UNDERGROUND ELECTRIC TO MADISON GAS AND ELECTRIC RECORDED AS DOCUMENT No. 4216014.
- 10. PERMANENT LIMITED EASEMENT TO CITY OF MADISON RECORDED AS DOCUMENT No. 4524366.
- 11. CONVEYANCE OF RIGHTS IN LAND RECORDED AS DOCUMENT No. 4828522.



PREPARED BY:

\* Engineer: \* Surveyors \* Planners
161 HORIZON DIVE, SUITE 101
VERONA, WISCONSIN 53593
PHONE: (608)848–5060

LAKE EDGE LUTHERAN CHURCH 4032 MONONA DRIVE MADISON, WI 53716

PREPARED FOR:

PROJECT NO: 18-8884

FILE NO: B-\*

FIELDBOOK/PG: \_

6 of 8

SHEET NO:

VOL. \_\_\_\_\_PAGE \_\_\_\_\_

DOC. NO. \_\_\_\_

C.S.M. NO. \_\_\_\_

ALL OF LOTS 1 THROUGH 5 AND PART OF LOTS 18 THROUGH 21, IN BLOCK 1, PLAT OF LAKE EDGE PARK, AND THAT PORTION OF LAKE EDGE BOULEVARD AND HEGG AVENUE VACATED PER CITY OF MADISON RESOLUTION RECORDED AS DOCUMENT NO. 2790955, LOCATED IN THE NORTHWEST QUARTER OF THE SOUTHWEST QUARTER OF SECTION 09, TOWNSHIP OF NORTH, RANGE 10 EAST, CITY OF MADISON, DANE COUNTY, WISCONSIN, DESCRIBED MORE PARTICULARLY AS FOLLOWS:

MORE PARTICULARLY AS FOLLOWS:

COMMENCING AT THE SOUTH QUARTER CORNER OF SECTION 09, AFORESAID; THENCE NORTH 00 DEGREES 51
MINUTES 37 SECONDS WEST, ALONG THE NORTH—SOUTH CENTERLINE OF SAID SECTION A DISTANCE OF 1,781.84
FEET; THENCE SOUTH 89 DEGREES 08 MINUTES 23 SECONDS WEST, 1,808.60 FEET TO THE NORTHEASTERLY
CORNER OF LOT 5, BLOCK 1, LAKE EDGE PARK AND THE POINT OF BEGINNING; THENCE SOUTH 11 DEGREES 30
MINUTES 34 SECONDS EAST ALONG THE WESTERLY RIGHT—OF—WAY LINE OF HEGG AVENUE, 13.00 FEET TO A
POINT OF CURVE; THENCE CONTINUING ALONG SAID LINE SOUTHEASTERLY 335.64 FEET ALONG AN ARC OF A
CURVE TO THE LEFT, HAVING A RADIUS OF 1,432.70 FEET, THE CHORD BEARING SOUTH 18 DEGREES 13 MINUTES
14 SECONDS EAST, 334.87 FEET TO A POINT OF REVERSE CURVE; THENCE SOUTHWESTERLY 38.32 FEET ALONG
AN ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 25.00 FEET, THE CHORD BEARING SOUTH 18 DEGREES
59 MINUTES 08 SECONDS WEST, 34.68 FEET TO THE NORTHWESTERLY RIGHT—OF—WAY LINE OF LAKE EDGE
BOULEVARD; THENCE SOUTH 62 DEGREES 54 MINUTES 12 SECONDS WEST ALONG SAID RIGHT—OF—WAY LINE,
157.71 FEET TO THE SOUTHWESTERLY CORNER OF LOT 1, BLOCK 1, LAKE EDGE PARK; THENCE NORTH 11
DEGREES 51 MINUTES 56 SECONDS WEST ALONG SAID SOUTH LINE, 0F LOT 1, AFORESAID, 140.47 FEET TO THE
SOUTHEASTERLY CORNER OF PART OF LOT 21, BLOCK 1, LAKE EDGE PARK; THENCE SOUTH 82 DEGREES 39
MINUTES 46 SECONDS WEST ALONG SAID SOUTH LINE, 142.40 FEET TO THE EASTERLY RIGHT—OF—WAY LINE,
168.19 FEET TO A POINT OF CURVE; THENCE NORTH 95 DEGREES 24 MINUTES 02 SECONDS WEST ALONG SAID RIGHT—OF—WAY LINE,
168.19 FEET TO A POINT OF CURVE; THENCE NORTH 95 DEGREES 15 MINUTES 05 SECONDS WEST, 39.38 FEET TO A POINT ON
THE NORTHERLY LINE OF PART OF LOT 18, BLOCK 1, LAKE EDGE PARK; THENCE NORTH 77 DEGREES 14 MINUTES
49 SECONDS EAST ALONG SAID LINE, 131.63 FEET TO THE NORTHEASTERLY CORNER OF SAID PART OF LOT 18;
THENCE SOUTH 13 DEGREES 28 MINUTES 25 SECONDS EAST ALONG THE EASTERLY LINE OF SAID LOT A DISTANCE
OF 35.83 FEET TO THE NORTHWESTERLY CORNER OF LOT 5, BLOCK 1, LAKE EDGE PARK; THENC THE POINT OF BEGINNING.

SAID PARCEL CONTAINS 99,213 SQUARE FEFT OR 2,278 ACRES.

#### SURVEYOR'S CERTIFICATE

JOHN KREBS, WISCONSIN PROFESSIONAL LAND SURVEYOR NO. S-1878, HEREBY CERTIFY THAT UNDER THE DIRECTION OF LAKE EDGE LUTHERAN CHURCH THIS SURVEY AND MAP HAS BEEN PREPARED AND COMPLIES WITH WISCONSIN ADMINISTRATIVE CODE A-E7, WISCONSIN STATUTES AND IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF IN ACCORDANCE WITH THE INFORMATION PROVIDED.



JOHN KREBS, S-1878 PROFESSIONAL LAND SURVEYOR

2019 2

188884\dwg\188884

DATE

### CORPORATE OWNER'S CERTIFICATE

AKE EDGE LUTHERAN CHURCH, A WISCONSIN RELIGIOUS CORPORATION DULY ORGANIZED AND EXISTING UNDER AND BY VIRTUE OF THE LAWS OF THE STATE OF WISCONSIN, AS OWNER, DOES HEREBY CERTIFY THAT SAID CORPORATION HAS CAUSED THE LAND DESCRIBED ON THIS CERTIFIED SURVEY MAP TO BE SURVEYED, DIVIDED, MAPPED AND DEDICATED AS REPRESENTED HEREON. SAID CORPORATION FURTHER CERTIFIES THAT THIS CERTIFIED SURVEY MAP IS REQUIRED BY S.236.34, WISCONSIN STATUTES TO BE SUBMITTED TO THE CITY OF MADISON FOR APPROVAL.

	TNESS WHEI ESENTATIVES								PRESENTS	ТО	BE	SIGNED	BY	ITS
LAKE	EDGE LUTH	IERAN (	CHUR	CH										
BY:	******	******	, MAI	NAGIN	G MEN	MBER								

PREPARED BY:
50 Professional Services, Inc.
· Engineers · Surveyors · Planners
161 HORIZON DRIVE, SUITE 101

PHONE: (608)848-5060

LAKE EDGE LUTHERAN CHURCH 4032 MONONA DRIVE MADISON, WI 53716

PREPARED FOR

PROJECT NO: 18-8884 FILE NO: B-\* FIELDBOOK /PG:

7 of 8

SHEET NO:

SURVEYED BY: DRAWN BY: \_JK CHECKED BY: TJB APPROVED BY:

VOL. PAGE DOC. NO. \_ C.S.M. NO.

CHECKED BY: TJB

APPROVED BY:

REGISTER OF DEEDS

FIELDBOOK /PG: -

8 of 8

SHEET NO:

2019 0

188884

/ gwb

161 HORIZON DRIVE, SUITE 101 VERONA, WISCONSIN 53593 PHONE: (608)848-5060