URBAN DESIGN COMMISSION APPLICATION



City of Madison Planning Division Madison Municipal Building, Suite 017 215 Martin Luther King, Jr. Blvd. P.O. Box 2985 Madison, WI 53701-2985 (608) 266-4635



FOR OFFICE USE ONLY:		#6
Paid	Receipt#	
Date received		
Received by		
Aldermanic District		
Zoning District 2		

			Zoning	District		
	eting date and the action requested.		Urban Design District8			
			Submi	ttal reviewed by		
formats or other accommodations to access these forms, please call the phone number above immediately.		Legista	ar#_52084			
. The second contract of the second contract		ton Avenue				
tle: Valor on V	Vashington					
			ate			
			or previ	ously-approved development		
Informational		Initial approval	N.	Final approval		
oject Type						
Project in an Urb	an Design Dis	trict	Sig	nage		
		☐ Comprehensive Design Review (CDR)				
	engelijken nagtioen ikk			Signage Variance (i.e. modification of signage height,		
Campus Institutional District (CI), or Employment Campus District (EC)						
			Please specify			
- 1886				·		
☐ Specific Implementation Plan (SIP)						
Planned Multi-U	se Site or Resi	dential Building Complex				
plicant, Agent, a	nd Property	Owner Information				
		Co	Company Gorman & Company, LLC			
eet address	200 N. Ma	in St	City/State/Zip Oregon, WI 53575			
ephone	(608)835-3	3900		Email _bmarshall@gormanusa.com		
oject contact pers	on _Mark S	imith	Co	mpany Gorman & Company, LLC		
eet address	200 N. Ma	in St	Cit	y/State/Zip Oregon, WI 53575		
				ail <u>marksmith@gormanusa.com</u>		
operty owner (if r	not applicant)	County of Dane, W	isconsir	1		
		하는 기사기가 내가 가장되지 않는 것 같은 것이 없는 것이		y/State/Zip Madison, WI 53703		
Telephone (608)266-4941			ail Violante@countyofdane.com			
	e desired meeting you need an interpret mats or other accome rase call the phone no oject Information ddress:1322 Ed tle:Valor on V oplication Type (of OC meeting date re New development Informational oject Type Project in an Urb Project in the Do Mixed-Use District Project in the Sul Campus Instituti District (EC) Planned Develop General Develop General Develop Specific Imp Planned Multi-U oplicant, Agent, a oplicant name reet address lephone oject contact pers reet address lephone	e desired meeting date and the vou need an interpreter, translator, mats or other accommodations to a case call the phone number above interpreter and the phone number accommodations to a case call the phone number accommodation in the c	oject Information Idress:1322 East Washington Avenue Idress:1322 East Washington Idress:1322 East Wa	proplete all sections of this application, including e desired meeting date and the action requested. Journeed an interpreter, translator, materials in alternate mats or other accommodations to access these forms, ease call the phone number above immediately. Legista of the phone number above immediately. Legista		

Each submittal must include

fourteen (14) 11" x 17" collated

paper copies. Landscape and

Lighting plans (if required)

must be full-sized and legible.

Please refrain from using

plastic covers or spiral binding.

Required Subm	ittal Materials
---------------------------------	-----------------

- ☑ Application Form
- ☑ Letter of Intent
 - If the project is within an Urban Design District, a summary of how the development proposal addresses the district criteria is required
 - For signage applications, a summary of how the proposed signage is consistent with the applicable CDR or Signage Variance review criteria is required.
- Development plans (Refer to checklist on Page 4 for plan details)
- Filing fee (Previously paid)

Both the paper copies and electronic copies <u>must</u> be submitted prior to the application deadline before an application will be scheduled for a UDC meeting. Late materials will not be accepted. A completed application form is required for each UDC appearance.

For projects also requiring Plan Commission approval, applicants must also have submitted an accepted application for Plan Commission consideration prior to obtaining any formal action (initial or final approval) from the UDC. All plans must be legible when reduced.

*Electronic copies of all items submitted in hard copy are required. Individual PDF files of each item submitted should be compiled on a CD or flash drive, or submitted via email to udcapplications@cityofmadison.com. The email must include the project address, project name, and applicant name. Electronic submittals via file hosting services (such as Dropbox.com) are not allowed. Applicants who are unable to provide the materials electronically should contact the Planning Division at (608) 266-4635 for assistance.

6. Applicant Declarations

	pricari Decidiations
1.	Prior to submitting this application, the applicant is required to discuss the proposed project with Urban Design Commission staff. This application was discussed with <u>Janine Glaeser</u> on <u>June 1, 2018</u> .
2.	The applicant attests that all required materials are included in this submittal and understands that if any required information is not provided by the application deadline, the application will not be placed on an Urban Design Commission agenda for consideration.
Name	e of applicant Gorman & Company, LLC P. W. Relationship to property Property under contract
	Ben Marshall, Director of Architecture
Autho	orizing signature of property owner Dane County: Date 5 6 19
	Todd Violante, Planning & Development Dept Director

7. Application Filing Fees

Fees are required to be paid with the first application for either initial or final approval of a project, unless the project is part of the combined application process involving the Urban Design Commission in conjunction with Plan Commission and/or Common Council consideration. Make checks payable to City Treasurer. Credit cards may be used for application fees of less than \$1,000.

Please consult the schedule below for the appropriate fee for your request:

(Previously Paid) Urban Design Districts: \$350 (per §35.24(6) MGO).
Minor Alteration in the Downtown Core District (DC) or Urban Mixed-Use District (UMX): \$150 (per §33.24(6)(b) MGO)
Comprehensive Design Review: \$500 (per §31.041(3)(d)(1)(a) MGO)
Minor Alteration to a Comprehensive Sign Plan: \$100 (per §31.041(3)(d)(1)(c) MGO)
All other sign requests to the Urban Design Commission, including, but not limited to: appeals

A filing fee is not required for the following project applications if part of the combined application process involving both Urban Design Commission and Plan Commission:

- Project in the Downtown Core District (DC), Urban Mixed-Use District (UMX), or Mixed-Use Center District (MXC)
- Project in the Suburban Employment Center District (SEC), Campus Institutional District (CI), or Employment Campus District (EC)
- Planned Development (PD): General Development Plan (GDP) and/or Specific Implementation Plan (SIP)
- Planned Multi-Use Site or Residential Building Complex

from the decisions of the Zoning Administrator,

requests for signage variances (i.e. modifications of

signage height, area, and setback), and additional sign

code approvals: \$300 (per §31.041(3)(d)(2) MGO)

REAL ESTATE DEVELOPMENT

MILWAUKEE MIAMI PHOENIX CHICAGO DENVER

June 19, 2019

Janine Glaeser, UDC Secretary City of Madison 215 Martin Luther King, Jr. Blvd Madison, WI 53703

Re: Urban Design Commission Application - Final

Valor on Washington: 1322 East Washington Avenue

Ms. Glaeser,

Enclosed are updated plans for the project known as Valor on Washington. In response to feedback at the June 12, 2019 UDC meeting, we have made the following adjustments:

Landscape

- (3) Cleveland Select Pear ornamental trees in front terrace have been removed and replaced with 'Spring Snow' Crabapple species
- 4x8 tree grates added for ornamental trees in front terrace
- Playground Area (1) rear ornamental tree replaced by larger canopy shade tree on south east corner of playground


Building

- Metal panel gauge and installation method: This detail shall be provided at June 26th meeting.
- Elevation drawing views of all interior facades: Elevation views for the north-facing lower roof building elevations are enclosed. Please refer to sheet A203.
- Detail on material transitions, including projecting element soffits: Additional information pertaining to the exterior soffits shall be provided at the June 26th meeting.
- Consider simplifying the material palette: The elevations enclosed represent the following simplifications to the building elevations and materials. 1) At the request of the commission, brick has been removed from the north-facing lower roof building elevations. 2) The townhome facades material configurations have been modified/simplified. 3) the north-west building corner has been modified/simplified. Specifically, the lap siding inset has been changed to metal panel.
- Provide more information on roof plan, including any landscaped areas and rooftop mounted mechanical equipment: Roof plans for the lower and upper roofs are enclosed. There are no rooftop condensing units on the lower roof at level 3. Rooftop condensing units for the residential units, are showed at the upper roof plan. Additionally, (2) RTU's are shown on the upper roof plan, (1) for the commercial suite and (1) for resident amenity areas.

Sincerely,

Mark M. Smith Lead Architect, Gorman & Company







VALOR ON WASHINGTON AVE.

Project No. Project Number
Plot Date: 6/19/2019 1:31:13 PM
Drawn by: GORMAN TEAM

Date Issue Description
5.2018 LAND USE RESUBMITTAL
15.2018 LAND USE RESUBMITTAL

Sheet Title

EXTERIOR BUILDING
ELEVATIONS MATERIAL

Sheet No.

A201




NO O

VALOR

6/19/2019 1:31:26 PM

Issue Description








VALOR ON WASHINGTON AVE.

1322 EAST WASHINGTON AVE.

MADISON WI



INTERIOR COURTYARD - WEST

SCALE: 1/8" = 1'-0"

MATCH ADJACENT MATERIAL


MATCH ADJACENT MATERIAL

INTERIOR COURTYARD - EAST

SCALE: 1/8" = 1'-0"

SCALE: 1/8" = 1'-0"

INTERIOR COURTYARD - SOUTH



TOP OF PARAPET

167'-8"

07-ROOF

164'-3 1/2"

06 FLOOR 154'-1 5/8"


PAINTED STEEL RAILING @ FAUX BALCONY

CORRUGATED VERTICAL MEDIUM GRAY

-ARCHITECTURAL SCREEN, COLOR

HORIZONTAL LAP SIDING

METAL PANEL



INTERIOR COURTYARD - NORTH

SCALE: 1/8" = 1'-0"

Sheet Title

EXTERIOR BUILDING ELEVATIONS MATERIAL

Schematic

Project No. Project Number

Drawn by: GORMAN TEAM


6/19/2019 1:31:32 PM


Issue Description

LAND USE RESUBMITTAL LAND USE RESUBMITTAL

Plot Date:

Sheet No. **A203**





Toll Free (800) 242-8511

Professional Services, Inc.
Engineers • Surveyors • Planners

CREATE THE VISION TELL THE STORY

MADISON | MILWAUKEE KENOSHA | APPLETON | WAUSAU

MADISON REGIONAL OFFICE

161 HORIZON DRIVE, SUITE 101

VERONA, WISCONSIN 53593

P. 608.848.5060

CLIENT:

CLIENT ADDRESS:



200 NORTH MAIN STREET OREGON, WI, 53575

VALOR ON WASHINGTON

PROJECT LOCATION:
CITY OF MADISON, WI
DANE COUNTY

Date: Description:

1 06.08.18 LAND USE SUBMITTAL

2 08.15.18 LAND USE RE-SUBMITTAL

3 09.05.18 LAND USE RE-SUBMITTAL

esign/Drawn:


HEET TITLE:

LANDSCAPE PLAN

ET NUMBER:


L1.0

JSD PROJECT NO:




SITE EXCAVATOR. REMOVE REMAINING AGGREGATE STONE UNTIL SOIL LAYER IS


DECIDUOUS TREE PLANTING DETAIL



DECIDUOUS/EVERGREEN SHRUB PLANTING DETAIL



N.T.S.



SEE NOTES FOR MULCH SPECIFICATIONS PROPOSED GRADE 5" POLYETHYLENE 3/8" GALVANIZED STEEL SPIKE 8"-10" LONG -EXISTING SOIL-POLYETHYLENE LANDSCAPE EDGING DETAIL

N.T.S.

SURROUNDING THE TREE WITHIN THE CRITICAL ROOT RADIUS

2. NO EXCAVATION IS PERMITTED WITHIN THE CRITICAL ROOT RADIUS

3. IF EXCAVATION WITHIN THE CRITICAL ROOT RADIUS OF ANY TREE IS

TREE PROTECTION DETAIL

N.T.S.

NECESSARY, CONTRACTOR SHALL CONTACT CITY FORESTER PRIOR TO EXCAVATION TO ASSESS THE IMPACT TO THE TREE AND ROOT SYSTEM.

GENERAL NOTES

- GENERAL: ALL WORK IN THE R-O-W AND PUBLIC EASEMENTS SHALL BE IN ACCORDANCE WITH LOCAL MUNICIPAL REQUIREMENTS. JSD SHALL BE HELD HARMLESS AND DOES NOT WARRANT ANY DEVIATIONS BY THE OWNER/CONTRACTOR FROM THE APPROVED CONSTRUCTION PLANS THAT MAY RESULT IN DISCIPLINARY ACTIONS BY ANY OR ALL REGULATORY AGENCIES. LOCATE ALL UTILITIES PRIOR TO CONSTRUCTION. THE CONTRACTOR IS RESPONSIBLE FOR REPAIRING ANY DAMAGE DONE TO UTILITIES. CONTRACTOR MUST CALL 1-800-382-5544 FOR UTILITY LOCATIONS AT LEAST THREE DAYS PRIOR TO DIGGING. HAND DIG AND INSTALL ALL PLANTS THAT ARE NEAR EXISTING UTILITIES. PROTECT PREVIOUSLY INSTALLED WORK OF OTHER TRADES. CONTRACTOR IS RESPONSIBLE FOR STAKING THE PLANT MATERIALS FOR REVIEW BY OWNER PRIOR TO DIGGING AND PLACEMENT AND SHALL COORDINATE ALL FINE GRADING AND RESTORATION WITH THE GRADING CONTRACTOR.
- 2. DELIVERY AND HANDLING: DO NOT DELIVER MORE PLANT MATERIALS THAN CAN BE PLANTED IN ONE DAY, UNLESS ADEQUATE, APPROPRIATE AND SECURE STORAGE IS PROVIDED AND APPROVED BY OWNER'S REPRESENTATIVE. AT ALL TIMES, PROTECT ALL PLANT MATERIALS FROM WIND AND DIRECT SUN. DELIVER PLANTS WITH LEGIBLE IDENTIFICATION LABELS. PROTECT PLANTS DURING DELIVERY AND DO NOT PRUNE PRIOR TO DELIVERY. ALL TREES AND SHRUBS SHALL BE PLANTED ON THE DAY OF DELIVERY; IF THIS IS NOT POSSIBLE, PROTECT THE PLANT MATERIALS NOT PLANTED BY STORING THEM IN A SHADED, SECURE AREA, PROTECTING THE ROOT MASS WITH WET SOIL, MULCH, HAY OR OTHER SUITABLE MEDIUM. CONTRACTOR TO KEEP ALL PLANT MATERIALS ADEQUATELY WATERED TO PREVENT ROOT DESICCATION. DO NOT REMOVE CONTAINER GROWN STOCK FROM CONTAINERS BEFORE TIME OF PLANTING. DO NOT PICK UP CONTAINER OR BALLED PLANTS BY STEM OR ROOTS. ALL PLANTS SHALL BE LIFTED AND HANDLED FROM THE BOTTOM OF THE CONTAINER OR BALL. PERFORM ACTUAL PLANTING ONLY WHEN WEATHER AND SOIL CONDITIONS ARE SUITABLE IN ACCORDANCE WITH LOCALLY ACCEPTED BEST HORTICULTURAL PRACTICES.
- MATERIALS PLANTS: ALL PLANTS SHALL CONFORM TO THE LATEST VERSION OF THE AMERICAN STANDARD FOR NURSERY STOCK ANSI Z60.1-2004. PLANTS SHALL BE TRUE TO SPECIES AND VARIETY SPECIFIED AND NURSERY GROWN IN ACCORDANCE WITH GOOD HORTICULTURAL PRACTICES UNDER CLIMATIC CONDITIONS SIMILAR TO THOSE IN THE LOCALITY OF THE PROJECT FOR AT LEAST 2 YEARS. PLANTS SHALL BE FRESHLY DUG (DURING THE MOST RECENT FAVORABLE HARVEST SEASON). PLANTS SHALL BE SO TRAINED IN DEVELOPMENT AND APPEARANCE AS TO BE UNQUESTIONABLY SUPERIOR IN FORM, COMPACTNESS, AND SYMMETRY. PLANTS SHALL BE SOUND, HEALTHY, VIGOROUS, WELL BRANCHED AND DENSELY FOLIATED WHEN IN LEAF, AND FREE OF DISEASE AND INSECTS (ADULT EGGS, PUPAE OR LARVAE). THEY SHALL HAVE HEALTHY, WELL-DEVELOPED ROOT SYSTEMS AND SHALL BE FREE FROM PHYSICAL DAMAGE OR OTHER CONDITIONS THAT WOULD PREVENT THRIVING GROWTH OR PREMATURE MORTALITY. PLANTS SHALL BE OF THE HIGHEST QUALITY, POSSESS TYPICAL GROWTH HABITS AND FORM FOR THEIR SPECIES AND BE FREE OF INJURY. PARKWAY TREES AND PARKING LOT TREES SHALL HAVE A MINIMUM BRANCHING HEIGHT OF SIX (6) FEET ABOVE THE GROUND TO ALLOW ADEQUATE VISUAL AND PHYSICAL

4. PRUNING: THE CONTRACTOR SHALL PRUNE ALL TREES AND REPAIR ANY INJURIES THAT OCCURRED DURING THE PLANTING PROCESS. DOUBLE LEADERS, DEAD BRANCHES, AND LIMBS DAMAGED OR BROKEN DURING THE PLANTING PROCESS, SHALL BE PRUNED. THIS SHALL BE THE ONLY PRUNING ALLOWED AT PLANTING. PRUNING SHALL CONFORM TO THE LATEST VERSION OF THE AMERICAN STANDARD FOR TREE CARE OPERATIONS, ANSI A300 PRUNE TREES IN ACCORDANCE WITH NAA GUIDELINES. DO NOT TOP TREES. PRUNE SHRUBS ACCORDING TO STANDARD HORTICULTURAL PRACTICES ON CUTS OVER 3/4" IN DIAMETER AND BRUISES OR SCARS ON BARK, TRACE THE INJURED CAMBIUM LAYER BACK TO LIVING TISSUE AND REMOVE. SMOOTH AND SHAPE WOUNDS SO AS NOT TO RETAIN WATER. TREAT THE AREA WITH AN APPROVED INCONSPICUOUS LATEX BASED ANTISEPTIC TREE PAINT, IF PRUNING OCCURS "IN SEASON". DO NOT PRUNE ANY OAK TREES DURING THE MONTHS FROM APRIL TO OCTOBER,

- CLEANUP: THE WORK AREA SHALL BE KEPT SAFE AND NEAT AT ALL TIMES. DISPOSED OF EXCESS SOIL. REMOVE ALL CUTTINGS AND WASTE MATERIALS. SOIL AND BRANCHES. BIND AND WRAP THESE MATERIALS. ANY REJECTED PLANTS. AND ANY OTHER DEBRIS RESULTING FROM ALL PLANTING TASKS AND PROMPTLY CLEAN UP AND REMOVE FROM THE PROJECT SITE. UNDER NO CIRCUMSTANCES SHALL THE ACCUMULATION OF SOIL, BRANCHES OR OTHER DEBRIS BE ALLOWED UPON A PUBLIC PROPERTY IN SUCH A MANNER AS TO RESULT IN A PUBLIC SAFETY HAZARD OR DAMAGE. LIKEWISE, UNDER NO CIRCUMSTANCES SHALL ANY DEBRIS OR INCIDENTAL MATERIALS BE ALLOWED UPON ADJACENT PRIVATE PROPERTY.
- 6. ANY SUBSTITUTIONS IN PLANT TYPE, LOCATION, OR SIZE SHALL BE APPROVED BY LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- 7. CONTRACTOR TO VERIFY PLANT MATERIAL QUANTITIES. QUANTITIES SHOWN ON PLAN TAKE PRECEDENCE OVER THOSE ON SCHEDULE.

LANDSCAPE MATERIAL NOTES

- MATERIALS PLANTING MIXTURE: ALL HOLES EXCAVATED FOR TREES, SHRUBS, PERENNIALS AND ORNAMENTAL GRASSES SHALL BE BACKFILLED WITH TWO (2) PARTS TOPSOIL, ONE (1) PART SAND AND ONE (1) PART COMPOST. SOIL MIXTURE SHALL BE WELL BLENDED PRIOR TO INSTALLATION.
- 2. MATERIALS TOPSOIL: TOPSOIL TO BE CLEAN, FRIABLE LOAM FROM A LOCAL SOURCE, FREE FROM STONES OR DEBRIS OVER 3/4" IN DIAMETER, AND FREE FROM TOXINS OR OTHER DELETERIOUS MATERIALS. TOPSOIL SHALL HAVE A DH VALUE BETWEEN 6 AND 7. TOPSOIL AND PLANTING SOIL SHALL BE TESTED TO ENSURE CONFORMANCE WITH THESE SPECIFICATIONS AND SHALL BE AMENDED TO MEET THESE SPECIFICATIONS. PROVIDE TEST RESULTS TO OWNER'S REPRESENTATIVE PRIOR TO PLACEMENT. DO NOT PLACE FROZEN OR MUDDY TOPSOIL. APPLY SOIL AMENDMENTS TO ALL LANDSCAPE AREAS PER SOIL TEST.
- MATERIALS SHREDDED HARDWOOD BARK MULCH: ALL PLANTING AREAS LABELED ON PLAN SHALL RECEIVE CERTIFIED WEED FREE SHREDDED HARDWOOD BARK MULCH INSTALLED TO A MINIMUM AND CONSISTENT DEPTH OF 3-INCHES. SHREDDED HARDWOOD BARK MULCH SIZE & COLOR TO BE APPROVED BY OWNER'S REPRESENTATIVE PRIOR TO INSTALLATION. FERTILIZER SHALL BE IN ACCORDANCE WITH APPLICABLE LOCAL, COUNTY AND STATE OF WISCONSIN REQUIREMENTS. SHREDDED HARDWOOD BARK MULCH AREAS SHALL NOT RECEIVE WOVEN WEED BARRIER FABRIC.
- MATERIALS TREE & SHRUB RINGS: ALL TREES AND/OR SHRUBS PLANTED IN SEEDED LAWN AREAS TO BE INSTALLED WITH A MINIMUM 4' DIAMETER SHREDDED HARDWOOD BARK MULCH TREE RING SPREÁD TO A CONSISTENT DEPTH OF 3-INCHES. ALL TREE RINGS SHOULD BE INSTALLED WITH A 5" DEPTH SHOVEL CUT EDGE, ANGLED 45 DEGREES INTO SOIL AT A 5' DIAMETER ABOUT THE CENTER OF THE TREE PLANTING, A PRE-EMERGENT GRANULAR HERBICIDE WEED-PREVENTER SHOULD BE MIXED WITH MULCH USED TO INSTALL TREE RING AS WELL AS TOPICALLY APPLIED TO
- 5. MATERIALS POLYETHYLENE EDGING: EDGING SHALL BE 5" DEEP, POLYETHYLENE EDGING. OWNER'S REPRESENTATIVE SHALL APPROVE PRODUCT SPECIFICATION PROVIDED BY LANDSCAPE CONTRACTOR.

SEEDING & SODDING NOTES

- MATERIALS TURFGRASS SEED: DISTURBED LAWN AREAS LABELED ON PLAN AS SUCH, SHALL RECEIVE 6" OF TOPSOIL AND EARTH CARPET'S "MADISON PARKS" GRASS SEED, OR EQUIVALENT AS APPROVED BY THE OWNER'S REPRESENTATIVE, INSTALLED PER MANUFACTURER'S RECOMMENDATIONS. IN ADDITION TO TURFGRASS SEED, ANNUAL RYE SHALL BE APPLIED TO ALL DISTURBED AREAS AT A RATE OF 1 1/2 LBS PER 1000 SQUARE FEET. FERTILIZE AND MULCH PER MANUFACTURER'S RECOMMENDATIONS
- MATERIALS SOD: DISTURBED LAWN AREAS LABELED ON PLAN AS SUCH, SHALL RECEIVE 6" OF TOPSOIL AND A PREMIUM GRADE TURFGRASS SOD. ONLY IMPROVED TYPES OF SOD (ELITE) ARE ACCEPTABLE. TURFGRASS SHALL BE MACHINE CUT AT A UNIFORM THICKNESS OF .60 INCH. PLUS OR MINUS .25 INCH, AT TIME OF CUTTING. MEASUREMENT FOR THICKNESS SHALL EXCLUDE TOP GROWTH AND THATCH. LARGE ROLL TURFGRASS SOD SHALL BE CUT TO THE SUPPLIER'S STANDARD WIDTH (36-48 INCHES) AND LENGTH. BROKEN PADS AND TORN OR UNEVEN ENDS WILL NOT BE ACCEPTABLE. STANDARD SIZE SECTIONS OF TURGRASS SOD SHALL BE STRONG ENOUGH SO THAT THEY CAN BE PICKED UP AND HANDLED WITHOUT DAMAGE. TURFGRASS SOD SHALL NOT BE HARVESTED OR TRANSPLANTED WHEN MOISTURE CONTENT IS EXCESSIVELY DRY OR WET, AS THIS MAY ADVERSELY AFFECT ITS SURVIVAL. POST-PLANT IRRIGATION WILL BE NECESSARY TO ENSURE SOD STAYS ALIVE AND ROOTS INTO SOIL. THE CONTRACTOR IS RESPONSIBLE FOR WATERING SOD UNTIL TIME OF ACCEPTANCE BY THE OWNER. TURFGRASS SOD SHALL BE HARVESTED, DELIVERED, AND INSTALLED/TRANSPLANTED WITHIN A PERIOD OF 24 HOURS. TURFGRASS SOD SHALL BE RELATIVELY FREE OF THATCH, UP TO 0.5 INCH ALLOWABLE (UNCOMPRESSED). TURFGRASS SOD SHALL BE REASONABLY FREE (10 WEEDS/100 SQ. FT.) OF DISEASES, NEMATODES AND SOIL-BORNE INSECTS. ALL TURFGRASS SÓD SHALL BE FREE OF GRASSY AND BROAD LEAF WEEDS. THE SOD SUPPLIER SHALL MAKE RECOMMENDATIONS TO THE CONTRACTOR REGARDING WATERING SCHEDULE. THE WATERING SCHEDULE SHOULD BEGIN IMMEDIATELY AFTER SOD IS INSTALLED.

CONTRACTOR AND OWNER RESPONSIBILITY NOTES

- GUARANTEE: THE CONTRACTOR SHALL GUARANTEE ALL PLANTS THROUGH ONE (1) YEAR AFTER ACCEPTANCE BY THE OWNER'S REPRESENTATIVE. PLANTS SHALL BE ALIVE AND IN HEALTHY AND FLOURISHING CONDITION AT THE END OF THE GUARANTEE PERIOD. THE CONTRACTOR SHALL REPLACE (AT NO COST TO OWNER) ANY PLANTS THAT ARE DEAD OR NOT IN A VIGOROUS THRIVING CONDITION. REPLACEMENT PLANTS SHALL BE OF THE SAME KIND AND SIZE AS ORIGINALLY SPECIFIED UNLESS OTHERWISE DIRECTED BY OWNER'S REPRESENTATIVE. RESTORE BEDS AS NECESSARY FOLLOWING PLANT REPLACEMENT, INCLUDING BUT NOT LIMITED TO BEDDING, EDGING, MULCH, ETC. REPLACE PLANTS DAMAGED AT TIME OF PLANTING. REPAIR AREAS DISTURBED IN ANY WAY DURING PLANT REPLACEMENT AT NO COST TO OWNER. CONTRACTOR SHALL PROVIDE A ONE (1)—YEAR STRAIGHTENING GUARANTEE FOR ALL TREES.
- CONTRACTOR IS RESPONSIBLE FOR STAKING THE PLANT MATERIALS FOR REVIEW BY OWNER'S REPRESENTATIVE PRIOR TO DIGGING AND PLACEMENT AND SHALL COORDINATE ALL FINE GRADING AND RESTORATION WITH THE GRADING CONTRACTOR.
- MAINTENANCE: (CONTRACTOR) FOR ALL PLANTINGS, SEEDED AREAS AND SODDED LAWN AREAS: THE CONTRACTOR SHALL MAINTAIN ALL PLANTINGS AND LAWN AREAS FOR A MINIMUM TIME PERIOD OF 60 DAYS, UNTIL FINAL ACCEPTANCE BY OWNER'S REPRESENTATIVE. THE CONTRACTOR IS RESPONSIBLE FOR ADEQUATELY WATERING PLANTS AND LAWN/TURFGRASS DURING THIS 60 DAY ESTABLISHMENT PERIOD. CONTRACTOR IS RESPONSIBLE FOR THE ESTABLISHMENT OF HEALTHY VIGOROUS PLANT MATERIALS AND LAWN/TURFGRASS GROWTH. CONTRACTOR IS ALSO RESPONSIBLE FOR ANY PRUNING OF PLANT MATERIALS, AND SHAPING AND/OR REPLACEMENT OR SUPPLEMENT OF DEFICIENT SHREDDED HARDWOOD BARK MULCH DURING THIS PERIOD. LONG TERM PLANT MATERIALS AND LAWN/TURFGRASS MAINTENANCE AND ANY PROGRAM FOR SUCH IS THE RESPONSIBILITY OF THE OWNER. ALL PLANTINGS AND LAWN/TURFGRASS AREAS SHALL BE MAINTAINED IN A MANICURED CONDITION UNTIL THE TIME WHEN THE OWNER'S ACCEPTANCE IS GIVEN.
- MAINTENANCE: (OWNER) THE OWNER IS RESPONSIBLE FOR THE CONTINUED MAINTENANCE, REPAIR AND REPLACEMENT OF ALL LANDSCAPING MATERIALS AND WEED BARRIER FABRIC AS NECESSARY FOLLOWING THE ONE (1) YEAR CONTRACTOR GUARANTEE PERIOD.



CITY OF MADISON LANDSCAPE WORKSHEET

Section 28.142 Madison General Ordinance

Credits/ Existing New/ Proposed

ect Location /	Address	1328 EAST WASHINGT	ON AVENUE	
ne of Project	VALOR	ON WASHINGTON		
ner / Contact	JUSTIN	FRAHM		
tact Phone	(608)	848-5060	Contact Email	JUSTIN.FRAHM@JSDINC.COM
_	` /			

** Landscape plans for zoning lots greater than ten thousand (10,000) square feet in size MUST be prepared by a registered landscape architect. **

The following standards apply to all exterior construction and development activity, including the expansion of existing buildings, structures and parking lots, except the construction of detached single-family and two-family dwellings and their accessory structures. The entire development site must be brought up to compliance with this section unless all of the following conditions apply, in which case only the affected areas need to be brought up to compliance:

- (a) The area of site disturbance is less than ten percent (10%) of the entire development site during any ten-(10)
- (b) Gross floor area is only increased by ten percent (10%) during any ten-(10) year period.
- (c) No demolition of a principal building is involved.
- (d) Any displaced landscaping elements must be replaced on the site and shown on a revised landscaping plan.

Landscape Calculations and Distribution

Required landscaped areas shall be calculated based upon the total developed area of the property. Developed area is defined as that area within a single contiguous boundary which is made up of structures, parking, driveways and docking/loading facilities, but excluding the area of any building footprint at grade, land designated for open space uses such as athletic fields, and undeveloped land area on the same zoning lot. There are three methods for calculating landscape points depending on the size of the lot and Zoning District.

(a) For all lots except those described in (b) and (c) below, five (5) landscape points shall be provided for each three hundred (300) square feet of developed area.

	an five (5) acres, points shall be provided at five (5) points per three hundred (300) square re (5) developed acres, and one (1) point per one hundred (100) square feet for all additional
Total square fo	ootage of developed area
Five (5) acres	= 217,800 square feet

Total square footage of developed area 10,290

Total landscape points required __

First five (5) developed acres = 3,630 points Remainder of developed area _ Total landscape points required _

(c) For the Industrial - Limited (IL) and Industrial - General (IG) districts, one (1) point shall be provided per one hundred (100) square feet of developed area.

Total square footage of developed area Total landscape points required _

Tabulation of Points and Credits

Use the table to indicate the quantity and points for all existing and proposed landscape elements.

DI . T (E)	Minimum Size at	.		Existing caping		roposed caping
Plant Type/ Element	Installation	Points	Quantity	Points Achieved	Quantity	Points Achieved
Overstory deciduous tree	2½ inch caliper measured diameter at breast height (dbh)	35			3	105
Tall evergreen tree (i.e. pine, spruce)	5-6 feet tall	35				
Ornamental tree	1 1/2 inch caliper	15			6	90
Upright evergreen shrub (i.e. arborvitae)	3-4 feet tall	10				
Shrub, deciduous	#3 gallon container size, Min. 12"-24"	3			51	153
Shrub, evergreen	#3 gallon container size, Min. 12"-24"	4			22	88
Ornamental grasses/ perennials	#1 gallon container size, Min. 8"-18"	2			102	204
Ornamental/ decorative fencing or wall	n/a	4 per 10 lineal ft.				
Existing significant specimen tree	Minimum size: 2 ½ inch caliper dbh. *Trees must be within developed area and cannot comprise more than 30% of total required points.	14 per caliper inch dbh. Maximum points per tree: 200				
Landscape furniture for public seating and/or transit connections	* Furniture must be within developed area, publically accessible, and cannot comprise more than 5% of total required points.	5 points per "seat"				
Sub Totals						640

Total Number of Points Provided 640

* As determined by ANSI, ANLA- American standards for nursery stock. For each size, minimum plant sizes shall conform to the specifications as stated in the current American Standard for Nursery Stock.



CREATE THE VISION TELL THE STORY

MADISON MILWAUKEE KENOSHA APPLETON WAUSAU

MADISON REGIONAL OFFICE 161 HORIZON DRIVE, SUITE 101 VERONA, WISCONSIN 53593 P. 608.848.5060

CLIENT:



CLIENT ADDRESS: **200 NORTH MAIN STREET OREGON, WI, 53575**

VALOR ON WASHINGTON

PROJECT LOCATION: CITY OF MADISON, WI

DANE COUNTY

PLAN	I MODIFICATI	ONS:
#_	Date:	Description:
1	06.08.18	LAND USE SUBMITTAL
$\frac{1}{2}$	08.15.18	LAND USE RE-SUBMITTAL
3	09.05.18	LAND USE RE-SUBMITTAL
4		
5		
5 6 7		
7		
8		
9		
10		
11		
12		
		<u> </u>

esign/Drawn: oproved:

LANDSCAPE DETAILS. NOTES &

SPECIFICATIONS

SHEET NUMBER:

SD PROJECT NO:





В	Sch	ematic
	Project No.	Project Number
	Plot Date:	6/19/2019 1:42:15 PM
	Drawn by:	GORMAN


Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title

1ST FLOOR PLAN -

OVERALL

Sheet No.





OREGON, WI 53575

VALOR ON WASHINGTON AVE.

Schematic		
Project Number		
6/19/2019 1:42:19 PM		
GORMAN TEAM		

~ **▲ A205**

Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title

2ND FLOOR PLAN -OVERALL

Sheet No.

2ND FLOOR PLAN - OVERALL

SCALE: 1/8" = 1'-0"

8'-0" 5'-11 1/2" 6'-9 1/2"



VALOR ON WASHINGTON AVE.

Schematic		
Project No.	Project Number	
Plot Date:	6/19/2019 1:42:28 PM	
Drawn by:	GORMAN	


Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title

3RD FLOOR PLAN -

3RD FLOOR P OVERALL

Sheet No. A131



3RD FLOOR PLAN - OVERALL



Schematic	
Project No.	Project Number
Plot Date:	6/19/2019 1:42:38 PM
Drawn by:	GORMAN

Date Issue Descriptio
5.2018 LAND USE RESUBMITTAL
5.2018 LAND USE RESUBMITTAL


Sheet Title

4TH FLOOR PLAN -

Sheet No.

OVERALL

A141





/ASHINGTON AVE.

Schematic Project No. Project Number Plot Date: 6/19/2019 1:42:47 PM Drawn by: GORMAN


Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title

5TH FLOOR PLAN -

OVERALL

Sheet No.
A151




5TH FLOOR PLAN - OVERALL

SCALE: 1/8" = 1'-0"



OREGON, WI 53575






Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title
6TH FLOOR PLAN

6TH FLOOR PLAN -OVERALL


No. **A161**





OREGON, WI 53575





Date Issue Description
08.15.2018 LAND USE RESUBMITTAL
09.05.2018 LAND USE RESUBMITTAL

Sheet Title
ROOF PLAN - OVERALL

A171

