From: To: Alice Erickson Prusak, Sydney

Cc:

Tucker, Matthew; Furman, Keith; "Aaron Crandall"

Subject:

5454 Lake Mendota Dr

Date:

Friday, October 11, 2019 3:53:19 PM

Sydney,


I just reviewed the documents that are up on the web, in particular the public comments. I am quite horrified to see that Ms. Cox has decided to seek out supporters, not only not of the neighborhood, but not of Madison and not even of the state to speak on her behalf. Has it come to the point that we will be governed by folks who have no knowledge of our neighborhood? I counted letters from:


- Texas
- Middleton
- Appleton
- Mt Horeb
- Prairie du Sac
- Verona (4 letters)
- Johnson Creek
- Canterbury Elementary School (not in Madison, don't know where it is)
- WI resident
- resident of Maple Bluff and Middleton Beach, Middleton
- others with no location given
- Multiple entries by the same person saying the same thing

Additionally I hope that those who added their titles of President, Owner, Dean etc do not think that their voice has any more importance those residing in Spring Harbor because they have letters after their name. That is irrelevant to the issue.

Alice Erickson Spring Ct

Living space (sq ft) of neighboring 10 homes





Address	Owner	Lot area	Living space
5438	Fucinato	16533	2175
5442	Balistreri	16566	2944
5446	Redmond	10028	1738
5448	Zweifel-	10029	1264
5450	Russell	13158	5000
5454	Cox	17151	10629
5458	Nickies	17921	2990
5502	Klatt	17968	5229
5510	Spenser	16991	2054
5516	Stewart	16500	3304
5520	Batson	16368	2878

Putting Up a Fence or a Hedge



You don't need a building permit to put up a fence. But you do need to know Madison's ordinances governing the height and placement of fences and screening.

You also need to check for any deed restrictions or covenants on your property that might regulate improvements in your yard. Refer to the documents you signed and received when you purchased your house.

Find out if your proposed fence or planting project will meet the placement and height requirements

Placement

A fence may be erected up to the lot line, but no part of the fence or post may encroach over the lot line. Keep a fence or plantings back from the property line to allow easy maintenance. It is your choice whether to fence in the entire yard or only part of it.

There is no legal requirement for the "good side" of the fence face your neighbor. But it's a good idea to discuss your fence project with your neighbors and find out their concerns.

Height

Rear or side yards. A solid screening fence or hedge located in a rear

or interior side yard shall not exceed a maximum height of 6 feet above ground level. If your yard adjoins a mixed-use, commercial or employment district, the fence or hedge may be up to 8 feet in height along the common property line.

Front or corner side yards. A solid screening fence shall not exceed 4 feet high within a front or corner side yard setback. However, a fence or hedge up to 6 feet high may be located within a corner side yard behind the rear plane of the house. Screenings fences exceeding 4 feet in height alongside the house must be set back a minimum of 4 feet from the sidewalk or property line.

Front. A fence located within a front yard may increase in height to a maximum of 5 feet if it is less than 50% opaque or to a height of 6 feet it is less than 20% opaque.

All in-ground pools must be enclosed by a fence that is at least 4 feet high and not more than 8 feet in height. A pool fence must also have a gate with a lock.

Above-ground pools with sides that are more than 4 feet high do not need to be enclosed by a fence. However, access to an above-ground pool must be controlled. A removable ladder is an easy way to meet this requirement.

Street intersection corners may have fences or hedges that are 2 ½ feet or less above curb level. Trees cannot have branches lower than 10 feet above the curb level. These requirements are for fences, hedges, or trees within 25 feet, on either side, from the corner of the lot. This lets pedestrians and autos have a clear view of traffic. Call Traffic Engineering at (608) 266-4761, if you

wish to request an exemption from

this law.

Driveways may be lined by fences or plantings that you cannot see through. Within 10 feet of the intersection of any driveway with any street-side lot line, fences or plantings cannot be more than 2.5 feet above curb level.

Retaining walls are subject to the same height considerations as other types of fences. In the case of a fence on a retaining wall, fence

Need Help?

We are happy to answer your questions and suggest solutions to your problems any time during the planning or construction of your garage.



City of Madison
Building Inspection Division
126 South Hamilton
P.O. Box 2984
Madison, WI 53701-2984

(608) 266-4551; Fax: (608) 266-6377

www.cityofmadison.com/developmentcenter/bldginspect@cityofmadison.com

City of Madison • Building Inspection

height is measured. If a fence is setback at least 4 feet from the retaining wall, then the fence height is measured from the base of the fence.

The diagram below shows these height and placement requirements.

Materials

Fences and walls located in front or street side yard areas must be made of materials such as wood, ornamental metal, vinyl-coated chain link, brick, or stone. Uncoated chain link fences may be used in interior side or rear yards.

Temporary fencing, including the use of wood or plastic snow fences between November 1 and April 1, protection of excavation and construction sites, and protection of plants during grading and construction is permitted during the time of an approved building permit or up to 180 consecutive days per calendar year.

2 Locate your lot lines. There should be metal stakes at each corner of your lot. Talk to your neighbors or use a metal detector. If you can't locate your lot lines yourself, you may need to hire a surveyor. The City cannot help you with this. It is the homeowner's responsibility to locate all property lines before construction of any fence.

3 Call the Diggers Hotline,

1-800-242-8511, to avoid rupturing underground utilities that you may not know are there. A utility company employee will come out and mark the location of underground electric, sewer, telephone, and cable lines in your yard. You may need to change the placement of the fence or plantings if it is over the one of these lines.

4 Install your fence and plantings

in good condition. Paint and repair fences on a regular basis. Trim shrubbery to maintain height requirements and keep it off of sidewalks, streets and neighbor's property.

If you're not sure that your proposed fence will meet the requirements, call 608.266.4551 and ask for Zoning assistance. Zoning staff will be happy to advise you so that your fence is both safe and attractive.

5 Keep your fence and plantings in good condition.


Paint and repair fences on a regular basis. Trim shrubbery to maintain height requirements and keep it off of sidewalks, streets, and neighbor's property.


If you're not sure that your proposed fence will meet the requirements, cal 608.266.4551 and ask for Zoning assistance. Zoning staff will be happy to advise you so that your fence is both safe and attractive.

General Guidelines for Residential Screening Heights for Plants and Fences

Corner Lot General Screening Heights for Plants and Fences* above ground level behind Maximum 6 above ground rear plane of level house 6 foot tall solid fence allowed if setback greater than * Corner lots are unique depending 4' from side property line on your house and Fence materials driveway location on requirements for fences in front yard the lot. This diagram does not show every and street side yard possible variation Check with Zonina along side house Staff about your Solid fence maximum 4' in particular lot. height Fence height may increase to 5' if less than 50% opaque or 6' if less than 20% opaque. 25 No screening between 30" and 10' above curb vithin 10' of and driveway 25' level within 25' on either STREET

General Screening Heights for Plants and Fences*





5454 Lake Mendota Drive - East elevation - (wall shading & railing added)