



Department of Planning & Community & Economic Development

Planning Division

Heather Stouder, Director

215 Martin Luther King, Jr. Blvd.
P.O. Box 2985
Madison, Wisconsin 53701-2985
Phone: (608) 266-4635
Fax (608) 267-8739
www.cityofmadison.com

November 11, 2019

Brian Munson
Vandewalle & Associates
120 E. Lakeside Street
Madison, WI 53715

RE: Approval of a request to rezone 6810-6834 Milwaukee Street, 1 Wind Stone Drive, and 45 Wind Stone Drive from PD-GDP (Planned Development – General Development Plan) to amended PD-GDP-SIP (Planned Development – General Development Plan – Specific Implementation Plan).

Dear Mr. Munson,

At its November 5, 2019 meeting, the Madison Common Council found the standards met and **approved** your request to rezone 6810-6834 Milwaukee Street, 1 Wind Stone Drive, and 45 Wind Stone Drive from PD-GDP (Planned Development – General Development Plan) to amended PD-GDP-SIP (Planned Development – General Development Plan – Specific Implementation Plan) to allow for the development of 216 multi-family housing units and seven (7) townhouse units within five buildings. The conditions of approval in the following sections shall be satisfied prior to issuance of building permits for the project. This request was reviewed as three applications. The conditions of approval below are similarly divided according to the application attached to each address listed above.

6810-6834 Milwaukee Street (ID 56461)

Please contact my office at (608) 243-0455 if you have any questions regarding the following four (4) items, including items 3-4 that were added by the Plan Commission:

1. The zoning text shall be revised to include “offices for human service programs” as a permitted use, to be reviewed and approved by Planning staff and the Zoning Administrator.
2. Applicant shall revise plans to screen rooftop mechanicals on all buildings from view from adjacent rights of way.
3. That the applicant submit a management and security plan, with details to be approved by staff, to be recorded as an addendum to the zoning text.
4. That the applicant commit to providing amenities to resident children, including a playground and an indoor game room.

Please contact Janine Glaeser, Urban Design Commission Secretary at (608) 267-8740 if you have any questions regarding the following one (1) item:

5. Obtain final approval from Urban Design Commission prior to final staff sign-off by addressing the issues identified by the UDC when initial approval was obtained.

Please contact Jenny Kirchgatter, Assistant Zoning Administrator at (608) 266-4429 if you have any questions regarding the following eight (8) items:

6. Work with Planning and Zoning staff to finalize the Zoning Text.
7. On the site plan, show the building setback distances measured to the property lines.
8. Bicycle parking shall comply with City of Madison General Ordinances Sections 28.141(4)(g) Table 28I-3 and 28.141(11) and shall be designated as short-term or long-term bicycle parking. A minimum of 194 resident bicycle stalls are required plus a minimum of 17 short-term guest stalls. A minimum of 90% of the resident stalls shall be designed as long-term parking. Up to twenty-five percent (25%) of bicycle parking may be structured parking, vertical parking or wall mount parking, provided there is a five (5) foot access aisle for wall mount parking. NOTE: A bicycle stall is a minimum of two (2) feet by six (6) feet with a five (5) foot wide access area. Submit a detail showing the model of bike rack to be installed.
9. Submit the landscape plan and landscape worksheet stamped by the registered landscape architect. Per Section 28.142(3) Landscape Plan and Design Standards, landscape plans for zoning lots greater than ten thousand (10,000) square feet in size must be prepared by a registered landscape architect.
10. Submit detailed floor plans and elevations for all three proposed buildings (Buildings 1, 2, and 4). Include the third and fourth floors. Identify the building materials colors on the elevation keynotes and elevations.
11. Provide a roof section or profile showing the height of the proposed rooftop units in relation to the height of the parapet and demonstrating that they will not be visible from view. Per Section 28.142(9)(d), all rooftop and ground level mechanical equipment and utilities shall be fully screened from view from any street or residential district, as viewed from six (6) feet above ground level.
12. Per Section 28.186(4)(b), the property owner or operator is required to bring the property into compliance with all elements of the approved site plans by the date established by the Zoning Administrator as part of the site and building plan approval. Work with Zoning staff to establish a final site compliance date.
13. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 Sign Codes of the Madison General Ordinances. Signage permits are issued by the Zoning Section of the Department of Planning and Community and Economic Development.

Please contact Brenda Stanley of the City Engineering Division at (608) 261-9127 if you have any questions regarding the following thirteen (13) items:

14. 1.1 The construction of this project will require that the applicant shall enter into a City / Developer agreement for the required infrastructure improvements. The applicant shall contact City Engineering to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. Obtaining a developer's agreement generally takes approximately 4-6 weeks, minimum. (M.G.O. 16.23(9)c)
15. 6.2 All outstanding Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (M.G.O.16.23(9)(d)(4))
16. 6.5 The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)
17. 4.13 The Applicant shall submit, prior to plan sign-off but after all revisions have been completed, a digital CAD file (single file) to the Engineering Division with any private storm and sanitary sewer utilities. The digital CAD file shall be to scale and represent final construction. The CAD file shall be in a designated coordinate system (preferably Dane County WISCRS, US Ft). The single CAD file submittal can be either AutoCAD (dwg) Version 2013 or older, MicroStation (dgn) V8i Select Series 3 or older, or Universal (dxf) format and shall contain the only the following data, each on a separate layer name/level number:
 - a) Building Footprints
 - b) Internal Walkway Areas
 - c) Internal Site Parking Areas
 - d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
 - e) Right-of-Way lines (public and private
 - f) Lot lines or parcel lines if unplatted
 - g) Lot numbers or the words unplatted
 - h) Lot/Plat dimensions
 - i) Street names
 - j) Private on-site sanitary sewer utilities (including all connections to public sanitary)
 - k) Private on-site storm sewer utilities (including all connections to public storm)All other levels (contours, elevations, etc) are not to be included with this file submittal.
NOTE: Email CAD file transmissions are preferred to: bstanley@cityofmadison.com (East) or ttroester@cityofmadison.com (West). Include the site address in the subject line of this transmittal. Any changes or additions to the location of the building, sidewalks, parking/pavement, private on-site sanitary sewer utilities, or private on-site storm sewer utilities during construction will require a new CAD file.
18. 4.15 The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
 - a) SLAMM DAT files
 - b) RECARGA files
 - c) TR-55/HYDROCAD/Etc
 - d) Sediment loading calculations. If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided. (POLICY and M.G.O. 37.09(2))

19. 4.21 Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project. Include copies of all stormwater, utility, and detail plan sheets that contain stormwater practices on 8.5x14 size paper in the draft document. These drawings do not need to be to scale as they are for informational purposes only. Once City Engineering staff have reviewed the draft document and approved it with any required revisions submit a signed and notarized original copy to City Engineering. Include a check for \$30.00 made out to Dane County Register of Deeds for the recording fee. City Engineering will forward the document and fee for recording at the time of issuance of the stormwater management permit. Draft document can be emailed to Tim Troester (west) at ttroester@cityofmadison.com, or Daniel Olivares at DAOlivares@cityofmadison.com final document and fee should be submitted to City
 20. 4.6a This site appears to disturb over one (1) acre of land and requires a permit from the WDNR for stormwater management and erosion control. The City of Madison has been required by the WDNR to review projects for compliance with NR216 and NR-151 however a separate permit submittal is still required to the WDNR for this work. The City of Madison cannot issue our permit until concurrence is obtained from the WDNR via their NOI or WRAPP permit process. Contact Eric Rortvedt at 273-5612 of the WDNR to discuss this requirement. Information on this permit application is available on line <http://dnr.wi.gov/Runoff/stormwater/constrformsinfo.htm> (NOTIFICATION)
 21. 4.9 Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to detain the 100 -year storm events, matching post development rates to predevelopment rates.
 22. 4.9d Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to provide infiltration in accordance with Chapter 37 of the Madison General Ordinances.
 23. 4.9g Complete an erosion control plan and complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website - as required by Chapter 37 of the Madison General Ordinances.
 24. 4.9zz Applicant shall provide a copy of the wetland sign off from the WDNR indicating that the wetlands on the property are not jurisdictional.
 25. Applicant shall construct full street and sidewalk improvements for:
 - Wind Stone Dr. from Milwaukee to Advantage
 - Meadowlands Lane from Wind Stone to Phase Limit
- Applicant shall complete street and sidewalk improvements as required by City Engineer to provide two way traffic to:
- Advantage Drive through phase limit
- Applicant shall complete half street and sidewalk improvement to:
- Milwaukee Street from Wind Stone to phase limit

26. The applicant shall provide calculations sealed by a professional engineer in WI that the storm sewer system (pump or gravity) serving the underground parking access has been sized to adequately handle the 100-year storm event without flooding of the underground parking areas.

Please contact Jeffrey Quamme of the City Engineering Division Mapping Section at (608) 266-4097 if you have any questions regarding the following four (4) items:

27. This project is proposed over 3 lots. Provide for review, comprehensive reciprocal easements and agreements including, but not limited to, access, parking, utilities, private water main for fire protection, common areas, storm drainage and storm management that are necessary to accomplish the land division or site development as proposed prior to final sign off. The document(s) shall be executed and recorded and copies provided prior building permit issuance.

28. Per Document No. 1099553 applicant can use the gas pipeline area for uses not inconsistent with the ANR Pipeline's use. To assure that the proposed parking lot, sidewalks, water main services, sanitary sewer laterals and storm sewer improvements do not conflict with the gas pipeline, applicant shall obtain written consent from ANR Pipeline Company before making any improvement or grade change within the gas pipeline easement along the easterly side of this development. Proof of consent will be required prior to sign off of the final site plans.

29. The plans shall show and note the 6" and 10" gas mains that run through this site.

30. Submit a Floor Plan for each separate building in PDF format to Lori Zenchenko (lzenchenko@cityofmadison.com) that includes a floor plan for each floor on a separate sheet for the development of a complete building and interior addressing plan. The Addressing Plan for the entire project shall be finalized and approved by Engineering (with consultation and consent from the Fire Marshal if needed) prior to the submittal of the final Site Plan Approval application with Zoning. The approved Addressing Plan shall be included in the final application. For any changes pertaining to the location, deletion or addition of a unit, or to the location of a unit entrance, (before, during, or after construction), a revised Address Plan shall be resubmitted to Lori Zenchenko to review addresses that may need to be changed and/or reapproved. The final revised Addressing Plan shall be submitted by the applicant to Zoning to be attached to the final filed approved site plans.

Please contact Sean Malloy of the Traffic Engineering Division at (608) 266-5987 if you have any questions regarding the following fourteen (14) items:

31. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be scaled to 1" = 20' and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; vision triangles; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including those adjacent to and across street from the project lot location; parking stall dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.

32. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement

marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.

33. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
34. All parking facility design shall conform to M.G.O. standards, as set in section 10.08(6).
35. All bicycle parking adjacent pedestrian walkways shall have a 2 foot buffer zone to accommodate irregularly parked bicycles and/or bicycle trailers.
36. All pedestrian walkways adjacent parking stalls shall be 7 feet wide to accommodate vehicle overhang, signage and impediments to walkway movements. Any request for variance shall be submitted to and reviewed by City Traffic Engineering.
37. The applicant shall not utilize public row to satisfy code requirement unless approved by the City Traffic Engineer
38. The applicant shall provide a clearly defined 5' walkway clear of all obstructions to assist citizens with disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage and doors that swing outward into walkway.
39. The driveway slope to the underground parking is not identified in the plan set, Traffic Engineering recommends driveway slope under 10%; if the slope is to exceed 10%, the applicant shall demonstrate inclement weather mitigation techniques to provide safe ingress/egress to be approved by the City Traffic Engineer.
40. "Stop" signs shall be installed at a height of seven (7) feet from the bottom of the sign at all class III driveway approaches, including existing driveways, behind the property line and noted on the plan. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
41. The applicant shall show the dimensions for the proposed class III driveway including the width of the drive entrance, width of the flares, and width of the curb cut. Currently, the driveways on the plan are shown with radii, the applicant shall change these driveways to show City standard flares.
42. Developer shall provide a recorded copy of any joint driveway ingress/egress and crossing easements and shall be noted on face of plan.
43. Covered parking is not dimensioned and as such not reviewable at this time. The applicant should be aware this may lead to major site changes once the dimensions are provided.
44. All parking stalls must be clear of any and all obstructions (including columns) to be considered a legal parking stall. For large car this means 9' by 18' clear, for one-size-fits-all this means 8.75' by 17' clear.

Please contact Adam Wiederhoeft of the Water Utility at (608) 266-9121 if you have any questions regarding the following five (5) items:

45. The developer shall construct the public water distribution system and services required to serve the proposed subdivision plat/CSM per M.G.O. 16.23(9)(d)(3).
46. All public water mains and water service laterals shall be installed by a standard City subdivision contract / City- Developer agreement. Applicant shall contact City Engineering Division to schedule the development of plans and the agreement. See Engineering Division comments for additional information.
47. A Water Meter Application Form and fees must be submitted before connecting to the existing water lateral. Provide at least two working days notice between the application submittal and the scheduled lateral connection/extension. Application materials are available on the Water Utility's Plumbers & Contractors website (<http://www.cityofmadison.com/water/plumberscontractors>), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.
48. A Water Service Application Form and fees must be submitted before connecting to the existing water system. Provide at least two working days notice between the application submittal and the requested installation or inspection appointment. Application materials are available on the Water Utility's Plumbers & Contractors website (<http://www.cityofmadison.com/water/plumberscontractors>), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. A Water Meter Application Form will subsequently be required to size & obtain a water meter establish a Water Utility customer account and/or establish a Water Utility fire service account. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.
49. The Utility/Site Plan(s) shall be revised to show all existing public water mains, valves, hydrants and service laterals in the project area as well as identify the diameters of the existing water mains and laterals.

Please contact Kathleen Kane of the Parks Division at (608) 261-9671 if you have any questions regarding the following one (1) item:

50. Park Impact Fees (comprised of the Park Infrastructure Impact Fee, per M.G.O. Sec. 20.08(2)), and Park-Land Impact Fees, per M.G.O. Sec. 16.23(8)(f) and 20.08(2) will be required for all new residential development associated with this project. This development is within the East Park -Infrastructure Impact Fee district. Please reference ID# 17121.2 when contacting Parks about this project.

Please contact Brad Hofmann of the Forestry Division at (608) 266-4816 if you have any questions regarding the following one (1) item:

51. City Forestry will evaluate the terrace for new street tree plantings upon completion of the project. If there is space for new trees, City Forestry will schedule planting and assess the cost of the initial planting to the property owner.

Please contact Bill Sullivan of the Fire Department at (608) 261-9658 if you have any questions regarding the following two (2) items:

52. Provide fire apparatus access as required by IFC 503 2015 edition, M.G.O. 34.503, as follows:
- The site plans shall clearly identify the location of all fire lanes.
 - Provide a fire lane that extends to within 250-feet of all exterior portions of the structure since the building has a fire sprinkler system.
 - M.G.O. 34.503/IFC 503 Appendix D105, Provide an aerial apparatus access fire lane that is at least 26-feet wide, if any part of the building is over 30 feet in height. The near edge of the aerial fire lane shall be within 30-feet and not closer than 15 feet from the structure, and parallel to one entire side. The aerial fire lane shall cover not less than 25% of the building perimeter.
 - Public streets maybe used for aerial access lanes only after all other City needs have been accommodated. Removal of trees and/or on street parking is not a right of the development. Alternative means to construct the buildings above the building code minimums are an option to offset the need for aerial access lanes.
53. Provide direct roof access from one of the exitstairs.

Please contact Tim Sobota of Metro Transit at (608) 261-4289 if you have any questions regarding the following two (2) items:

54. Metro Transit only operates weekday peak-hour transit service along Milwaukee Street through the Wyalusing Drive intersection, near the project site. Daily, all-day transit service is on Thompson Drive west of the Interstate, at least 1.25 miles walking distance from the project site.
55. The proposed development is outside Metro Transit's paratransit service area. The closest bus stop with regularly scheduled bus service is over one and one quarter miles walking distance, and the units would be greater than the $\frac{3}{4}$ mile regulatory distance from this all day service for passengers who might be eligible for door-to-door paratransit service.

1 Wind Stone Drive (ID 56462)

Please contact my office at (608) 243-0455 if you have any questions regarding the following two (2) items, including item 2 that was added by the Plan Commission:

1. Applicant shall revise plans to screen rooftop mechanicals on all buildings from view from adjacent rights of way.
2. That the applicant submit a management and security plan, with details to be approved by staff, to be recorded as an addendum to the zoning text.

Please contact Janine Glaeser, Urban Design Commission Secretary at (608) 267-8740 if you have any questions regarding the following one (1) item:

3. Obtain final approval from Urban Design Commission prior to final staff sign-off by addressing the issues identified by the UDC when initial approval was obtained.

Please contact Jenny Kirchgatter, Assistant Zoning Administrator at (608) 266-4429 if you have any questions regarding the following six (6) items:

4. On the site plan, show the building setback distances measured to the property lines.
5. Bicycle parking shall comply with City of Madison General Ordinances Sections 28.141(4)(g) Table 28I-3 and 28.141(11) and shall be designated as short-term or long-term bicycle parking. A minimum of 51 resident bicycle stalls are required plus a minimum of 4 short-term guest stalls. A minimum of 90% of the resident stalls shall be designed as long-term parking. Up to twenty-five percent (25%) of bicycle parking may be structured parking, vertical parking or wall mount parking, provided there is a five (5) foot access aisle for wall mount parking. NOTE: A bicycle stall is a minimum of two (2) feet by six (6) feet with a five (5) foot wide access area. Submit a detail showing the model of bike rack to be installed.
6. Submit the landscape plan and landscape worksheet stamped by the registered landscape architect. Per Section 28.142(3) Landscape Plan and Design Standards, landscape plans for zoning lots greater than ten thousand (10,000) square feet in size must be prepared by a registered landscape architect.
7. Submit detailed floor plans of all four floors and the parking level. Submit detailed elevations identifying the building materials colors on the elevation keynotes and elevations.
8. Provide a roof section or profile showing the height of the proposed rooftop units in relation to the height of the parapet and demonstrating that they will not be visible from view. Per Section 28.142(9)(d), all rooftop and ground level mechanical equipment and utilities shall be fully screened from view from any street or residential district, as viewed from six (6) feet above ground level.
9. Per Section 28.186(4)(b), the property owner or operator is required to bring the property into compliance with all elements of the approved site plans by the date established by the Zoning Administrator as part of the site and building plan approval. Work with Zoning staff to establish a final site compliance date.

Please contact Brenda Stanley of the City Engineering Division at (608) 261-9127 if you have any questions regarding the following thirteen (13) items:

10. 1.1 The construction of this project will require that the applicant shall enter into a City / Developer agreement for the required infrastructure improvements. The applicant shall contact City Engineering to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. Obtaining a developer's agreement generally takes approximately 4-6 weeks, minimum. (M.G.O. 16.23(9)c)
11. All outstanding Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (M.G.O. 16.23(9)(d)(4))
12. 6.5 The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)
13. 4.13 The Applicant shall submit, prior to plan sign-off but after all revisions have been completed, a digital CAD file (single file) to the Engineering Division with any private storm and sanitary sewer utilities. The digital CAD file shall be to scale and represent final construction. The CAD file shall be in a designated coordinate system (preferably Dane County WISCRS, US Ft). The single CAD file submittal can be either AutoCAD (dwg) Version 2013 or older, MicroStation (dgn) V8i Select Series 3 or older, or Universal (dxf) format and shall contain the only the following data, each on a separate layer name/level number:
 - a) Building Footprints
 - b) Internal Walkway Areas
 - c) Internal Site Parking Areas
 - d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
 - e) Right-of-Way lines (public and private)
 - f) Lot lines or parcel lines if unplatted
 - g) Lot numbers or the words unplatted
 - h) Lot/Plat dimensions
 - i) Street names
 - j) Private on-site sanitary sewer utilities (including all connections to public sanitary)
 - k) Private on-site storm sewer utilities (including all connections to public storm)All other levels (contours, elevations, etc) are not to be included with this file submittal.
NOTE: Email CAD file transmissions are preferred to: bstanley@cityofmadison.com (East) or ttroester@cityofmadison.com (West). Include the site address in the subject line of this transmittal. Any changes or additions to the location of the building, sidewalks, parking/pavement, private on-site sanitary sewer utilities, or private on-site storm sewer utilities during construction will require a new CAD file.
14. 4.15 The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
 - a) SLAMM DAT files
 - b) RECARGA files
 - c) TR-55/HYDROCAD/Etc
 - d) Sediment loading calculations. If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided. (POLICY and M.G.O. 37.09(2))

15. 4.21 Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project. Include copies of all stormwater, utility, and detail plan sheets that contain stormwater practices on 8.5x14 size paper in the draft document. These drawings do not need to be to scale as they are for informational purposes only. Once City Engineering staff have reviewed the draft document and approved it with any required revisions submit a signed and notarized original copy to City Engineering. Include a check for \$30.00 made out to Dane County Register of Deeds for the recording fee. City Engineering will forward the document and fee for recording at the time of issuance of the stormwater management permit. Draft document can be emailed to Tim Troester (west) at ttroester@cityofmadison.com, or Daniel Olivares at DAOlivares@cityofmadison.com final document and fee should be submitted to City.
 16. 4.6a This site appears to disturb over one (1) acre of land and requires a permit from the WDNR for stormwater management and erosion control. The City of Madison has been required by the WDNR to review projects for compliance with NR216 and NR-151 however a separate permit submittal is still required to the WDNR for this work. The City of Madison cannot issue our permit until concurrence is obtained from the WDNR via their NOI or WRAPP permit process. Contact Eric Rortvedt at 273-5612 of the WDNR to discuss this requirement. Information on this permit application is available on line <http://dnr.wi.gov/Runoff/stormwater/constrformsinfo.htm> (NOTIFICATION)
 17. 4.9 Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to detain the 100 -year storm events, matching post development rates to predevelopment rates.
 18. 4.9d Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to provide infiltration in accordance with Chapter 37 of the Madison General Ordinances.
 19. 4.9g Complete an erosion control plan and complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website - as required by Chapter 37 of the Madison General Ordinances.
 20. 4.9zz Applicant shall provide a copy of the wetland sign off from the WDNR indicating that the wetlands on the property are not jurisdictional.
 21. Applicant shall construct full street and sidewalk improvements for:
 - Wind Stone dr from Milwaukee to Advantage
 - Meadowlands Lane from Wind Stone to Phase Limit
- Applicant shall complete street and sidewalk improvements as required by City Engineer to provide two way traffic to:
- Advantage Drive through phase limit
- Applicant shall complete half street and sidewalk improvement to:
- Milwaukee Street from Wind Stone to phase limit

22. The applicant shall provide calculations sealed by a professional engineer in WI that the storm sewer system (pump or gravity) serving the underground parking access has been sized to adequately handle the 100-year storm event without flooding of the underground parking areas.

Please contact Jeffrey Quamme of the City Engineering Division Mapping Section at (608) 266-4097 if you have any questions regarding the following six (6) items:

23. Per Document No. 1170212 applicant can use the gas pipeline area for uses not inconsistent with the ANR Pipeline's use. To assure that the proposed parking lot, sidewalks and storm sewer improvements do not conflict with the gas pipeline, applicant shall obtain written consent from ANR Pipeline Company before making any improvement or grade change within the gas pipeline easement along the easterly side of this development. Proof of consent will be required prior to sign off of the final site plans.
24. The pending Certified Survey Map application for this property shall be completed and recorded with the Dane County Register of Deeds (ROD) prior to issuance of any building permits for new construction. When the recorded CSM image is available from the ROD, the Assessor's Office can then create the new Address-Parcel- Owner (APO) data in GEO so that the Accela system can upload this data and permit issuance made available for this new land record.
25. There is a private storm sewer connection planned from the parking lot to discharge into a future storm sewer in Meadowlands Lane. A portion of the storm sewer crosses a portion of the Lot to the east. Either move the storm sewer or provide a recorded easement permitting this condition.
26. The Meadowlands Neighborhood Master Plan contemplates a possible future access connection with the Lot to the East. This SIP site plan does not show any connection. Applicant shall be aware if a future connection is made, this site will be required to be a party to a reciprocal access easement will be required.
27. The plans shall show the location of the 16" Natural Gas Main
28. Submit a Floor Plan in PDF format to Lori Zenchenko (lzenchenko@cityofmadison.com) that includes a floor plan for each floor on a separate sheet for the development of a complete interior addressing plan. The Addressing Plan for the entire project shall be finalized and approved by Engineering (with consultation and consent from the Fire Marshal if needed) prior to the application submittal for the final Site Plan Approval with Zoning. The approved Addressing Plan shall be included in the final application. For any changes pertaining to the location, deletion or addition of a unit, or to the location of a unit entrance, (before, during, or after construction), a revised Address Plan shall be resubmitted to Lori Zenchenko to review addresses that may need to be changed and/or reapproved. The final revised Addressing Plan shall be submitted by the applicant to Zoning to be attached to the final filed approved site plans.

Please contact Sean Malloy of the Traffic Engineering Division at (608) 266-5987 if you have any questions regarding the following fourteen (14) items:

29. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be scaled to 1" = 20' and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; vision triangles; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including

those adjacent to and across street from the project lot location; parking stall dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.

30. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.
31. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
32. All parking facility design shall conform to M.G.O. standards, as set in section 10.08(6).
33. All bicycle parking adjacent pedestrian walkways shall have a 2 foot buffer zone to accommodate irregularly parked bicycles and/or bicycle trailers.
34. All pedestrian walkways adjacent parking stalls shall be 7 feet wide to accommodate vehicle overhang, signage and impediments to walkway movements. Any request for variance shall be submitted to and reviewed by City Traffic Engineering.
35. The applicant shall not utilize public row to satisfy code requirement unless approved by the City Traffic Engineer
36. The applicant shall provide a clearly defined 5' walkway clear of all obstructions to assist citizens with disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage and doors that swing outward into walkway.
37. The driveway slope to the underground parking is not identified in the plan set, Traffic Engineering recommends driveway slope under 10%; if the slope is to exceed 10%, the applicant shall demonstrate inclement weather mitigation techniques to provide safe ingress/egress to be approved by the City Traffic Engineer.
38. "Stop" signs shall be installed at a height of seven (7) feet from the bottom of the sign at all class III driveway approaches, including existing driveways, behind the property line and noted on the plan. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
39. The applicant shall show the dimensions for the proposed class III driveway including the width of the drive entrance, width of the flares, and width of the curb cut. Currently, the driveways on the plan are shown with radii, the applicant shall change these driveways to show City standard flares.
40. Covered parking is not dimensioned and as such not reviewable at this time. The applicant should be aware this may lead to major site changes once the dimensions are provided.
41. All parking stalls must be clear of any and all obstructions (including columns) to be considered a legal parking stall. For large car this means 9' by 18' clear, for one-size-fits-all this means 8.75' by 17' clear.

42. All parking ramps as the approach the public Right-of-Way shall not have a slope to exceed 5% for 20 feet; this is to ensure drivers have adequate vision of the Right-of-Way. If applicant believes public safety can be maintained they shall apply for a waiver, approval or denial of the waiver shall be the determination of the City Traffic Engineer.

Please contact Adam Wiederhoeft of the Water Utility at (608) 266-9121 if you have any questions regarding the following four (4) items:

43. The developer shall construct the public water distribution system and services required to serve the proposed subdivision plat/CSM per M.G.O. 16.23(9)(d)(3).
44. All public water mains and water service laterals shall be installed by a standard City subdivision contract / City- Developer agreement. Applicant shall contact City Engineering Division to schedule the development of plans and the agreement. See Engineering Division comments for additional information.
45. The Utility/Site Plan(s) shall be revised to show all existing public water mains, valves, hydrants and service laterals in the project area as well as identify the diameters of the existing water mains and laterals.
46. A Water Service Application Form and fees must be submitted before connecting to the existing water system. Provide at least two working days notice between the application submittal and the requested installation or inspection appointment. Application materials are available on the Water Utility's Plumbers & Contractors website (<http://www.cityofmadison.com/water/plumberscontractors>), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. A Water Meter Application Form will subsequently be required to size & obtain a water meter establish a Water Utility customer account and/or establish a Water Utility fire service account. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.

Please contact Kathleen Kane of the Parks Division at (608) 261-9671 if you have any questions regarding the following one (1) item:

47. Park Impact Fees (comprised of the Park Infrastructure Impact Fee, per M.G.O. Sec. 20.08(2)), and Park-Land Impact Fees, per M.G.O. Sec. 16.23(8)(f) and 20.08(2) will be required for all new residential development associated with this project. This development is within the East Park -Infrastructure Impact Fee district. Please reference ID# 17121.3 when contacting Parks about this project.

Please contact Brad Hofmann of the Forestry Division at (608) 266-4816 if you have any questions regarding the following one (1) item:

48. City Forestry will evaluate the terrace for new street tree plantings upon completion of the project. If there is space for new trees, City Forestry will schedule planting and assess the cost of the initial planting to the property owner.

Please contact Bill Sullivan of the Fire Department at (608) 261-9658 if you have any questions regarding the following one (1) item:

49. Provide fire apparatus access as required by IFC 503 2015 edition, M.G.O. 34.503, as follows:
- The site plans shall clearly identify the location of all fire lanes.
 - Provide a fire lane that extends to within 250-feet of all exterior portions of the structure since the building has a fire sprinkler system.
 - M.G.O. 34.503/IFC 503 Appendix D105, Provide an aerial apparatus access fire lane that is at least 26-feet wide, if any part of the building is over 30 feet in height. The near edge of the aerial fire lane shall be within 30-feet and not closer than 15 feet from the structure, and parallel to one entire side. The aerial fire lane shall cover not less than 25% of the building perimeter.
 - Public streets maybe used for aerial access lanes only after all other City needs have been accommodated. Removal of trees and/or on street parking is not a right of the development. Alternative means to construct the buildings above the building code minimums are an option to offset the need for aerial access lanes.

Please contact Tim Sobota of Metro Transit at (608) 261-4289 if you have any questions regarding the following two (2) items:

50. Metro Transit only operates weekday peak-hour transit service along Milwaukee Street through the Wyalusing Drive intersection, near the project site. Daily, all-day transit service is on Thompson Drive west of the Interstate, at least 1.25 miles walking distance from the project site.
51. The proposed development is outside Metro Transit's paratransit service area. The closest bus stop with regularly scheduled bus service is over one and one quarter miles walking distance, and the units would be greater than the $\frac{3}{4}$ mile regulatory distance from this all day service for passengers who might be eligible for door-to-door paratransit service.

45 Wind Stone Drive (ID 56463)

Please contact my office at (608) 243-0455 if you have any questions regarding the following one (1) that was added by the Plan Commission:

1. That the applicant submit a management and security plan, with details to be approved by staff, to be recorded as an addendum to the zoning text.

Please contact Janine Glaeser, Urban Design Commission Secretary at (608) 267-8740 if you have any questions regarding the following one (1) item:

2. Obtain final approval from Urban Design Commission prior to final staff sign-off by addressing the issues identified by the UDC when initial approval was obtained.

Please contact Jenny Kirchgatter, Assistant Zoning Administrator at (608) 266-4429 if you have any questions regarding the following four (4) items:

3. On the site plan, show the building setback distances measured to the property lines.
4. Submit the landscape plan and landscape worksheet stamped by the registered landscape architect. Per Section 28.142(3) Landscape Plan and Design Standards, landscape plans for zoning lots greater than ten thousand (10,000) square feet in size must be prepared by a registered landscape architect.
5. Submit detailed floor plans and elevations. Identify the building materials colors on the elevation keynotes and elevations.
6. Per Section 28.186(4)(b), the property owner or operator is required to bring the property into compliance with all elements of the approved site plans by the date established by the Zoning Administrator as part of the site and building plan approval. Work with Zoning staff to establish a final site compliance date.

Please contact Brenda Stanley of the City Engineering Division at (608) 261-9127 if you have any questions regarding the following twelve (12) items:

7. 1.1 The construction of this project will require that the applicant shall enter into a City / Developer agreement for the required infrastructure improvements. The applicant shall contact City Engineering to schedule the development of the plans and the agreement. The City Engineer will not sign off on this project without the agreement executed by the developer. Obtaining a developer's agreement generally takes approximately 4-6 weeks, minimum. (M.G.O. 16.23(9)c)
8. 6.2 All outstanding Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (M.G.O. 16.23(9)(d)(4))
9. 6.5 The site plan shall be revised to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)

10. 4.13 The Applicant shall submit, prior to plan sign-off but after all revisions have been completed, a digital CAD file (single file) to the Engineering Division with any private storm and sanitary sewer utilities. The digital CAD file shall be to scale and represent final construction. The CAD file shall be in a designated coordinate system (preferably Dane County WISCRS, US Ft). The single CAD file submittal can be either AutoCAD (dwg) Version 2013 or older, MicroStation (dgn) V8i Select Series 3 or older, or Universal (dxf) format and shall contain the only the following data, each on a separate layer name/level number:
- a) Building Footprints
 - b) Internal Walkway Areas
 - c) Internal Site Parking Areas
 - d) Other Miscellaneous Impervious Areas (i.e. gravel, crushed stone, bituminous/asphalt, concrete, etc.)
 - e) Right-of-Way lines (public and private)
 - f) Lot lines or parcel lines if unplatted
 - g) Lot numbers or the words unplatted
 - h) Lot/Plat dimensions
 - i) Street names
 - j) Private on-site sanitary sewer utilities (including all connections to public sanitary)
 - k) Private on-site storm sewer utilities (including all connections to public storm)
- All other levels (contours, elevations, etc) are not to be included with this file submittal.
NOTE: Email CAD file transmissions are preferred to: bstanley@cityofmadison.com (East) or tstroester@cityofmadison.com (West). Include the site address in the subject line of this transmittal. Any changes or additions to the location of the building, sidewalks, parking/pavement, private on-site sanitary sewer utilities, or private on-site storm sewer utilities during construction will require a new CAD file.
11. 4.15 The Applicant shall submit prior to plan sign-off, electronic copies of any Stormwater Management Files including:
- a) SLAMM DAT files
 - b) RECARGA files
 - c) TR-55/HYDROCAD/Etc
 - d) Sediment loading calculations. If calculations are done by hand or are not available electronically the hand copies or printed output shall be scanned to a PDF file and provided. (POLICY and M.G.O. 37.09(2))
12. 4.21 Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project. Include copies of all stormwater, utility, and detail plan sheets that contain stormwater practices on 8.5x14 size paper in the draft document. These drawings do not need to be to scale as they are for informational purposes only. Once City Engineering staff have reviewed the draft document and approved it with any required revisions submit a signed and notarized original copy to City Engineering. Include a check for \$30.00 made out to Dane County Register of Deeds for the recording fee. City Engineering will forward the document and fee for recording at the time of issuance of the stormwater management permit. Draft document can be emailed to Tim Troester (west) at tstroester@cityofmadison.com, or Daniel Olivares at DAOlivares@cityofmadison.com final document and fee should be submitted to City
13. 4.6a This site appears to disturb over one (1) acre of land and requires a permit from the WDNR for stormwater management and erosion control. The City of Madison has been required by the WDNR to review projects for compliance with NR216 and NR-151 however a separate permit submittal is still required to the WDNR for this work. The City of Madison cannot issue our permit until concurrence is obtained from

the WDNR via their NOI or WRAPP permit process. Contact Eric Rortvedt at 273-5612 of the WDNR to discuss this requirement. Information on this permit application is available on line <http://dnr.wi.gov/Runoff/stormwater/constrformsinfo.htm> (NOTIFICATION)

14. 4.9 Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to detain the 100 -year storm events, matching post development rates to predevelopment rates.
15. 4.9d Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to provide infiltration in accordance with Chapter 37 of the Madison General Ordinances.
16. 4.9g Complete an erosion control plan and complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website - as required by Chapter 37 of the Madison General Ordinances.
17. 4.9zz Applicant shall provide a copy of the wetland sign off from the WDNR indicating that the wetlands on the property are not jurisdictional.
18. Applicant shall construct full street and sidewalk improvements for:
 - Wind Stone Dr from Milwaukee to Advantage
 - Meadowlands Lane from Wind Stone to Phase LimitApplicant shall complete street and sidewalk improvements as required by City Engineer to provide two way traffic to:
 - Advantage Drive through phase limitApplicant shall complete half street and sidewalk improvement to:
 - Milwaukee Street from Wind Stone to phase limit

Please contact Jeffrey Quamme of the City Engineering Division Mapping Section at (608) 266-4097 if you have any questions regarding the following five (5) items:

19. Per Document No. 1170212 applicant can use the gas pipeline area for uses not inconsistent with the ANR Pipeline's use. To assure that the proposed driveway, storm sewer improvements and grade change do not conflict with the gas pipeline, applicant shall obtain written consent from ANR Pipeline Company before making any improvement or grade change within the gas pipeline easement along the easterly side of this development. Proof of consent will be required prior to sign off of the final site plans.
20. The pending Certified Survey Map application for this property shall be completed and recorded with the Dane County Register of Deeds (ROD) prior to issuance of any building permits for new construction. When the recorded CSM image is available from the ROD, the Assessor's Office can then create the new Address-Parcel- Owner (APO) data in GEO so that the Accela system can upload this data and permit issuance made available for this new land record
21. There is a private drive that is proposed to straddle the east property line. Provide for review, a comprehensive reciprocal easement and agreement including, but not limited to, access, parking, utilities and storm sewer that are necessary to accomplish the driveway area as proposed prior to final sign off. The document(s) shall be executed and recorded immediately subsequent to the CSM recording and prior to

building permit issuance.

22. The plans shall show the location of the 16" Natural Gas Main.
23. Submit a Floor Plan in PDF format to Lori Zenchenko (lzenchenko@cityofmadison.com) that includes a floor plan for each floor on a separate sheet for the development of a complete interior addressing plan. The Addressing Plan for the entire project shall be finalized and approved by Engineering (with consultation and consent from the Fire Marshal if needed) prior to the application submittal for the final Site Plan Approval with Zoning. The approved Addressing Plan shall be included in the final application. For any changes pertaining to the location, deletion or addition of a unit, or to the location of a unit entrance, (before, during, or after construction), a revised Address Plan shall be resubmitted to Lori Zenchenko to review addresses that may need to be changed and/or reapproved. The final revised Addressing Plan shall be submitted by the applicant to Zoning to be attached to the final filed approved site plans.

Please contact Sean Malloy of the Traffic Engineering Division at (608) 266-5987 if you have any questions regarding the following ten (10) items:

24. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be scaled to 1" = 20' and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; vision triangles; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including those adjacent to and across street from the project lot location; parking stall dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.
25. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.
26. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
27. All parking facility design shall conform to M.G.O. standards, as set in section 10.08(6).
28. All bicycle parking adjacent pedestrian walkways shall have a 2 foot buffer zone to accommodate irregularly parked bicycles and/or bicycle trailers.
29. All pedestrian walkways adjacent parking stalls shall be 7 feet wide to accommodate vehicle overhang, signage and impediments to walkway movements. Any request for variance shall be submitted to and reviewed by City Traffic Engineering.
30. The applicant shall not utilize public row to satisfy code requirement unless approved by the City Traffic Engineer
31. The applicant shall provide a clearly defined 5' walkway clear of all obstructions to assist citizens with

disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage and doors that swing outward into walkway.

32. Stop" signs shall be installed at a height of seven (7) feet from the bottom of the sign at all class III driveway approaches, including existing driveways, behind the property line and noted on the plan. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
33. The applicant shall show the dimensions for the proposed class III driveway including the width of the drive entrance, width of the flares, and width of the curb cut. Currently, the driveways on the plan are shown with radii, the applicant shall change these driveways to show City standard flares.

Please contact Adam Wiederhoeft of the Water Utility at (608) 266-9121 if you have any questions regarding the following four (4) items:

34. The developer shall construct the public water distribution system and services required to serve the proposed subdivision plat/CSM per M.G.O. 16.23(9)(d)(3).
35. All public water mains and water service laterals shall be installed by a standard City subdivision contract / City- Developer agreement. Applicant shall contact City Engineering Division to schedule the development of plans and the agreement. See Engineering Division comments for additional information.
36. The Utility/Site Plan(s) shall be revised to show all existing public water mains, valves, hydrants and service laterals in the project area as well as identify the diameters of the existing water mains and laterals.
37. A Water Service Application Form and fees must be submitted before connecting to the existing water system. Provide at least two working days notice between the application submittal and the requested installation or inspection appointment. Application materials are available on the Water Utility's Plumbers & Contractors website (<http://www.cityofmadison.com/water/plumberscontractors>), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. A Water Meter Application Form will subsequently be required to size & obtain a water meter establish a Water Utility customer account and/or establish a Water Utility fire service account. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.

Please contact Kathleen Kane of the Parks Division at (608) 261-9671 if you have any questions regarding the following one (1) item:

38. Park Impact Fees (comprised of the Park Infrastructure Impact Fee, per M.G.O. Sec. 20.08(2)), and Park-Land Impact Fees, per M.G.O. Sec. 16.23(8)(f) and 20.08(2) will be required for all new residential development associated with this project. This development is within the East Park -Infrastructure Impact Fee district. Please reference ID# 17121.4 when contacting Parks about this project.

Please contact Brad Hofmann of the Forestry Division at (608) 266-4816 if you have any questions regarding the following one (1) item:

39. City Forestry will evaluate the terrace for new street tree plantings upon completion of the project. If there is space for new trees, City Forestry will schedule planting and assess the cost of the initial planting to the property owner.

Please contact Bill Sullivan of the Fire Department at (608) 261-9658 if you have any questions regarding the following one (1) item:

40. Provide fire apparatus access as required by IFC 503 2015 edition, M.G.O. 34.503, as follows:
- The site plans shall clearly identify the location of all fire lanes.
 - Provide a fire lane that extends to within 250-feet of all exterior portions of the structure since the building has a fire sprinkler system

Please contact Tim Sobota of Metro Transit at (608) 261-4289 if you have any questions regarding the following two (2) items:

41. Metro Transit only operates weekday peak-hour transit service along Milwaukee Street through the Wyalusing Drive intersection, near the project site. Daily, all-day transit service is on Thompson Drive west of the Interstate, at least 1.25 miles walking distance from the project site.
42. The proposed development is outside Metro Transit's paratransit service area. The closest bus stop with regularly scheduled bus service is over one and one quarter miles walking distance, and the units would be greater than the $\frac{3}{4}$ mile regulatory distance from this all day service for passengers who might be eligible for door-to-door paratransit service.

Specific questions regarding the comments or conditions contained in this letter should be directed to the commenting agency.

Please now follow the procedures listed below for obtaining permits for your project:

1. Please revise your plans per the above conditions and **submit eleven (11) copies of a complete, fully dimensioned and scaled plans** set to the Zoning Administrator for final review and comment. Be sure to include any additional materials requested by these departments for their approval prior to sign off. The final site plan shall be accompanied by the appropriate site plan review application and fee pursuant to Section 28.206 of the Zoning Code, and any other documentation requested herein with the **Zoning Administrator, Room 017, Madison Municipal Building, 215 Martin Luther King, Jr. Boulevard**. This submittal shall all also include one complete digital plan set in PDF format. The sets of final revised plans or documents will be circulated by the Zoning staff to the City department staff listed above for their final approval. Upon receipt of the aforementioned plans, documents and fees, and upon determining that they are complete, the Zoning Administrator shall record them with the Dane County Register of Deeds Office. The recorded originals will be returned to the applicant, with the recording information noted, when the Register of Deeds has completed the recording process
2. This letter shall be signed by the applicant to acknowledge the conditions of approval and returned to the Zoning Administrator.
3. Requests to alter a Planned Development District shall be made to the Director of Planning and Community and Economic Development (DPCED). Upon receipt of the request, the Director shall determine if the request constitutes a major or minor alteration to the Planned Development District. The Director may refer any request for alteration to the Urban Design Commission for an advisory recommendation. Minor alterations may be approved the Director of DPCED or designee following consideration by the alderperson of the district if the requested alterations are consistent with the concept approved by the Common Council. If the alderperson of the district and the Director of DPCED do not agree that a request for minor alteration should be approved, then the request for minor alteration shall be decided by the Plan Commission. Major alterations may be approved by the City Plan Commission if the requested alterations are consistent with the concept approved by the Common Council. Major alterations that represent a substantial departure from the concept approved by the Common Council may be approved only after all of the procedures in Sec. 28.098(5) have been satisfied.
4. This approval shall become null and void one (1) year after the date of the Common Council approval if a copy of the plans, zoning ordinance amendment, and related documents have not been recorded with the Dane County Register of Deeds office. Where the plans have not been altered from the Common Council's approval, the Director of Planning and Community and Economic Development may approve an extension for up to 24 months from the expiration date

If you have any questions regarding obtaining your final approval or building permits, please contact the Zoning Administrator at 266-4551. If you have any questions or if may be of any further assistance, please do not hesitate to contact my office at 243-0455.

Sincerely,



Colin Punt
 Planner

I hereby acknowledge that I understand and will comply with the above conditions of approval.

Signature of Applicant

Signature of Property Owner (if not the applicant)

- cc: Janine Glaeser, UDC Secretary
 Jenny Kirchgatter, Assistant Zoning Administrator
 Brenda Stanley, City Engineering Division
 Jeff Quamme, Engineering – Mapping
 Sean Malloy, Traffic Engineering Division
 Adam Wiederhoeft, Water Utility
 Kate Kane, Parks Division
 Brad Hofmann, Forestry Division
 Bill Sullivan, Fire Department
 Tim Sobota, Metro Transit

LNDUSE-2019-00059, 2019-00060, 2019-00061			
For Official Use Only, Re: Final Plan Routing			
<input checked="" type="checkbox"/>	Planning Div. (Punt)	<input checked="" type="checkbox"/>	Engineering Mapping Sec.
<input checked="" type="checkbox"/>	Zoning Administrator	<input checked="" type="checkbox"/>	Parks Division
<input checked="" type="checkbox"/>	City Engineering	<input checked="" type="checkbox"/>	Urban Design Commission
<input checked="" type="checkbox"/>	Traffic Engineering	<input type="checkbox"/>	Recycling Coord. (R&R)
<input checked="" type="checkbox"/>	Fire Department	<input checked="" type="checkbox"/>	Water Utility
<input checked="" type="checkbox"/>	Metro Transit	<input checked="" type="checkbox"/>	Other: Forestry