CITY OF MADISON HISTORIC PRESERVATION PROJECT ORDINANCE REVISION PROCESS



JENNIFER L. LEHRKE AIA, LEED AP, NCARB, OWNER

ROWAN DAVIDSON ASSOCIATE AIA

BOB SHORT ASSOCIATE AIA

TIMOTHY HEGGLAND CONSULTANT



CAROLYN ESSWEIN AICP, CNU-A, OWNER



JASON TISH OWNER

CONSULTANT TEAM

3 meetings in each Historic District

- 1st Fall of 2017 Gather input from district property owners and residents
- 2nd September October 2018 Discuss options for addressing issues
- 3rd November December 2018
 Propose recommendations to be made to the ordinance.

ORDINANCE REVISION PROCESS NEXT STEPS

3 meetings in each Historic District 2017 - 2018

LANDMARKS ORDINANCE REVIEW COMMITTEE (LORC) Begins January 2019

LANDMARKS COMMISSION

COMMON COUNCIL

ORDINANCE REVISION PROCESS NEXT STEPS

Third Lake Ridge

December 10, 2018, 5:30 pm at Immanuel Lutheran Church, 1021 Spaight Street

<u>First Settlement</u> December 13, 2018, 5:30 pm at Madison Gas and Electric, 601 Railroad Street

<u>Mansion Hill</u> December 19, 2018, 5:30 pm at the Madison Senior Center, 330 W Mifflin Street

<u>University Heights</u> December 20, 2018, 6:00 pm at the Best Western Plus InnTowner, 2424 University Avenue

ORDINANCE REVISION PROCESS NEXT STEPS

Project Website:

www.cityofmadison.com/historicpreservationplan

Follow us on Facebook <u>https://www.facebook.com/City-of-Madison-</u> Historic-Preservation-Project-217860888770819/

Project Email: historicpreservation@cityofmadison.com

HISTORIC PRESERVATION PLAN



HISTORIC PRESERVATION ORDINANCE

| Standards for | Historic Districts | | | | | | | | | | | |
|---------------------------------------|--------------------|----------|--------------|----------|------------|---------------|-----------|------------|--|--|--|--|
| Alterations | | | hird La | | University | | Marquette | First | | | | |
| | HÌL | E | Ridge | | He TR-C | ights TR-V | Bungalows | Settlement | | | | |
| Building Form | | - | | | | 10.4 | | | | | | |
| Proportions of width to | x | | | T | | | | | | | | |
| height in facades | | 1 | | 1 | 1 | 1 | | | | | | |
| Proportions and | x | | | х | | | | | | | | |
| relation of width to | | 1 | | | 1 | 1 | | | | | | |
| height of doors and windows | | | | | | | | | | | | |
| Proportion and rhythm | x | - | x | x | <u> </u> | <u> </u> | | | | | | |
| of solids to voids | ^ | | ^ | ^ | | | | | | | | |
| Directional Expression | x | - | - | - | | | | | | | | |
| Compatible Height | x | x | x | x | x | x | | | | | | |
| Compatible Gross | x | | | | | - | | | | | | |
| Volume | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Rhythm of buildings | | 1 | 1 | 1 | 1 | <u> </u> | 1 | | | | | |
| and masses | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Chimneys | | + | t | <u> </u> | 1 | | x | x | | | | |
| Retain Original Historic | | + | x | x | x | × | | | | | | |
| Materials | | 1 | î. | ^ | * | L^ | | | | | | |
| Architecture | | | - | - | | | | | | | | |
| Retain historical roof | | | x | × | x | x | x | x | | | | |
| appearance | | 1 | ^ | ^ | ^ | ^ | ^ | ^ | | | | |
| Restoration | | - | - | - | x | - | | | | | | |
| | | + | <u> </u> | + | x | × | x | x | | | | |
| Residing | | + | | + | | | <u>^</u> | <u>^</u> | | | | |
| Alterations to visible | | 1 | 1 | 1 | x | x | 1 | | | | | |
| street facades Alteration to non- | | + | | + | × | x | | | | | | |
| Alteration to non- visible facades | | 1 | 1 | 1 | × | * | 1 | | | | | |
| | | <u> </u> | <u> </u> | | | | × | x | | | | |
| Dormers and other roof alterations | | 1 | | 1 | 1 | 1 | x | × | | | | |
| | | - | <u> </u> | | — | | x | x | | | | |
| Windows and doors - | | 1 | 1 | 1 | 1 | 1 | x | × | | | | |
| general standards | | - | — | - | | | | l | | | | |
| Windows and doors - | | 1 | 1 | 1 | 1 | 1 | x | | | | | |
| street facades | | <u> </u> | <u> </u> | | — | | | l | | | | |
| Windows and doors - | | 1 | | 1 | 1 | 1 | x | | | | | |
| non-street side facades | | - | <u> </u> | | | | | | | | | |
| Windows and doors - | | 1 | 1 | 1 | 1 | 1 | x | | | | | |
| Rear facades | | - | — | - | | | | | | | | |
| Porches | | - | - | - | L | | x | | | | | |
| Additions and other alterations | | | | | | | x | x | | | | |
| Foundations | | + | <u> </u> | + | l | <u> </u> | x | x | | | | |
| Tuckpointing and brick | | + | - | - | | | x | x | | | | |
| repair | | 1 | 1 | 1 | 1 | 1 | ^ | ^ | | | | |
| Decks | | - | - | - | I | | | x | | | | |
| Entrance Doors | | <u> </u> | <u> </u> | | | | | x | | | | |
| Double or Multiple | | + | <u> </u> | | | | | x | | | | |
| | | 1 | 1 | 1 | 1 | 1 | 1 | ^ | | | | |
| Doors | | - | - | <u> </u> | I | | ~ | ~ | | | | |
| Storm Windows and | | 1 | 1 | 1 | 1 | 1 | x | × | | | | |
| Doors | | - | I | - | | | l | | | | | |
| Lighting Fixtures | | - | <u> </u> | - | | - | | x | | | | |
| Shutters | | + | <u> </u> | | | | | | | | | |
| Repairs | | <u> </u> | - | | | | l | x | | | | |
| Alterations to Post- | | 1 | 1 | 1 | 1 | 1 | 1 | × | | | | |
| 1930 Structures | | - | L | L | - | L | | | | | | |
| Site | | | - | 1.00 | | - | | | | | | |
| Landscape Treatment | | <u> </u> | - | x | | | l | l | | | | |
| Parking lots | | - | - | - | x | х | | | | | | |
| Fences | | <u> </u> | <u> </u> | | L | L | x | x | | | | |
| Retaining Walls in Front | | | | 1 | | | | x | | | | |
| Yards | | | | | | | | | | | | |
| Accessory Structures | | | | _ | | | | | | | | |
| Accessory Structures | | | | | | | | х | | | | |
| Other | | | | | | | | | | | | |
| 2 rd exits | | | | | x | | x | | | | | |
| Skylights | | | | | | | x | х | | | | |
| Accessibility Ramps | | | | | | | | х | | | | |
| Fire Escapes and | | | | | | | | x | | | | |
| Rescue Platforms | | 1 | 1 | 1 | 1 | 1 | 1 | | | | | |
| Permanently Installed | | 1 | | | | | | x | | | | |
| | | | | | | | | | | | | |

| Standards for | Historic Districts | | | | | | | | | | | |
|--------------------------------|--------------------|----------|----------|---|------------|------|-----------|------------|--|--|--|--|
| New Structures | Mansion | Т | hird La | | University | | Marquette | First | | | | |
| | Hill | Ridge | | | Heights | | Bungalows | Settlement | | | | |
| | | E | C | R | TR-C | TR-V | | | | | | |
| Building Form | | | | | | | | | | | | |
| Proportions of width | x | 1 | | | | | | х | | | | |
| to height in facades | | - | | | | | | | | | | |
| Proportions and | x | 1 | | х | | | x | x | | | | |
| relation of width to | | 1 | | | | | | | | | | |
| height of doors and windows | | 1 | | | | | | | | | | |
| Proportion and | x | + | x | x | | | x | x | | | | |
| rhythm of solids to | * | 1 | ^ | ^ | | | ^ | ^ | | | | |
| voids | | | | | | | | | | | | |
| Directional | x | 1 | х | х | | | | x | | | | |
| Expression | | - | | | | | | | | | | |
| Compatible Height | x | х | | х | X | | х | Х | | | | |
| Compatible Gross Volume | х | х | × | x | | | | | | | | |
| Rhythm of buildings | | 1 | х | х | | | 1 | х | | | | |
| and masses and | | 1 | | | | | | | | | | |
| spaces | | 1 | | | | | | | | | | |
| Visual Size | | | | | Х | | | | | | | |
| Scale | | | | | | | х | х | | | | |
| Architecture | | | | | | | | | | | | |
| Design of the roof | | - | х | х | х | | x | х | | | | |
| Materials Used in the | | + | x | x | | | X | | | | | |
| Street Facade | | 1 | | | | | | | | | | |
| Façade Design | | | | | | | | x | | | | |
| Materials, Patterns | | | | х | x | | | | | | | |
| and Textures | | 1 | | | | | | | | | | |
| Architectural Details | | | | | | | х | | | | | |
| Roof Materials | | <u> </u> | | | х | | | x | | | | |
| Siding Materials | | - | | | | | | х | | | | |
| Windows and Doors | | + | | | | | | | | | | |
| Site | | | - | - | | | | | | | | |
| Landscape Treatment | | | 1 | x | | | | | | | | |
| Parking lots | | + | - | ^ | x | | | | | | | |
| Fences | | + | - | - | ^ | | x | x | | | | |
| Retaining Walls in | | + | - | - | | | A | x | | | | |
| Front Yards | | | | | | | | ^ | | | | |
| Setbacks, side yards | | | | | | | х | | | | | |
| and other visible | | 1 | 1 | | | | | | | | | |
| features | | | | | | | | | | | | |
| Accessory Structures | | | | | | | | | | | | |
| Accessory Structures | | | | | X | | х | х | | | | |
| Other | | | | | | | | | | | | |

CLARITY & UNIFORMITY



THE SECRETARY OF THE INTERIOR'S **STANDARDS** FOR THE TREATMENT OF HISTORIC PROPERTIES WITH **GUIDELINES** FOR PRESERVING, REHABILITATING, RESTORING & RECONSTRUCTING HISTORIC BUILDINGS



1. A property will be used as it was historically or be given a new use that requires minimal change to its distinctive materials, features, spaces and spatial relationships.




2. The historic character of a property will be retained and preserved.

The removal of distinctive materials or alteration of features, spaces and spatial relationships that characterize a property will be avoided.



3. Each property will be recognized as a physical record of its time, place and use. Changes that create a false sense of historical development, such as adding conjectural features or elements from other historic properties, will not be undertaken.



4. Changes to a property that have acquired historic significance in their own right will be retained and preserved.



5. Distinctive materials, features, finishes, and construction techniques or examples of craftsmanship that characterize a property will be preserved.



6. Deteriorated historic features will be repaired rather than replaced.

Where the severity of deterioration requires replacement of a distinctive feature, the new feature will match the old in design, color, texture and, where possible, materials. Replacement of missing features will be substantiated by documentary and physical evidence.



7. Chemical or physical treatments, if appropriate, will be undertaken using the gentlest means possible.

Treatments that cause damage to historic materials will not be used.



8. Archeological resources will be protected and preserved in place.

If such resources must be disturbed, mitigation measures will be undertaken.



- 9. New additions, exterior alterations, or related new construction will not destroy historic materials, features, and spatial relationships that characterize the property.
 - The new work will be differentiated from the old and will be compatible with the historic materials, features, size, scale and proportion, and massing to protect the integrity of the property and its environment.



10. New additions and adjacent or related new construction will be undertaken in such a manner that, if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.



Period of Significance

"duration of time between beginning and ending years during which a historic district is associated with the important events, activities, persons, or attained characteristics which qualify it for historic district status"

- Mansion Hill: 1850-1930
- Third Lake Ridge: 1850-1929
- University Heights: 1893-1928
- Marquette Bungalows: 1924-1930
- First Settlement: 1850-1920

Landmark

"any improvement which has architectural, cultural, or historic character or value reflecting the development, heritage, or cultural characteristics of the city, state, or nation and which has been designated as a landmark"

• 182 Designated Landmarks in Madison

Know Your Significance

• In the Period of Significance of a historic district or individually landmarked

or

• Outside of the Period of Significance of a historic district

Know Your Facade

• "Street Façade" or "Visible from the Street": Primary, Front, or Street-facing

or

• "Not Visible from the Street": Secondary, Side & Rear, Non-street-facing

1. Identify, Retain, and Preserve Historic Materials and Features

- 1. Identify, Retain, and Preserve Historic Materials and Features
- 2. Protect and Maintain Historic Materials and Features

- 1. Identify, Retain, and Preserve Historic Materials and Features
- 2. Protect and Maintain Historic Materials and Features
- 3. Repair Historic Materials and Features


- 1. Identify, Retain, and Preserve Historic Materials and Features
- 2. Protect and Maintain Historic Materials and Features
- 3. Repair Historic Materials and Features
- 4. Replace Deteriorated Historic Materials and Features

- 1. Identify, Retain, and Preserve Historic Materials and Features
- 2. Protect and Maintain Historic Materials and Features
- 3. Repair Historic Materials and Features
- 4. Replace Deteriorated Historic Materials and Features
- 5. Design for the Replacement of Missing Historic Features


"any change, addition, or modification to an improvement or grading"




ALTERATIONS


















BUILDING MATERIALS: WOOD














BUILDING MATERIALS: METALS




BUILDING MATERIALS: METALS



BUILDING MATERIALS: METALS


















REPAIRABLE WOOD WINDOW CRACKED, CHIPPED PAINT BROKEN GLASS CAN BE REPLACED, CAN BE SCRAPED, SANDED SOME WOOD WINDOWS CAN BE AND REPAINTED DOUBLE-GLAZED BROKEN STOPS CAN BE REPAIRED OR REPLACED SEPARATED SASH JOINTS CAN BE GLUED & REPAIRED GLAZING BEAD CAN BE REPLACED WITH NEW GLAZING PUTTY WOOD WINDOW BEYOND REPAIR WOOD SASH HAS SOFT SPOTS, PARTICULARLY AT JOINTS DRY ROT HAS "EATEN INTO" THICKNESS OF SASH












































NEW ADDITIONS & NEW CONSTRUCTION






NEW ADDITIONS & NEW CONSTRUCTION




This addition is reduced in scale and is more clearly separated from the historic building with a connector, which is a preferred solution.




This addition is too large and is directly attached to the historic structure, and is inappropriate.

NEW ADDITIONS & NEW CONSTRUCTION




2.1.1 / 2.1.7 The marked building is built outside the range of typical setbacks and occupies a much larger percentage of the back yard area than typical.




2.1.2 In areas characterized by vertically proportioned facades, buildings with a horizontal emphasis are


NEW ADDITIONS & NEW CONSTRUCTION








NO The new building (shaded) is not compatible because it is wider than existing buildings on the street and because the front facade is set back from the front lot line.





NO The large mass and size of this new building are no compatible with its immediate neighborhood.

F

