

Department of Planning & Community & Economic Development **Planning Division**

Heather Stouder, Director Madison Municipal Building, Suite 017 215 Martin Luther King, Jr. Boulevard Madison, Wisconsin 53703 Phone: (608) 266-4635 Fax (608) 267-8739 www.cityofmadison.com

BY E-MAIL ONLY

August 7, 2020

Doug Hursh Potter Lawson, Inc 749 University Row, Suite 300 Madison, WI 53705

> RE: Legistar IDs: 60915 & 60673; Accela ID: 'LNDUSE-2020-00066' -- Approval of a Zoning Map Amendment, Planned Development, and nine demolition permits to rezone property from Downtown Residential – 2 (DR-2) District to Planned Development (PD) District in order to construct a six-story mixed-use building located at **502-516 W Washington Avenue & 8-14 N Bassett Street**.

Dear Mr. Hursh:

At its August 4, 2020 meeting, the Common Council, meeting in regular session, **approved** your request to rezone property located at 502-516 W Washington and 8-14 N Bassett Street from Downtown Residential – 2 (DR-2) District to Planned Development (PD) District and **approved** your Planned Development – General Development Plan (PD-GDP) and Planned Development – Specific Implementation Plan (PD-SIP). At its July 27, 2020 meeting, the Plan Commission, meeting in regular session, found the standards met and **approved** your demolition permit requests to allow the demolition of nine residential structures. The conditions of approval in the following sections shall be satisfied prior to issuance of building permits for the project.

Please contact my office at sprusak@cityofmadison.com if you have any questions regarding the following two (2) items:

- 1. The West Washington Avenue driveway and garage entrance shall be removed and the revised elevation, site, and landscape plans shall be approved by staff as part of final sign-off.
- 2. Prior to any issuance of demolition permits, the applicant shall submit proof of project financing to the Planning Division Director.

Please contact Tim Troester of the Engineering Division at (608) 267-1995 if you have any questions regarding the following sixteen (16) items:

Legistar #60915 & #60673; Accela 'LNDUSE-2020-00066' 502-516 W Washington Ave & 8-14 N Bassett Street August 7, 2020 Page 2

- 3. A Storm Water Management Report and Storm Water Management Permit is required for this project. See Storm comments for report and permit specific details and requirements.
- 4. Developer shall provide projected wastewater flows for the proposed development as a condition for development. Offsite sewer improvements(sewer upsizing) may required as a condition of development.
- 5. Enter into a City / Developer agreement for the required infrastructure improvements. Agreement to be executed prior to sign off. Allow 4-6 weeks to obtain agreement. Contact City Engineering to schedule the development and approval of the plans and the agreement. (MGO 16.23(9)c)
- 6. Construct sidewalk/terrace improvements/pavement to a plan as approved by City Engineer.
- Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering sign-off, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (MGO 16.23(9)(d)(4)
- 8. Obtain a permanent sewer plug permit for each existing sanitary sewer lateral serving a property that is not to be reused and a temporary sewer plug permit for each sewer lateral that is to be reused by the development. The procedures and fee schedule is available online at http://www.cityofmadison.com/engineering/permits.cfm. (MGO CH 35.02(14))
- 9. An Erosion Control Permit is required for this project. See Storm comments for permit specific details and requirements.
- 10. A Storm Water Maintenance Agreement (SWMA) is required for this project. See Storm comments for agreement specific details and requirements.
- 11. This site appears to disturb less than one (1) acre of land. No submittal to the WDNR, CARPC or Department of Safety and Professional Services (DSPS) is required as the City of Madison Building Inspection Department is an approved agent for DSPS.
- 12. Revise the site plan to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)
- 13. Revise the plans to show a proposed private internal drainage system on the site. Include the depths and locations of structures and the type of pipe to be used. (POLICY AND MGO 10.29)
- 14. Record a deed restriction on Lot 1 of the proposed CSM to restrict construction of building openings on all structures to be a minimum of 856.00.
- 15. This project will disturb 20,000 sf or more of land area and require an Erosion Control Plan. Please submit an 11" x 17" copy of an erosion control plan (pdf electronic copy preferred) to Megan Eberhardt (west) at meberhardt@cityofmadison.com, or Daniel Olivares (east) at daolivares@cityofmadison.com, for approval.

Demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. Include Universal Soil Loss Equation (USLE) computations for the construction period with the erosion control plan. Measures shall be implemented in order to maintain a soil loss rate below 5.0 tons per acre per year. The WDNR provided workbook to compute USLE rates can be found online at https://dnr.wi.gov/topic/stormwater/publications.html

This project will require a concrete management plan and a construction dewatering plan as part of the erosion control plan to be reviewed and approved by the City Engineer's Office. If contaminated soil or groundwater conditions exist on or adjacent to this project additional WDNR, Public Health, and/or City Engineering approvals may be required prior to the issuance of the required Erosion Control Permit. (POLICY)

This project appears to require fire system testing that can result in significant amounts of water to be discharged to the project grade. The Contractor shall coordinate this testing with the erosion control measures and notify City Engineering 608-266-4751 prior to completing the test to document that appropriate measures have been taken to prevent erosion as a result of this testing.

Complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website - as required by Chapter 37 of the Madison General Ordinances.

16. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to submit a Storm Water Management Permit application, associated permit fee, Stormwater Management Plan, and Storm Water Management Report to City Engineering. The Stormwater Management Permit application can be found on City Engineering's website at http://www.cityofmadison.com/engineering/Permits.cfm.

The Storm Water Management Plan & Report shall include compliance with the following:

Report: Submit prior to plan sign-off, a stormwater management report stamped by a P.E. registered in the State of Wisconsin.

Electronic Data Files: Provide electronic copies of any stormwater management modeling or data files including SLAMM, RECARGA, TR-55, HYDROCAD, Sediment loading calculations, or any other electronic modeling or data files. If calculations are done by hand or are not available electronically, the hand copies or printed output shall be scanned to a PDF file and provided to City Engineering. (POLICY and MGO 37.09(2))

TSS Redevelopment with TMDL: Reduce TSS by 80% off of the proposed development when compared with the existing site.

Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project.

- 17. Submit, prior to plan sign-off but after all revisions have been completed, a digital CAD file (single file) to the Engineering Division that is to scale and represents final construction with any private storm and sanitary sewer utilities.
- 18. Submit, prior to plan sign-off but after all revisions have been completed, digital PDF files to the Engineering Division. Email PDF file transmissions are preferred to: bstanley@cityofmadison.com (East) or ttroester@cityofmadison.com (West).

Please contact Jeff Quamme of the Engineering Division–Mapping Section at (608) 266-4097 if you have any questions regarding the following five (5) items:

- 19. The pending Certified Survey Map application for this property shall be completed and recorded with the Dane County Register of Deeds (ROD), the new parcel data created by the Assessor's Office and the parcel data available to zoning and building inspection staff prior to issuance of building permits for new construction.
- 20. The internal private easements between the existing parcels shall be released prior to final sign off. They include Doc No's 421272, 429209, 664109, 788257, 788258 and 1806901.
- 21. The existing conditions plan appears to have a different exterior boundary from the other plan sheets and the pending Certified Survey Map. Make necessary corrections.
- 22. The base apartment address is 510 W Washington Ave. The commercial tenant space is 502 W WashingtonAve.
- 23. Submit a complete building Floor Plan in PDF format to Lori Zenchenko (Izenchenko@cityofmadison.com) that includes a floor plan of each floor level on a separate sheet/page for the development of a complete interior addressing plan. The Addressing Plan for the entire project shall be finalized and approved by Engineering (with consultation and consent from the Fire Marshal if needed) prior to the final verification submittal stage of this LNDUSE with Zoning. The approved Addressing Plan shall be included in the final application. For any changes pertaining to the location, deletion or addition of a unit, or to the location of a unit entrance, (before, during, or after construction), a revised Address Plan shall be resubmitted to Lori Zenchenko to review addresses that may need to be changed and/or reapproved. The final revised Addressing Plan shall be submitted by the applicant to Zoning to be attached to the final filed approved site plans.

Please contact Sean Malloy, of the Traffic Engineering Division, at (608) 266-5987 if you have any questions regarding the following fourteen (14) items:

24. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be to engineering scale and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; vision triangles; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including those adjacent to and across street from the project lot location; parking stall

dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.

- 25. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.
- 26. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
- 27. All parking facility design shall conform to MGO standards, as set in section 10.08(6).
- 28. All bicycle parking adjacent pedestrian walkways shall have a 2 foot buffer zone to accommodate irregularly parked bicycles and/or bicycle trailers.
- 29. Per Section MGO 12.138 (14), this project is not eligible for residential parking permits. It is recommended that this prohibition be noted in the leases for the residential units.
- 30. The applicant shall adhere to all vision triangle requirements as set in MGO 27.05 (No visual obstructions between the heights of 30 inches and 10 feet at a distance of 25 feet behind the property line at streets and 10 feet at driveways.). Alteration necessary to achieve compliance may include but are not limited to; substitution to transparent materials, removing sections of the structure and modifying or removing landscaping elements. If applicant believes public safety can be maintained they shall apply for a reduction of MGO 27.05(2)(bb) Vision Clearance Triangles at Intersections Corners. Approval or denial of the reduction shall be the determination of the City Traffic Engineer.
- 31. The applicant shall provide a clearly defined 5' walkway clear of all obstructions to assist citizens with disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage and doors that swing outward into walkway.
- 32. City of Madison radio systems are microwave directional line of sight to remote towers citywide. The building elevation will need to be reviewed by Traffic Engineering to accommodate the microwave sight and building. The applicant shall submit grade and elevations plans if the building exceeds three stories prior to sign-off to be reviewed and approved by Austin Scheib, (266-4768) (ascheib@cityofmadison.com) Traffic Engineering Shop, 1120 Sayle Street. The applicant shall return one signed approved building elevation copy to the City of Madison Traffic Engineering office with final plans for sign off.
- 33. "Stop" signs shall be installed at a height of seven (7) feet from the bottom of the sign at all class III driveway approaches, including existing driveways, behind the property line and noted on the plan. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.

- 34. The applicant shall show the dimensions for the proposed class III driveway including the width of the drive entrance, width of the flares, and width of the curb cut.
- 35. Applicant shall submit for review a waste removal plan. This shall include vehicular turning movements.
- 36. Note: This site presents difficult constructability issues; access to neighboring sites must be maintained at all times, protected walkways will be constructed and maintained as soon as possible and little to no access to the Public Right-of-Way on West Washington Avenue or S. Bassett Street will be granted for construction purposes. Provide a detailed construction plan to Traffic Engineering for review by the Traffic Control Specialist (Mike Duhr) prior to final signoff.
- 37. Covered parking is not dimensioned and as such not reviewable at this time. The applicant should be aware this may lead to major site changes once the dimensions are provided.

Please contact Jenny Kirchgatter, the Assistant Zoning Administrator, at (608) 266-4569 if you have any questions regarding the following thirteen (13) items:

- 38. CJK shall complete the proposed project according to all zoning approvals and in compliance with all other city ordinances, including Zoning Code and Building.
- 39. CJK shall remain fully liable for any violations resulting from its failure to comply with the law.
- 40. CJK shall provide a copy of the executed construction contracts establishing the work will be done, and the completion date.
- 41. The applicant is requesting two (2) additional stories above the four (4) story maximum as per the Downtown Height Map. Buildings along the frontage of the 400 and 500 blocks of West Washington Avenue may be allowed two (2) additional stories above the four- (4) story building height limit provided there is a thirty- (30) foot stepback. When considering a request for height in excess of that allowed per the Downtown Height Map, the Plan Commission shall consider the recommendations in adopted plans and no application for excess height shall be granted by the Plan Commission unless it finds that all of the conditions enumerated in Zoning Code Section 28.098(2)(h) are present.
- 42. Eliminate the sixth floor balcony and canopy projections from the West Washington Avenue 30 foot stepback. Balconies and canopies may not encroach into the stepback.
- 43. The applicant proposes bicycle parking that does not comply with Zoning Code Section 28.141(11) requirements for bicycle stall access aisles. A Planned Development shall comply with all standards, procedures, and regulations of this ordinance that are applicable to the individual uses within the development, including the General Regulations of Subchapter 28I and the Supplemental Regulations of Subchapter 28J. Where the applicant proposes a development that does not comply with one or more of the regulations in those subchapters, they shall specifically request that the Plan Commission consider the application of those regulations in making its recommendations on the development, including specific language in the zoning text or depiction on the plans.
- 44. Section 28.185(7)(a)5. requires that if a demolition or removal permit is approved, it shall not be issued

until the reuse and recycling plan is approved by the Recycling Coordinator, Bryan Johnson at streets@cityofmadison.com. Every person who is required to submit a reuse and recycling plan pursuant to Section 28.185(7)(a)5. shall submit documents showing compliance with the plan within sixty (60) days of completion of demolition. A demolition or removal permit is valid for one (1) year from the date of the Plan Commission.

- 45. Work with Planning and Zoning staff for final approval of the Zoning text.
- 46. Bicycle parking for the commercial tenant space shall comply with the requirements of MGO Sections 28.141(4) (g) and 28.141(11) and will be reviewed prior to obtaining zoning approval for the use. Provide a minimum of two (2) short-term bicycle parking stalls located in a convenient and visible area on a paved or pervious surface. Bicycle parking shall be located at least as close as the closest non-accessible automobile parking and within one hundred (100) feet of a principal entrance. Submit a detail showing the model of bike rack to be installed.
- 47. Bicycle parking shall comply with MGO Sections 28.141(4)(g) and 28.141(11) and shall be designated as short- term or long-term bicycle parking. A minimum of 103 resident bicycle stalls are required plus a minimum of 10 short-term guest stalls. Up to twenty-five percent (25%) of bicycle parking may be structured parking, vertical parking or wall mount parking, provided there is a five (5) foot access aisle for wall mount parking. Submit a detail showing the model of bike rack to be installed including any structured or wall mount bike racks.
- 48. Show the dimensions of the surface and underground bicycle stalls and the access aisles on the plans. Note: A bicycle stall is a minimum two (2) feet by six (6) feet with a five (5) foot wide access area. The access aisle must not be obstructed by vehicles, columns or other structures. The short-term surface bicycle stalls may not extend over the property line into the public right-of-way.
- 49. Per Section 28.186(4)(b), the property owner or operator is required to bring the property into compliance with all elements of the approved site plans by the date established by the Zoning Administrator as part of the site and building plan approval. Work with Zoning staff to establish a final site compliance date.
- 50. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 Sign Codes of the Madison General Ordinances. Signage permits are issued by the Zoning Section of the Department of Planning and Community and Economic Development.

Please contact Bill Sullivan, of the Fire Department, at (608) 261-9658 if you have any questions regarding the following item:

51. Overhead electrical lines will be considered an obstruction preventing the use of the public street as an aerial access lane.

Please contact Sarah Lerner, of the Parks Division, at (608) 261-4281 if you have any questions regarding the following two item:

52. Park Impact Fees (comprised of the Park Infrastructure Impact Fee, per MGO Sec. 20.08(2)), and Park-

Land Impact Fees, per MGO Sec. 16.23(8)(f) and 20.08(2) will be required for all new residential development associated with this project. This development is within the Central Park-Infrastructure Impact Fee district. Please reference ID# 20024 when contacting Parks about this project.

Please contact Wayne Buckley, of the Forestry Division, at (608) 266-4892 if you have any questions regarding the following eight (8) items:

- 53. An existing inventory of street trees located within the right of way shall be included on the landscape, site, demo, and utility plans. The inventory shall include the following: location, size (diameter at 4 1/2 feet), and species of existing street trees. The inventory should also note if a street tree is proposed to be removed and the reason for removal.
- 54. All proposed street tree removals within the right of way shall be reviewed by City Forestry before the Plan Commission meeting. Street tree removals require approval and a tree removal permit issued by City Forestry. Any street tree removals requested after the development plan is approved by the Plan Commission or the Board of Public Works and City Forestry will require a minimum of a 72-hour review period which shall include the notification of the Alderperson within who's district is affected by the street tree removal(s) prior to a tree removal permit being issued. Add as a note on the plan set.
- 55. As defined by the Section 107.13 of City of Madison Standard Specifications for Public Works Construction: No excavation is permitted within 5 feet of the trunk of the street tree or when cutting roots over 3 inches in diameter. If excavation is necessary, the Contractor shall contact Madison City Forestry (266-4816) prior to excavation. City of Madison Forestry personnel shall assess the impact to the tree and to its root system prior to work commencing. Tree protection specifications can be found on the following website: https://www.cityofmadison.com/business/pw/specs.cfm Add as a note on the plan set.
- 56. Contractor shall take precautions during construction to not disfigure, scar, or impair the health of any street tree. Contractor shall operate equipment in a manner as to not damage the branches of the street tree(s). This may require using smaller equipment and loading and unloading materials in a designated space away from trees on the construction site. Any damage or injury to existing street trees (either above or below ground) shall be reported immediately to City Forestry at 266-4816. Penalties and remediation shall be required. Add as a note on the plan set.
- 57. Section 107.13(g) of City of Madison Standard Specifications for Public Works Construction addresses soil compaction near street trees and shall be followed by Contractor. The storage of parked vehicles, construction equipment, building materials, refuse, excavated spoils or dumping of poisonous materials on or around trees and roots within five (5) feet of the tree or within the protection zone is prohibited. Add as a note on the plan set.
- 58. On this project, street tree protection zone fencing is required. The fencing shall be erected before the demolition, grading or construction begins. The fence shall include the entire width of terrace and, extend at least 5 feet on both sides of the outside edge of the tree trunk. Do not remove the fencing to allow for deliveries or equipment access through the tree protection zone. Add as a note on the plan set.

- 59. Street tree pruning shall be coordinated with Madison Forestry at a minimum of two weeks prior to the start of construction for this project. All pruning shall follow the American National Standards Institute (ANSI) A300 Part 1 Standards for pruning. Add as a note on the plan set.
- 60. Additional street trees are needed for this project. Tree planting specifications can be found in section 209 of City of Madison Standard Specifications for Public Works Construction All street tree planting locations and tree species within the right of way shall be determined by City Forestry. A landscape plan (in PDF format) shall be submitted City Forestry for approval of planting locations and tree species. All available street tree planting locations shall be planted within the project boundaries. Add following note to plan: At least one week prior to street tree planting, Contractor shall contact City Forestry at (608) 266-4816 to schedule inspection and approval of nursery tree stock and review planting specifications with the landscaper.

Please contact Jeff Belshaw, of the Water Utility, at (608) 261-9835 if you have any questions regarding the following three (3) items:

- 61. Private wells may have served the parcels associated with this project prior to municipal water service connections. The existing properties will require an internal and external survey for potential unabandoned private wells prior to proceeding with demolition. Any remaining unused/unpermitted private wells existing on this parcel must be properly abandoned according to Wisconsin Administrative Code NR 812 and Madison General Ordinance 13.21 prior to the demolition of the property. Please contact water utility staff at (608) 266- 4654 to schedule an on-site private well survey prior to demolition, otherwise for additional information regarding well abandonment procedures and potential well abandonment reimbursement programs.
- 62. Madison Water Utility will be required to sign off as part of the approval review associated with this Land Use Application/Site Plan Review prior to the issuance of building permits for the proposed development
- 63. A Water Service Application Form and fees must be submitted before connecting to the existing water system. Provide at least two working days notice between the application submittal and the requested installation or inspection appointment. Application materials are available on the Water Utility's Plumbers & Contractors website (http://www.cityofmadison.com/water/plumberscontractors), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. A Water Meter Application Form will subsequently be required to size & obtain a water meter establish a Water Utility customer account and/or establish a Water Utility fire service account. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.

Please contact Tim Sobota, of Metro Transit, at (608) 261-4289 if you have any questions regarding to following four (4) items:

64. In coordination with public works improvements, the applicant shall expand the concrete boarding pad surface at the existing Metro bus stop on the north side of West Washington Avenue, west of

Legistar #60915 & #60673; Accela 'LNDUSE-2020-00066' 502-516 W Washington Ave & 8-14 N Bassett Street August 7, 2020 Page 10

North Bassett Street.

- 65. The applicant shall secure an approved City of Madison Privilege in Streets permit in order to install and maintain a new passenger waiting shelter with seating amenity in this expanded concrete pad surface area. The shelter shall substantially match the existing (green) Washington Avenue design style.
- 66. The applicant shall include the location of these transit amenities on the final documents filed with their permit application so that Metro Transit may review the design.
- 67. Metro Transit provides daily, all-day service along West Washington Avenue in the Bassett Street intersection. Bus Stop #0512 is located on the north side of West Washington Avenue, west of North Bassett Street.

Specific questions regarding the comments or conditions contained in this letter should be directed to the commenting agency.

Please now follow the procedures listed below for obtaining permits for your project:

- After the plans have been revised per the above conditions, please resubmit a PDF copy of the complete, fully dimensioned, and to-scale plans, the appropriate site plan review application and fee pursuant to Section 28.206 of the Zoning Code, and any other documentation requested herein with the Zoning Administrator (zoning@cityofmadison.com). Note that the 20MB email limit still applies. Please mail the check, made out to "City Treasurer", for the site plan review fee to the following address: City of Madison Building Inspection P.O. Box 2984 Madison, WI 53701-2984. Include a cover page with the check, which includes the project address, brief description of the project, and contact information.
- 2. This letter shall be signed by the applicant to acknowledge the conditions of approval and returned to the Zoning Administrator when requesting conditional use approval.
- 3. City Agencies who submitted conditions of approval will review your revised plans to verify that their conditions, along with any applicable requirements, have been satisfied. When the revised plans are submitted, the applicant will be emailed a hyperlink to a website to follow, in real time, which agencies have reviewed the revised documents, and signed off or need additional information.
- 4. Upon receipt of the aforementioned plans, documents and fees, and upon determining that they are complete, the Zoning Administrator shall record them with the Dane County Register of Deeds Office. The recorded originals will be returned to the applicant, with the recording information noted, when the Register of Deeds has completed the recording process.
- 5. This Planned Development approval shall expire five (5) years after the date of the Plan Commission approval. No construction or alteration of the property included in this application shall be permitted until a Specific Implementation Plan (SIP) has been approved and recorded.
- 6. A demolition or removal permit is valid for one (1) year from the date of the Plan Commission. Where the plans have not been altered since issuance of the demolition or removal permit and the permit has expired, the Director of Planning and Community and Economic Development may, after

Legistar #60915 & #60673; Accela 'LNDUSE-2020-00066' 502-516 W Washington Ave & 8-14 N Bassett Street August 7, 2020 Page 11

consultation with the Alderperson of the District, approve an extension for up to 24 months from the expiration date.

7. No alteration of this proposal shall be permitted unless approved by the Plan Commission, provided, however, the Zoning Administrator may approve minor alterations that are approved by the Director of Planning and Community and Economic Development following consideration by the alderperson of the district, and which are compatible with the concept approved by the Common Council.

If you have any questions regarding obtaining your demolition or building permits, please contact the Zoning Administrator at (608) 266-4551. If you have any questions or if I may be of any further assistance, please do not hesitate to contact my office at sprusak@cityofmadison.com

Sincerely,

Sydney Prusak, AICP Planner

I hereby acknowledge that I understand and will comply with the above conditions of approval for this project.

Signature of Applicant

Signature of Property Owner (if not the applicant)

cc: Tim Troester, City Engineering Jeff Quamme, Engineering Mapping Sean Malloy, Traffic Engineering Jenny Kirchgatter, Zoning Bill Sullivan, Fire Department Sarah Lerner, Parks Division Wayne Buckley, Forestry Jeff Belshaw, Water Utility Tim Sobota, Metro Transit Janine Glaeser, Urban Design Commission

For Official Use Only, Re: Final Plan Routing			
\boxtimes	Planning Div. (Prusak)	\boxtimes	Engineering Mapping Sec.
\square	Zoning Administrator	\boxtimes	Parks Division
\square	City Engineering	\boxtimes	Urban Design Commission
\square	Traffic Engineering	\boxtimes	Recycling Coor. (R&R)
\square	Fire Department	\boxtimes	Metro Transit
\boxtimes	Water Utility		