

Department of Planning & Community & Economic Development

Planning Division

Heather Stouder, Director

Madison Municipal Building, Suite 017 215 Martin Luther King Jr. Boulevard Madison, Wisconsin 53703 Phone: (608) 266-4635 www.cityofmadison.com

BY E-MAIL ONLY

January 28, 2021

Todd Mosher raSmith 1245 E. Diehl Road, Suite 102 Naperville, IL 60563

RE: Consideration of conditional use approvals in the Commercial Center (CC) District for: 1) a vehicle access sales and service window; and 2) a major alteration to a planned multi-use site containing more than 40,000 square-feet of floor area and where 25,000 square-feet of floor area is designed or intended for retail use, to allow construction of a one-story restaurant-tavern with vehicle access sales and service window at 522 S. Gammon Road and 53 West Towne Mall. (LNDUSE-2020-00133; ID 63212)

Dear Mr. Mosher;

On January 25, 2021, the Plan Commission found the standards met and **approved** your client's conditional use requests for 522 S. Gammon Road and 53 West Towne Mall. In order to receive final approval of the conditional uses, and for any permits to be issued for your project, the following conditions shall be satisfied:

Please contact Janine Glaeser, Urban Design Commission Secretary, at (608) 267-8740 if you have any questions regarding the following three items:

- 1. Provide additional trees on the northwest side of the site between drive through and access road. Confirm preservation of existing trees.
- 2. The UDC supports maintaining landscaping and greenery along curved edge of ring road in lieu of a sidewalk route. The UDC supports current pedestrians route shown without sidewalk on inside of ring road.
- 3. Provide additional landscape island peninsula in lieu of paved striping area on right side (east) of site southwest vehicle entry.

Please contact Timothy Troester of the City Engineering Division—Main Office at (608) 267-1995 if you have any questions regarding the following eleven (11) items:

4. Madison Metropolitan Sewerage District (MMSD) charges are due and payable prior to Engineering signoff, unless otherwise collected with a Developer's / Subdivision Contract. Contact Mark Moder (608-261-9250) to obtain the final MMSD billing a minimum of two (2) working days prior to requesting City Engineering signoff. (MGO 16.23(9)(d)(4)

- 5. Obtain a permanent sewer plug permit for each existing sanitary sewer lateral serving a property that is not to be reused and a temporary sewer plug permit for each sewer lateral that is to be reused by the development. The procedures and fee schedule is available online at http://www.cityofmadison.com/engineering/permits.cfm. (MGO CH 35.02(14))
- 6. An Erosion Control Permit is required for this project. See Storm comments for permit specific details and requirements.
- 7. A Storm Water Management Report and Storm Water Management Permit is required for this project. See Storm comments for report and permit specific details and requirements.
- 8. This site appears to disturb over one (1) acre of land and requires a permit from the WDNR for stormwater management and erosion control. The City of Madison has been required by the WDNR to review projects for compliance with NR216 and NR-151 however a separate permit submittal is still required to the WDNR for this work. The City of Madison cannot issue our permit until concurrence is obtained from the WDNR via their NOI or WRAPP permit process. Contact Eric Rortvedt at 273-5612 of the WDNR to discuss this Information application available line: requirement. on this permit is on http://dnr.wi.gov/Runoff/stormwater/constrformsinfo.htm.

The applicant is notified that the City of Madison is an approved agent of the Department of Safety and Professional Services (DSPS) and no separate submittal to this agency or CARPC is required for this project to proceed.

- 9. Revise the site plan to show all existing public sanitary sewer facilities in the project area as well as the size, invert elevation, and alignment of the proposed service. (POLICY)
- 10. This site appears to have a land use that will result in their inclusion as a restaurant class sanitary sewer customer. This will charge commercial kitchen facilities a higher sanitary sewer fee per gallon than domestic users and is based on strengths of waste measured at representative similar customers throughout the City. If the applicant desires, a sampling structure may be installed, as part of the initial construction at their cost, to allow site-specific sampling of their waste to determine sanitary sewer charges specifically for this site. If no sampling structure is installed, this site will default to the restaurant class code in MGO Chapter 35. If you have questions on the restaurant class sewer charges please contact Megan Eberhardt at Meberhardt@cityofmadison.com or 608-266-6432.
- 11. This project will disturb 20,000 sf or more of land area and require an Erosion Control Plan. Please submit an 11" x 17" copy of an erosion control plan (pdf electronic copy preferred) to Megan Eberhardt (west) at meberhardt@cityofmadison.com, or Daniel Olivares (east) at daolivares@cityofmadison.com, for approval.

Demonstrate compliance with Section 37.07 and 37.08 of the Madison General Ordinances regarding permissible soil loss rates. Include Universal Soil Loss Equation (USLE) computations for the construction period with the erosion control plan. Measures shall be implemented in order to maintain a soil loss rate below 5.0 tons per acre per year. The WDNR provided workbook to compute USLE rates can be found online at https://dnr.wi.gov/topic/stormwater/publications.html

This project will require a concrete management plan and a construction dewatering plan as part of the erosion control plan to be reviewed and approved by the City Engineer's Office. If contaminated soil or groundwater conditions exist on or adjacent to this project additional WDNR, Public Health, and/or City Engineering approvals may be required prior to the issuance of the required Erosion Control Permit. (POLICY)

This project appears to require fire system testing that can result in significant amounts of water to be discharged to the project grade. The Contractor shall coordinate this testing with the erosion control measures and notify City Engineering 608-266-4751 prior to completing the test to document that appropriate measures have been taken to prevent erosion as a result of this testing.

Complete weekly self-inspection of the erosion control practices and post these inspections to the City of Madison website - as required by Chapter 37 of the Madison General Ordinances.

12. Prior to approval, this project shall comply with Chapter 37 of the Madison General Ordinances regarding stormwater management. Specifically, this development is required to submit a Storm Water Management Permit application, associated permit fee, Stormwater Management Plan, and Storm Water Management Report to City Engineering. The Stormwater Management Permit application can be found on City Engineering's website at http://www.cityofmadison.com/engineering/Permits.cfm.

The Storm Water Management Plan & Report shall include compliance with the following:

Report: Submit prior to plan sign-off, a stormwater management report stamped by a P.E. registered in the State of Wisconsin.

Electronic Data Files: Provide electronic copies of any stormwater management modeling or data files including SLAMM, RECARGA, TR-55, HYDROCAD, Sediment loading calculations, or any other electronic modeling or data files. If calculations are done by hand or are not available electronically, the hand copies or printed output shall be scanned to a PDF file and provided to City Engineering. (POLICY and MGO 37.09(2)) Rate Control: Reduce the peak rate of discharge during the 10 - year storm event as compared to existing conditions

TSS Redevelopment with TMDL: Reduce TSS by 80% off of the proposed development when compared with the existing site.

Oil/Grease Control: Treat the first 1/2 inch of runoff over the proposed parking facility and/or drive up window.

Volume Control: Provide onsite volumetric control reducing the post construction volumetric discharge by 5% in the 10-year storm event compared to existing conditions.

Submit a draft Stormwater Management Maintenance Agreement (SWMA) for review and approval that covers inspection and maintenance requirements for any BMP used to meet stormwater management requirements on this project.

- 13. Submit, prior to plan sign-off but after all revisions have been completed, a digital CAD file (single file) to the Engineering Division that is to scale and represents final construction with any private storm and sanitary sewer utilities.
- 14. Submit, prior to plan sign-off but after all revisions have been completed, digital PDF files to the Engineering Division. Email PDF file transmissions are preferred to: bstanley@cityofmadison.com (East) or ttroester@cityofmadison.com (West).

Please contact Jeff Quamme of the City Engineering Division – Mapping Section at (608) 266-4097 if you have any questions regarding the following four (4) items:

- 15. The portion(s) of a public watermain easement per Doc No 1370667 shall be released that will not be utilitized and any new easement area required for the movement of the existing public water hydrant shall be amended by separate document prepared by City Office of Real Estate Services. Contact Jeff Quamme of Engineering Mapping (irquamme@cityofmadison.com, 608-266-4097) to coordinate the Real Estate project, and associated information and fees required. The applicant shall confirm with the Madison Water Utility and Fire Department any modification to the water main and hydrant locations. The Real Estate project shall be set up and administrative fees paid prior to final sign off of the site plan.
- 16. Provide for review, comprehensive reciprocal easements and agreements including, but not limited to, access, parking, utilities, common areas, storm management and surface drainage that are necessary to accomplish the site development between this parcel and the remnant Seritage Growth Property Parcel. The rights are necessary in order to serve this parcel over, under and across the remnant Seritage parcel to access the common facilities provided by the Reciprocal Easement Agreement (and its amendments) for the entire mall development. The recorded documents shall be provided prior to final sign off. The document(s) shall be executed and recorded subsequent to the CSM recording and prior to building permit issuance.
- 17. Provide a recorded assignment and assumption of the existing Easement, Restriction and Operating Agreement (REA) addressing the need for this proposed parcel to be subject to and benefit from the existing REA. This site is dependent upon the benefits provided by this agreement for proper development. A recorded copy shall be provided prior to final site plan or early start permit issuance.
- 18. The pending Certified Survey Map application for this property shall be completed and recorded with the Dane County Register of Deeds (ROD), the new parcel data created by the Assessor's Office and the parcel data available to zoning and building inspection staff prior to issuance of building permits for new construction and/or an early start permit.

Please contact Sean Malloy of the Traffic Engineering Division at (608) 266-5987 if you have any questions regarding the following eighteen (18) items:

- 19. The applicant shall install sidewalk along their frontage of the ring road with an effective width of 5'
- 20. The applicant shall submit one contiguous plan showing proposed conditions and one contiguous plan showing existing conditions for approval. The plan drawings shall be to engineering scale and include the following, when applicable: existing and proposed property lines; parcel addresses; all easements; vision triangles; pavement markings; signing; building placement; items in the terrace such as signs, street light poles, hydrants; surface types such as asphalt, concrete, grass, sidewalk; driveway approaches, including those adjacent to and across street from the project lot location; parking stall dimensions, including two (2) feet of vehicle overhang; drive aisle dimensions; semitrailer movement and vehicle routes; dimensions of radii; and percent of slope.
- 21. The Developer shall post a security deposit prior to the start of development. In the event that modifications need to be made to any City owned and/or maintained traffic signals, street lighting, signing, pavement marking and conduit/handholes, the Developer shall reimburse the City for all associated costs including engineering, labor and materials for both temporary and permanent installations.

- 22. The City Traffic Engineer may require public signing and marking related to the development; the Developer shall be financially responsible for such signing and marking.
- 23. All parking facility design shall conform to MGO standards, as set in section 10.08(6).
- 24. All bicycle parking adjacent pedestrian walkways shall have a 2 foot buffer zone to accommodate irregularly parked bicycles and/or bicycle trailers.
- 25. All pedestrian walkways adjacent parking stalls shall be 7 feet wide to accommodate vehicle overhang, signage and impediments to walkway movements. Any request for variance shall be submitted to and reviewed by City Traffic Engineering.
- 26. The applicant shall adhere to all vision triangle requirements as set in MGO 27.05 (No visual obstructions between the heights of 30 inches and 10 feet at a distance of 25 feet behind the property line at streets and 10 feet at driveways.). Alteration necessary to achieve compliance may include but are not limited to; substitution to transparent materials, removing sections of the structure and modifying or removing landscaping elements. If applicant believes public safety can be maintained they shall apply for a reduction of MGO 27.05(2)(bb) Vision Clearance Triangles at Intersections Corners. Approval or denial of the reduction shall be the determination of the City Traffic Engineer.
- 27. The applicant shall provide a clearly defined 5' walkway from the front door to the public Right of Way clear of all obstructions to assist citizens with disabilities, especially those who use a wheel chair or are visually impaired. Obstructions include but are not limited to tree grates, planters, benches, parked vehicle overhang, signage and doors that swing outward into walkway.
- 28. "Stop" signs shall be installed at a height of seven (7) feet from the bottom of the sign at all class III driveway approaches, including existing driveways, behind the property line and noted on the plan. All directional/regulatory signage and pavement markings on the site shall be shown and noted on the plan.
- 29. Dimensions of the driveways shall be noted on the plan including the width of driveway and width of driveway flares or curb cut.
- 30. All existing driveway approaches on which are to be abandoned shall be removed and replaced with curb and gutter and noted on the plan.
- 31. Secure parking facility. This is usually done with continuous six (6) inch curb, timbers, preformed wheel stops, guardrail erected at a height of eighteen (18) inches or fencing of sufficient strength to act as a vehicle bumper.
- 32. All vehicle service window access aisles shall have a minimum outside turning radius of thirty (30) feet.
- 33. Developer shall provide a recorded copy of any joint driveway ingress/egress and crossing easements and shall be noted on face of plan.
- 34. The applicant shall work with Traffic Engineering on the pedestrian routing and ADA access through their site to be approved prior to sign-off.

- 35. The applicant shall work with Traffic Engineering to install a curb ramp on the internal ring road to provide a pedestrian crossing to a future Beltline path connection.
- 36. Outdoor drive-thru employees shall wear reflective clothing while working the vehicle queue.

Please contact Jacob Moskowitz of the Zoning Division at (608) 266-4560 if you have any questions regarding the following six (6) items:

- 37. Provide dimensions of the bicycle parking area. A bicycle stall is a minimum two (2) feet by six (6) feet with a five (5) foot wide access area.
- 38. Submit a landscape plan and landscape worksheet stamped by a registered landscape architect. Per Section 28.142(3) Landscape Plan and Design Standards, landscape plans for zoning lots greater than ten thousand (10,000) square feet in size must be prepared by a registered landscape architect.
- 39. Provide details showing that the primary street façade meets the door and window opening requirements of Section 28.060(2)(d). For nonresidential uses at ground floor level, windows and doors or other openings shall comprise at least sixty percent (60%) of the length and at least forty percent (40%) of the area of the ground floor of the primary street facade. At least fifty percent (50%) of windows on the primary street facade shall have the lower sill within three (3) feet of grade.
- 40. Per Sec. 28.142(6)(a): A planting island shall be located at least every twelve (12) contiguous stalls with no break.
- 41. Show the trash enclosure area on the site plan. All developments, except single family and two family developments, shall provide a refuse disposal area. Such area shall be screened on four (4) sides (including a gate for access) by a solid, commercial-grade wood fence, wall, or equivalent material with a minimum height of six (6) feet and not greater than eight (8) feet. Submit a detail of the trash enclosure.
- 42. Signage approvals are not granted by the Plan Commission. Signage must be reviewed for compliance with Chapter 31 Sign Codes of the Madison General Ordinances and Chapter 33 Urban Design District ordinances. Signage permits are issued by the Zoning Section of the Department of Planning and Community and Economic Development.

Please contact Bill Sullivan of the Madison Fire Department at (608) 261-9658 if you have any questions regarding the following item:

43. Provide a fire access plan in compliance with MGO Chapter 34 & the IFC.

Please contact Jeff Belshaw of the Madison Water Utility at (608) 261-9835 if you have any questions regarding the following two (2) items:

44. The Madison Water Utility shall be notified to remove the water meter at least two working days prior to demolition. Contact the Water Utility Meter Department at (608) 266-4765 to schedule the meter removal appointment.

45. A Water Service Application Form and fees must be submitted before connecting to the existing water system. Provide at least two working days notice between the application submittal and the requested installation or inspection appointment. Application materials are available on the Water Utility's Plumbers & Contractors website (http://www.cityofmadison.com/water/plumbers-contractors), otherwise they may be obtained from the Water Utility Main Office at 119 E Olin Ave. A licensed plumber signature is required on all water service applications. For new or replacement services, the property owner or authorized agent is also required to sign the application. A Water Meter Application Form will subsequently be required to size & obtain a water meter establish a Water Utility customer account and/or establish a Water Utility fire service account. If you have questions regarding water service applications, please contact Madison Water Utility at (608) 266-4646.

Specific questions regarding the comments or conditions contained in this letter should be directed to the commenting agency.

Please now follow the procedures listed below for obtaining permits for your project:

- 1. The applicant shall resubmit a PDF copy of the plan set and any other supporting materials that are necessary, as specified in this letter to Zoning@cityofmadison.com. (Note: A 20MB email limit applies and multiple transmittals may be required.). A check for the site plan review fee shall be mailed to the City of Madison Building Inspection Division; PO Box 2984; Madison, WI 53701-2984.
- 2. City Agencies who submitted conditions of approval will review your revised plans to verify that their conditions, along with any applicable requirements, have been satisfied. When the revised plans are submitted, the applicant will be emailed a hyperlink to a website to follow, in real time, which agencies have reviewed the revised documents, and signed off or need additional information.
- 3. This letter shall be signed by the applicant and property owner (if not the applicant) to acknowledge the conditions of approval and returned to the Zoning Administrator when requesting building permit approval. [Signature block on last page]
- 4. No alteration of this proposal shall be permitted unless approved by the Plan Commission, provided, however, the Zoning Administrator may issue permits for minor alterations. No alteration of a conditional use shall be permitted unless approved by the Plan Commission provided, however, the Zoning Administrator following consideration by the alderperson of the district, may approve minor alterations or additions which are approved by the Director of Planning and Community and Economic Development and are compatible with the concept approved by the Plan Commission and the conditional use standards. This approval shall become null and void one (1) year after the date of the Plan Commission unless the use is commenced, construction is under way, or a valid building permit is issued and construction commenced within 6 months of the issuance of said building permit. Where the plans have not been altered from the Plan Commission's approval, and the conditional use has expired, the Director of Planning and Community and Economic Development may, after consultation with the Alderperson of the District, approve an extension for up to 24 months from the expiration date. The Plan Commission shall retain jurisdiction over this matter for the purpose of resolving complaints against the approved conditional use permit.

If you have any questions regarding obtaining your building permits, please contact the Zoning Administrator at 266-4551. If you have any questions or if may be of any further assistance, please do not hesitate to contact my office at 261-9135.

Sincerely,

Chris Wells Planner

Chri Wells

cc: Timothy Troester, City Engineering Division
Jeff Quamme, City Engineering Division – Mapping Section
Sean Malloy, Traffic Engineering
Jacob Moskowitz, Zoning Administrator
Bill Sullivan, Madison Fire Department
Jeff Belshaw, Madison Water Utility
Janine Glaeser, Urban Design Commission Secretary

I hereby acknowledge that I understand and v comply with the above conditions of approval this project.	
Signature of Applicant	
Signature of Property Owner (If Not Applicant)	

LNDUSE-2020-00133				
For Official Use Only, Re: Final Plan Routing				
\boxtimes	Planning Div. (Wells)	\boxtimes	Engineering Mapping Sec.	
\boxtimes	Zoning Administrator		Parks Division	
\boxtimes	City Engineering	\boxtimes	Urban Design Commission	
\boxtimes	Traffic Engineering		Recycling Coor. (R&R)	
\boxtimes	Fire Department		Other: Forestry	
\boxtimes	Water Utility		Other:	