



Legislation Details (With Text)

File #: 23815 **Version:** 1 **Name:** Library Director
Type: Ordinance **Status:** Passed
File created: 9/2/2011 **In control:** BOARD OF ESTIMATES (ended 4/2017)
On agenda: 9/20/2011 **Final action:** 9/20/2011
Enactment date: 9/29/2011 **Enactment #:** ORD-11-00128

Title: Amending Section 3.54(1)(i)2. of the Madison General Ordinances by deleting the classification of Library Director in Compensation Group 21, Range 18 and creating the classification of Library Director in Compensation Group 21, Range 20.

Sponsors: Larry Palm

Indexes:

Code sections:

Attachments: 1. Library Director Salary Study

Date	Ver.	Action By	Action	Result
9/20/2011	1	COMMON COUNCIL	Adopt	Pass
9/12/2011	1	BOARD OF ESTIMATES (ended 4/2017)	RECOMMEND TO COUNCIL TO ADOPT - REPORT OF OFFICER	Pass
9/6/2011	1	COMMON COUNCIL	Refer	Pass
9/2/2011	1	Attorney's Office/Approval Group	Referred for Introduction	

Fiscal Note

[Enter Fiscal Note Here]

Title

Amending Section 3.54(1)(i)2. of the Madison General Ordinances by deleting the classification of Library Director in Compensation Group 21, Range 18 and creating the classification of Library Director in Compensation Group 21, Range 20.

Body

DRAFTER'S ANALYSIS: This ordinance deletes the classification of Library Director in CG21, R18 and creates the classification of Library Director in CG21, R20.

The Common Council of the City of Madison do hereby ordain as follows:

Paragraph 2. of Subdivision (i) entitled "Appendix. (Schedule of Salary Ranges for Noncivil Service Employees)" of Subsection (1) entitled "Basic Salary Schedules By Compensation Groups" of Section 3.54 entitled "Compensation Plan" of the Madison General Ordinances is amended by deleting the classification of "Library Director" in Compensation Group 21, Range 18 and creating the classification of "Library Director" in Compensation Group 21, Range 20.

Note: The Library Board recommends that the Common Council should reclassify the Library Director's position from the 21/18 salary range up to the 21/20 range.